

# Trip Report — East Africa Highlights: Kenya & Tanzania 2025

March 1-21, 2025 with Terry Stevenson



African Fish-Eagle -- this classic African raptor (with a great call too) was common at Lake Naivasha where we saw about 20. Photo by participant Paul Beerman.

As usual we began this very popular tour in Nairobi where a Hartlaub's Turaco in the grounds of our lodge was a great beginning. We then made an afternoon visit to Nairobi National Park, where most of the birds and mammals were concentrating around the waterholes. Slowly crossing the plains between the scattered pools of water, we all enjoyed our first Common Ostrich, Helmeted Guineafowl, Gray-crowned Crane, Black-winged Kite, White-backed Vulture, Long-tailed Fiscal, Sentinel Lark (a newly described species), Lesser Striped Swallow, and Red-billed and Yellow-billed oxpeckers. While at the waterholes themselves, we saw Black-winged Stilt, Three-banded Plover, Long-toed, Blacksmith and Spur-winged lapwings, a flock of almost 300 Marabou Storks, Yellow-billed Stork, Reed Cormorant, African Sacred Ibis, and African Spoonbill. We also saw our first

mammals, which varied from a rare Black Rhinoceros to more common species like Plains Zebra, Cape Buffalo, Hartebeest, and Impala.



Abyssinian Sunbird is uncommon, and in Kenya usually restricted to the far north, so we were lucky to find this stunning male at Lake Baringo. Photo by participant Paul Beerman.

The following day was mainly a travel day as we flew from Nairobi to Arusha (near Kilimanjaro), met our Tanzanian driver Nuru, and then drove south and west to the outer slopes of Ngorongoro Crater. However, the day was not without birding as we picked up Speckled and Blue-naped mousebirds, Hildebrandt's and Superb starlings, Scarlet-chested Sunbird, Speckle-fronted Weaver, Vitelline Masked-Weaver, Cut-throat, Blue-capped Cordonbleu, and Swahili Sparrow. We closed the day with a walk in the grounds of our lodge, adding Tambourine Dove, Black Goshawk, Black Cuckooshrike, African Black-headed Oriole, Black-backed Puffback, African Paradise-flycatcher, and Arrow-marked Babbler.

We then had two days to bird Ngorongoro Crater, first in the forests on the outer slopes and then a day in the spectacular crater itself. The combination of birds and mammals here is truly amazing, and just some of our highlights were Kori Bustard, White-browed Coucal, Chestnut-banded Plover, Collared

Pratincole, at least 5000 Greater and Lesser flamingos, Abdim's and Saddle-billed storks, Hamerkop, Lappet-faced Vulture, Crowned Eagle, Black-throated Wattle-eye, Tropical Boubou, White-necked Raven, White-tailed Blue-flycatcher, Brown-headed Apalis, Black-headed Mountain Greenbul, Eastern Double-collared Sunbird, Rufous-tailed Weaver, Southern Red Bishop, and Fan-tailed Widowbird. The mammals were, of course, a major highlight with Olive Baboon, Black-backed Jackal, Spotted Hyena, 8 Lions, African Savanna Elephant, 5 more Black Rhinos, super close looks at Hippo, Northern Giraffe, and large numbers of Zebra, Buffalo, Blue Wildebeest, and Thomson's and Grant's gazelles.




Black-and-white-casqued Hornbill -- we had great looks at these enormous hornbills on the grounds of our hotel in Kakamega Forest. Photo by participant Paul Beerman.

Continuing still further west we then had three days in the Serengeti -- for many visitors the major highlight of the tour. As usual, we stopped along the way at Olduvai Gorge (also known as the Cradle of Mankind), where we were given a short talk on the fascinating work done by the Leakey family and other famous paleontologists. Then during three full days in the Serengeti, we added a wealth of new species including: Gray-breasted Spurfowl, Chestnut-bellied and Yellow-throated sandgrouse, White-bellied



and Black-bellied bustards, Bare-faced Go-away-bird, Great Spotted Cuckoo, Sombre Nightjar, Spotted Thick-knee, Double-banded Courser, Secretarybird, White-headed and Hooded vultures, Bateleur, Black-chested Snake-Eagle, Long-crested Eagle, Dark Chanting-Goshawk, Pearl-spotted Owlet, Von der Decken's Hornbill, Lilac-breasted Roller, Northern Red-fronted Tinkerbird, Pygmy Falcon, Fischer's Lovebird, Brown-crowned Tchagra, Magpie Shrike, Croaking Cisticola, Banded Parusoma, Silverbird, Mocking Cliff-Chat, Marico Sunbird, Gray-capped Social-Weaver, Red-headed Weaver, Gray-headed Silverbill, Purple Grenadier, and Eastern Paradise-Whydah. Of course, the mammals were fantastic too, with good looks at Spotted Hyena, two young Leopards, daily encounters with Lion, a Cheetah, super close looks at herds of Elephants, and the amazing mixed herds of Zebra, Eland, Tsessebe, Hartebeest, Blue Wildebeest, Impala, and Thomson's and Grant's Gazelles.



Tacazze Sunbird, another of the gorgeous sunbirds we saw -- this one in the Kenya highlands at Thomson's Falls. Photo by participant Paul Beerman.

We concluded the Tanzanian part of our tour with two days in Tarangire National Park, a wonderful area of grassland and bush country -- scattered throughout with palms, giant baobab trees, the Tarangire River, and a huge

marsh. This new habitat did, of course, bring us new birds, and we all enjoyed Crested Francolin, Yellow-necked and Red-necked spurfowl, Black-faced Sandgrouse, White-bellied Go-away-bird, Black Coucal, Water Thick-knee, African Openbill, Rufous-bellied Heron, Southern Ground-Hornbill, Northern Red-billed Hornbill, Northern Carmine Bee-eater, Gray-headed Kingfisher, Yellow-collared Lovebird, Meyer's and Red-bellied parrots, Gorgeous Sunbird, flocks of Red-billed Quelea, Crimson-rumped Waxbill, Pangani Longclaw, and Cinnamon-breasted Bunting. We added some new mammals too, including Banded and Common Dwarf mongoose, Bush Hyrax, but perhaps best of all was a big Leopard not far from the road and lounging in a tree.

Nuru, who had so skillfully driven us throughout the tour, then dropped us at Arusha airport for the short flight back to Nairobi and a whole new series of adventures awaiting us on the Kenya section of our tour.



Ross's Turaco was just one of six species of turacos we saw on this tour. Photo by participant Paul Beerman.

After a good night's sleep in Nairobi, we headed north to the Great Rift Valley with stops at Limuru Pond and Lake Naivasha (a freshwater lake).

Highlights this morning were White-backed, Yellow-billed and Red-billed ducks, African Swamphen, African Jacana, Great-White and Pink-backed pelicans, African Fish-Eagle and Pied Kingfisher -- with the Naivasha boat trip being great for the photographers. On to the alkaline Lake Nakuru, we then started to see more mammals -- including another Lion, our first Rock Hyrax, three more Black Rhino, White Rhino, the rare 'Rothschild's' Giraffe (now lumped with Northern), Waterbuck, Wildebeest, Impala and Thomson's Gazelle. New birds included Garganey, Common Ringed Plover, Little Grebe, a magnificent adult Martial Eagle, Southern White-faced Owl, White-fronted Bee-eater, Banded Martin, Pale White-eye, and Greater Blue-eared Starling.



Spectacled Weaver -- the streak through the eye makes this species distinctive from numerous others with more round face-masks. Photo by participant Paul Beerman.

From Nakuru, we headed west for a three-night stay at the famous Kakamega Forest with a stop on the shores of Lake Victoria along the way. The lake gave us such varied species as Eastern Plantain-eater, Purple Heron, Malachite Kingfisher, Black-headed Gonolek, Angola Swallow, Swamp Flycatcher, Red-chested Sunbird, and Slender-billed, Northern Brown-throated, Black-headed, and Golden-backed weavers. The forest brought us daily treats including Black-billed and Ross's turacos, Red-



chedered Cuckoo, White-headed Woodhoopoe, Black-and-white-casqued Hornbill, Cinnamon-chested Bee-eater, African Pygmy Kingfisher, Eastern Yellow-billed, Gray-throated, and Yellow-spotted barbets, African Broadbill, Brown-throated and Jameson's wattle-eyes, Ludher's Bushshrike, Sharpe's Drongo, African Blue-flycatcher, Black-collared Apalis, White-headed Sawwing, Honeyguide, Little, Plain and Ansorge's greenbuls, Green Hylia, Brown-chested Alethe, Dark-backed, Brown-capped and Vieillot's Black weavers, and Black-crowned Waxbill.



Long-toed Lapwing -- this nice image of these marsh-dwelling lapwings was taken by participant Paul Beerman.

Continuing on, we now headed east and back to the Great Rift Valley where we had two nights based at the Bogoria Spa Resort, birding both here and at nearby Lake Baringo. As always, we were joined by our two local guides, Francis and William, who helped us tremendously and especially with some of the night birds that we saw on day roosts. Just a few of the highlights were, Slender-tailed Nightjar, Senegal Thick-knee, Three-banded Courser,

Shikra, African Scops-Owl, Northern White-faced Owl, Grayish Eagle-Owl, Jackson's Hornbill, D'Arnaud's, Red-fronted, Spot-flanked and Black-throated barbets, Northern Red-fronted Tinkerbird, Pygmy Batis, Northern Puffback, Somali Tit, Mouse-colored Penduline-tit, Yellow-bellied Eremomela, Red-fronted Prinia, Rufous Chatterer, Violet-backed, Bristle-crowned and Magpie starlings, Gambaga Flycatcher, Brown-tailed Chat, Eastern Violet-backed, Hunter's and Abyssinian sunbirds, White-billed Buffalo-Weaver, and Northern Masked-Weaver.

The final part of our tour was to drive back to Nairobi with a night along the way at The Ark in the Aberdare Mountains. Highlights included Scaly Spurfowl, Cape Eagle-Owl, Silvery-cheeked Hornbill, Red-fronted Parrot, White-bellied Tit, Gray-capped Warbler, Hunter's Cisticola, Mountain Yellow Warbler, Kikuyu Mountain Greenbul, Cape and Rueppell's robin-chats, Little Rock-Thrush, Golden-winged Sunbird, African Citril and Yellow-crowned Canary, while new mammals included Giant Forest Hog, and Suni.





African Paradise-flycatcher gave us nice looks (and photos) in the grounds of Plantation Lodge near Ngorongoro Crater. Photo by participant Paul Beerman.

### **Mammals seen on the tour:**

Blue Monkey (*Cercopithecus mitis*) About 40 at Kakamega Forest.

Vervet Monkey (*Chlorocebus pygerythrus*) Common and widespread with a total of about 320.

Olive Baboon (*Papio anubis*) Another widespread primate; in all we saw about 300.

Guereza (*Colobus guereza*) First seen at Naivasha (3) and then about 25 at Kakamega Forest.

Cape Hare (*Lepus capensis*) One in the Serengeti.

Forest Giant Squirrel (*Protoxerus stangeri*) One at Kakamega Forest.

Ochre Bush Squirrel (*Paraxerus ochraceus*) Small numbers around our lodge at Tarangire, Bogoria, and in the Aberdare Mountains.

Red-legged Sun Squirrel (*Heliosciurus rufobrachium*) Two singles at Kakamega.

Black-backed Jackal (*Lupulella mesomelas*) Four in Ngorongoro Crater, and 2

on the Serengeti plains.

Common Genet (*Genetta genetta*) Singles in the Serengeti and at Tarangire.

Rusty-spotted Genet (*Genetta fieldiana*) Also known as Large-spotted Genet, we saw 1 at The Ark.

Common Slender Mongoose (*Herpestes sanguineus*) One in the Serengeti, and 2 at The Ark.

Banded Mongoose (*Mungos mungo*) We saw several groups; with a total of about 60 at Tarangire.

Common Dwarf Mongoose (*Helogale parvula*) Eight at Tarangire.

Spotted Hyena (*Crocuta crocuta*) At least 15 in Ngorongoro Crater, and 5 at Serengeti.

Leopard (*Panthera pardus*) We saw 2 separate young ones in Serengeti, and then a fabulous adult resting in a tree at Tarangire.

Serval (*Leptailurus serval*) One in the grasslands on the way to Ndutu.

Lion (*Panthera leo*) Great looks this tour, with big-maned males, females and young; in all we saw 39, at Ngorongoro, the Serengeti and Tarangire in Tanzania, and then 1 at Nakuru, Kenya.

Cheetah (*Acinonyx jubatus*) Nice looks at 1 in the Serengeti.

African Savanna Elephant (*Loxodonta africana*) We saw a total of about 120 in the Ngorongoro-Serengeti-Tarangire area, and then 18 at The Ark.

Rock Hyrax (*Procavia capensis*) Six at Nakuru, and 15 at Baringo.

Bush Hyrax (*Heterohyrax brucei*) About 30 in the grounds of our lodge at Tarangire.

Plains Zebra (*Equus quagga*) Formerly known as Burchell's Zebra, they were very common and widespread across the open grassy plains; in all we saw about 2000.

Black Rhinoceros (*Diceros bicornis*) Very lucky this tour, with 1 at Nairobi NP, 5 in Ngorongoro Crater, and 3 at Lake Nakuru.

White Rhinoceros (*Ceratotherium simum*) Introduced (but long established) in Kenya, we saw 3 at Nairobi NP and 2 at Lake Nakuru.

Common Warthog (*Phacochoerus africanus*) Widespread throughout the tour, with a total of about 90.

Giant Forest Hog (*Hylochoerus meinertzhageni*) At least a dozen in The Ark area.

Common Hippopotamus (*Hippopotamus amphibius*) Twenty in Nairobi NP,

then a total of about 350 in Ngorongoro Crater and the Serengeti, and 20 at Lake Naivasha.

Northern Giraffe (*Giraffa camelopardalis*) We saw about 60 in the Serengeti, 25 at Tarangire, and then a single 'Rothschild's Giraffe' (often given species status) at Nakuru.

Northern Bushbuck (*Tragelaphus scriptus*) Four in the Karatu to Ngorongoro area, and 6 at The Ark.

Common Eland (*Tragelaphus oryx*) Twenty in Ngorongoro Crater.

Cape Buffalo (*Syncerus caffer*) Widespread, on open plains and the edges of bushland, with by far the highest number being 650 in Ngorongoro Crater.

Waterbuck (*Kobus ellipsiprymnus*) Two singles at Ngorongoro, 6 at Tarangire, 50 at Naivasha, and 10 near The Ark.

Tsessebe (*Damaliscus lunatus*) Also known at Topi, we saw 17 in the Serengeti.

Hartebeest (*Alcelaphus buselaphus*) Twenty in Nairobi NP, 25 in the Serengeti, and a dozen at Tarangire.

Blue Wildebeest (*Connochaetes taurinus*) At least 3000 were in Ngorongoro Crater, perhaps another 5000 on the Serengeti Plains, at 40 at Naivasha.

Suni (*Neotragus moschatus*) Nice looks at 2 from the walkway at The Ark.

Kirk's Dik-dik (*Madoqua kirkii*) We saw a total of about 100, mostly in the Serengeti woodlands, but also a few at Tarangire.

Impala (*Aepyceros malampus*) Very common and widespread with a total of about 800.

Thomson's Gazelle (*Eudorcas thomsoni*) One thousand five hundred in Ngorongoro Crater, at least 6000 on the Serengeti plains, and 40 at Naivasha.

Grant's Gazelle (*Nanger granti*) About 250 in Ngorongoro Crater, 200 at Serengeti, and 30 at Tarangire.

You can see my complete trip report on eBird at this link:

<https://ebird.org/tripreport/388663>


—Terry Stevenson



## Field Guides Birding Tours – East Africa Highlights: Kenya & Tanzania (with Terry Stevenson)



3 – 20 Mar 2025 (18 days) Public



[Kenya](#) | [Tanzania](#) [Subregions](#)

[Terry Stevenson](#)





For a narrative summary of this tour, including a Field Guides photo gallery and additional...

 419

Species Observed

 47





















Checklists





















LIFERS  190 





















## Species Observed

[Show all details](#)





















57	<b>Common Ostrich</b>	<i>Struthio camelus</i>	  8
51	<b>White-faced Whistling-Duck</b>	<i>Dendrocygna viduata</i>	  2
1	<b>White-backed Duck</b>	<i>Thalassornis leuconotus</i> 	  1
298	<b>Egyptian Goose</b>	<i>Alopochen aegyptiaca</i>	  9
2	<b>Garganey</b>	<i>Spatula querquedula</i>	  1
2	<b>African Black Duck</b>	<i>Anas sparsa</i>	  1
13	<b>Yellow-billed Duck</b>	<i>Anas undulata</i>	  4
12	<b>Cape Teal</b>	<i>Anas capensis</i>	  1
3	<b>Red-billed Duck</b>	<i>Anas erythrorhyncha</i>	  1





















145	<b>Helmeted Guineafowl</b>	<i>Numida meleagris</i>	▶  9
10	<b>Crested Francolin</b>	<i>Ortygornis sephaena</i>	▶  2
5	<b>Coqui Francolin</b>	<i>Campocolinus coqui</i> ✓	▶  3
2	<b>Harlequin Quail</b>	<i>Coturnix delegorguei</i>	▶  1
6	<b>Scaly Spurfowl</b>	<i>Pternistis squamatus</i> ✓	▶  2
2	<b>Yellow-necked Spurfowl</b>	<i>Pternistis leucoscepus</i>	▶  1
4	<b>Gray-breasted Spurfowl</b>	<i>Pternistis rufopictus</i> ✓	▶  3
11	<b>Red-necked Spurfowl</b>	<i>Pternistis afer</i> ✓	▶  2
12	<b>Speckled Pigeon</b>	<i>Columba guinea</i>	▶  3
16	<b>Mourning Collared-Dove</b>	<i>Streptopelia decipiens</i>	▶  2
8	<b>Red-eyed Dove</b>	<i>Streptopelia semitorquata</i>	▶  4
802	<b>Ring-necked Dove</b>	<i>Streptopelia capicola</i>	▶  6
54	<b>Laughing Dove</b>	<i>Spilopelia senegalensis</i>	▶  4
3	<b>Emerald-spotted Wood-Dove</b>	<i>Turtur chalcospilos</i>	▶  3
2	<b>Tambourine Dove</b>	<i>Turtur tympanistria</i>	▶  2
2	<b>Namaqua Dove</b>	<i>Oena capensis</i>	▶  1
1	<b>African Green-Pigeon</b>	<i>Treron calvus</i>	▶  1
60	<b>Chestnut-bellied Sandgrouse</b>	<i>Pterocles exustus</i> ✓	▶  1
150	<b>Yellow-throated Sandgrouse</b>	<i>Pterocles gutturalis</i> ✓	▶  1
8	<b>Black-faced Sandgrouse</b>	<i>Pterocles decoratus</i>	▶  2





















39	<b>Kori Bustard</b>	<i>Ardeotis kori</i>	▶  4
8	<b>White-bellied Bustard</b>	<i>Eupodotis senegalensis</i>	▶  2
2	<b>Black-bellied Bustard</b>	<i>Lissotis melanogaster</i>	▶  1
20	<b>Bare-faced Go-away-bird</b>	<i>Crinifer personatus</i> ✓	▶  5
12	<b>White-bellied Go-away-bird</b>	<i>Crinifer leucogaster</i>	▶  2
2	<b>Eastern Plantain-eater</b>	<i>Crinifer zonurus</i> ✓	▶  1
1	<b>Ross's Turaco</b>	<i>Tauraco rossae</i> ✓	▶  1
2	<b>Black-billed Turaco</b>	<i>Tauraco schuettii</i> ✓	▶  1
1	<b>Hartlaub's Turaco</b>	<i>Tauraco hartlaubi</i> ✓	▶  1
23	<b>White-browed Coucal</b>	<i>Centropus superciliosus</i>	▶  8
4	<b>Black Coucal</b>	<i>Centropus grillii</i> ✓	▶  1
5	<b>Great Spotted Cuckoo</b>	<i>Clamator glandarius</i>	▶  2
1	<b>Dideric Cuckoo</b>	<i>Chrysococcyx caprius</i>	▶  1
1	<b>Klaas's Cuckoo</b>	<i>Chrysococcyx klaas</i>	▶  1
3	<b>Red-chested Cuckoo</b>	<i>Cuculus solitarius</i>	▶  3
1	<b>Sombre Nightjar</b>	<i>Caprimulgus fraenatus</i> ✓	▶  1
1	<b>Slender-tailed Nightjar</b>	<i>Caprimulgus clarus</i>	▶  1
1	<b>Mottled Swift</b>	<i>Tachymarptis aequatorialis</i> ✓	▶  1
129	<b>Little Swift</b>	<i>Apus affinis</i>	▶  6
4	<b>African Palm Swift</b>	<i>Cypsiurus parvus</i>	▶  1

32	<b>Eurasian Moorhen</b>	<i>Gallinula chloropus</i>	▶  6
20	<b>Red-knobbed Coot</b>	<i>Fulica cristata</i>	▶  1
8	<b>African Swamphe</b>	<i>Porphyrio madagascariensis</i>	▶  2
6	<b>Black Crake</b>	<i>Zapornia flavirostra</i>	▶  3
55	<b>Gray Crowned-Crane</b>	<i>Balearica regulorum</i>	▶  6
4	<b>Spotted Thick-knee</b>	<i>Burhinus capensis</i>	▶  1
5	<b>Water Thick-knee</b>	<i>Burhinus vermiculatus</i>	▶  2
1	<b>Senegal Thick-knee</b>	<i>Burhinus senegalensis</i> ✓	▶  1
45	<b>Black-winged Stilt</b>	<i>Himantopus himantopus</i>	▶  5
26	<b>Pied Avocet</b>	<i>Recurvirostra avosetta</i>	▶  2
5	<b>Common Ringed Plover</b>	<i>Charadrius hiaticula</i>	▶  1
12	<b>Three-banded Plover</b>	<i>Thinornis tricoloris</i>	▶  4
6	<b>Long-toed Lapwing</b>	<i>Vanellus crassirostris</i> ✓	▶  2
55	<b>Blacksmith Lapwing</b>	<i>Vanellus armatus</i>	▶  7
16	<b>Spur-winged Lapwing</b>	<i>Vanellus spinosus</i>	▶  4
3	<b>Black-headed Lapwing</b>	<i>Vanellus tectus</i>	▶  1
6	<b>Black-winged Lapwing</b>	<i>Vanellus melanopterus</i>	▶  1
38	<b>Crowned Lapwing</b>	<i>Vanellus coronatus</i>	▶  4
3	<b>Chestnut-banded Plover</b>	<i>Anarhynchus pallidus</i> ✓	▶  2
20	<b>African Jacana</b>	<i>Actophilornis africanus</i>	▶  3























1	<b>Black-tailed Godwit</b>	<i>Limosa limosa</i>	✓	▶  1
2	<b>African Snipe</b>	<i>Gallinago nigripennis</i>		▶  2
2	<b>Common Sandpiper</b>	<i>Actitis hypoleucos</i>		▶  2
40	<b>Marsh Sandpiper</b>	<i>Tringa stagnatilis</i>		▶  1
12	<b>Wood Sandpiper</b>	<i>Tringa glareola</i>		▶  4
3	<b>Common Greenshank</b>	<i>Tringa nebularia</i>		▶  3
487	<b>Ruff</b>	<i>Calidris pugnax</i>		▶  6
142	<b>Little Stint</b>	<i>Calidris minuta</i>		▶  5
3	<b>Double-banded Courser</b>	<i>Smutsornis africanus</i>	✓	▶  1
4	<b>Three-banded Courser</b>	<i>Rhinoptilus cinctus</i>		▶  1
2	<b>Collared Pratincole</b>	<i>Glareola pratincola</i>		▶  1
4	<b>Gray-hooded Gull</b>	<i>Chroicocephalus cirrocephalus</i>		▶  2
90	<b>Gull-billed Tern</b>	<i>Gelochelidon nilotica</i>	✓	▶  4
2	<b>Whiskered Tern</b>	<i>Chlidonias hybrida</i>		▶  1
5400	<b>Greater Flamingo</b>	<i>Phoenicopterus roseus</i>		▶  3
2950	<b>Lesser Flamingo</b>	<i>Phoeniconaias minor</i>		▶  3
2	<b>Little Grebe</b>	<i>Tachybaptus ruficollis</i>		▶  2
4	<b>African Openbill</b>	<i>Anastomus lamelligerus</i>		▶  2
45	<b>Abdim's Stork</b>	<i>Ciconia abdimii</i>	✓	▶  1
42	<b>White Stork</b>	<i>Ciconia ciconia</i>	✓	▶  2





















2	<b>Saddle-billed Stork</b>	<i>Ephippiorhynchus senegalensis</i>	▶  1
364	<b>Marabou Stork</b>	<i>Leptoptilos crumenifer</i>	▶  5
29	<b>Yellow-billed Stork</b>	<i>Mycteria ibis</i>	▶  5
4	<b>African Darter</b>	<i>Anhinga rufa</i>	▶  2
27	<b>Reed Cormorant</b>	<i>Microcarbo africanus</i>	▶  4
601	<b>Great Cormorant</b>	<i>Phalacrocorax carbo</i>	▶  3
301	<b>Glossy Ibis</b>	<i>Plegadis falcinellus</i>	▶  2
94	<b>African Sacred Ibis</b>	<i>Threskiornis aethiopicus</i>	▶  6
50	<b>Hadada Ibis</b>	<i>Bostrychia hagedash</i>	▶  6
6	<b>African Spoonbill</b>	<i>Platalea alba</i>	▶  2
30	<b>Black-crowned Night Heron</b>	<i>Nycticorax nycticorax</i>	▶  1
5	<b>Little Egret</b>	<i>Egretta garzetta</i>	▶  3
2	<b>Striated Heron</b>	<i>Butorides striata</i>	▶  1
1	<b>Rufous-bellied Heron</b>	<i>Ardeola rufiventris</i> ✓	▶  1
3	<b>Squacco Heron</b>	<i>Ardeola ralloides</i>	▶  2
128	<b>Western Cattle-Egret</b>	<i>Ardea ibis</i>	▶  6
22	<b>Great Egret</b>	<i>Ardea alba</i>	▶  2
2	<b>Yellow-billed Egret</b>	<i>Ardea brachyrhyncha</i>	▶  1
50	<b>Gray Heron</b>	<i>Ardea cinerea</i>	▶  4
1	<b>Purple Heron</b>	<i>Ardea purpurea</i>	▶  1





















68	<b>Black-headed Heron</b>	<i>Ardea melanocephala</i>	▶  9
9	<b>Hamerkop</b>	<i>Scopus umbretta</i>	▶  3
361	<b>Great White Pelican</b>	<i>Pelecanus onocrotalus</i>	▶  3
10	<b>Pink-backed Pelican</b>	<i>Pelecanus rufescens</i> ✓	▶  2
1	<b>Secretarybird</b>	<i>Sagittarius serpentarius</i>	▶  1
1	<b>Osprey</b>	<i>Pandion haliaetus</i>	▶  1
14	<b>Black-winged Kite</b>	<i>Elanus caeruleus</i>	▶  4
1	<b>African Harrier-Hawk</b>	<i>Polyboroides typus</i>	▶  1
1	<b>European Honey-buzzard</b>	<i>Pernis apivorus</i> ✓	▶  1
2	<b>White-headed Vulture</b>	<i>Trigonoceps occipitalis</i>	▶  1
9	<b>Lappet-faced Vulture</b>	<i>Torgos tracheliotos</i> ✓	▶  4
2	<b>Hooded Vulture</b>	<i>Necrosyrtes monachus</i>	▶  1
25	<b>White-backed Vulture</b>	<i>Gyps africanus</i>	▶  6
3	<b>Bateleur</b>	<i>Terathopius ecaudatus</i>	▶  2
2	<b>Black-chested Snake-Eagle</b>	<i>Circaetus pectoralis</i>	▶  2
3	<b>Brown Snake-Eagle</b>	<i>Circaetus cinereus</i>	▶  3
2	<b>Crowned Eagle</b>	<i>Stephanoaetus coronatus</i> ✓	▶  1
1	<b>Martial Eagle</b>	<i>Polemaetus bellicosus</i>	▶  1
5	<b>Long-crested Eagle</b>	<i>Lophaetus occipitalis</i>	▶  4
1	<b>Wahlberg's Eagle</b>	<i>Hieraaetus wahlbergi</i>	▶  1





















1	<b>Steppe Eagle</b>	<i>Aquila nipalensis</i>	✓	▶ 1
18	<b>Tawny Eagle</b>	<i>Aquila rapax</i>		▶ 7
4	<b>African Hawk-Eagle</b>	<i>Aquila spilogaster</i>		▶ 3
3	<b>Dark Chanting-Goshawk</b>	<i>Melierax metabates</i>	✓	▶ 2
1	<b>Shikra</b>	<i>Tachyspiza badia</i>		▶ 1
1	<b>Black Goshawk</b>	<i>Astur melanoleucus</i>		▶ 1
1	<b>Western Marsh Harrier</b>	<i>Circus aeruginosus</i>		▶ 1
1	<b>Pallid Harrier</b>	<i>Circus macrourus</i>	✓	▶ 1
2	<b>Montagu's Harrier</b>	<i>Circus pygargus</i>	✓	▶ 2
19	<b>Black Kite</b>	<i>Milvus migrans</i>		▶ 4
27	<b>African Fish-Eagle</b>	<i>Ichthyophaga vocifer</i>		▶ 4
19	<b>Augur Buzzard</b>	<i>Buteo augur</i>	✓	▶ 7
1	<b>Common Buzzard</b>	<i>Buteo buteo</i>		▶ 1
4	<b>African Scops-Owl</b>	<i>Otus senegalensis</i>		▶ 1
1	<b>Northern White-faced Owl</b>	<i>Ptilopsis leucotis</i>	✓	▶ 1
2	<b>Southern White-faced Owl</b>	<i>Ptilopsis granti</i>	✓	▶ 1
1	<b>Grayish Eagle-Owl</b>	<i>Bubo cinerascens</i>	✓	▶ 1
1	<b>Cape Eagle-Owl</b>	<i>Bubo capensis</i>	✓	▶ 1
4	<b>Pearl-spotted Owlet</b>	<i>Glaucidium perlatum</i>		▶ 4
91	<b>Speckled Mousebird</b>	<i>Colius striatus</i>		▶ 8























12	<b>Blue-naped Mousebird</b>	<i>Urocolius macrourus</i>	▶  3
1	<b>Bar-tailed Trogon</b>	<i>Apaloderma vittatum</i> ✓	▶  1
4	<b>Eurasian Hoopoe</b>	<i>Upupa epops</i>	▶  3
5	<b>Green Woodhoopoe</b>	<i>Phoeniculus purpureus</i>	▶  1
2	<b>White-headed Woodhoopoe</b>	<i>Phoeniculus bollei</i> ✓	▶  1
1	<b>Southern Ground-Hornbill</b>	<i>Bucorvus leadbeateri</i>	▶  1
4	<b>African Gray Hornbill</b>	<i>Lophoceros nasutus</i>	▶  4
4	<b>Jackson's Hornbill</b>	<i>Tockus jacksoni</i> ✓	▶  1
15	<b>Von der Decken's Hornbill</b>	<i>Tockus deckeni</i>	▶  3
37	<b>Northern Red-billed Hornbill</b>	<i>Tockus erythrorhynchus</i>	▶  5
1	<b>Silvery-cheeked Hornbill</b>	<i>Bycanistes brevis</i> ✓	▶  1
14	<b>Black-and-white-casqued Hornbill</b>	<i>Bycanistes subcylindricus</i> ✓	▶  3
5	<b>White-fronted Bee-eater</b>	<i>Merops bullockoides</i>	▶  1
6	<b>Little Bee-eater</b>	<i>Merops pusillus</i>	▶  2
10	<b>Cinnamon-chested Bee-eater</b>	<i>Merops oreobates</i> ✓	▶  3
6	<b>Blue-cheeked Bee-eater</b>	<i>Merops persicus</i>	▶  2
2	<b>Northern Carmine Bee-eater</b>	<i>Merops nubicus</i> ✓	▶  1
4	<b>Malachite Kingfisher</b>	<i>Corythornis cristatus</i>	▶  3
2	<b>African Pygmy Kingfisher</b>	<i>Ispidina picta</i>	▶  2
6	<b>Gray-headed Kingfisher</b>	<i>Halcyon leucocephala</i>	▶  1





















9	<b>Woodland Kingfisher</b>	<i>Halcyon senegalensis</i>	✓	▶  4
1	<b>Striped Kingfisher</b>	<i>Halcyon chelicuti</i>		▶  1
1	<b>Giant Kingfisher</b>	<i>Megaceryle maxima</i>		▶  1
37	<b>Pied Kingfisher</b>	<i>Ceryle rudis</i>		▶  2
14	<b>European Roller</b>	<i>Coracias garrulus</i>		▶  6
34	<b>Lilac-breasted Roller</b>	<i>Coracias caudatus</i>		▶  8
2	<b>Eastern Yellow-billed Barbet</b>	<i>Trachylaemus purpuratus</i>	✓	▶  2
2	<b>Red-and-yellow Barbet</b>	<i>Trachyphonus erythrocephalus</i>		▶  2
12	<b>D'Arnaud's Barbet</b>	<i>Trachyphonus darnaudii</i>		▶  2
3	<b>Gray-throated Barbet</b>	<i>Gymnobucco bonapartei</i>	✓	▶  2
5	<b>Yellow-rumped Tinkerbird</b>	<i>Pogoniulus bilineatus</i>		▶  2
2	<b>Northern Red-fronted Tinkerbird</b>	<i>Pogoniulus uropygialis</i>		▶  2
3	<b>Yellow-spotted Barbet</b>	<i>Buccanodon duchaillui</i>	✓	▶  2
2	<b>Red-fronted Barbet</b>	<i>Tricholaema diademata</i>	✓	▶  2
2	<b>Spot-flanked Barbet</b>	<i>Tricholaema lacrymosa</i>	✓	▶  1
1	<b>Black-throated Barbet</b>	<i>Tricholaema melanocephala</i>		▶  1
2	<b>Lesser Honeyguide</b>	<i>Indicator minor</i>		▶  2
5	<b>Cardinal Woodpecker</b>	<i>Dendropicos fuscescens</i>		▶  4
1	<b>Mountain Gray Woodpecker</b>	<i>Dendropicos spodocephalus</i>	✓	▶  1
3	<b>Nubian Woodpecker</b>	<i>Campethera nubica</i>		▶  3





















2	<b>Pygmy Falcon</b>	<i>Polihierax semitorquatus</i>	▶  2
2	<b>Greater Kestrel</b>	<i>Falco rupicoloides</i>	▶  1
2	<b>Lanner Falcon</b>	<i>Falco biarmicus</i>	▶  1
12	<b>Fischer's Lovebird</b>	<i>Agapornis fischeri</i> ✓	▶  1
6	<b>Yellow-collared Lovebird</b>	<i>Agapornis personatus</i> ✓	▶  1
2	<b>Red-fronted Parrot</b>	<i>Poicephalus gulielmi</i> ✓	▶  1
4	<b>Meyer's Parrot</b>	<i>Poicephalus meyeri</i>	▶  3
12	<b>Red-bellied Parrot</b>	<i>Poicephalus rufiventris</i>	▶  2
3	<b>African Broadbill</b>	<i>Smithornis capensis</i> ✓	▶  1
2	<b>Gray Cuckooshrike</b>	<i>Cebilepyris caesus</i>	▶  1
1	<b>Black Cuckooshrike</b>	<i>Campephaga flava</i>	▶  1
3	<b>Purple-throated Cuckooshrike</b>	<i>Campephaga quiscalina</i> ✓	▶  2
1	<b>Western Black-headed Oriole</b>	<i>Oriolus brachyrynchus</i> ✓	▶  1
5	<b>African Black-headed Oriole</b>	<i>Oriolus larvatus</i>	▶  4
3	<b>Brown-throated Wattle-eye</b>	<i>Platysteira cyanea</i> ✓	▶  1
2	<b>Black-throated Wattle-eye</b>	<i>Platysteira peltata</i> ✓	▶  1
1	<b>Jameson's Wattle-eye</b>	<i>Platysteira jamesoni</i> ✓	▶  1
8	<b>Chinspot Batis</b>	<i>Batis molitor</i>	▶  2
1	<b>Pygmy Batis</b>	<i>Batis perkeo</i>	▶  1
2	<b>Brubru</b>	<i>Nilaus afer</i>	▶  1





















1	<b>Northern Puffback</b>	<i>Dryoscopus gambensis</i>	✓	▶  1
3	<b>Black-backed Puffback</b>	<i>Dryoscopus cubla</i>		▶  1
3	<b>Brown-crowned Tchagra</b>	<i>Tchagra australis</i>	✓	▶  2
2	<b>Lühder's Bushshrike</b>	<i>Laniarius luehderi</i>	✓	▶  1
8	<b>Tropical Boubou</b>	<i>Laniarius major</i>		▶  3
3	<b>Black-headed Gonolek</b>	<i>Laniarius erythrogaster</i>	✓	▶  2
7	<b>Slate-colored Boubou</b>	<i>Laniarius funebris</i>		▶  5
2	<b>Rosy-patched Bushshrike</b>	<i>Rhodophoneus cruentus</i>	✓	▶  1
2	<b>Gray-green Bushshrike</b>	<i>Chlorophoneus bocagei</i>	✓	▶  1
6	<b>Sharpe's Drongo</b>	<i>Dicrurus sharpei</i>	✓	▶  2
15	<b>Fork-tailed Drongo</b>	<i>Dicrurus adsimilis</i>		▶  5
4	<b>African Paradise-Flycatcher</b>	<i>Terpsiphone viridis</i>		▶  2
32	<b>Magpie Shrike</b>	<i>Urolestes melanoleucus</i>		▶  3
1	<b>Red-tailed Shrike</b>	<i>Lanius phoenicuroides</i>		▶  1
15	<b>Gray-backed Fiscal</b>	<i>Lanius excubitoroides</i>	✓	▶  4
5	<b>Long-tailed Fiscal</b>	<i>Lanius cabanisi</i>	✓	▶  3
2	<b>Taita Fiscal</b>	<i>Lanius dorsalis</i>	✓	▶  1
1	<b>Mackinnon's Shrike</b>	<i>Lanius mackinnoni</i>	✓	▶  1
3	<b>Northern Fiscal</b>	<i>Lanius humeralis</i>	✓	▶  2
85	<b>White-rumped Shrike</b>	<i>Eurocephalus ruppelli</i>		▶  8























2	<b>Cape Crow</b>	<i>Corvus capensis</i>	▶  1
10	<b>Pied Crow</b>	<i>Corvus albus</i>	▶  3
7	<b>Fan-tailed Raven</b>	<i>Corvus rhipidurus</i>	▶  2
3	<b>White-necked Raven</b>	<i>Corvus albicollis</i>	▶  2
1	<b>African Blue Flycatcher</b>	<i>Elminia longicauda</i> ✓	▶  1
1	<b>White-tailed Blue Flycatcher</b>	<i>Elminia albicauda</i> ✓	▶  1
1	<b>White-bellied Tit</b>	<i>Melaniparus albiventris</i>	▶  1
3	<b>Somali Tit</b>	<i>Melaniparus thruppi</i> ✓	▶  1
1	<b>Red-throated Tit</b>	<i>Melaniparus fringillinus</i> ✓	▶  1
3	<b>Mouse-colored Penduline-Tit</b>	<i>Anthoscopus musculus</i> ✓	▶  1
1	<b>African Penduline-Tit</b>	<i>Anthoscopus caroli</i>	▶  1
20	<b>Fischer's Sparrow-Lark</b>	<i>Eremopterix leucopareia</i> ✓	▶  1
28	<b>Rufous-naped Lark</b>	<i>Corypha africana</i>	▶  3
2	<b>Sentinel Lark</b>	<i>Corypha athi</i> ✓	▶  2
1	<b>Red-capped Lark</b>	<i>Calandrella cinerea</i>	▶  1
2	<b>Northern Crombec</b>	<i>Sylvietta brachyura</i> ✓	▶  2
2	<b>Red-faced Crombec</b>	<i>Sylvietta whytii</i> ✓	▶  2
2	<b>Yellow-bellied Eremomela</b>	<i>Eremomela icteropygialis</i> ✓	▶  1
3	<b>White-chinned Prinia</b>	<i>Schistolais leucopogon</i> ✓	▶  1
3	<b>Black-collared Apalis</b>	<i>Oreolais pulcher</i> ✓	▶  2





















- 1 **Gray Wren-Warbler** *Calamonastes simplex* ▶  1
- 17 **Green-backed Camaroptera** *Camaroptera brachyura* ▶  9
- 4 **Olive-green Camaroptera** *Camaroptera chloronota* ✓ ▶  1
- 2 **Buff-bellied Warbler** *Phyllolais pulchella* ✓ ▶  1
- 2 **Yellow-breasted Apalis** *Apalis flavida* ▶  2
- 1 **Gray Apalis** *Apalis cinerea* ✓ ▶  1
- 1 **Brown-headed Apalis** *Apalis alticola* ✓ ▶  1
- 2 **Tawny-flanked Prinia** *Prinia subflava* ▶  1
- 1 **Red-fronted Prinia** *Prinia rufifrons* ✓ ▶  1
- 4 **Black-faced Rufous-Warbler** *Bathmocercus rufus* ✓ ▶  1
- 1 **Gray-capped Warbler** *Eminia lepida* ✓ ▶  1
- 4 **Chubb's Cisticola** *Cisticola chubbi* ✓ ▶  2
- 4 **Hunter's Cisticola** *Cisticola hunteri* ✓ ▶  1
- 7 **Rattling Cisticola** *Cisticola chiniana* ▶  2
- 4 **Winding Cisticola** *Cisticola marginatus* ✓ ▶  1
- 2 **Croaking Cisticola** *Cisticola natalensis* ✓ ▶  1
- 3 **Pectoral-patch Cisticola** *Cisticola brunescens* ✓ ▶  1
- 2 **Eastern Olivaceous Warbler** *Iduna pallida* ✓ ▶  2
- 2 **Mountain Yellow-Warbler** *Iduna similis* ✓ ▶  1
- 10 **White-headed Sawwing** *Psalidoprocne albiceps* ✓ ▶  1





















8	<b>Black Sawwing</b>	<i>Psalidoprocne pristoptera</i>	▶  3
2	<b>Banded Martin</b>	<i>Neophedina cincta</i> ✓	▶  1
5	<b>Plain Martin</b>	<i>Riparia paludicola</i>	▶  1
18	<b>Red-throated Crag-Martin</b>	<i>Ptyonoprogne rufigula</i> ✓	▶  6
691	<b>Barn Swallow</b>	<i>Hirundo rustica</i>	▶  8
10	<b>Angola Swallow</b>	<i>Hirundo angolensis</i> ✓	▶  3
12	<b>African Red-rumped Swallow</b>	<i>Cecropis melanocrissus</i> ✓	▶  4
28	<b>Lesser Striped Swallow</b>	<i>Cecropis abyssinica</i>	▶  6
6	<b>Mosque Swallow</b>	<i>Cecropis senegalensis</i> ✓	▶  3
8	<b>Joyful Greenbul</b>	<i>Chlorocichla laetissima</i> ✓	▶  2
1	<b>Honeyguide Greenbul</b>	<i>Baeopogon indicator</i> ✓	▶  1
3	<b>Kikuyu Mountain Greenbul</b>	<i>Arizelocichla kikuyuensis</i> ✓	▶  2
2	<b>Black-headed Mountain Greenbul</b>	<i>Arizelocichla nigriceps</i> ✓	▶  1
1	<b>Little Greenbul</b>	<i>Eurillas virens</i> ✓	▶  1
2	<b>Plain Greenbul</b>	<i>Eurillas curvirostris</i> ✓	▶  1
2	<b>Ansorge's Greenbul</b>	<i>Eurillas ansorgei</i> ✓	▶  1
1	<b>Cabanis's Greenbul</b>	<i>Phyllastrephus cabanisi</i> ✓	▶  1
71	<b>Common Bulbul</b>	<i>Pycnonotus barbatus</i>	▶  12
10	<b>Willow Warbler</b>	<i>Phylloscopus trochilus</i>	▶  5
1	<b>Brown Woodland-Warbler</b>	<i>Phylloscopus umbrovirens</i> ✓	▶  1





















6	<b>Uganda Woodland-Warbler</b>	<i>Phylloscopus budongoensis</i>	✓	▶  1
1	<b>Green Hylia</b>	<i>Hylia prasina</i>	✓	▶  1
5	<b>Eurasian Blackcap</b>	<i>Sylvia atricapilla</i>	✓	▶  2
1	<b>African Hill Babbler</b>	<i>Sylvia abyssinica</i>	✓	▶  1
2	<b>Banded Parisoma</b>	<i>Curruca boehmi</i>	✓	▶  2
1	<b>Scaly-breasted Illadopsis</b>	<i>Illadopsis albipectus</i>	✓	▶  1
5	<b>Rufous Chatterer</b>	<i>Argya rubiginosa</i>		▶  1
1	<b>Brown Babbler</b>	<i>Turdoides plebejus</i>	✓	▶  1
4	<b>Arrow-marked Babbler</b>	<i>Turdoides jardineii</i>		▶  2
4	<b>Black-lored Babbler</b>	<i>Turdoides sharpei</i>	✓	▶  1
41	<b>Red-billed Oxpecker</b>	<i>Buphagus erythroryncha</i>		▶  8
20	<b>Yellow-billed Oxpecker</b>	<i>Buphagus africanus</i>		▶  4
135	<b>Wattled Starling</b>	<i>Creatophora cinerea</i>		▶  4
1	<b>Violet-backed Starling</b>	<i>Cinnyricinclus leucogaster</i>		▶  1
3	<b>Red-winged Starling</b>	<i>Onychognathus morio</i>		▶  3
20	<b>Bristle-crowned Starling</b>	<i>Onychognathus salvadorii</i>	✓	▶  1
2	<b>Magpie Starling</b>	<i>Speculipastor bicolor</i>	✓	▶  1
22	<b>Hildebrandt's Starling</b>	<i>Lamprotornis hildebrandti</i>	✓	▶  4
24	<b>Rüppell's Starling</b>	<i>Lamprotornis purpuroptera</i>		▶  3
90	<b>Ashy Starling</b>	<i>Lamprotornis unicolor</i>	✓	▶  4























449	<b>Superb Starling</b>	<i>Lamprotornis superbus</i>	▶  12
1	<b>Greater Blue-eared Starling</b>	<i>Lamprotornis chalybaeus</i>	▶  1
10	<b>Abyssinian Thrush</b>	<i>Turdus abyssinicus</i> ✓	▶  3
3	<b>African Thrush</b>	<i>Turdus pelios</i>	▶  2
1	<b>African Dusky Flycatcher</b>	<i>Muscicapa adusta</i>	▶  1
2	<b>Spotted Flycatcher</b>	<i>Muscicapa striata</i> ✓	▶  2
2	<b>Gambaga Flycatcher</b>	<i>Muscicapa gambagae</i> ✓	▶  1
2	<b>Swamp Flycatcher</b>	<i>Muscicapa aquatica</i> ✓	▶  1
12	<b>African Gray Flycatcher</b>	<i>Bradornis microrhynchus</i> ✓	▶  2
4	<b>Silverbird</b>	<i>Empidonis semipartitus</i> ✓	▶  1
1	<b>Northern Black-Flycatcher</b>	<i>Melaenornis edolioides</i> ✓	▶  1
16	<b>White-eyed Slaty-Flycatcher</b>	<i>Melaenornis fischeri</i> ✓	▶  6
1	<b>Rufous-tailed Scrub-Robin</b>	<i>Cercotrichas galactotes</i> ✓	▶  1
3	<b>White-browed Scrub-Robin</b>	<i>Cercotrichas leucophrys</i>	▶  2
5	<b>Cape Robin-Chat</b>	<i>Dessonornis caffer</i>	▶  2
2	<b>Rüppell's Robin-Chat</b>	<i>Cossypha semirufa</i> ✓	▶  1
9	<b>White-browed Robin-Chat</b>	<i>Cossypha heuglini</i>	▶  6
1	<b>Snowy-crowned Robin-Chat</b>	<i>Cossypha niveicapilla</i> ✓	▶  1
3	<b>Spotted Morning-Thrush</b>	<i>Cichladusa guttata</i>	▶  2
1	<b>Brown-chested Alethe</b>	<i>Chamaetylas poliocephala</i> ✓	▶  1

1	<b>Little Rock-Thrush</b>	<i>Monticola rufocinereus</i>	✓	▶  1
2	<b>Rufous-tailed Rock-Thrush</b>	<i>Monticola saxatilis</i>	✓	▶  1
2	<b>African Stonechat</b>	<i>Saxicola torquatus</i>		▶  2
2	<b>Mocking Cliff-Chat</b>	<i>Thamnolaea cinnamomeiventris</i>		▶  2
9	<b>Northern Anteater-Chat</b>	<i>Myrmecocichla aethiops</i>	✓	▶  2
1	<b>Capped Wheatear</b>	<i>Oenanthe pileata</i>		▶  1
1	<b>Pied Wheatear</b>	<i>Oenanthe pleschanka</i>	✓	▶  1
1	<b>Brown-tailed Chat</b>	<i>Oenanthe scotocerca</i>	✓	▶  1
2	<b>Eastern Violet-backed Sunbird</b>	<i>Anthreptes orientalis</i>		▶  1
2	<b>Collared Sunbird</b>	<i>Hedydipna collaris</i>		▶  1
1	<b>Green-headed Sunbird</b>	<i>Cyanomitra verticalis</i>	✓	▶  1
4	<b>Scarlet-chested Sunbird</b>	<i>Chalcomitra senegalensis</i>		▶  4
1	<b>Hunter's Sunbird</b>	<i>Chalcomitra hunteri</i>		▶  1
9	<b>Tacazze Sunbird</b>	<i>Nectarinia tacazze</i>	✓	▶  2
10	<b>Bronze Sunbird</b>	<i>Nectarinia kilimensis</i>	✓	▶  5
2	<b>Golden-winged Sunbird</b>	<i>Drepanorhynchus reichenowi</i>	✓	▶  1
21	<b>Eastern Double-collared Sunbird</b>	<i>Cinnyris mediocris</i>	✓	▶  5
5	<b>Beautiful Sunbird</b>	<i>Cinnyris pulchellus</i>	✓	▶  2
2	<b>Gorgeous Sunbird</b>	<i>Cinnyris melanogastrus</i>	✓	▶  1
4	<b>Marico Sunbird</b>	<i>Cinnyris mariquensis</i>		▶  2

2	<b>Red-chested Sunbird</b>	<i>Cinnyris erythrocerus</i>	✓	▶  1
1	<b>Abyssinian Sunbird</b>	<i>Cinnyris habessinicus</i>	✓	▶  1
10	<b>Variable Sunbird</b>	<i>Cinnyris venustus</i>	✓	▶  3
12	<b>Red-billed Buffalo-Weaver</b>	<i>Bubalornis niger</i>		▶  2
26	<b>White-headed Buffalo-Weaver</b>	<i>Dinemellia dinemelli</i>		▶  3
14	<b>Speckle-fronted Weaver</b>	<i>Sporopipes frontalis</i>	✓	▶  2
60	<b>White-browed Sparrow-Weaver</b>	<i>Plocepasser mahali</i>		▶  5
56	<b>Rufous-tailed Weaver</b>	<i>Histurgops ruficauda</i>	✓	▶  3
46	<b>Gray-capped Social-Weaver</b>	<i>Pseudonigrita arnaudi</i>	✓	▶  2
4	<b>Red-headed Weaver</b>	<i>Anaplectes rubriceps</i>		▶  3
56	<b>Baglafecht Weaver</b>	<i>Ploceus baglafecht</i>		▶  6
1	<b>Little Weaver</b>	<i>Ploceus luteolus</i>	✓	▶  1
4	<b>Slender-billed Weaver</b>	<i>Ploceus pelzelni</i>	✓	▶  1
3	<b>Black-necked Weaver</b>	<i>Ploceus nigricollis</i>	✓	▶  2
2	<b>Spectacled Weaver</b>	<i>Ploceus ocularis</i>		▶  2
2	<b>Black-billed Weaver</b>	<i>Ploceus melanogaster</i>	✓	▶  1
8	<b>Northern Brown-throated Weaver</b>	<i>Ploceus castanops</i>	✓	▶  1
20	<b>Northern Masked-Weaver</b>	<i>Ploceus taeniopterus</i>	✓	▶  1
33	<b>Lesser Masked-Weaver</b>	<i>Ploceus intermedius</i>		▶  5
5	<b>Vitelline Masked-Weaver</b>	<i>Ploceus vitellinus</i>	✓	▶  2

50	<b>Speke's Weaver</b>	<i>Ploceus spekei</i>	▶  2
70	<b>Vieillot's Black Weaver</b>	<i>Ploceus nigerrimus</i> ✓	▶  3
172	<b>Village Weaver</b>	<i>Ploceus cucullatus</i>	▶  4
20	<b>Black-headed Weaver</b>	<i>Ploceus melanocephalus</i> ✓	▶  1
41	<b>Golden-backed Weaver</b>	<i>Ploceus jacksoni</i> ✓	▶  2
1	<b>Chestnut Weaver</b>	<i>Ploceus rubiginosus</i>	▶  1
6	<b>Dark-backed Weaver</b>	<i>Ploceus bicolor</i>	▶  1
3	<b>Brown-capped Weaver</b>	<i>Ploceus insignis</i> ✓	▶  1
150	<b>Red-billed Quelea</b>	<i>Quelea quelea</i>	▶  1
1	<b>Southern Red Bishop</b>	<i>Euplectes orix</i>	▶  1
3	<b>Black Bishop</b>	<i>Euplectes gierowii</i> ✓	▶  2
2	<b>Red-cowled Widowbird</b>	<i>Euplectes laticauda</i> ✓	▶  1
3	<b>Fan-tailed Widowbird</b>	<i>Euplectes axillaris</i>	▶  1
2	<b>Grosbeak Weaver</b>	<i>Amblyospiza albifrons</i> ✓	▶  1
5	<b>Gray-headed Silverbill</b>	<i>Spermestes griseicapilla</i> ✓	▶  2
19	<b>Bronze Mannikin</b>	<i>Spermestes cucullata</i>	▶  2
3	<b>Yellow-bellied Waxbill</b>	<i>Coccygia quartinia</i> ✓	▶  1
2	<b>Gray-headed Nigrita</b>	<i>Nigrita canicapillus</i> ✓	▶  2
5	<b>Black-faced Waxbill</b>	<i>Brunhilda erythronotos</i>	▶  1
1	<b>Black-crowned Waxbill</b>	<i>Estrilda nonnula</i> ✓	▶  1

20	<b>Crimson-rumped Waxbill</b>	<i>Estrilda rhodopyga</i>	✓	▶  1
2	<b>Cut-throat</b>	<i>Amadina fasciata</i>	✓	▶  1
6	<b>Purple Grenadier</b>	<i>Granatina ianthinogaster</i>	✓	▶  2
10	<b>Red-cheeked Cordonbleu</b>	<i>Uraeginthus bengalus</i>	✓	▶  2
10	<b>Blue-capped Cordonbleu</b>	<i>Uraeginthus cyanocephalus</i>	✓	▶  2
2	<b>Green-winged Pytilia</b>	<i>Pytilia melba</i>		▶  1
6	<b>Red-billed Firefinch</b>	<i>Lagonosticta senegala</i>		▶  2
1	<b>Pin-tailed Whydah</b>	<i>Vidua macroura</i>		▶  1
9	<b>Eastern Paradise-Whydah</b>	<i>Vidua paradisaea</i>		▶  2
4	<b>Straw-tailed Whydah</b>	<i>Vidua fischeri</i>	✓	▶  1
4	<b>House Sparrow</b>	<i>Passer domesticus</i>	*	▶  1
26	<b>Kenya Rufous Sparrow</b>	<i>Passer rufocinctus</i>		▶  2
1	<b>Parrot-billed Sparrow</b>	<i>Passer gongonensis</i>		▶  1
40	<b>Swahili Sparrow</b>	<i>Passer suahelicus</i>	✓	▶  3
5	<b>Chestnut Sparrow</b>	<i>Passer eminibey</i>	✓	▶  1
3	<b>Cape Wagtail</b>	<i>Motacilla capensis</i>		▶  2
1	<b>Mountain Wagtail</b>	<i>Motacilla clara</i>	✓	▶  1
23	<b>Western Yellow Wagtail</b>	<i>Motacilla flava</i>		▶  3
17	<b>African Pied Wagtail</b>	<i>Motacilla aguimp</i>		▶  8
4	<b>African Pipit</b>	<i>Anthus cinnamomeus</i>		▶  3



- 3 **Plain-backed Pipit** *Anthus leucophrys* ✓ ▶ 2
- 2 **Pangani Longclaw** *Macronyx aurantiigula* ✓ ▶ 1
- 1 **African Citril** *Crithagra citrinelloides* ✓ ▶ 1
- 2 **Southern Citril** *Crithagra hyposticta* ✓ ▶ 1
- 6 **Reichenow's Seedeater** *Crithagra reichenowi* ▶ 1
- 8 **White-bellied Canary** *Crithagra dorsostriata* ✓ ▶ 2
- 10 **Streaky Seedeater** *Crithagra striolata* ✓ ▶ 4
- 3 **Thick-billed Seedeater** *Crithagra burtoni* ✓ ▶ 1
- 7 **Yellow-crowned Canary** *Serinus flavivertex* ✓ ▶ 1
- 1 **Cinnamon-breasted Bunting** *Emberiza tahapisi* ▶ 1