

Trip Report — East Africa Highlights: Kenya & Tanzania 2026

February 28-March 20, 2026 with Terry Stevenson



Lesser Flamingos in Ngorongoro Crater. Photo by guide Terry Stevenson.

Our 2026 East Africa Highlights: Kenya & Tanzania tour took place during early March, when wildebeest herds are giving birth, and Palearctic migrants are feeding-up before their long journey north. By visiting a variety of the best-known mountains, forests, lakes, grasslands and bush country, we give ourselves the best possible chance to see many of Africa's iconic big game mammals and birds. As we discovered, the variety is unrivaled, from super large elephants and rhinos, to lions and leopards, and smaller species like warthogs, mongoose and monkeys. For first-time visitors to Africa, everyday brings new delights, from waterfowl to bustards and sandgrouse; numerous raptors, bee-eaters, barbets, flycatchers, warblers, iridescent sunbirds, and those master builders – the weavers! But, it wasn't just the fascinating new species we saw, there were several new families too, with great looks at ostrich, turacos, mousebirds, woodhoopoes, wattle-eyes and batises,

bushshrikes, and those unique species-specific brood parasites – the whydahs!



Male Von der Decken's Hornbill stretching its wings in Tarangire NP. Photo by participant Birgit Felser.

Following our well tried and tested route, we began in Nairobi National Park and the grounds of our lovely hotel at the famous Karen Country Club. We then flew to Arusha in northern Tanzania, picked-up our specially adapted 4X4 Safari Landcruiser and made our way west. Our first stop was the spectacular Ngorongoro Crater, we then crossed the seemingly endless plains of the Serengeti, and then to our final Tanzanian stop, Tarangire – a much drier habitat, with palms, giant Baobab trees, and a totally different mix of birds and mammals. After a flight back to Kenya we headed to lakes Naivasha and Nakuru in the Great Rift Valley, the rainforest at Kakamega,

arid bush country at Baringo, and finally the forests of the Aberdare Mountains before we drove back to the Kenyan capital.



Leopard with freshly killed Impala in the Serengeti. Photo by guide Terry Stevenson.

Birding Nairobi National Park was a great way to begin the tour, with species in the grasslands including our first Helmeted Guineafowl, Gray Crowned-Cranes, Spotted Thick-knee, White-backed Vulture, Long-tailed and Northern fiscals, Superb Starling, and a displaying male Pin-tailed Whydah. A small pool held large numbers of Egyptian Goose, Marabou and Yellow-billed storks, African Darter, African Sacred Ibis, Malachite Kingfisher, and several very large Nile Crocodiles.

Of course, we also saw our first mammals, which varied from Wahlberg's Epauletted Fruit Bat and Olive Baboon at the park gate, to Plains Zebra, Common Warthog, Cape Buffalo and Hartebeest in the open areas; the more

wooded habitat provided us with great looks at Northern Giraffe, Southern Bushbuck, and Impala.

For a different pace, we returned to our Nairobi hotel and walked the forested grounds, finding the spectacular Hartlaub's Turaco, small flocks of Speckled Mousebird, Cinnamon-chested Bee-eater, Yellow-whiskered Greenbul, Abyssinian Thrush, Baglafaecht and Speke's weavers, and on flowering shrubs, Collared, Scarlet-chested and Variable sunbirds were a most memorable way to round off this first great day.



Goliath Heron from the boat at Lake Naivasha. Photo by guide Terry Stevenson.

We then took the morning flight from Nairobi to Arusha, 'Gate way to the Serengeti', and where our visit to Tanzania began. Driving south-west, we took our picnic lunch in the grounds of the new roadside Lion's Café, where not only were comfortable chairs and tables available, but it gave a us

chance eat and bird as we picked up Blue-naped Mousebird, Spotted Morning-Thrush, Red-billed Buffalo-Weaver, and White-bellied Canary. However, we soon continued, climbing the escarpment near Lake Manyara and on to our accommodation at the delightful Plantation Lodge. Here, we wasted no time taking an afternoon walk, and were soon enjoying an inquisitive African Harrier-Hawk, African Paradise-Flycatcher, White-browed Robin-Chat, a colony of Village Weavers, and colorful Purple Grenadiers.

After a good night sleep, we drove a short distance to the forest on the outer slope of Ngorongoro Crater and took a walk with local guide, Emmanuel. It was a great start to the day as we added Schalow's Turaco, duetting Tropical Boubous, Gray-capped Warbler (in full song), Arrow-marked Babbler, Amethyst Sunbird, and Grosbeak Weavers building their impossibly tightly woven domed-nests. We then had lunch in the grounds of the well known Gibb's Farm Lodge, before continuing to the rim of Ngorongoro Crater and one of the world's most spectacular views.

The following day was undoubtedly one of the highlights of the tour as we took a picnic lunch and made the descent, watching and photographing the simply spectacular wildlife of Ngorongoro Crater!

Whether driving across the open areas, within the Yellow-barked Acacia woodlands, or out along the lakeshore, we were never out of sight of birds and mammals. Just a few of the highlights included our first Spotted Hyena (9 of them along the shore), Lions (15, including 3 large males, and others literally pushing against our vehicle), 14 African Savanna Elephant (they're all males in the crater), a rare Black Rhino, Hippo, and mixed herds of zebra, wildebeest, eland, and other antelopes and gazelles. The birds were also highly varied, with Common Ostrich, Blue-billed and Cape teals, Hildebrandt's Spurfowl, Kori and Black-bellied bustards, both Greater and Lesser flamingos, about 600 migrating Abdim's Storks, a variety of herons, egrets and ibis, Great White and Pink-backed pelicans, Sulphur-breasted Bushshrike, Rufous-naped and Red-capped larks, Northern Anteater-Chat, the endemic Rufous-tailed Weaver, and Rosy-throated Longclaw.



Black Rhino in Ngorongoro Crater. Photo by guide Terry Stevenson.

From Ngorongoro, we then headed further west and made a stop at 'The Cradle of Mankind', more correctly known as Olduvai Gorge, and first made famous by the work of the Leakey family in the 1960's. After a short explanatory talk by one of the local excavation team, we were on our way again – this time for a three night stay in the vast Serengeti. As always, we added many new birds, with open country species including endemic Gray-breasted Spurfowl, Yellow-throated Sandgrouse, Double-banded Courser, small groups of migrating White Storks, Secretarybird, Lappet-faced Vulture, Bateleur, Martial Eagle, and the gorgeous Lilac-breasted Roller. The more wooded areas were home to Pearl-spotted Owlet, Green Woodhoopoe, Tanzanian Red-billed Hornbill, d'Arnaud's and Red-fronted barbets, Pygmy Falcon, Meyer's Parrot, Magpie Shrike, Red-throated Tit, Yellow-billed Oxpecker, Silverbird, Gorgeous Sunbird, White-headed Buffalo-Weaver, and

Pin-tailed, Steel-blue, Straw-tailed, and Eastern Paradise- whydah's – all in breeding plumage!



Plains Zebra checking out the birdlife at the lake in Ngorongoro Crater. Photo by participant Katy Krigbaum.

The Serengeti mammals were exceptional, and varied from a solitary Common Genet in the dining room at Ndutu, to roaming herds of elephants (we saw about 270). Banded and Common Dwarf mongoose were particularly fond of foraging around termite hills, while on the more open plains we watched herds of zebra, buffalo, Tsessebe, and Thomson's and Grant's gazelles. Lion and Spotted Hyena were both seen well, most spectacular though, was a mother Leopard and her large cub feeding in a tree on a freshly killed Impala. In its enthusiasm the young one accidentally knocked the Impala to the ground, causing the mother to come down right next to our vehicle, grab its prey and return back up the tree – just fabulous to see – and so close to our vehicle too!

Leaving the Serengeti we then returned towards Arusha, but first stopped at Tarangire, a fabulous area of bush country, palms, giant Baobab trees, and the meandering Tarangire River. A new habitat means new species, and we were met on arrival by two; Ochre Bush Squirrel and Bush Hyrax. We also enjoyed further looks at animals which were now becoming familiar, including many more elephants and another, although more distant, Leopard!

Our birdlist continued to grow; Fischer's Lovebird and Ashy Starling were both endemics, while more widespread species included Crested and Coqui francolins, Red-necked Spurfowl, Black-faced Sandgrouse, Buff-crested Bustard, Black-chested Snake-Eagle, Wahlberg's Eagle, Little and Blue-cheeked bee-eaters, Gray-headed and Woodland kingfishers, Red-bellied Parrot, Northern Pied-Babbler, Red-billed Quelea (seasonally the world's most numerous bird), Green-winged Pytilia, and Pangani Longclaw.



These striking Red-and-yellow Barbets were seen in Tarangire NP. Photo by participant Noel Capestany.

We then returned to Arusha and caught the evening flight to Nairobi, where we spent the night before driving north and dropping into the Great Rift Valley for a short boat trip on freshwater Lake Naivasha. What a trip it was, with great photographic opportunities of African Jacana, a variety of ibis, storks, herons and egrets, Hamerkop, some very tame Great White Pelicans, African Fish-Eagle, and Giant and Pied kingfishers.

Continuing on, we were soon at Lake Nakuru, where sadly, rain interrupted our birding. However, all was not lost, and before we left the following morning we had 57 species, with new birds including a beautiful male Garganey, Pink-backed Pelican, Common Hoopoe, Striped Kingfisher, and Little Rock-Thrush.

From Nakuru, we headed west for a three-night stay in the Kakamega Forest, but stopped along the way at Lake Victoria and quickly added Eastern Plantain-eater, African Openbill, Double-toothed Barbet, Greater Swamp Warbler, Swamp Flycatcher, Red-chested Sunbird, and Slender-billed, Northern Brown-throated and Black-headed weavers – sometimes short stops can be just so productive!

On arrival at Kakamega, we checked-in to the delightful Rondo Retreat, with not only easy access to the forest, but also a wealth of birds within the beautiful grounds. It was a wonderful change of pace to be out of the vehicle, listening for calls, and slowly walking the forest trails. Just some of the highlights were Great Blue and Black-billed turacos, a very close adult and juvenile Crowned Eagle, White-headed Woodhoopoe, massive Black-and-white-casqued Hornbills, Blue-headed Bee-eater, Eastern Yellow-billed, Gray-throated, and Yellow-spotted barbets, Buff-spotted Woodpecker, a displaying African Broadbill, Brown-throated Wattle-eye, Lühder's Bushshrike, Sharpe's Drongo, African Blue Flycatcher (in the new family Stenostiridae) Black-collared Apalis, Black-faced Rufous-Warbler, Joyful and Ansorge's greenbul, Gray-winged Robin-Chat, Equatorial Akalat, Red-headed Malimbe, and Vieillot's Black, Dark-backed and Brown-capped

weavers. New mammals included Blue and Red-tailed monkeys, and Guereza (formerly known as Black-and-white Colubus).



Male Purple Grenadier. Photo by participant Ray DeLong.

From Kakamega, we then drove east, and descended back in to the Rift Valley below Iten. This is one of the most spectacular parts of the valley, so we stopped for a picnic lunch and in doing so picked up White-crested Turaco, Jackson's Hornbill, White-fronted Bee-eater, and Black-headed Gonolek.

Our destination for the following two nights was Baringo-Bogoria, an area of semi-desert, which together with its sparkling lakes always produces some good birds. And so, with the help of local guides Francis and William, we were soon enjoying a roosting Slender-tailed Nightjar, Senegal Thick-knee, Three-banded Courser, African Scops-Owl, Northern White-faced Owl, Grayish Eagle-Owl, African Pygmy Kingfisher, Scaly-throated Honeyguide, Gray-headed Bushshrike, Somali Tit, Mouse-coloured Penduline-Tit, Bristle-

crowned Starling, Brown-tailed Chat, Eastern Violet-backed, Beautiful, Hunter's, and Abyssinian sunbirds, and the very localized Northern Masked-Weaver.

The final leg of our tour was to head back to Nairobi, with a night along the way at The Ark in the Aberdare Mountains. Situated next to a floodlit waterhole and mineral-lick, The Ark is well known for nocturnal viewing, but several good birds are seen in daylight too, including Scaly Spurfowl, Black-headed and Gray apalises, and two endemics; Hunter's Cisticola and Kikuyu White-eye.

But, on this tour, it was the mammals that 'stole the show', with not only the usual elephants and buffalo, but at least five Giant Forest Hogs, a tiny Suni (antelope), and, right at the waterhole beside us, the amazing (though gruesome) killing of a Cape Buffalo by a pack of sixteen Spotted Hyena!

We spent our final morning driving back to Nairobi, before lunch at the famous Carnivore Restaurant, and then check-in at the nearby Tamarind Tree Hotel. With a full afternoon here, everyone had plenty time to relax, repack, and shower and change. We wound up the day with our final checklist, dinner, a celebratory drink, and chats about all the wonderful things we'd seen – great group, great memories, great tour!

Our next East Africa Highlights: Kenya & Tanzania tour runs February 27 to March 19, 2027.

Mammals List

African Grass Rat (*Arvicanthus niloticus*) About 30 around the picnic site at Naabi Hill.

Wahlberg's Epauletted Fruit Bat (*Epomophorus wahlbergi*) About 15 at the gate to Nairobi National Park.

Yellow-winged False-Vampire (*Lavia frons*) Five in the Baringo-Bogoria area.

Blue Monkey (*Cerocopithecus mitis*) About 40 at Kakamega.

Red-tailed Monkey (*Cerocopithecus ascanius*) We saw 4 of these attractive monkeys at Kakamega.

Vervet Monkey (*Chlorocebus pygerythrus*) Very common and widespread in many areas throughout the tour; in all we saw about 280.

Olive Baboon (*Papio anubis*) Another common and widespread primate, with a total of about 375.

Guereza (*Colopus guereza*) More commonly known as Black-and-white Colobus; we saw about 25 of these gorgeous monkeys at Kakamega.

Ochre Bush Squirrel (*Paraxerus ochraceus*) Ten at Tarangire, and 1 in the Kerio Valley.

Common Genet (*Genetta genetta*) One in the dining room at Ndutu Safari Lodge.

Common Slender Mongoose (*Herpestes sanguineus*) One at The Ark.

Banded Mongoose (*Mungos mungo*) Four 'mobs' (yes, that's what they're called) were seen; about 15 and 12 in the Serengeti, and then 20 and 15 at Tarangire.

Common Dwarf Mongoose (*Helogale parvula*) About 18 in the Serengeti, and 3 at Tarangire.

Spotted Hyena (*Crocuta crocuta*) Nine in Ngorongoro Crater, 7 in the Serengeti, and then 16 at The Ark which attacked a Cape Buffalo and took 1¼ hours to kill it – spectacular sighting, although most guests couldn't watch and went to their rooms!

Lion (*Panthera leo*) We saw a total of 15 in Ngorongoro Crater (including 3 large-maned males), and 2 and 5 in the Serengeti (which included 2 cubs).

Leopard (*Panthera pardus*) Amazing sighting in Serengeti when a female and young one were up a tree with a freshly killed Impala. The youngster accidentally knocked the Impala out of the tree and the mother came down right next to our vehicle, grabbed the prey and took it back up – just fabulous to see – and so close to our vehicle too! We also saw a more distant one at Tarangire.

African Savanna Elephant (*Loxodonta africana*) Many great close views, with large bulls, females, adolescents, and small babies; in all we saw about 520, mostly in Ngorongoro, the Serengeti, Tarangire, and at The Ark.

Rock Hyrax (*Procavia capensis*) Four along the cliffs at Lake Baringo.

Southern Tree Hyrax (*Dendrohyrax arboreus*) Heard around our rooms at The Residences.

Plains Zebra (*Equus quagga*) Formerly known as Burchell's Zebra; we saw about 15 in Nairobi NP, 1000 in Ngorongoro Crater, 9000 in the Serengeti plains, 40 at Tarangire, and 35 at Lake Nakuru.

Black Rhinoceros (*Diceros bicornis*) One in Ngorongoro Crater.

White Rhinoceros (*Ceratotherium simum*) We saw of 4 this introduced species at Nairobi NP.

Common Warthog (*Phacochoerus africanus*) Common and widespread away from Kakamega and the Baringo-Bogoria area; in all we saw about 90.

Giant Forest Hog (*Hylochoerus meinertzhageni*) Great looks at 5 (including a huge male) at The Ark.

Common Hippopotamus (*Hippopotamus amphibius*) Sixteen at Nairobi NP, 15 in Ngorongoro Crater, 7 in the Serengeti, and 2 at Lake Naivasha.

Northern Giraffe (*Giraffa camelopardalis*) One at Nairobi NP, about 80 in the Serengeti, and 45 at Tarangire.

Southern Bushbuck (*Tragelaphus sylvaticus*) One at Nairobi NP, and 3 on the outer slopes of Ngorongoro Crater.

Common Eland (*Tragelaphus oryx*) Fifteen in Ngorongoro Crater, and 1 in the Serengeti.

Cape Buffalo (*Syncerus caffer*) One at Nairobi NP, at least 350 in Ngorongoro Crater, 100+ in Serengeti, 6 at Tarangire, 20 at Nakuru, and about 30 at The Ark.

Waterbuck (*Kobus ellipsiprymnus*) Quite common and widespread in wooded grasslands with water; in all we saw about 130.

Bohor Reedbuck (*Redunca redunca*) We saw a single male in the Serengeti, and 4 (both sexes) at Tarangire.

Tsessebe (*Damaliscus lunatus*) In East Africa more commonly known as Topi; we saw about 35 in the Serengeti.

Hartebeest (*Alcelaphus buselaphus cokii*) Often considered a distinct species, Coke's Hartebeest; we saw 1 at Nairobi NP, and 6 in the Serengeti.

Blue Wildebeest (*Connochaetes taurinus*) About 1000 in Ngorongoro Crater, and many many thousands in the Serengeti – spectacular!

Suni (*Neotragus moschatus*) One of these tiny antelopes was seen at The Ark.

Kirk's Dik-dik (*Madoqua kirki*) Preferring the areas of bushland, we saw about 80 in the Serengeti, and at Tarangire.

Impala (*Aepyceros malampus*) Very common away from Kakamega and Baringo; in all we saw about 1350.

Thomson's Gazelle (*Eudorcas thomsoni*) About 350 in Ngorongoro Crater, 2000 in the Serengeti, and 40 at Nakuru.

Grant's Gazelle (*Nanger granti*) Two hundred in Ngorongoro Crater, and 350+ in the Serengeti.

Reptiles:

Nile Crocodile (*Crocodylus niloticus*) We saw 7 (including 2 huge ones) at Nairobi NP.

Mwanza Flat-headed Agama (*Agama mwanzae*) We saw a striking purple and pink male near Naabi Hill.

Red-headed Rock Agama (*Agama agama*) About 7 at Tarangire, and 3 at Bogoria.

Water Monitor (*Varanus niloticus*) Singles at Baringo and Bogoria.

Tropical House Gecko (*Hemidactylus mabouia*) Small numbers in a variety of lodges throughout the tour.

Marsh Terrapin (*Pelomedusa subrufa*) Also known as Helmeted Terrapin, we saw a few at a variety of pools in the Serengeti.

You can see my complete trip report on eBird at this link:

<https://ebird.org/tripreport/577869>


You can download a combined PDF of this page and the eBird report at this link: <https://fieldguides.com/triplists/afs26TRIPLIST.pdf>

-- Terry Stevenson (aka Honeyguide)

Field Guides Birding Tours -- EAST AFRICA HIGHLIGHTS: KENYA & TANZANIA, 2026 (with Terry Stevenson)



2 – 19 Mar 2026 (18 days) Public



Kenya | Tanzania Subregions

Terry Stevenson, Jesse Fagan



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...

DATA FOR: [Group \(all people\)](#) ▾

 **383**

Species Observed

 **44**

Checklists

Species Observed

[Show all details](#)

9	Common Ostrich	<i>Struthio camelus</i>	▶  3
16	White-faced Whistling-Duck	<i>Dendrocygna viduata</i>	▶  3
245	Egyptian Goose	<i>Alopochen aegyptiaca</i>	▶  7
3	Spur-winged Goose	<i>Plectropterus gambensis</i>	▶  1
1	Garganey	<i>Spatula querquedula</i>	▶  1
2	Blue-billed Teal	<i>Spatula hottentota</i>	▶  1
2	Yellow-billed Duck	<i>Anas undulata</i>	▶  1
16	Cape Teal	<i>Anas capensis</i>	▶  1
9	Red-billed Duck	<i>Anas erythrorhyncha</i>	▶  2
144	Helmeted Guineafowl	<i>Numida meleagris</i>	▶  8
5	Crested Francolin	<i>Ortygornis sephaena</i>	▶  3
2	Coqui Francolin	<i>Campocolinus coqui</i>	▶  1
5	Hildebrandt's Spurfowl	<i>Pternistis hildebrandti</i>	▶  3
4	Scaly Spurfowl	<i>Pternistis squamatus</i>	▶  1
52	Yellow-necked Spurfowl	<i>Pternistis leucoscepus</i>	▶  5
8	Gray-breasted Spurfowl	<i>Pternistis rufopictus</i>	▶  2
46	Red-necked Spurfowl	<i>Pternistis afer</i>	▶  3
6	Speckled Pigeon	<i>Columba guinea</i>	▶  3
8	Rameron Pigeon	<i>Columba arquatrix</i>	▶  1
3	Dusky Turtle-Dove	<i>Streptopelia lugens</i>	▶  2
11	Mourning Collared-Dove	<i>Streptopelia decipiens</i>	▶  3

27	Red-eyed Dove	<i>Streptopelia semitorquata</i>	▶  5
505	Ring-necked Dove	<i>Streptopelia capicola</i>	▶  9
5	Laughing Dove	<i>Spilopelia senegalensis</i>	▶  3
1	Emerald-spotted Wood-Dove	<i>Turtur chalcospilos</i>	▶  1
1	Tambourine Dove	<i>Turtur tympanistria</i>	▶  1
6	Yellow-throated Sandgrouse	<i>Pterocles gutturalis</i>	▶  2
6	Black-faced Sandgrouse	<i>Pterocles decoratus</i>	▶  2
5	Kori Bustard	<i>Ardeotis kori</i>	▶  3
3	White-bellied Bustard	<i>Eupodotis senegalensis</i>	▶  2
1	Buff-crested Bustard	<i>Lophotis gindiana</i>	▶  1
2	Black-bellied Bustard	<i>Lissotis melanogaster</i>	▶  2
1	Great Blue Turaco	<i>Corythaeola cristata</i>	▶  1
26	Bare-faced Go-away-bird	<i>Crinifer personatus</i>	▶  5
10	White-bellied Go-away-bird	<i>Crinifer leucogaster</i>	▶  2
1	Eastern Plantain-eater	<i>Crinifer zonurus</i>	▶  1
2	White-crested Turaco	<i>Tauraco leucolophus</i>	▶  1
2	Black-billed Turaco	<i>Tauraco schuettii</i>	▶  1
2	Schalow's Turaco	<i>Tauraco schalowi</i>	▶  1
1	Hartlaub's Turaco	<i>Tauraco hartlaubi</i>	▶  1
5	White-browed Coucal	<i>Centropus superciliosus</i>	▶  3
1	Great Spotted Cuckoo	<i>Clamator glandarius</i>	▶  1
2	Pied Cuckoo	<i>Clamator jacobinus</i>	▶  1
1	Dideric Cuckoo	<i>Chrysococcyx caprius</i>	▶  1
3	Red-chested Cuckoo	<i>Cuculus solitarius</i>	▶  3

1	Slender-tailed Nightjar	<i>Caprimulgus clarus</i>	▶  1
117	Little Swift	<i>Apus affinis</i>	▶  7
13	White-rumped Swift	<i>Apus caffer</i>	▶  4
21	African Palm Swift	<i>Cypsiurus parvus</i>	▶  7
4	White-spotted Flufftail	<i>Sarothrura pulchra</i>	▶  2
2	Eurasian Moorhen	<i>Gallinula chloropus</i>	▶  1
160	Red-knobbed Coot	<i>Fulica cristata</i>	▶  2
35	Gray Crowned-Crane	<i>Balearica regulorum</i>	▶  4
1	Spotted Thick-knee	<i>Burhinus capensis</i>	▶  1
1	Senegal Thick-knee	<i>Burhinus senegalensis</i>	▶  1
75	Black-winged Stilt	<i>Himantopus himantopus</i>	▶  3
2	Pied Avocet	<i>Recurvirostra avosetta</i>	▶  2
1	Common Ringed Plover	<i>Charadrius hiaticula</i>	▶  1
4	Three-banded Plover	<i>Thinornis tricolor</i>	▶  2
9	Long-toed Lapwing	<i>Vanellus crassirostris</i>	▶  2
58	Blacksmith Lapwing	<i>Vanellus armatus</i>	▶  7
21	Spur-winged Lapwing	<i>Vanellus spinosus</i>	▶  5
8	Crowned Lapwing	<i>Vanellus coronatus</i>	▶  2
6	Kittlitz's Plover	<i>Anarhynchus pecuarius</i>	▶  1
7	African Jacana	<i>Actophilornis africanus</i>	▶  3
3	Common Sandpiper	<i>Actitis hypoleucos</i>	▶  2
9	Wood Sandpiper	<i>Tringa glareola</i>	▶  2
2	Common Greenshank	<i>Tringa nebularia</i>	▶  2

14	Ruff	<i>Calidris pugnax</i>	▶  2
4	Little Stint	<i>Calidris minuta</i>	▶  1
1	Double-banded Courser	<i>Smutsornis africanus</i>	▶  1
1	Three-banded Courser	<i>Rhinoptilus cinctus</i>	▶  1
40	Gray-hooded Gull	<i>Chroicocephalus cirrocephalus</i>	▶  3
19	Gull-billed Tern	<i>Gelochelidon nilotica</i>	▶  5
550	White-winged Tern	<i>Chlidonias leucopterus</i>	▶  1
450	Greater Flamingo	<i>Phoenicopterus roseus</i>	▶  2
3000	Lesser Flamingo	<i>Phoeniconaias minor</i>	▶  1
12	Little Grebe	<i>Tachybaptus ruficollis</i>	▶  2
2	African Openbill	<i>Anastomus lamelligerus</i>	▶  1
1	Black Stork	<i>Ciconia nigra</i>	▶  1
423	Abdim's Stork	<i>Ciconia abdimii</i>	▶  4
47	White Stork	<i>Ciconia ciconia</i>	▶  4
106	Marabou Stork	<i>Leptoptilos crumenifer</i>	▶  8
252	Yellow-billed Stork	<i>Mycteria ibis</i>	▶  5
3	African Darter	<i>Anhinga rufa</i>	▶  3
44	Reed Cormorant	<i>Microcarbo africanus</i>	▶  3
410	Great Cormorant	<i>Phalacrocorax carbo</i>	▶  3
60	Glossy Ibis	<i>Plegadis falcinellus</i>	▶  1
143	African Sacred Ibis	<i>Threskiornis aethiopicus</i>	▶  6
16	Hadada Ibis	<i>Bostrychia hagedash</i>	▶  4
2	African Spoonbill	<i>Platalea alba</i>	▶  2

28	Little Egret	<i>Egretta garzetta</i>	▶  4
2	Rufous-bellied Heron	<i>Ardeola rufiventris</i>	▶  1
1	Squacco Heron	<i>Ardeola ralloides</i>	▶  1
867	Western Cattle-Egret	<i>Ardea ibis</i>	▶  6
100	Great Egret	<i>Ardea alba</i>	▶  5
50	Yellow-billed Egret	<i>Ardea brachyrhyncha</i>	▶  2
58	Gray Heron	<i>Ardea cinerea</i>	▶  8
1	Purple Heron	<i>Ardea purpurea</i>	▶  1
83	Black-headed Heron	<i>Ardea melanocephala</i>	▶  6
1	Goliath Heron	<i>Ardea goliath</i>	▶  1
13	Hamerkop	<i>Scopus umbretta</i>	▶  4
1494	Great White Pelican	<i>Pelecanus onocrotalus</i>	▶  3
8	Pink-backed Pelican	<i>Pelecanus rufescens</i>	▶  3
3	Secretarybird	<i>Sagittarius serpentarius</i>	▶  2
1	Osprey	<i>Pandion haliaetus</i>	▶  1
3	Black-winged Kite	<i>Elanus caeruleus</i>	▶  2
2	African Harrier-Hawk	<i>Polyboroides typus</i>	▶  2
2	Lappet-faced Vulture	<i>Torgos tracheliotos</i>	▶  1
38	White-backed Vulture	<i>Gyps africanus</i>	▶  5
12	Rüppell's Griffon	<i>Gyps rueppelli</i>	▶  3
5	Bateleur	<i>Terathopius ecaudatus</i>	▶  5
1	Black-chested Snake-Eagle	<i>Circaetus pectoralis</i>	▶  1
1	Brown Snake-Eagle	<i>Circaetus cinereus</i>	▶  1

2	Crowned Eagle	<i>Stephanoaetus coronatus</i>	▶  1
3	Martial Eagle	<i>Polemaetus bellicosus</i>	▶  2
1	Long-crested Eagle	<i>Lophaetus occipitalis</i>	▶  1
3	Wahlberg's Eagle	<i>Hieraaetus wahlbergi</i>	▶  2
2	Steppe Eagle	<i>Aquila nipalensis</i>	▶  1
16	Tawny Eagle	<i>Aquila rapax</i>	▶  6
1	Dark Chanting-Goshawk	<i>Melierax metabates</i>	▶  1
1	Eastern Chanting-Goshawk	<i>Melierax poliopterus</i>	▶  1
5	Western Marsh Harrier	<i>Circus aeruginosus</i>	▶  3
1	African Marsh Harrier	<i>Circus ranivorus</i>	▶  1
4	Pallid Harrier	<i>Circus macrourus</i>	▶  1
54	Black Kite	<i>Milvus migrans</i>	▶  8
12	African Fish-Eagle	<i>Ichthyophaga vocifer</i>	▶  3
7	Augur Buzzard	<i>Buteo augur</i>	▶  6
46	Common Buzzard	<i>Buteo buteo</i>	▶  2
1	African Scops-Owl	<i>Otus senegalensis</i>	▶  1
1	Northern White-faced Owl	<i>Ptilopsis leucotis</i>	▶  1
1	Grayish Eagle-Owl	<i>Bubo cinerascens</i>	▶  1
2	Cape Eagle-Owl	<i>Bubo capensis</i>	▶  1
2	Pearl-spotted Owlet	<i>Glaucidium perlatum</i>	▶  2
96	Speckled Mousebird	<i>Colius striatus</i>	▶  9
20	Blue-naped Mousebird	<i>Urocolius macrourus</i>	▶  3
1	Common Hoopoe	<i>Upupa epops</i>	▶  1

12	Green Woodhoopoe	<i>Phoeniculus purpureus</i>	▶  5
5	White-headed Woodhoopoe	<i>Phoeniculus bollei</i>	▶  1
2	Abyssinian Scimitarbill	<i>Rhinopomastus minor</i>	▶  1
9	African Gray Hornbill	<i>Lophoceros nasutus</i>	▶  4
6	Jackson's Hornbill	<i>Tockus jacksoni</i>	▶  2
22	Von der Decken's Hornbill	<i>Tockus deckeni</i>	▶  7
1	Tanzanian Red-billed Hornbill	<i>Tockus ruahae</i>	▶  1
45	Northern Red-billed Hornbill	<i>Tockus erythrorhynchus</i>	▶  5
10	Black-and-white-casqued Hornbill	<i>Bycanistes subcylindricus</i>	▶  3
2	Blue-headed Bee-eater	<i>Merops muelleri</i>	▶  1
2	Little Bee-eater	<i>Merops pusillus</i>	▶  2
14	Cinnamon-chested Bee-eater	<i>Merops oreobates</i>	▶  3
1	White-throated Bee-eater	<i>Merops albicollis</i>	▶  1
10	Blue-cheeked Bee-eater	<i>Merops persicus</i>	▶  2
11	European Bee-eater	<i>Merops apiaster</i>	▶  3
2	Malachite Kingfisher	<i>Corythornis cristatus</i>	▶  2
1	African Pygmy Kingfisher	<i>Ispidina picta</i>	▶  1
2	Gray-headed Kingfisher	<i>Halcyon leucocephala</i>	▶  2
2	Woodland Kingfisher	<i>Halcyon senegalensis</i>	▶  2
1	Striped Kingfisher	<i>Halcyon chelicuti</i>	▶  1
1	Giant Kingfisher	<i>Megaceryle maxima</i>	▶  1
30	Pied Kingfisher	<i>Ceryle rudis</i>	▶  6
1	European Roller	<i>Coracias garrulus</i>	▶  1

28	Lilac-breasted Roller	<i>Coracias caudatus</i>	▶  5
2	Eastern Yellow-billed Barbet	<i>Trachylaemus purpuratus</i>	▶  1
2	Red-and-yellow Barbet	<i>Trachyphonus erythrocephalus</i>	▶  1
19	D'Arnaud's Barbet	<i>Trachyphonus darnaudii</i>	▶  6
2	Gray-throated Barbet	<i>Gymnobucco bonapartei</i>	▶  1
1	Yellow-rumped Tinkerbird	<i>Pogoniulus bilineatus</i>	▶  1
2	Yellow-spotted Barbet	<i>Buccanodon duchaillui</i>	▶  1
1	Red-fronted Barbet	<i>Tricholaema diademata</i>	▶  1
1	Spot-flanked Barbet	<i>Tricholaema lacrymosa</i>	▶  1
2	Black-throated Barbet	<i>Tricholaema melanocephala</i>	▶  1
1	Double-toothed Barbet	<i>Pogonornis bidentatus</i>	▶  1
1	Scaly-throated Honeyguide	<i>Indicator variegatus</i>	▶  1
2	Cardinal Woodpecker	<i>Dendropicos fuscescens</i>	▶  1
2	Mountain Gray Woodpecker	<i>Dendropicos spodocephalus</i>	▶  2
1	Buff-spotted Woodpecker	<i>Pardipicus nivosus</i>	▶  1
5	Nubian Woodpecker	<i>Campethera nubica</i>	▶  3
3	Pygmy Falcon	<i>Polihierax semitorquatus</i>	▶  3
2	Eurasian Kestrel	<i>Falco tinnunculus</i>	▶  1
1	Greater Kestrel	<i>Falco rupicoloides</i>	▶  1
3	Fischer's Lovebird	<i>Agapornis fischeri</i>	▶  1
3	Meyer's Parrot	<i>Poicephalus meyeri</i>	▶  2
2	Red-bellied Parrot	<i>Poicephalus rufiventris</i>	▶  1
1	African Broadbill	<i>Smithornis capensis</i>	▶  1

1	African Black-headed Oriole	<i>Oriolus larvatus</i>	▶  1
1	Chestnut Wattle-eye	<i>Dyaphorophya castanea</i>	▶  1
1	Brown-throated Wattle-eye	<i>Platysteira cyanea</i>	▶  1
1	Jameson's Wattle-eye	<i>Platysteira jamesoni</i>	▶  1
4	Chinspot Batis	<i>Batis molitor</i>	▶  2
2	Pygmy Batis	<i>Batis perkeo</i>	▶  1
4	Brubru	<i>Nilaus afer</i>	▶  4
1	Northern Puffback	<i>Dryoscopus gambensis</i>	▶  1
5	Black-backed Puffback	<i>Dryoscopus cubla</i>	▶  2
3	Brown-crowned Tchagra	<i>Tchagra australis</i>	▶  2
2	Lühder's Bushshrike	<i>Laniarius luehderi</i>	▶  1
10	Tropical Boubou	<i>Laniarius major</i>	▶  6
4	Black-headed Gonolek	<i>Laniarius erythrogaster</i>	▶  1
8	Slate-colored Boubou	<i>Laniarius funebris</i>	▶  4
1	Sulphur-breasted Bushshrike	<i>Chlorophoneus sulfureopectus</i>	▶  1
1	Gray-headed Bushshrike	<i>Malaconotus blanchoti</i>	▶  1
1	Sharpe's Drongo	<i>Dicrurus sharpei</i>	▶  1
22	Fork-tailed Drongo	<i>Dicrurus adsimilis</i>	▶  7
7	African Paradise-Flycatcher	<i>Terpsiphone viridis</i>	▶  5
14	Magpie Shrike	<i>Urolestes melanoleucus</i>	▶  4
4	Red-backed Shrike	<i>Lanius collurio</i>	▶  2
6	Gray-backed Fiscal	<i>Lanius excubitoroides</i>	▶  4
27	Long-tailed Fiscal	<i>Lanius cabanisi</i>	▶  3

7	Northern Fiscal	<i>Lanius humeralis</i>	▶  3
122	White-rumped Shrike	<i>Eurocephalus ruppelli</i>	▶  7
4	Cape Crow	<i>Corvus capensis</i>	▶  2
35	Pied Crow	<i>Corvus albus</i>	▶  5
9	Fan-tailed Raven	<i>Corvus rhipidurus</i>	▶  2
1	White-necked Raven	<i>Corvus albicollis</i>	▶  1
1	African Blue Flycatcher	<i>Elminia longicauda</i>	▶  1
3	White-tailed Blue Flycatcher	<i>Elminia albicauda</i>	▶  1
2	Somali Tit	<i>Melaniparus thruppi</i>	▶  1
4	Red-throated Tit	<i>Melaniparus fringillinus</i>	▶  1
1	Mouse-colored Penduline-Tit	<i>Anthoscopus musculus</i>	▶  1
2	Fischer's Sparrow-Lark	<i>Eremopterix leucopareia</i>	▶  1
110	Rufous-naped Lark	<i>Corypha africana</i>	▶  3
1	Red-capped Lark	<i>Calandrella cinerea</i>	▶  1
1	Red-faced Crombec	<i>Sylvietta whytii</i>	▶  1
3	Black-collared Apalis	<i>Oreolais pulcher</i>	▶  2
1	Gray Wren-Warbler	<i>Calamonastes simplex</i>	▶  1
5	Green-backed Camaroptera	<i>Camaroptera brachyura</i>	▶  4
1	Olive-green Camaroptera	<i>Camaroptera chloronota</i>	▶  1
4	Buff-bellied Warbler	<i>Phyllolais pulchella</i>	▶  3
5	Yellow-breasted Apalis	<i>Apalis flavida</i>	▶  3
1	Black-headed Apalis	<i>Apalis melanocephala</i>	▶  1
1	Gray Apalis	<i>Apalis cinerea</i>	▶  1

2	Banded Prinia	<i>Prinia bairdii</i>	▶  1
1	Red-fronted Prinia	<i>Prinia rufifrons</i>	▶  1
1	Black-faced Rufous-Warbler	<i>Bathmocercus rufus</i>	▶  1
3	Gray-capped Warbler	<i>Eminia lepida</i>	▶  2
3	Red-faced Cisticola	<i>Cisticola erythrops</i>	▶  2
7	Chubb's Cisticola	<i>Cisticola chubbi</i>	▶  3
6	Hunter's Cisticola	<i>Cisticola hunteri</i>	▶  3
51	Rattling Cisticola	<i>Cisticola chiniana</i>	▶  4
12	Winding Cisticola	<i>Cisticola marginatus</i>	▶  3
1	Croaking Cisticola	<i>Cisticola natalensis</i>	▶  1
2	Zitting Cisticola	<i>Cisticola juncidis</i>	▶  1
1	Greater Swamp Warbler	<i>Acrocephalus rufescens</i>	▶  1
22	White-headed Sawwing	<i>Psolidoprocne albiceps</i>	▶  3
8	Black Sawwing	<i>Psolidoprocne pristoptera</i>	▶  1
101	Plain Martin	<i>Riparia paludicola</i>	▶  2
28	Red-throated Crag-Martin	<i>Ptyonoprogne rufigula</i>	▶  9
2134	Barn Swallow	<i>Hirundo rustica</i>	▶  7
6	Angola Swallow	<i>Hirundo angolensis</i>	▶  1
12	Wire-tailed Swallow	<i>Hirundo smithii</i>	▶  5
16	African Red-rumped Swallow	<i>Cecropis melanocrissus</i>	▶  6
34	Lesser Striped Swallow	<i>Cecropis abyssinica</i>	▶  4
26	Joyful Greenbul	<i>Chlorocichla laetissima</i>	▶  4
1	Black-headed Mountain Greenbul	<i>Arizelocichla nigriceps</i>	▶  1

1	Yellow-whiskered Greenbul	<i>Eurillas latirostris</i>	▶  1
1	Ansorge's Greenbul	<i>Eurillas ansorgei</i>	▶  1
1	Northern Brownbul	<i>Phyllastrephus strepitans</i>	▶  1
74	Common Bulbul	<i>Pycnonotus barbatus</i>	▶  15
3	Willow Warbler	<i>Phylloscopus trochilus</i>	▶  3
2	Uganda Woodland-Warbler	<i>Phylloscopus budongoensis</i>	▶  1
2	Eurasian Blackcap	<i>Sylvia atricapilla</i>	▶  1
1	Banded Parisoma	<i>Curruca boehmi</i>	▶  1
2	Mbulu White-eye	<i>Zosterops mbuluensis</i>	▶  1
2	Kikuyu White-eye	<i>Zosterops kikuyuensis</i>	▶  1
6	Northern Yellow White-eye	<i>Zosterops senegalensis</i>	▶  2
6	Rufous Chatterer	<i>Argya rubiginosa</i>	▶  1
3	Brown Babbler	<i>Turdoides plebejus</i>	▶  1
8	Arrow-marked Babbler	<i>Turdoides jardineii</i>	▶  1
7	Black-lored Babbler	<i>Turdoides sharpei</i>	▶  1
3	Northern Pied-Babbler	<i>Turdoides hypoleuca</i>	▶  1
14	Red-billed Oxpecker	<i>Buphagus erythroryncha</i>	▶  6
8	Yellow-billed Oxpecker	<i>Buphagus africanus</i>	▶  3
140	Wattled Starling	<i>Creatophora cinerea</i>	▶  2
8	Red-winged Starling	<i>Onychognathus morio</i>	▶  4
2	Bristle-crowned Starling	<i>Onychognathus salvadorii</i>	▶  1
38	Hildebrandt's Starling	<i>Lamprotornis hildebrandti</i>	▶  6
29	Rüppell's Starling	<i>Lamprotornis purpuroptera</i>	▶  6

70	Ashy Starling	<i>Lamprotornis unicolor</i>	▶  3
298	Superb Starling	<i>Lamprotornis superbus</i>	▶  12
3	Greater Blue-eared Starling	<i>Lamprotornis chalybaeus</i>	▶  1
7	Abyssinian Thrush	<i>Turdus abyssinicus</i>	▶  4
7	African Dusky Flycatcher	<i>Muscicapa adusta</i>	▶  2
1	Spotted Flycatcher	<i>Muscicapa striata</i>	▶  1
4	Swamp Flycatcher	<i>Muscicapa aquatica</i>	▶  1
6	African Gray Flycatcher	<i>Bradornis microrhynchus</i>	▶  3
1	Gray Tit-Flycatcher	<i>Fraseria plumbea</i>	▶  1
3	Silverbird	<i>Empidonax semipartitus</i>	▶  2
3	Northern Black-Flycatcher	<i>Melaenornis edolioides</i>	▶  1
22	White-eyed Slaty-Flycatcher	<i>Melaenornis fischeri</i>	▶  6
3	White-browed Scrub-Robin	<i>Cercotrichas leucophrys</i>	▶  3
4	Cape Robin-Chat	<i>Dessonornis caffer</i>	▶  3
11	White-browed Robin-Chat	<i>Cossypha heuglini</i>	▶  5
3	Spotted Morning-Thrush	<i>Cichladusa guttata</i>	▶  2
1	Gray-winged Robin-Chat	<i>Sheppardia polioptera</i>	▶  1
1	Equatorial Akalat	<i>Sheppardia aequatorialis</i>	▶  1
1	Whinchat	<i>Saxicola rubetra</i>	▶  1
1	African Stonechat	<i>Saxicola torquatus</i>	▶  1
3	Mocking Cliff-Chat	<i>Thamnolaea cinnamomeiventris</i>	▶  2
4	Northern Anteater-Chat	<i>Myrmecocichla aethiops</i>	▶  2
3	Capped Wheatear	<i>Oenanthe pileata</i>	▶  1

2	Brown-tailed Chat	<i>Oenanthe scotocerca</i>	▶  1
4	Eastern Violet-backed Sunbird	<i>Anthreptes orientalis</i>	▶  1
2	Collared Sunbird	<i>Hedydipna collaris</i>	▶  2
1	Green-headed Sunbird	<i>Cyanomitra verticalis</i>	▶  1
1	Amethyst Sunbird	<i>Chalcomitra amethystina</i>	▶  1
13	Scarlet-chested Sunbird	<i>Chalcomitra senegalensis</i>	▶  6
1	Hunter's Sunbird	<i>Chalcomitra hunteri</i>	▶  1
3	Tacazze Sunbird	<i>Nectarinia tacazze</i>	▶  2
15	Bronze Sunbird	<i>Nectarinia kilimensis</i>	▶  4
1	Golden-winged Sunbird	<i>Drepanorhynchus reichenowi</i>	▶  1
4	Eastern Double-collared Sunbird	<i>Cinnyris mediocris</i>	▶  2
1	Beautiful Sunbird	<i>Cinnyris pulchellus</i>	▶  1
6	Gorgeous Sunbird	<i>Cinnyris melanogastrus</i>	▶  4
5	Marico Sunbird	<i>Cinnyris mariquensis</i>	▶  1
3	Red-chested Sunbird	<i>Cinnyris erythrocerus</i>	▶  1
1	Abyssinian Sunbird	<i>Cinnyris habessinicus</i>	▶  1
11	Variable Sunbird	<i>Cinnyris venustus</i>	▶  4
12	White-billed Buffalo-Weaver	<i>Bubalornis albirostris</i>	▶  1
13	Red-billed Buffalo-Weaver	<i>Bubalornis niger</i>	▶  2
46	White-headed Buffalo-Weaver	<i>Dinemellia dinemelli</i>	▶  4
12	Speckle-fronted Weaver	<i>Sporopipes frontalis</i>	▶  1
21	White-browed Sparrow-Weaver	<i>Plocepasser mahali</i>	▶  3
68	Rufous-tailed Weaver	<i>Histurgops ruficauda</i>	▶  5

60	Gray-capped Social-Weaver	<i>Pseudonigrita arnaudi</i>	▶  1
3	Red-headed Malimbe	<i>Malimbus rubricollis</i>	▶  2
4	Red-headed Weaver	<i>Anaplectes rubriceps</i>	▶  2
29	Baglafecht Weaver	<i>Ploceus baglafecht</i>	▶  7
1	Little Weaver	<i>Ploceus luteolus</i>	▶  1
2	Slender-billed Weaver	<i>Ploceus pelzelni</i>	▶  1
2	Spectacled Weaver	<i>Ploceus ocularis</i>	▶  1
6	Holub's Golden-Weaver	<i>Ploceus xanthops</i>	▶  2
6	Northern Brown-throated Weaver	<i>Ploceus castanops</i>	▶  1
2	Northern Masked-Weaver	<i>Ploceus taeniopterus</i>	▶  1
21	Lesser Masked-Weaver	<i>Ploceus intermedius</i>	▶  2
1	Vitelline Masked-Weaver	<i>Ploceus vitellinus</i>	▶  1
35	Speke's Weaver	<i>Ploceus spekei</i>	▶  4
5	Vieillot's Black Weaver	<i>Ploceus nigerrimus</i>	▶  2
29	Village Weaver	<i>Ploceus cucullatus</i>	▶  3
5	Black-headed Weaver	<i>Ploceus melanocephalus</i>	▶  2
28	Golden-backed Weaver	<i>Ploceus jacksoni</i>	▶  2
4	Dark-backed Weaver	<i>Ploceus bicolor</i>	▶  2
1	Brown-capped Weaver	<i>Ploceus insignis</i>	▶  1
30	Red-billed Quelea	<i>Quelea quelea</i>	▶  1
2	Southern Red Bishop	<i>Euplectes orix</i>	▶  1
8	Black-winged Bishop	<i>Euplectes hordeaceus</i>	▶  1
1	Black Bishop	<i>Euplectes gierowii</i>	▶  1

103	White-winged Widowbird	<i>Euplectes albonotatus</i>	▶  5
8	Fan-tailed Widowbird	<i>Euplectes axillaris</i>	▶  2
12	Grosbeak Weaver	<i>Amblyospiza albifrons</i>	▶  2
8	Gray-headed Silverbill	<i>Spermestes griseicapilla</i>	▶  2
2	Bronze Mannikin	<i>Spermestes cucullata</i>	▶  1
2	Yellow-bellied Waxbill	<i>Coccyzygia quartinia</i>	▶  1
4	Black-faced Waxbill	<i>Brunhilda erythronotos</i>	▶  1
15	Common Waxbill	<i>Estrilda astrild</i>	▶  2
1	Crimson-rumped Waxbill	<i>Estrilda rhodopyga</i>	▶  1
6	Purple Grenadier	<i>Granatina ianthinogaster</i>	▶  3
9	Red-cheeked Cordonbleu	<i>Uraeginthus bengalus</i>	▶  3
13	Blue-capped Cordonbleu	<i>Uraeginthus cyanocephalus</i>	▶  4
1	Green-winged Pytilia	<i>Pytilia melba</i>	▶  1
2	Red-billed Firefinch	<i>Lagonosticta senegala</i>	▶  1
6	Pin-tailed Whydah	<i>Vidua macroura</i>	▶  4
5	Eastern Paradise-Whydah	<i>Vidua paradisaea</i>	▶  2
1	Steel-blue Whydah	<i>Vidua hypocherina</i>	▶  1
1	Straw-tailed Whydah	<i>Vidua fischeri</i>	▶  1
18	House Sparrow	<i>Passer domesticus</i> *	▶  3
6	Kenya Rufous Sparrow	<i>Passer rufocinctus</i>	▶  2
1	Parrot-billed Sparrow	<i>Passer gongonensis</i>	▶  1
24	Swahili Sparrow	<i>Passer suahelicus</i>	▶  5
2	Chestnut Sparrow	<i>Passer eminibey</i>	▶  1

1	Yellow-spotted Bush Sparrow	<i>Gymnoris pyrgita</i>	▶  1
1	Mountain Wagtail	<i>Motacilla clara</i>	▶  1
251	Western Yellow Wagtail	<i>Motacilla flava</i>	▶  2
13	African Pied Wagtail	<i>Motacilla aguimp</i>	▶  7
1	Plain-backed Pipit	<i>Anthus leucophrys</i>	▶  1
1	Yellow-throated Longclaw	<i>Macronyx croceus</i>	▶  1
1	Pangani Longclaw	<i>Macronyx aurantiigula</i>	▶  1
1	Rosy-throated Longclaw	<i>Macronyx ameliae</i>	▶  1
1	Yellow-fronted Canary	<i>Crithagra mozambica</i>	▶  1
2	African Citril	<i>Crithagra citrinelloides</i>	▶  2
2	Southern Citril	<i>Crithagra hyposticta</i>	▶  1
12	White-bellied Canary	<i>Crithagra dorsostriata</i>	▶  4
19	Streaky Seedeater	<i>Crithagra striolata</i>	▶  6
2	Thick-billed Seedeater	<i>Crithagra burtoni</i>	▶  1
4	Golden-breasted Bunting	<i>Emberiza flaviventris</i>	▶  1
2	Cinnamon-breasted Bunting	<i>Emberiza tahapisi</i>	▶  1