

Trip Report — Angola: Endemics in a Little Known Land 2025

May 23-June 14, 2025 with Terry Stevenson & Errol de Beer



The striking landscape from the Tundavala viewpoint by participant Russ Cole.

This was our second tour to Angola, and once again it gave us great looks at some of Africa's least-known birds. Only just getting on the 'birding map,' the tour includes several long drives (often on pot-holed roads), but the rewards are great as one heads north to Uige for such specialties as Braun's Bushshrike, to Kinjila Forest for the rarely seen White-headed Robin-Chat, and to the spectacular rock formations at Pedras Negras for Red-crested Turaco. Further to the southwest we stopped at Mushima for Angola Helmetshrike and at Kumbira for Gabela and Monteiro's bushshrikes, Southern Hyliota, Yellow-throated Nicator, and Pulitzer's Longbill. In the arid southern desert, we found Monteiro's Hornbill, Rueppell's Parrot, and White-tailed Shrike—three species shared only with northern Namibia, and lastly in the giant gorge at Tundavala we had long scope views at the near-mythical Swierstra's Spurfowl.

Meeting in the capital Luanda, we spent the night. The hotel carpark gave us our first endemic—Red-backed Mousebird. We then drove south for a couple of hours to the Mussulo Peninsula, where the tidal wetland gave us good views of Kittlitz's and White-fronted plovers, Eurasian Curlew, Bar-tailed Godwit, and Curlew Sandpiper. A sandbar provided a resting area for a group of terns (including 7 Damara Terns—a species restricted to the coast of SW Africa), and a feeding flock of Greater Flamingos provided the photographers with a lovely pink background. And in the bushy grasslands along the shore, we enjoyed Dideric Cuckoo, Palm-nut Vulture, Bubbling and Desert cisticolas, and Long-legged Pipit.



A pair of Anchieta's Barbets by participant Russ Cole.

Continuing on, we were soon at the Rio Curinge Lodge, a new destination for us and a very pleasant one, too. During two nights here we were able to bird the grounds and mangrove forest and also visit the mouth of the nearby Kwanza River. Just a few of the varied species we saw were Emerald-spotted Wood-Dove, Gray Go-away-bird, Senegal Coucal, African Woolly-necked and Saddle-billed storks, Black Heron, African Fish-Eagle, Pearl-spotted Owlet, Lilac-breasted and Purple rollers, Gray Kestrel, Angola Batis, Gabon Boubou, White-crowned Shrike, White-winged Tit, Angola Swallow,

Rufous-tailed Palm-Thrush, and in the mangroves, the highly distinctive Mouse-brown Sunbird! We also had our first mammals, with both Blue and Malbrouck monkeys and a couple of Congo Rope Squirrels.

We then had a long travel day as we retraced our route back to Luanda and on to the far north to Uige. The journey was not without a bird stop or two, with good looks for all at the endemic White-fronted Wattle-eye, and a strange whitish-throated 'form' of Forest Swallow—at least an undescribed race and perhaps even a totally new species!

Uige was our most basic accommodation of the tour but still acceptable as the rooms were clean, electricity worked day and night, the shower water was hot, and even the internet worked. Lunches and dinners were a choice of 5 or 6 meals, and considering the remote location not bad at all. The main target species in this area is Braun's Bushshrike, and this year we struggled to find a responsive bird; however, eventually we did, and most of the group managed to get decent looks at this very range-restricted species. Other 'good' birds we enjoyed here included Red-necked Buzzard, Congo Pied, Black-casqued and Piping hornbills, Black Bee-eater, Naked-faced and Hairy-breasted barbets, Red-fronted Parrot, Purple-throated Cuckooshrike, Black-winged Oriole, Pink-footed Puffback, Velvet-mantled Drongo, African Blue-flycatcher, Yellow-throated Nicator (Nicators are now a new family, Nicatoridae), Masked Apalis, Honeyguide and Swamp greenbul, Rufous Flycatcher-thrush, Gray-chinned, Olive-bellied and Superb sunbirds, Red-headed Malimbe, and Yellow-mantled Weaver.



Bare-cheeked Babblers by participants David & Judy Smith.

From Uige we had another travel day as we headed southeast to the town of Calandula, where Africa's second largest waterfall is found. Of course, we made birding stops along the way, and highlights included Black Scimitarbill, Anchieta's Barbet, White-breasted Cuckooshrike, Yellow-bellied Hyliota (another new family), Western Violet-backed Sunbird, Black-winged Bishop, and Yellow-mantled Widowbird.

Based in our nice hotel at the edge of town, we then made an early start to the Kinjila Forest about 45 minutes away. This area is known as the only accessible site for the beautiful (but very shy) White-headed Robin-Chat—tough as always, but eventually we all got good views of this little-known bird. Other new species here were Yellow-rumped Tinkerbird, Buff-spotted Woodpecker, Black-throated Wattle-eye, Sharpe's Drongo, Brown-headed Apalis, and brief views Red-crested Turaco.

We then made an afternoon visit to the falls—spectacular as always, and then returned to our hotel in time for great looks at Bat Hawk as it circled the parking area right next to the main entrance.



Monteiro's Hornbill by participants David & Judy Smith.

Leaving Calandula behind we then drove to Pedras Negras (Black Rocks) and had a fabulous morning with everyone getting wonderful looks at Red-crested Turaco, and new species including Square-tailed Drongo, Black Bishop, Red-collared and White-winged widowbirds, Angola Waxbill, the distinctive race *landanae* of African Firefinch (soon to be split), a stunning male Broad-tailed Paradise-Whydah, Black-faced Canary, and Cinnamon-breasted Bunting.

We then arrived at N'dalatando, where two nights here enabled us to make visits to the Tombingo Forest. This can be a very birdy area, and we were soon enjoying Blue Malkoha, White-spotted Flufftail (brief looks for some), Eastern Yellow-billed and Hairy-breasted barbets, Speckled Tinkerbird, Golden-crowned Woodpecker, Red-fronted Parrot, Chestnut Wattle-eye, African Shrike-flycatcher, Bates's Paradise-flycatcher, Green Crombec, Plain Greenbul, Red-capped Robin-Chat, Little Green, Carmelite, Orange-tufted and Superb sunbirds, and Red-headed Malimbe.



Hiking at Tundavala by participant Suzi Cole.

Heading further south, we then spent a night at the Bon Amigos Resort, where Square-tailed Nightjars were along the driveway after dinner, and an hour or so birding at dawn the next morning gave us great looks at a pair of endemic Gray-striped Spurfowls.

We then drove southwest to the coast and Mushima Forest, where a small flock of Angola Helmetshrikes (another endemic) were the major highlight of this day. After a night at our very pleasant hotel on the coast, we continued back inland for a three-night stay in good accommodation (and wonderful food) near the Kumbira Forest. Sadly, the habitat has become rather degraded, but it is still home to some wonderful birds. We slowly added Fiery-necked Nightjar, Booted Eagle, Lizard Buzzard, Little Sparrowhawk, Spotted Eagle-Owl, African Wood-Owl, Black-backed Barbet, Cassin's Honeybird, Great Honeyguide, Yellow-bellied Wattle-eye, Gabela and Monteiro's bushshrikes (both extremely difficult endemics), Southern Hyliota, Yellow-throated Nicator (a catchup species for most of the group), Pulitzer's Longbill (a super shy endemic we all saw well), Black-throated Apalis, Pale-olive Greenbul, Angola White-eye, and Black-necked and Vieillot's Black weavers.



White-crowned Shrike by participant Rhys Harrison.

By special arrangement, our local agent had arranged for us to spend two nights at the privately owned (and not open to the public) Lupupa Lodge, but first we stopped along the way in an area of Miombo woodland, finding Yellow-fronted Tinkerbird, Cardinal Woodpecker, Chinspot Batis, Red-capped Crombec, Green-capped Eremomela, Black-collared Bulbul, Anchieta's Sunbird, Fawn-breasted Waxbill, and Golden-breasted Bunting. A nearby wet grassland also held Blue-headed Coucal, African Marsh Harrier, Chirping Cisticola, and the beautiful Black-and-Rufous Swallow.

Taking a break from the long travel day, we then spent a day just walking around the lodge grounds, with just a few highlights being Schalow's and Ross's turacos, African Cuckoo-Hawk, Black Goshawk, Eurasian Hoopoe, Narina Trogon, Olive Woodpecker, Cabanis's Greenbul, mega good looks at the normally super shy Bocage's Akalat, and Bannerman's and Montane (Ludwig's) sunbirds.

The roads of Angola don't give much choice for heading to different areas on good or bad, and potholes are the norm here—so we took the main route (potholes and all) as we headed back to the coast, with a stop at Mt. Moco

along the way. Moco is the highest mountain in Angola, and most of its forest was destroyed many years ago. However, it's still worth a half-day stop here, and were able to add the following to our list: White-fronted Bee-eater, Western Tinkerbird, Red-throated Wryneck, White-tailed Blue-flycatcher, Stout (Angola) Cisticola, Capped Wheatear, and Bocage's Sunbird.



Chestnut Wattle-eye by participants David & Judy Smith.

The final leg of our tour included another night on the coast near Benguela and then three nights at the lovely Casper Resort on the outskirts of Lubango. It proved to be a wonderful way to conclude the tour in a country so rarely visited even by worldwide birders. With three full days we were able to visit an area of semi-arid bush and rocky hills, the spectacular Tundavala Escarpment, and the Namib Desert. Just some of the highlight species we saw during this time included Hartlaub's and Swierstra's Spurfowl (the latter only ever seen by perhaps a few hundred birders), Booted and Verreaux's eagles, Pearl-spotted Owlet, Monteiro's and Damara Red-billed hornbills (both regional endemics), Pied Barbet, White-tailed Shrike, Pririt Batis, Bokmakierie, Southern (Latakoo) Fiscal, Ashy Tit, Karoo Long-billed (Benguela) Lark, Long-billed Crombec, Rockrunner, Yellow-bellied Eremomela, Black-chested Prinia, Black-fronted Bulbul, Chestnut-

vented Warbler, Bare-cheeked Babbler, Meves's Starling, Groundscraper Thrush, Chat Flycatcher, Kalahari Scrub-Robin, the striking Angola Cave-Chat, Short-toed Rock-Thrush, Mountain and Tractrac chats, White-bellied Sunbird, Scaly Weaver, White-browed Sparrow-Weaver, Red-headed Weaver, Jameson's Firefinch, Striped Pipit, and White-throated Canary.

A flight back to Luanda saved us more than a thousand kilometers of driving, and then after a night and breakfast at a hotel near the airport we said our goodbyes and made our way to the flights home, or a day of rest back at the Ilamar Hotel—our starting point just three weeks earlier. Many thanks to everyone who came on this tour to 'A Little Known Land'—a developing country with not much tourist infrastructure but some gorgeous scenery and plenty of pretty amazing birds!



Bearded Woodpecker by participants David & Judy Smith.

Mammals seen on the 2025 Angola tour

- Blue Monkey (*Cercopithecus mitis*) - Three at the Kwanza River bridge, and 1 at Muxima.

- Malbrouck Monkey (*Chlorocebus cynosuros*) - Part of the 'Vervet Monkey group' they were widespread in small numbers; with a total of about 30.
- Thick-tailed Greater Galago (*Ottolemur crassicaudatus*) - One at Lupupa Lodge.
- Scrub Hare (*Lepus saxatilis*) - Some of the group saw 1 on the way to Uige.
- Congo Rope Squirrel (*Funisciurus congicus*) - A few were seen around the Kwanza River, but they were most common in the south from Civite to Lubango and at the bottom of Leba Pass where we saw about 30.
- Fire-footed Rope Squirrel (*Funisciurus pyrrhopus*) - On taxonomic evidence, the squirrels which were formerly known as Gambian Sun Squirrel are now this species; we saw singles in the forests at Damengola and Kumbira.
- Common Slender Mongoose (*Herpestes sanguineus*) - One at Black Rocks.
- Common Dwarf Mongoose (*Helogale parvula*) - Two in the Civite area.
- Rock Hyrax (*Procavia capensis*) - We saw 3 at Civite, and about 15 at Tundavala.


You can see my complete trip report on eBird at this link:

<https://ebird.org/tripreport/426358>

Terry

Field Guides Birding Tours-- ANGOLA, 2025 (with Terry Stevenson)

25 May – 13 Jun 2025 (20 days) Public



Angola

Bengo | Benguela | Cuanza Norte | Cuanza Sul | Huambo | Huíla | Luanda | Malange | Namibe | Uíge

Terry Stevenson, Jesse Fagan



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...

DATA FOR: **Group (all people)** ▾

 **381**






















Species Observed

 **51**
























Checklists
























Species Observed

[Show all details](#)
























60	White-faced Whistling-Duck	<i>Dendrocygna viduata</i>	▶  1
1	Spur-winged Goose	<i>Plectropterus gambensis</i>	▶  1
7	African Pygmy-Goose	<i>Nettapus auritus</i>	▶  2
8	Cape Teal	<i>Anas capensis</i>	▶  1
3	Hartlaub's Spurfowl	<i>Pternistis hartlaubi</i>	▶  1
1	Swierstra's Spurfowl	<i>Pternistis swierstrai</i>	▶  1
2	Gray-striped Spurfowl	<i>Pternistis griseostriatus</i>	▶  1
2	Red-necked Spurfowl	<i>Pternistis afer</i>	▶  1
102	Rock Pigeon	<i>Columba livia</i> *	▶  3
2	Afep Pigeon	<i>Columba unicincta</i>	▶  1
2	Mourning Collared-Dove	<i>Streptopelia decipiens</i>	▶  1
69	Red-eyed Dove	<i>Streptopelia semitorquata</i>	▶  10
90	Ring-necked Dove	<i>Streptopelia capicola</i>	▶  11
10	Laughing Dove	<i>Spilopelia senegalensis</i>	▶  2
19	Emerald-spotted Wood-Dove	<i>Turtur chalcospilos</i>	▶  4
21	Blue-spotted Wood-Dove	<i>Turtur afer</i>	▶  8
4	Tambourine Dove	<i>Turtur tympanistria</i>	▶  2
59	African Green-Pigeon	<i>Treron calvus</i>	▶  9
3	Gray Go-away-bird	<i>Crinifer concolor</i>	▶  1
3	Ross's Turaco	<i>Tauraco rossae</i>	▶  2
2	Schalow's Turaco	<i>Tauraco schalowi</i>	▶  2
























9	Red-crested Turaco	<i>Tauraco erythrolophus</i>	▶  4
4	Guinea Turaco	<i>Tauraco persa</i>	▶  2
1	Gabon Coucal	<i>Centropus anelli</i>	▶  1
1	Senegal Coucal	<i>Centropus senegalensis</i>	▶  1
3	Blue-headed Coucal	<i>Centropus monachus</i>	▶  2
6	White-browed Coucal	<i>Centropus superciliosus</i>	▶  4
5	Blue Malkoha	<i>Ceuthmochares aereus</i>	▶  3
1	Pied Cuckoo	<i>Clamator jacobinus</i>	▶  1
2	Dideric Cuckoo	<i>Chrysococcyx caprius</i>	▶  2
4	Klaas's Cuckoo	<i>Chrysococcyx klaas</i>	▶  3
1	African Emerald Cuckoo	<i>Chrysococcyx cupreus</i>	▶  1
1	Fiery-necked Nightjar	<i>Caprimulgus pectoralis</i>	▶  1
3	Square-tailed Nightjar	<i>Caprimulgus fossii</i>	▶  1
4	Mottled Spinetail	<i>Telacanthura ussheri</i>	▶  2
38	Alpine Swift	<i>Tachymarptis melba</i>	▶  2
141	Bradfield's Swift	<i>Apus bradfieldi</i>	▶  4
68	Little Swift	<i>Apus affinis</i>	▶  6
5	Horus Swift	<i>Apus horus</i>	▶  1
28	African Palm Swift	<i>Cypsiurus parvus</i>	▶  5
4	White-spotted Flufftail	<i>Sarothrura pulchra</i>	▶  4
2	African Crane	<i>Crecoptis egregia</i>	▶  2
1	Lesser Moorhen	<i>Paragallinula angulata</i>	▶  1
2	Eurasian Moorhen	<i>Gallinula chloropus</i>	▶  1
2	Allen's Gallinule	<i>Porphyrio alleni</i>	▶  1
























4	Black Crane	<i>Zapornia flavirostra</i>	▶  1
34	Black-winged Stilt	<i>Himantopus himantopus</i>	▶  3
2	Black-bellied Plover	<i>Pluvialis squatarola</i>	▶  1
1	Three-banded Plover	<i>Thinornis tricoloris</i>	▶  1
2	Blacksmith Lapwing	<i>Vanellus armatus</i>	▶  1
6	Senegal Lapwing	<i>Vanellus lugubris</i>	▶  1
2	Crowned Lapwing	<i>Vanellus coronatus</i>	▶  1
20	Kittlitz's Plover	<i>Anarhynchus pecuarius</i>	▶  2
31	White-fronted Plover	<i>Anarhynchus marginatus</i>	▶  2
9	African Jacana	<i>Actophilornis africanus</i>	▶  2
7	Eurasian Whimbrel	<i>Numenius phaeopus</i>	▶  2
3	Eurasian Curlew	<i>Numenius arquata</i>	▶  1
4	Bar-tailed Godwit	<i>Limosa lapponica</i>	▶  1
2	Common Greenshank	<i>Tringa nebularia</i>	▶  1
1	Ruddy Turnstone	<i>Arenaria interpres</i>	▶  1
30	Curlew Sandpiper	<i>Calidris ferruginea</i>	▶  1
2	Collared Pratincole	<i>Glareola pratincola</i>	▶  1
5	Kelp Gull	<i>Larus dominicanus</i>	▶  1
7	Damara Tern	<i>Sternula balaenarum</i>	▶  1
1	Gull-billed Tern	<i>Gelochelidon nilotica</i>	▶  1
7	Caspian Tern	<i>Hydroprogne caspia</i>	▶  1
6	Common Tern	<i>Sterna hirundo</i>	▶  1
2	Sandwich Tern	<i>Thalasseus sandvicensis</i>	▶  1
























1	West African Crested Tern	<i>Thalasseus albididorsalis</i>	▶  1
80	Greater Flamingo	<i>Phoenicopterus roseus</i>	▶  1
3	Little Grebe	<i>Tachybaptus ruficollis</i>	▶  2
7	African Openbill	<i>Anastomus lamelligerus</i>	▶  1
4	African Woolly-necked Stork	<i>Ciconia microscelis</i>	▶  3
2	Saddle-billed Stork	<i>Ephippiorhynchus senegalensis</i>	▶  1
38	African Darter	<i>Anhinga rufa</i>	▶  6
83	Reed Cormorant	<i>Microcarbo africanus</i>	▶  5
2	African Sacred Ibis	<i>Threskiornis aethiopicus</i>	▶  2
1	Black Heron	<i>Egretta ardesiaca</i>	▶  1
82	Little Egret	<i>Egretta garzetta</i>	▶  6
1	Squacco Heron	<i>Ardeola ralloides</i>	▶  1
113	Western Cattle-Egret	<i>Ardea ibis</i>	▶  5
10	Great Egret	<i>Ardea alba</i>	▶  3
31	Gray Heron	<i>Ardea cinerea</i>	▶  6
3	Purple Heron	<i>Ardea purpurea</i>	▶  1
2	Black-headed Heron	<i>Ardea melanocephala</i>	▶  2
5	Hamerkop	<i>Scopus umbretta</i>	▶  5
2	Osprey	<i>Pandion haliaetus</i>	▶  2
3	Black-winged Kite	<i>Elanus caeruleus</i>	▶  2
8	African Harrier-Hawk	<i>Polyboroides typus</i>	▶  5
31	Palm-nut Vulture	<i>Gypohierax angolensis</i>	▶  15
2	African Cuckoo-Hawk	<i>Aviceda cuculoides</i>	▶  1
























5	Bateleur	<i>Terathopius ecaudatus</i>	▶  3
1	Western Banded Snake-Eagle	<i>Circaetus cinerascens</i>	▶  1
1	Black-chested Snake-Eagle	<i>Circaetus pectoralis</i>	▶  1
2	Brown Snake-Eagle	<i>Circaetus cinereus</i>	▶  2
4	Long-crested Eagle	<i>Lophaetus occipitalis</i>	▶  4
3	Booted Eagle	<i>Hieraaetus pennatus</i>	▶  3
2	Verreaux's Eagle	<i>Aquila verreauxii</i>	▶  1
1	Bat Hawk	<i>Macheiramphus alcinus</i>	▶  1
3	Gabar Goshawk	<i>Micronisus gabar</i>	▶  2
5	Lizard Buzzard	<i>Kaupifalco monogrammicus</i>	▶  3
4	African Goshawk	<i>Aerospiza tachiro</i>	▶  4
2	Little Sparrowhawk	<i>Tachyspiza minulla</i>	▶  2
2	Shikra	<i>Tachyspiza badia</i>	▶  2
2	Black Goshawk	<i>Astur melanoleucus</i>	▶  1
2	African Marsh Harrier	<i>Circus ranivorus</i>	▶  2
7	Black Kite	<i>Milvus migrans</i>	▶  3
4	African Fish-Eagle	<i>Ichthyophaga vocifer</i>	▶  2
12	Red-necked Buzzard	<i>Buteo auguralis</i>	▶  10
4	Augur Buzzard	<i>Buteo augur</i>	▶  4
1	Spotted Eagle-Owl	<i>Bubo africanus</i>	▶  1
2	Pearl-spotted Owlet	<i>Glaucidium perlatum</i>	▶  2
1	African Wood-Owl	<i>Strix woodfordii</i>	▶  1
33	Red-backed Mousebird	<i>Colius castanotus</i>	▶  5
























23	Red-faced Mousebird	<i>Urocolius indicus</i>	▶  3
1	Narina Trogon	<i>Apaloderma narina</i>	▶  1
2	Common Hoopoe	<i>Upupa epops</i>	▶  2
1	Black Scimitarbill	<i>Rhinopomastus aterrimus</i>	▶  1
2	Common Scimitarbill	<i>Rhinopomastus cyanomelas</i>	▶  2
19	Crowned Hornbill	<i>Lophoceros alboterminatus</i>	▶  10
17	Congo Pied Hornbill	<i>Lophoceros fasciatus</i>	▶  4
12	Southern Yellow-billed Hornbill	<i>Tockus leucomelas</i>	▶  2
2	Monteiro's Hornbill	<i>Tockus monteiri</i>	▶  1
12	Damara Red-billed Hornbill	<i>Tockus damarensis</i>	▶  1
3	Black-casqued Hornbill	<i>Ceratogymna atrata</i>	▶  1
13	Piping Hornbill	<i>Bycanistes fistulator</i>	▶  4
4	Black Bee-eater	<i>Merops gularis</i>	▶  2
4	White-fronted Bee-eater	<i>Merops bullockoides</i>	▶  1
9	Little Bee-eater	<i>Merops pusillus</i>	▶  4
10	Olive Bee-eater	<i>Merops superciliosus</i>	▶  5
7	European Bee-eater	<i>Merops apiaster</i>	▶  1
4	Malachite Kingfisher	<i>Corythornis cristatus</i>	▶  2
1	African Pygmy Kingfisher	<i>Ispidina picta</i>	▶  1
2	Gray-headed Kingfisher	<i>Halcyon leucocephala</i>	▶  2
15	Woodland Kingfisher	<i>Halcyon senegalensis</i>	▶  6
4	Blue-breasted Kingfisher	<i>Halcyon malimbica</i>	▶  2
3	Brown-hooded Kingfisher	<i>Halcyon albiventris</i>	▶  2
























4	Striped Kingfisher	<i>Halcyon chelicuti</i>	▶  3
1	Giant Kingfisher	<i>Megaceryle maxima</i>	▶  1
12	Pied Kingfisher	<i>Ceryle rudis</i>	▶  3
3	Lilac-breasted Roller	<i>Coracias caudatus</i>	▶  2
3	Purple Roller	<i>Coracias naevius</i>	▶  3
1	Broad-billed Roller	<i>Eurystomus glaucurus</i>	▶  1
8	Eastern Yellow-billed Barbet	<i>Trachylaemus purpuratus</i>	▶  2
1	Crested Barbet	<i>Trachyphonus vaillantii</i>	▶  1
45	Naked-faced Barbet	<i>Gymnobucco calvus</i>	▶  3
5	Anchieta's Barbet	<i>Stactolaema anchietae</i>	▶  2
4	Speckled Tinkerbird	<i>Pogoniulus scolopaceus</i>	▶  2
1	Western Tinkerbird	<i>Pogoniulus coryphaea</i>	▶  1
4	Yellow-rumped Tinkerbird	<i>Pogoniulus bilineatus</i>	▶  4
3	Yellow-fronted Tinkerbird	<i>Pogoniulus chrysoconus</i>	▶  2
3	Hairy-breasted Barbet	<i>Tricholaema hirsuta</i>	▶  3
7	Pied Barbet	<i>Tricholaema leucomelas</i>	▶  3
1	Black-collared Barbet	<i>Lybius torquatus</i>	▶  1
2	Black-backed Barbet	<i>Pogonornis minor</i>	▶  2
1	Cassin's Honeybird	<i>Prodotiscus insignis</i>	▶  1
2	Least Honeyguide	<i>Indicator exilis</i>	▶  2
1	Greater Honeyguide	<i>Indicator indicator</i>	▶  1
1	Red-throated Wryneck	<i>Jynx ruficollis</i>	▶  1
4	Golden-crowned Woodpecker	<i>Chloropicus xantholophus</i>	▶  2























1	Cardinal Woodpecker	<i>Dendropicos fuscescens</i>	▶  1
2	Olive Woodpecker	<i>Dendropicos griseocephalus</i>	▶  1
2	Buff-spotted Woodpecker	<i>Pardipicus nivosus</i>	▶  1
1	Green-backed Woodpecker	<i>Campethera maculosa</i>	▶  1
7	Rock Kestrel	<i>Falco rupicolus</i>	▶  7
3	Gray Kestrel	<i>Falco ardosiaceus</i>	▶  2
5	Lanner Falcon	<i>Falco biarmicus</i>	▶  3
32	Red-fronted Parrot	<i>Poicephalus gularis</i>	▶  4
3	Meyer's Parrot	<i>Poicephalus meyeri</i>	▶  2
2	Rüppell's Parrot	<i>Poicephalus rueppellii</i>	▶  1
3	White-breasted Cuckooshrike	<i>Cebilepyris pectoralis</i>	▶  2
2	Purple-throated Cuckooshrike	<i>Campephaga quiscalina</i>	▶  1
3	African Golden Oriole	<i>Oriolus auratus</i>	▶  2
4	African Black-headed Oriole	<i>Oriolus larvatus</i>	▶  4
5	Black-winged Oriole	<i>Oriolus nigripennis</i>	▶  3
15	White-tailed Shrike	<i>Lanioturdus torquatus</i>	▶  2
5	Chestnut Wattle-eye	<i>Dyaphorophya castanea</i>	▶  3
1	White-fronted Wattle-eye	<i>Platysteira albifrons</i>	▶  1
3	Black-throated Wattle-eye	<i>Platysteira peltata</i>	▶  2
2	Yellow-bellied Wattle-eye	<i>Platysteira concreta</i>	▶  1
2	Chinspot Batis	<i>Batis molitor</i>	▶  2
2	Pririt Batis	<i>Batis pririt</i>	▶  2
3	Angola Batis	<i>Batis minulla</i>	▶  2























3	Angola Helmetshrike	<i>Prionops gabela</i>	▶  1
3	African Shrike-flycatcher	<i>Megabyas flammulatus</i>	▶  1
1	Brubru	<i>Nilaus afer</i>	▶  1
11	Black-backed Puffback	<i>Dryoscopus cubla</i>	▶  3
8	Pink-footed Puffback	<i>Dryoscopus angolensis</i>	▶  3
1	Brown-crowned Tchagra	<i>Tchagra australis</i>	▶  1
1	Braun's Bushshrike	<i>Laniarius brauni</i>	▶  1
2	Gabela Bushshrike	<i>Laniarius amboimensis</i>	▶  1
11	Gabon Boubou	<i>Laniarius bicolor</i>	▶  5
1	Bokmakierie	<i>Telophorus zeylonus</i>	▶  1
3	Sulphur-breasted Bushshrike	<i>Chlorophoneus sulfureopectus</i>	▶  3
2	Monteiro's Bushshrike	<i>Malaconotus monteiri</i>	▶  2
4	Sharpe's Drongo	<i>Dicrurus sharpei</i>	▶  1
2	Square-tailed Drongo	<i>Dicrurus ludwigii</i>	▶  1
35	Fork-tailed Drongo	<i>Dicrurus adsimilis</i>	▶  15
1	Velvet-mantled Drongo	<i>Dicrurus modestus</i>	▶  1
2	Bates's Paradise-Flycatcher	<i>Terpsiphone batesi</i>	▶  2
9	African Paradise-Flycatcher	<i>Terpsiphone viridis</i>	▶  5
5	Northern Fiscal	<i>Lanius humeralis</i>	▶  5
1	Southern Fiscal	<i>Lanius collaris</i>	▶  1
11	White-crowned Shrike	<i>Eurocephalus anguitimens</i>	▶  2
99	Pied Crow	<i>Corvus albus</i>	▶  12
4	Yellow-bellied Hyliota	<i>Hyliota flavigaster</i>	▶  2























2	Southern Hyliota	<i>Hyliota australis</i>	▶  1
2	African Blue Flycatcher	<i>Elminia longicauda</i>	▶  2
1	White-tailed Blue Flycatcher	<i>Elminia albicauda</i>	▶  1
4	White-winged Black-Tit	<i>Melaniparus leucomelas</i>	▶  1
1	Ashy Tit	<i>Melaniparus cinerascens</i>	▶  1
5	Karoo Long-billed Lark	<i>Certhilauda subcoronata</i>	▶  1
1	Angola Lark	<i>Amirafra angolensis</i>	▶  1
1	Red-capped Lark	<i>Calandrella cinerea</i>	▶  1
6	Yellow-throated Nicator	<i>Nicator vireo</i>	▶  5
10	Green Crombec	<i>Sylvietta virens</i>	▶  4
1	Red-capped Crombec	<i>Sylvietta ruficapilla</i>	▶  1
9	Long-billed Crombec	<i>Sylvietta rufescens</i>	▶  4
1	Rockrunner	<i>Achaetops pycnopygius</i>	▶  1
1	Moustached Grass-Warbler	<i>Melocichla mentalis</i>	▶  1
3	Pulitzer's Longbill	<i>Macrosphenus pulitzeri</i>	▶  2
2	Yellow-bellied Eremomela	<i>Eremomela icteropygialis</i>	▶  1
10	Green-capped Eremomela	<i>Eremomela scotops</i>	▶  2
2	White-chinned Prinia	<i>Schistolais leucopogon</i>	▶  1
5	Green-backed Camaroptera	<i>Camaroptera brachyura</i>	▶  3
2	Hartert's Camaroptera	<i>Camaroptera harterti</i>	▶  2
2	Black-throated Apalis	<i>Apalis jacksoni</i>	▶  1
2	Masked Apalis	<i>Apalis binotata</i>	▶  2
4	Yellow-breasted Apalis	<i>Apalis flava</i>	▶  1

2	Gray Apalis	<i>Apalis cinerea</i>	▶  2
2	Brown-headed Apalis	<i>Apalis alticola</i>	▶  1
3	Tawny-flanked Prinia	<i>Prinia subflava</i>	▶  2
2	Black-chested Prinia	<i>Prinia flavicans</i>	▶  1
4	Red-faced Cisticola	<i>Cisticola erythrops</i>	▶  2
11	Bubbling Cisticola	<i>Cisticola bulliens</i>	▶  5
12	Wailing Cisticola	<i>Cisticola lais</i>	▶  2
1	Chirping Cisticola	<i>Cisticola pipiens</i>	▶  1
1	Stout Cisticola	<i>Cisticola robustus</i>	▶  1
1	Croaking Cisticola	<i>Cisticola natalensis</i>	▶  1
1	Siffling Cisticola	<i>Cisticola brachypterus</i>	▶  1
2	Desert Cisticola	<i>Cisticola aridulus</i>	▶  1
1	African Yellow-Warbler	<i>Iduna natalensis</i>	▶  1
1	Lesser Swamp Warbler	<i>Acrocephalus gracilirostris</i>	▶  1
27	Black Sawwing	<i>Psalidoprocne pristoptera</i>	▶  5
2	Gray-rumped Swallow	<i>Pseudhirundo griseopyga</i>	▶  1
3	Banded Martin	<i>Neophedina cincta</i>	▶  2
24	Southern Crag-Martin	<i>Ptyonoprogne fuligula</i>	▶  3
4	Black-and-rufous Swallow	<i>Hirundo nigrorufa</i>	▶  2
4	Pearl-breasted Swallow	<i>Hirundo dimidiata</i>	▶  3
28	Angola Swallow	<i>Hirundo angolensis</i>	▶  7
2	White-throated Swallow	<i>Hirundo albigularis</i>	▶  1
3	Wire-tailed Swallow	<i>Hirundo smithii</i>	▶  2















5	Forest Swallow	<i>Atronanus fuliginosus</i>	▶  1
104	Lesser Striped Swallow	<i>Cecropis abyssinica</i>	▶  10
2	Red-throated Swallow	<i>Petrochelidon rufigula</i>	▶  1
4	Slender-billed Greenbul	<i>Stelgidillas gracilirostris</i>	▶  2
1	Black-collared Bulbul	<i>Neolestes torquatus</i>	▶  1
9	Pale-throated Greenbul	<i>Atimastillas flavigula</i>	▶  4
2	Swamp Greenbul	<i>Thescelocichla leucopleura</i>	▶  1
4	Yellow-necked Greenbul	<i>Chlorocichla falkensteini</i>	▶  3
5	Yellow-bellied Greenbul	<i>Chlorocichla flaviventris</i>	▶  2
1	Honeyguide Greenbul	<i>Baeopogon indicator</i>	▶  1
4	Little Greenbul	<i>Eurillas virens</i>	▶  3
1	Yellow-whiskered Greenbul	<i>Eurillas latirostris</i>	▶  1
6	Plain Greenbul	<i>Eurillas curvirostris</i>	▶  2
5	Cabanis's Greenbul	<i>Phyllastrephus cabanisi</i>	▶  1
2	Pale-olive Greenbul	<i>Phyllastrephus fulviventr</i>	▶  1
123	Common Bulbul	<i>Pycnonotus barbatus</i>	▶  16
20	Black-fronted Bulbul	<i>Pycnonotus nigricans</i>	▶  1
1	Chestnut-vented Warbler	<i>Curruca subcoerulea</i>	▶  1
5	Angola White-eye	<i>Zosterops kasaicus</i>	▶  4
15	Bare-cheeked Babbler	<i>Turdoides gymnogenys</i>	▶  2
8	Yellow-billed Oxpecker	<i>Buphagus africanus</i>	▶  1
34	Violet-backed Starling	<i>Cinnyricinclus leucogaster</i>	▶  7
4	Meves's Starling	<i>Lamprotornis mevesii</i>	▶  1

23	Cape Starling	<i>Lamprotornis nitens</i>	▶  5
4	Rufous Flycatcher-Thrush	<i>Stizorhina fraseri</i>	▶  3
1	Groundscraper Thrush	<i>Turdus litsitsirupa</i>	▶  1
7	African Thrush	<i>Turdus pelios</i>	▶  5
1	Cassin's Flycatcher	<i>Muscicapa cassini</i>	▶  1
1	Dusky-blue Flycatcher	<i>Bradornis comitatus</i>	▶  1
4	Pale Flycatcher	<i>Agricola pallidus</i>	▶  2
4	Chat Flycatcher	<i>Agricola infuscatus</i>	▶  1
3	Ashy Flycatcher	<i>Fraseria caerulescens</i>	▶  2
2	Southern Black-Flycatcher	<i>Melaenornis pammelaina</i>	▶  1
1	Forest Scrub-Robin	<i>Tychaemon leucosticta</i>	▶  1
2	Kalahari Scrub-Robin	<i>Cercotrichas paena</i>	▶  2
7	White-browed Scrub-Robin	<i>Cercotrichas leucophrys</i>	▶  4
4	White-browed Robin-Chat	<i>Cossypha heuglini</i>	▶  3
2	Red-capped Robin-Chat	<i>Cossypha natalensis</i>	▶  2
4	White-headed Robin-Chat	<i>Cossypha heinrichi</i>	▶  1
3	Angola Cave-Chat	<i>Xenocopsychus ansorgei</i>	▶  1
10	Rufous-tailed Palm-Thrush	<i>Cichladusa ruficauda</i>	▶  4
1	Bocage's Akalat	<i>Sheppardia bocagei</i>	▶  1
2	Gabela Akalat	<i>Sheppardia gabela</i>	▶  2
7	Short-toed Rock-Thrush	<i>Monticola brevipes</i>	▶  2
13	African Stonechat	<i>Saxicola torquatus</i>	▶  4
1	Tractrac Chat	<i>Emarginata tractrac</i>	▶  1

2	Sooty Chat	<i>Myrmecocichla nigra</i>	▶  1
6	Mountain Chat	<i>Myrmecocichla monticola</i>	▶  1
1	Capped Wheatear	<i>Oenanthe pileata</i>	▶  1
6	Familiar Chat	<i>Oenanthe familiaris</i>	▶  3
1	Anchieta's Sunbird	<i>Anthreptes anchietae</i>	▶  1
2	Mouse-brown Sunbird	<i>Anthreptes gabonicus</i>	▶  1
7	Western Violet-backed Sunbird	<i>Anthreptes longuemarei</i>	▶  4
2	Little Green Sunbird	<i>Anthreptes seimundi</i>	▶  2
3	Gray-chinned Sunbird	<i>Anthreptes tephrolaemus</i>	▶  2
26	Collared Sunbird	<i>Hedydipna collaris</i>	▶  6
1	Bannerman's Sunbird	<i>Cyanomitra bannermani</i>	▶  1
7	Blue-throated Brown Sunbird	<i>Cyanomitra cyanoaema</i>	▶  4
19	Olive Sunbird	<i>Cyanomitra olivacea</i>	▶  5
5	Carmelite Sunbird	<i>Chalcomitra fuliginosa</i>	▶  4
10	Amethyst Sunbird	<i>Chalcomitra amethystina</i>	▶  2
4	Scarlet-chested Sunbird	<i>Chalcomitra senegalensis</i>	▶  3
3	Bocage's Sunbird	<i>Nectarinia bocagii</i>	▶  1
1	Bronze Sunbird	<i>Nectarinia kilimensis</i>	▶  1
7	Olive-bellied Sunbird	<i>Cinnyris chloropygius</i>	▶  3
12	Montane Double-collared Sunbird	<i>Cinnyris ludovicensis</i>	▶  2
9	Purple-banded Sunbird	<i>Cinnyris bifasciatus</i>	▶  4
2	Orange-tufted Sunbird	<i>Cinnyris bouvieri</i>	▶  2
9	Superb Sunbird	<i>Cinnyris superbus</i>	▶  3

3	White-bellied Sunbird	<i>Cinnyris talatala</i>	▶  1
42	Variable Sunbird	<i>Cinnyris venustus</i>	▶  11
2	Copper Sunbird	<i>Cinnyris cupreus</i>	▶  2
8	Red-billed Buffalo-Weaver	<i>Bubalornis niger</i>	▶  1
4	Scaly Weaver	<i>Sporopipes squamifrons</i>	▶  1
12	White-browed Sparrow-Weaver	<i>Plocepasser mahali</i>	▶  2
3	Red-headed Malimbe	<i>Malimbus rubricollis</i>	▶  3
4	Red-headed Weaver	<i>Anaplectes rubriceps</i>	▶  1
3	Black-necked Weaver	<i>Ploceus nigricollis</i>	▶  2
3	Spectacled Weaver	<i>Ploceus ocularis</i>	▶  3
1	Holub's Golden-Weaver	<i>Ploceus xanthops</i>	▶  1
2	Vieillot's Black Weaver	<i>Ploceus nigerrimus</i>	▶  2
37	Village Weaver	<i>Ploceus cucullatus</i>	▶  3
1	Yellow-mantled Weaver	<i>Ploceus tricolor</i>	▶  1
10	Red-headed Quelea	<i>Quelea erythrops</i>	▶  2
100	Red-billed Quelea	<i>Quelea quelea</i>	▶  1
44	Black-winged Bishop	<i>Euplectes hordeaceus</i>	▶  7
4	Black Bishop	<i>Euplectes gierowii</i>	▶  2
4	Yellow Bishop	<i>Euplectes capensis</i>	▶  2
24	White-winged Widowbird	<i>Euplectes albonotatus</i>	▶  3
10	Yellow-mantled Widowbird	<i>Euplectes macroura</i>	▶  5
13	Red-collared Widowbird	<i>Euplectes ardens</i>	▶  4
2	Fan-tailed Widowbird	<i>Euplectes axillaris</i>	▶  2

60	Bronze Mannikin	<i>Spermestes cucullata</i>	▶  8
15	Black-and-white Mannikin	<i>Spermestes bicolor</i>	▶  5
5	Angola Waxbill	<i>Coccyzygia bocagei</i>	▶  1
5	White-breasted Nigrita	<i>Nigrita fusconotus</i>	▶  1
13	Gray-headed Nigrita	<i>Nigrita canicapillus</i>	▶  4
1	Black-tailed Waxbill	<i>Glaucostrelda perreini</i>	▶  1
2	Orange-cheeked Waxbill	<i>Estrilda melpoda</i>	▶  1
2	Fawn-breasted Waxbill	<i>Estrilda paludicola</i>	▶  1
3	Common Waxbill	<i>Estrilda astrild</i>	▶  2
1	Zebra Waxbill	<i>Amandava subflava</i>	▶  1
53	Southern Cordonbleu	<i>Uraeginthus angolensis</i>	▶  12
2	Red-headed Bluebill	<i>Spermophaga ruficapilla</i>	▶  2
3	Green-winged Pytilia	<i>Pytilia melba</i>	▶  3
1	Brown Twinspot	<i>Clytospiza monteiri</i>	▶  1
8	African Firefinch	<i>Lagonosticta rubricata</i>	▶  1
5	Brown Firefinch	<i>Lagonosticta nitidula</i>	▶  1
21	Pin-tailed Whydah	<i>Vidua macroura</i>	▶  6
6	Broad-tailed Paradise-Whydah	<i>Vidua obtusa</i>	▶  3
1	Eastern Paradise-Whydah	<i>Vidua paradisaea</i>	▶  1
4	Dusky Indigobird	<i>Vidua funerea</i>	▶  4
6	House Sparrow	<i>Passer domesticus</i> *	▶  2
2	Cape Sparrow	<i>Passer melanurus</i>	▶  1
11	Northern Gray-headed Sparrow	<i>Passer griseus</i>	▶  6

- 1 **Yellow-throated Bush Sparrow** *Gymnoris superciliaris* ▶  1
- 1 **Cape Wagtail** *Motacilla capensis* ▶  1
- 2 **African Pied Wagtail** *Motacilla aguimp* ▶  2
- 3 **African Pipit** *Anthus cinnamomeus* ▶  1
- 1 **Plain-backed Pipit** *Anthus leucophrys* ▶  1
- 10 **Buffy Pipit** *Anthus vaalensis* ▶  3
- 1 **Long-legged Pipit** *Anthus pallidiventris* ▶  1
- 2 **Striped Pipit** *Anthus lineiventris* ▶  1
- 31 **Yellow-fronted Canary** *Crithagra mozambica* ▶  6
- 6 **Black-faced Canary** *Crithagra capistrata* ▶  3
- 2 **Black-throated Canary** *Crithagra atrogularis* ▶  1
- 3 **White-throated Canary** *Crithagra albogularis* ▶  2
- 6 **Golden-breasted Bunting** *Emberiza flaviventris* ▶  1
- 9 **Cinnamon-breasted Bunting** *Emberiza tahapisi* ▶  4

ADDITIONAL TAXA

- 1 indigobird sp. *Vidua sp. (indigobird sp.)* ▶  1