

Trip Report — Australia Part 2 2025 (with optional Tasmania Extension)

October 14-29, 2025 with John Coons & Cory Gregory (ext. to Nov. 3)



One of the rarest species we encountered was the Albert's Lyrebird. We were at O'Reilly's Rainforest Lodge when we all had fantastic looks at this one point-blank! Photo by participant Dan Fox.

Our trip Down Under saw a vast array of birds and mammals from Australia's Top End to the rainforests, coastal shores, and deserts of Queensland to the island state of Tasmania.

With some of our group continuing from the first part of the Field Guides Australia tour and others arriving straight from the US, we met up at the Darwin airport where we encountered very warm temperatures and humidity. We saw a few birds at the airport

including Silver-crowned Friarbird before heading to the nearby coastal area where we saw a few mangrove specialties such as Red-headed Myzomela, Arafura Fantail, and Australian Yellow White-eyes. On the way to our motel we stopped at the Darwin Botanical Gardens where we found two marvelous Rufous Owls on a day roost. Following breakfast the next morning, we were off to East Point Reserve where we had a wonderful early morning with a number of new birds. We scoped a colorful Rose-crowned Fruit-Dove, Bush Thick-knees, Spangled Drongo and a great Rainbow Pitta. At the nearby coastline we spotted two Beach Thick-knees, a very unusual shorebird, on the tidal rocks along with a handful of shorebirds. On the boardwalk we had nice looks at an often difficult Mangrove Robin, Torresian Kingfisher, and Mangrove Gerygone. Varied Lorikeets put on a nice show at Lee Point before lunch. Afterwards a group of Little Curlews were seen with lots of waterbirds and Red-winged Parrots at a nearby lagoon. At another park near Darwin the flowering trees yielded Bar-breasted Honeyeater and a pair of Silver-backed Butcherbirds. A few Little Terns in the Darwin harbor finished our birding day. We left early the next morning to get to Fogg Dam early enough to see a rather quiet Barking Owl before heading to the marsh to enjoy sunrise while we ate a picnic breakfast. Several White-browed Crakes were walking about on the lotus pads and we saw a few Brolgas, Black-necked Storks, Comb-crested Jacanas, and our first Nankeen Night Herons. A stop at the Adelaide River area found a quite local Black-tailed Whistler. We headed towards Darwin but detoured to the south for lunch and a stop at Manton Dam where a group of Black-tailed Treecreepers appeared during a bush walk and we saw the exquisitely decorated bower of a Great Bowerbird. We made our way back to Darwin in the late-afternoon and enjoyed our final Top End dinner.



The Rufous Owl is always a tricky one to track down. Lucky for us, we spotted them a couple of times including in Darwin and then again in Cairns. Photo by guide Cory Gregory.

With an early flight to Cairns the next morning we were met by Clayton, our local driver and all-round guide. The cooler temperature here was much appreciated. Our first stop was at a huge tree with a large colony of Metallic Starlings at their nests. We headed to a pond where we had nice views of Brown-backed Honeyeater and Sahul Sunbird among many other species before lunch at a small café. After lunch we went to the Centenary Lakes reserve in Cairns and enjoyed a Papuan Frogmouth on a nest, another Rufous Owl, our first Australian Swiftlets, Sahul Cicadabird, and Laughing Kookaburras.

The tide was coming in on the Cairns foreshore so we made our way to the mud flats to search through the shorebirds that move closer and closer as the mud and sand gets covered up. This turned out to be great from the viewing platforms. We got a chance to study Red-capped Plovers, Far Eastern Curlews, Bar-tailed Godwits, lots of Gray-tailed Tattlers, Great Knots, Sharp-tailed and Curlew sandpipers, Red-

necked Stints, Greater and Siberian sand-plovers and we watched the always cool Terek Sandpipers dashing about on the mud.



The only representative of the sunbird family in Australia is the Sahul Sunbird. Participant Debby Vogt got this great shot of a male on the day we flew to Cairns.

We packed up the next morning and headed to the Cattana Wetlands reserve where Fairy and Large-billed gerygones showed well and we had a soaring Pacific Baza. We then drove up the windy road to the top of the Atherton Tableland and made a stop in Clayton's neighborhood where a pair of Lovely Fairywrens put on quite a show. Both of the quite similar Yellow-spotted and Cryptic honeyeaters were seen well, as was Macleay's Honeyeater. Pacific Emerald-Dove, Scaly-breasted Lorikeet and scoped Wompoo Fruit-Doves were other highlights of this roadside stop. Hasties Swamp was our next destination where several duck species were present with the widespread coots, moorhens, and, Australasian Swampheens. A singing male Scarlet Myzomela was a hit and we got our first Yellow-faced Honeyeaters. It was another 20 minutes to the

Chamber's Wildlife Lodge that sits in the beautiful rainforest with many birds right on the grounds. However, after getting settled we headed back out to check a few places on our way to dinner. Passing through Lake Eacham National Park we were awe struck to see a Southern Cassowary on the edge of the road! Continuing with amazing Australian creatures, we drove to a creek where after a couple of up and back searches, we found a fantastic Platypus swimming about just in front of us, one of the most bizarre creatures in the world. It was a very nice late-afternoon. Our next day was a full day on the Tableland starting with some quite rewarding birding right outside our rooms. Several of the Atherton Tableland specialties showed up including Victoria's Riflebird, Green Catbird, Double-eyed Fig-Parrot, Yellow-breasted Boatbill, Bower's Shrike-Thrush, and Gray-headed Robin. We then headed to Lake Barrine, the sister crater lake to Lake Eacham. Along the trail we scoped a Tooth-billed Bowerbird (aka Stagemaker) singing(?) from just above his bower of shiny upside-down leaves. A few Topknot Pigeons were sitting atop a tree and we saw about 30 Great Crested Grebes on the lake. Our next stop was Mt Hypipamee at a higher elevation in the forest than our other birding stops. A few of the upper elevation specialties of the Tableland are more likely to be seen here and we did well. Bridled Honeyeaters were fairly conspicuous by voice and we managed to track down both Large-billed and the very local Atherton scrubwrens, Mountain Thornbill, and Pale-yellow Robin, but the highlight here was seeing a beautiful adult male Golden Bowerbird near his bower. Stopping at the unusual Curtain Fig Tree, we saw several more Topknot Pigeons, Wompoo Fruit-Dove, and a flying Gray Goshawk. That evening we saw a close Krefft's Glider (formerly Sugar Glider) lapping up honey at the Chamber's Lodge but could only hear a distant Southern Boobook. The following morning we birded again before breakfast with good views of perched White-headed Pigeon, Brown Cuckoo-Dove, a group of White-throated Needletails, Little Shrikethrush and a brief Pied Monarch. We loaded up the bus for our next couple of nights in Georgetown with a stop at Bromfield Swamp where we scoped a few Sarus Cranes, Black-shouldered Kites, and our first Australian Pipits.



The Black-necked Stork stands nearly 5 feet tall! This big guy was photographed near Darwin by guide Cory Gregory.

Heading west from the Atherton Tableland we soon got into a much drier environment. The higher elevation of the Great Dividing Range creates a rain shadow and the vegetation changes quickly from the rain forest to a more desert-like habitat. At a couple of isolated wetlands we caught up with the often difficult to find Cotton Pygmy-Goose, Latham's Snipe, and Azure Kingfisher. Along the drive we had nice looks at Great Bowerbird, Apostlebird, Pale-headed Rosella, and a wonderful experience with several huge Channel-billed Cuckoos flying about as well as a tree with thousands of cicadas that were making it rain! We checked in to the motel then headed out to Cumberland Dam in the heat where there were a couple of Brolgas with young and an Emu while a good number of waterbirds were on the pond. The next morning we were out at dawn to visit Durham Dam as the sun was just popping up. In these quite arid areas the waterholes are the place to be early and late in the day. Squatter Pigeons came to drink as did an Australian Bustard, while as many as 18 Black-fronted Dotterels

worked along the edge of the pond. Diamond Doves, Yellow and Rufous-throated honeyeaters, Red-winged Parrots and Double-barred Finches were just some of the birds that came for the water. A walk in the bush found Gray-crowned Babblers building a nest, Red-backed Fairywrens, Weebill, Olive-backed Oriole, and lots of Blue-faced Honeyeaters. Heading back for a pitstop at the motel, we flushed a Ground Cuckooshrike from the roadside that disappeared on us but we managed a nice Red-backed Kingfisher. With a couple of stops near the town we had great looks at a Tawny Frogmouth nest with young, Gray Butcherbird, and both Striated and the much less common Red-browed Pardalote. After lunch and a much needed siesta in the dry heat, we headed off again in the afternoon and scoped a Common Bronzewing, finally got into the range of Rufous Whistler, and saw a few more Weebills. We were at it again early the next morning to beat the heat at Cumberland Dam. Most of the same waterbirds were there but we did a walk through the bush that yielded nice views of Masked and Black-throated finches, a group of wonderful Banded Honeyeaters, better Yellow-tinted Honeyeaters, Horsfield's Bronze-Cuckoo, and another 12 Apostlebirds.



The Satin Bowerbird is found only on the east coast of Australia. We had splendid encounters with them at O'Reilly's, up in the rainforest around Lamington National Park. Photo by participant Debby Vogt.

We drove back to Cairns pretty much following the same route as before, but we came into the city on the north side and stopped at the Barron River mouth. A few sandbars were exposed and we got nice looks at Great and Lesser Crested Terns, Australian Tern, Caspian Tern, and several of the shorebirds we had seen on the Esplanade earlier. We returned to our motel on the foreshore. In the morning we went to the Esplanade to clean up our view of Varied Honeyeater and ended up scoping a couple of tiny Double-eyed Fig-Parrots. With new bird possibilities few and far between at this point we decided to head back up to the north end of the Atherton Tableland. We drove into Granite Gorge where we encountered a handful of our now familiar birds but we did see the quite local Mareeba Rock-Wallaby, a very cute and rather tame species here. On the way out we were shown a

magnificent Frill-necked Lizard. We got back to the motel with time to relax before our morning flight.



One of the rarest nightbirds in all of Australia is the Marbled Frogmouth. We had the thrill of actually seeing this other-worldly nocturnal hunter near O'Reilly's. Pretty grumpy looking though! Photo by guide Cory Gregory.

As with every flight of the trip we were up very early to head to the Cairns airport for the flight to Brisbane. We met our transport and headed off to Lamington National Park. We stopped at a park along the way and got a nice look at Tawny Grassbird. At our pit stop in Canungra we saw another Tawny Frogmouth on a nest with a chick. We climbed up the winding road to the park and arrived at O'Reilly's Guest House, which is one of the premier birding locales in Australia. We were soon greeted by Crimson Rosellas, Australian King Parrots, and incredibly bright Regent Bowerbirds. After lunch and getting into our rooms we got more serious about the birding, and soon saw Wonga Pigeons, Satin Bowerbirds, White-browed and Yellow-throated scrubwrens at our feet, Red-browed Firetails, conspicuous

Eastern Whipbirds, the often difficult Russet-tailed Thrush, and the unusual Australian Logrunner. The next morning we met for a pre-breakfast walk and were entertained by the rosellas, king parrots and Regent Bowerbirds at arms length and sometimes on our arms. After breakfast we met our long time friend and O'Reilly's personality Glen Threlfo and drove down the main road. We made a few stops in the rainforest and in the drier eucalypt forest, where the quite uncommon Red-browed Treecreeper showed well as did a Spotted Pardalote right overhead. We tried to see a calling Noisy Pitta and Victoria's Riflebird that a couple of our group had seen near the guest house but the real surprise here was a group of about five Varied Sittellas, a species that feeds and acts much like a nuthatch and has become very difficult in recent years. That afternoon we walked a forest trail and had great views of a male Rose Robin and male Victoria's Riflebird. That evening we walked into the forest and soon had a wonderful look at a calling and very uncommon Marbled Frogmouth, another of Australia's very strange wildlife. A bit farther along, Glen took us to the glowworm site and it was amazing to see what looked like distant lights of a city appear on the close bank as our eyes adjusted. The following morning we met in front of the guest house to find two Albert's Lyrebirds along the trail close to the lodge. After a spell, one of them walked to the edge of the clearing and probed for several minutes in the soft dirt. What an incredible experience! We headed down the mountain after lunch working our way to Brisbane with a stop or two. A rain storm thwarted one of our final stops before arriving at our motel. We enjoyed our final dinner with Rob and Sandy who were headed back to the US in the morning.



There is surely no better place on the planet to photograph Australian King-Parrots than at O'Reilly's Rainforest Lodge. This particular one, with a green head, is a female. Photo by guide Cory Gregory.

With another early morning flight, the rest of our group flew to Tasmania for the five night extension to our trip. After transferring through Melbourne we arrived in Launceston on the northern end of Tasmania, met our driver David, and drove to a reserve on a hill above the city. In our afternoon of birding here we did very well, with wonderful views of our first of the Tasmanian endemic birds, Green Rosella, Yellow Wattlebird, and Yellow-throated Honeyeater. We also enjoyed great looks at Scarlet Robin and the often difficult Beautiful Firetail. The next morning we stopped to view some local Cape Barren Geese and Tasmanian Nativehens before heading into the native forest. A couple of endemic honeyeaters, Strong-billed and Black-headed, were seen well before we headed to lunch at a park. A trail here led us to a beautiful male Pink Robin and our best looks at Tasmanian Thornbill as well as a magnificent Short-beaked Echidna. We continued on to the rather remote Mountain Valley Lodge

for two nights. At the lodge, and driving to other sites, we caught up with several more of the Tassie endemics, including Dusky Robin, several Black Currawongs, the uncommon Scrubtit which is one of the harder of the specialties to find, and a Common Wombat that strolled across the road in front of our group. Leaving Mountain Valley in the morning, we had a wonderful view looking down on a Platypus (our third sighting in Tasmania) from a bridge. Driving across the island to Hobart we stopped for a couple of rather close Banded Lapwings with young that Cory spotted from the bus. Our final day of birding found us driving south from Hobart and catching the ferry for the 20 minute ride to Bruny Island with a fly-by Australasian Gannet along the way. On this island it took a spell, but we finally found our final endemic, the rare Forty-spotted Pardalote. This bird kept returning to the same area in the undergrowth, perhaps to gather material for its nest cavity? A handful of the threatened Swift Parrots afforded close views in the trees just above us. Near our picnic lunch site at Adventure Bay we walked a beach to see a pair of Hooded Plovers, one of the most handsome shorebirds in the world, and we scoped a group of ten Black-faced Cormorants perched on a buoy. We headed back to the ferry landing and on to Hobart. David negotiated the bus through some narrow historic streets for a brief tour of the beautiful city.

This concluded our 2 ½ week adventure through northern Australia and Tasmania (and over 5 weeks for those that joined the first half of the of the full Australia trip), where we experienced a huge amount of diversity in birds, mammals, and habitats in this wonderful country. We hope to bird with you again in the future.



The Platypus is one of the legendary and most bizarre animals on the planet. Not only did we see Platypus, we got to see them many times and sometimes really well! This great shot was taken by participant Dan Fox.

Here are the other critters we saw:

Platypus (*Ornithorhynchus anatinus*) - A great trip for these, tallied on at least 4 different days!

Short-beaked Echidna (*Tachyglossus aculeatus*) - Seen a couple of times in Tasmania.

Spotted-tailed Quoll (*Dasyurus maculatus*) - A nocturnal visitor at Mountain Valley for some.

Tasmanian Devil (*Sarcophilus harrisii*) - One came in at Mountain Valley one night for a couple of folks.

Northern Brown Bandicoot (*Isodon macrourus*) - Seen around our lodge at Chambers.

Common Wombat (*Vombatus ursinus*) - Seen a couple of times in Tasmania.

Common Brush-tailed Possum (*Trichosurus vulpecula*) - A couple were spotted in Tasmania.

Krefft's Glider (*Petaurus notatus*) - A 2020 study split this from Sugar Glider.

Musky Rat Kangaroo (*Hypsiprymnodon moschatus*) - Seen early in the morning at Chambers.

Rufous-bellied Pademelon (*Thylogale billardierii*) - Endemic to Tasmania.

Red-necked Pademelon (*Thylogale thetis*) - Seen after dark at O'Reilly's.

Red-legged Pademelon (*Thylogale stigmatica*) - Seen after dark at Chambers.

Agile Wallaby (*Notamacropus agilis*) - Widespread on the first half of the trip.

Red-necked Wallaby (*Notamacropus rufogriseus*) - Seen a couple of times in Tasmania.

Whip-tailed Wallaby (*Notamacropus parryi*) - Seen near O'Reilly's.

Mareeba Rock Wallaby (*Petrogale mareeba*) - Incredibly range-restricted in Queensland.

Eastern Gray Kangaroo (*Macropus giganteus*) - Seen a few times in the first half of the trip.

Common Wallaroo (*Osphranter robustus*) - Seen on the day we traveled from Georgetown to Cairns.

Black Flying Fox (*Pteropus alecto*) - Common at Fogg Dam predawn.

Spectacled Flying Fox (*Pteropus conspicillatus*) - One of the common flying foxes around Cairns.

Little Red Flying Fox (*Pteropus scapulatus*) - Seen on the day we drove up to O'Reilly's.

European Rabbit (*Oryctolagus cuniculus*) - Introduced.

European Hare (*Lepus europaeus*) - Introduced.

Fawn-footed Melomys (*Melomys cervinipes*) - Seen on the night-hike at O'Reilly's.

Common Fallow Deer (*Dama dama*) - Introduced

"Australian" Brown Fur Seal (*Arctocephalus pusillus doriferus*) - Seen on ferry returning from Bruny Island.

Frill-necked Lizard (*Chlamydosaurus kingii*) - Seen in-hand near Granite Gorge.

Angle-headed Dragon (*Lophosaurus spinipes*) - Quietly perched on a tree at O'Reilly's.

Northern Water Dragon (*Tropicagama temporalis*) - Fairly common around Darwin.

Lace Monitor (*Varanus varius*) - Creeping up a tree near O'Reilly's.

Carpet Python (*Morelia spilota*) - A "small" one at Chambers.

Cane Toad (*Rhinella marina*) - Introduced.

You can see my complete trip report on eBird at this

link: <https://ebird.org/tripreport/437346>

You can download a combined PDF of this page and the eBird report at this

link: <https://fieldguides.com/triplists/au225TRIPLIST.pdf>

-- John Coons & Cory Gregory



Field Guides Birding Tours -- AUSTRALIA, PART 2, 2025 (with John Coons & Cory Gregory)

16 Oct – 2 Nov 2025 (18 days) Link-only



Northern Territory | Queensland | Tasmania [Subregions](#)

Cory Gregory



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip report, visit:...

325

Species Observed

103

Checklists

31

Species with Photos

LIFERS 1

Species Observed




[Show all details](#)

1 **Southern Cassowary** *Casuarius casuarius*





































1













4	Emu	<i>Dromaius novaehollandiae</i>	▶ 1
1154	Magpie Goose	<i>Anseranas semipalmata</i>	▶ 8
285	Plumed Whistling-Duck	<i>Dendrocygna eytoni</i>	▶ 2
31	Wandering Whistling-Duck	<i>Dendrocygna arcuata</i>	▶ 3
4	Cape Barren Goose	<i>Cereopsis novaehollandiae</i>	▶ 1
41	Black Swan	<i>Cygnus atratus</i>	▶ 4
5	Radjah Shelduck	<i>Radjah radjah</i>	▶ 3
23	Australian Shelduck	<i>Tadorna tadornoides</i>	▶ 3
39	Green Pygmy-Goose	<i>Nettapus pulchellus</i>	▶ 5
6	Cotton Pygmy-Goose	<i>Nettapus coromandelianus</i>	▶ 1
84	Maned Duck	<i>Chenonetta jubata</i>	▶ 8
86	Pacific Black Duck	<i>Anas superciliosa</i>	▶ 11
51	Gray Teal	<i>Anas gracilis</i>	▶ 5
4	Chestnut Teal	<i>Anas castanea</i>	▶ 1
70	Hardhead	<i>Aythya australis</i>	▶ 5
31	Australian Brushturkey	<i>Alectura lathami</i>	▶ 8
23	Orange-footed Megapode	<i>Megapodius reinwardt</i>	▶ 9
22	Rock Pigeon	<i>Columba livia</i> *	▶ 4
2	White-headed Pigeon	<i>Columba leucomela</i>	▶ 1
3	Spotted Dove	<i>Spilopelia chinensis</i> *	▶ 2
11	Brown Cuckoo-Dove	<i>Macropygia phasianella</i>	▶ 3
3	Pacific Emerald Dove	<i>Chalcophaps longirostris</i>	▶ 3
1	Common Bronzewing	<i>Phaps chalcoptera</i>	▶ 1
1	Brush Bronzewing	<i>Phaps elegans</i>	▶ 1
7	Crested Pigeon	<i>Ocyphaps lophotes</i>	▶ 4
4	Squatter Pigeon	<i>Geophaps scripta</i>	▶ 1
3	Wonga Pigeon	<i>Leucosarcia melanoleuca</i>	▶ 2
41	Peaceful Dove	<i>Geopelia placida</i>	▶ 18
38	Bar-shouldered Dove	<i>Geopelia humeralis</i>	▶ 11
11	Wompoo Fruit-Dove	<i>Megaloprepia magnifica</i>	▶ 5































3	Superb Fruit-Dove	<i>Ptilinopus superbus</i>	▶  3
8	Rose-crowned Fruit-Dove	<i>Ptilinopus regina</i>	▶  2  5
53	Torresian Imperial-Pigeon	<i>Ducula spilorrhoa</i>	▶  11
30	Topknot Pigeon	<i>Lopholaimus antarcticus</i>	▶  4
3	Australian Bustard	<i>Ardeotis australis</i>	▶  3
2	Pheasant Coucal	<i>Centropus phasianinus</i>	▶  2
3	Pacific Koel	<i>Eudynamys orientalis</i>	▶  3
8	Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	▶  4
1	Horsfield's Bronze-Cuckoo	<i>Chalcites basal</i>	▶  1
12	Shining Bronze-Cuckoo	<i>Chalcites lucidus</i>	▶  10
1	Little Bronze-Cuckoo	<i>Chalcites minutillus</i>	▶  1  1
3	Pallid Cuckoo	<i>Heteroscenes pallidus</i>	▶  3
3	Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	▶  3
6	Sahul Brush Cuckoo	<i>Cacomantis variolosus</i>	▶  6
6	Tawny Frogmouth	<i>Podargus strigoides</i>	▶  2
2	Marbled Frogmouth	<i>Podargus ocellatus</i>	▶  1
1	Papuan Frogmouth	<i>Podargus papuensis</i>	▶  1  1
1	Australian Owlet-nightjar	<i>Aegotheles cristatus</i>	▶  1
15	White-throated Needletail	<i>Hirundapus caudacutus</i>	▶  1
98	Australian Swiftlet	<i>Aerodramus terraereginae</i>	▶  1  5
1	Buff-banded Rail	<i>Gallirallus philippensis</i>	▶  1
22	Tasmanian Nativehen	<i>Tribonyx mortierii</i>	▶  6
13	Dusky Moorhen	<i>Gallinula tenebrosa</i>	▶  2
97	Eurasian Coot	<i>Fulica atra</i>	▶  4
49	Australasian Swampphen	<i>Porphyrio melanotus</i>	▶  6
4	White-browed Crane	<i>Poliolimnas cinereus</i>	▶  1  1
17	Brolga	<i>Antigone rubicunda</i>	▶  4
3	Sarus Crane	<i>Antigone antigone</i>	▶  1
2	Beach Thick-knee	<i>Esacus magnirostris</i>	▶  1
13	Bush Thick-knee	<i>Burhinus grallarius</i>	▶  1  4



6	Pied Stilt	<i>Himantopus leucocephalus</i>	▶  2
5	Pied Oystercatcher	<i>Haematopus longirostris</i>	▶  4
5	Sooty Oystercatcher	<i>Haematopus fuliginosus</i>	▶  3
1	Pacific Golden-Plover	<i>Pluvialis fulva</i>	▶  1
2	Hooded Plover	<i>Thinornis cucullatus</i>	▶  1
23	Black-fronted Dotterel	<i>Thinornis melanops</i>	▶  3
4	Banded Lapwing	<i>Vanellus tricolor</i>	▶  1  1
107	Masked Lapwing	<i>Vanellus miles</i>	▶  26
9	Siberian Sand-Plover	<i>Anarhynchus mongolus</i>	▶  3
14	Greater Sand-Plover	<i>Anarhynchus leschenaultii</i>	▶  3
5	Red-capped Plover	<i>Anarhynchus ruficapillus</i>	▶  2
24	Comb-crested Jacana	<i>Irediparra gallinacea</i>	▶  2  9
13	Eurasian Whimbrel	<i>Numenius phaeopus</i>	▶  4
3	Little Curlew	<i>Numenius minutus</i>	▶  1
8	Far Eastern Curlew	<i>Numenius madagascariensis</i>	▶  3
63	Bar-tailed Godwit	<i>Limosa lapponica</i>	▶  2
2	Latham's Snipe	<i>Gallinago hardwickii</i>	▶  2
18	Terek Sandpiper	<i>Xenus cinereus</i>	▶  1  2
2	Common Sandpiper	<i>Actitis hypoleucos</i>	▶  1
26	Gray-tailed Tattler	<i>Tringa brevipes</i>	▶  3
3	Wood Sandpiper	<i>Tringa glareola</i>	▶  1
55	Great Knot	<i>Calidris tenuirostris</i>	▶  2
53	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	▶  2
2	Curlew Sandpiper	<i>Calidris ferruginea</i>	▶  1
63	Red-necked Stint	<i>Calidris ruficollis</i>	▶  5  3
47	Silver Gull	<i>Chroicocephalus novaehollandiae</i>	▶  9
67	Kelp Gull	<i>Larus dominicanus</i>	▶  7
110	Little Tern	<i>Sternula albifrons</i>	▶  3
7	Australian Tern	<i>Gelochelidon macrotarsa</i>	▶  2
1	Caspian Tern	<i>Hydroprogne caspia</i>	▶  1

1	Whiskered Tern	<i>Chlidonias hybrida</i>	▶ 1
2	Lesser Crested Tern	<i>Thalasseus bengalensis</i>	▶ 1
13	Great Crested Tern	<i>Thalasseus bergii</i>	▶ 2
17	Australasian Grebe	<i>Tachybaptus novaehollandiae</i>	▶ 5
26	Hoary-headed Grebe	<i>Poliiocephalus poliocephalus</i>	▶ 3
35	Great Crested Grebe	<i>Podiceps cristatus</i>	▶ 4
3	Little Penguin	<i>Eudyptula minor</i>	▶ 1
2	Black-necked Stork	<i>Ephippiorhynchus asiaticus</i>	▶ 1 2
9	Australasian Gannet	<i>Morus serrator</i>	▶ 2
22	Australasian Darter	<i>Anhinga novaehollandiae</i>	▶ 11
22	Little Pied Cormorant	<i>Microcarbo melanoleucos</i>	▶ 13
5	Great Cormorant	<i>Phalacrocorax carbo</i>	▶ 4
28	Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	▶ 9
10	Black-faced Cormorant	<i>Phalacrocorax fuscescens</i>	▶ 2
20	Glossy Ibis	<i>Plegadis falcinellus</i>	▶ 2
25	Australian Ibis	<i>Threskiornis molucca</i>	▶ 5
27	Straw-necked Ibis	<i>Threskiornis spinicollis</i>	▶ 8
26	Royal Spoonbill	<i>Platalea regia</i>	▶ 10
9	Nankeen Night Heron	<i>Nycticorax caledonicus</i>	▶ 6
8	Pacific Reef-Heron	<i>Egretta sacra</i>	▶ 1
6	Little Egret	<i>Egretta garzetta</i>	▶ 1 2
17	Pied Heron	<i>Egretta picata</i>	▶ 2
10	White-faced Heron	<i>Egretta novaehollandiae</i>	▶ 8
2	Little Heron	<i>Butorides atricapilla</i>	▶ 1
50	Eastern Cattle-Egret	<i>Ardea coromanda</i>	▶ 6
4	Pacific Heron	<i>Ardea pacifica</i>	▶ 4
11	Great Egret	<i>Ardea alba</i>	▶ 7
27	Plumed Egret	<i>Ardea plumifera</i>	▶ 1 11
34	Australian Pelican	<i>Pelecanus conspicillatus</i>	▶ 8
2	Osprey	<i>Pandion haliaetus</i>	▶ 2


































3	Black-shouldered Kite	<i>Elanus axillaris</i>	▶  1  2
2	Pacific Baza	<i>Aviceda subcristata</i>	▶  2
6	Wedge-tailed Eagle	<i>Aquila audax</i>	▶  5
2	Gray Goshawk	<i>Tachypiza novaehollandiae</i>	▶  2
2	Swamp Harrier	<i>Circus approximans</i>	▶  2
127	Black Kite	<i>Milvus migrans</i>	▶  20
30	Whistling Kite	<i>Haliastur sphenurus</i>	▶  15
1	White-bellied Sea-Eagle	<i>Ichthyophaga leucogaster</i>	▶  1
3	Rufous Owl	<i>Ninox rufa</i>	▶  3  2
2	Barking Owl	<i>Ninox connivens</i>	▶  2  1
1	Australian Boobook	<i>Ninox boobook</i>	▶  1
1	Tasmanian Boobook	<i>Ninox leucopsis</i>	▶  1
32	Rainbow Bee-eater	<i>Merops ornatus</i>	▶  10
2	Azure Kingfisher	<i>Ceyx azureus</i>	▶  1  2
21	Laughing Kookaburra	<i>Dacelo novaeguineae</i>	▶  15
6	Blue-winged Kookaburra	<i>Dacelo leachii</i>	▶  4
3	Red-backed Kingfisher	<i>Todiramphus pyrrhopygius</i>	▶  3
18	Forest Kingfisher	<i>Todiramphus macleayi</i>	▶  10
6	Torresian Kingfisher	<i>Todiramphus sordidus</i>	▶  5
3	Sacred Kingfisher	<i>Todiramphus sanctus</i>	▶  1  3
6	Dollarbird	<i>Eurystomus orientalis</i>	▶  6
2	Nankeen Kestrel	<i>Falco cenchroides</i>	▶  2
5	Brown Falcon	<i>Falco berigora</i>	▶  4
36	Red-tailed Black-Cockatoo	<i>Calyptorhynchus banksii</i>	▶  6
76	Galah	<i>Eolophus roseicapilla</i>	▶  6
5	Little Corella	<i>Cacatua sanguinea</i>	▶  1
20	Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	▶  1  13
19	Australian King-Parrot	<i>Alisterus scapularis</i>	▶  3
19	Red-winged Parrot	<i>Aprosmictus erythropterus</i>	▶  4
5	Blue-winged Parrot	<i>Neophema chrysostoma</i>	▶  1

4	Swift Parrot	<i>Lathamus discolor</i>	▶  1
10	Green Rosella	<i>Platycercus caledonicus</i>	▶  5
32	Crimson Rosella	<i>Platycercus elegans</i>	▶  3
6	Pale-headed Rosella	<i>Platycercus adscitus</i>	▶  3
11	Double-eyed Fig-Parrot	<i>Cyclopsitta diophthalma</i>	▶  4
60	Varied Lorikeet	<i>Psitteuteles versicolor</i>	▶  1
11	Scaly-breasted Lorikeet	<i>Trichoglossus chlorolepidotus</i>	▶  1
87	Rainbow Lorikeet	<i>Trichoglossus moluccanus</i>	▶  14
126	Red-collared Lorikeet	<i>Trichoglossus rubritorquis</i>	▶  7
7	Noisy Pitta	<i>Pitta versicolor</i>	▶  5
4	Rainbow Pitta	<i>Pitta iris</i>	▶  2
3	Albert's Lyrebird	<i>Menura alberti</i>	▶  2
13	Spotted Catbird	<i>Ailuroedus maculosus</i>	▶  6
5	Green Catbird	<i>Ailuroedus crassirostris</i>	▶  2
3	Tooth-billed Bowerbird	<i>Scenopoeetes dentirostris</i>	▶  2
1	Golden Bowerbird	<i>Prionodura newtoniana</i>	▶  1
6	Regent Bowerbird	<i>Sericulus chrysocephalus</i>	▶  3
10	Satin Bowerbird	<i>Ptilonorhynchus violaceus</i>	▶  5
12	Great Bowerbird	<i>Chlamydera nuchalis</i>	▶  6
4	White-throated Treecreeper	<i>Cormobates leucophaea</i>	▶  4
2	Red-browed Treecreeper	<i>Climacteris erythroptis</i>	▶  1
3	Black-tailed Treecreeper	<i>Climacteris melanurus</i>	▶   1
4	Variegated Fairywren	<i>Malurus lamberti</i>	▶  1
2	Lovely Fairywren	<i>Malurus amabilis</i>	▶  1
46	Superb Fairywren	<i>Malurus cyaneus</i>	▶  18
4	Red-backed Fairywren	<i>Malurus melanocephalus</i>	▶  3
9	Eastern Spinebill	<i>Acanthorhynchus tenuirostris</i>	▶  5
5	Yellow-spotted Honeyeater	<i>Meliphaga notata</i>	▶   4
32	Lewin's Honeyeater	<i>Meliphaga lewinii</i>	▶  8
2	Cryptic Honeyeater	<i>Meliphaga imitatrix</i>	▶  1

6	Yellow Honeyeater	<i>Stomiopera flava</i>	▶  3
14	White-gaped Honeyeater	<i>Stomiopera unicolor</i>	▶  8
8	Yellow-faced Honeyeater	<i>Caligavis chrysops</i>	▶  3
4	Noisy Miner	<i>Manorina melanocephala</i>	▶  2
4	Yellow-throated Miner	<i>Manorina flavigula</i>	▶  1
8	Bridled Honeyeater	<i>Bolemoreus frenatus</i>	▶  2
2	Little Wattlebird	<i>Anthochaera chrysoptera</i>	▶  1
22	Yellow Wattlebird	<i>Anthochaera paradoxa</i>	▶  9
4	Varied Honeyeater	<i>Gavicalis versicolor</i>	▶  2
4	Yellow-tinted Honeyeater	<i>Ptilotula flavescens</i>	▶  2
4	Brown-backed Honeyeater	<i>Ramsayornis modestus</i>	▶  1  3
1	Bar-breasted Honeyeater	<i>Ramsayornis fasciatus</i>	▶  1
8	Rufous-banded Honeyeater	<i>Conopophila albogularis</i>	▶  4
24	Rufous-throated Honeyeater	<i>Conopophila rufogularis</i>	▶  3
1	White-fronted Chat	<i>Epthianura albifrons</i>	▶  1
6	Dusky Myzomela	<i>Myzomela obscura</i>	▶  5
8	Red-headed Myzomela	<i>Myzomela erythrocephala</i>	▶  4
2	Scarlet Myzomela	<i>Myzomela sanguinolenta</i>	▶  2
5	Banded Honeyeater	<i>Cissomela pectoralis</i>	▶  1
42	Brown Honeyeater	<i>Lichmera indistincta</i>	▶  15
2	Crescent Honeyeater	<i>Phylidonyris pyrrhopterus</i>	▶  1
8	New Holland Honeyeater	<i>Phylidonyris novaehollandiae</i>	▶  3
9	Yellow-throated Honeyeater	<i>Nesoptilotis flavicollis</i>	▶  4
45	Blue-faced Honeyeater	<i>Entomyzon cyanotis</i>	▶  13
5	White-throated Honeyeater	<i>Melithreptus albogularis</i>	▶  3
10	Black-headed Honeyeater	<i>Melithreptus affinis</i>	▶  4
6	Strong-billed Honeyeater	<i>Melithreptus validirostris</i>	▶  1
4	Macleay's Honeyeater	<i>Xanthotis macleayanus</i>	▶  4
24	Little Friarbird	<i>Philemon citreogularis</i>	▶  9
4	Helmeted Friarbird	<i>Philemon buceroides</i>	▶  3

3	Silver-crowned Friarbird	<i>Philemon argenticeps</i>	▶  2
4	Noisy Friarbird	<i>Philemon corniculatus</i>	▶  3
8	Spotted Pardalote	<i>Pardalotus punctatus</i>	▶  2
3	Forty-spotted Pardalote	<i>Pardalotus quadragintus</i>	▶  2
3	Red-browed Pardalote	<i>Pardalotus rubricatus</i>	▶  1
26	Striated Pardalote	<i>Pardalotus striatus</i>	▶  12
2	Striated Fieldwren	<i>Calamanthus fuliginosus</i>	▶  1
7	Weebill	<i>Smicronis brevirostris</i>	▶  3
10	Yellow-throated Scrubwren	<i>Neosericornis citreogularis</i>	▶  5
5	Tasmanian Scrubwren	<i>Sericornis humilis</i>	▶  3
6	White-browed Scrubwren	<i>Sericornis frontalis</i>	▶  4
1	Atherton Scrubwren	<i>Sericornis keri</i>	▶  1
7	Large-billed Scrubwren	<i>Sericornis magnirostra</i>	▶  3
5	Scrubtit	<i>Acanthornis magna</i>	▶  3
3	Yellow-rumped Thornbill	<i>Acanthiza chrysorrhoa</i>	▶  1
2	Striated Thornbill	<i>Acanthiza lineata</i>	▶  1
23	Tasmanian Thornbill	<i>Acanthiza ewingii</i>	▶  8
2	Mountain Thornbill	<i>Acanthiza katherina</i>	▶  1
12	Brown Thornbill	<i>Acanthiza pusilla</i>	▶  1  5
8	Brown Gerygone	<i>Gerygone mouki</i>	▶  5
4	Green-backed Gerygone	<i>Gerygone chloronota</i>	▶  3
2	Fairy Gerygone	<i>Gerygone palpebrosa</i>	▶  1  2
3	Large-billed Gerygone	<i>Gerygone magnirostris</i>	▶  2
1	Mangrove Gerygone	<i>Gerygone levigaster</i>	▶  1
14	Gray-crowned Babbler	<i>Pomatostomus temporalis</i>	▶  2
3	Australian Logrunner	<i>Orthonyx temminckii</i>	▶  2
2	Barred Cuckooshrike	<i>Coracina lineata</i>	▶  1
10	Black-faced Cuckooshrike	<i>Coracina novaehollandiae</i>	▶  4
16	White-bellied Cuckooshrike	<i>Coracina papuensis</i>	▶  9
6	Varied Triller	<i>Lalage leucomela</i>	▶  6

4	Sahul Cicadabird	<i>Edolisoma tenuirostre</i>	▶  3
5	Varied Sittella	<i>Daphoenositta chrysoptera</i> ✓	▶  1
30	Eastern Whipbird	<i>Psophodes olivaceus</i>	▶  11
2	Bower's Shrikethrush	<i>Colluricincla boweri</i>	▶  2
20	Gray Shrikethrush	<i>Colluricincla harmonica</i>	▶  13
4	Little Shrikethrush	<i>Colluricincla megarhyncha</i>	▶  4
1	Olive Whistler	<i>Pachycephala olivacea</i>	▶  1
11	Golden Whistler	<i>Pachycephala pectoralis</i>	▶  7
1	Black-tailed Whistler	<i>Pachycephala melanura</i>	▶  1
5	Gray Whistler	<i>Pachycephala simplex</i>	▶  4
7	Rufous Whistler	<i>Pachycephala rufiventris</i>	▶  5
7	Olive-backed Oriole	<i>Oriolus sagittatus</i>	▶  3
41	Green Oriole	<i>Oriolus flavocinctus</i>	▶  12
41	Australasian Figbird	<i>Sphecotheres vieilloti</i>	▶  1  13
5	Yellow-breasted Boatbill	<i>Machaerirhynchus flaviventer</i>	▶  4
14	White-breasted Woodswallow	<i>Artamus leucorhynchus</i>	▶  4
7	Black-faced Woodswallow	<i>Artamus cinereus</i>	▶  4
2	Gray Butcherbird	<i>Cracticus torquatus</i>	▶  2
2	Silver-backed Butcherbird	<i>Cracticus argenteus</i>	▶  1  1
3	Pied Butcherbird	<i>Cracticus nigrogularis</i>	▶  3
4	Black Butcherbird	<i>Melloria quoyi</i>	▶  1  4
29	Australian Magpie	<i>Gymnorhina tibicen</i>	▶  12
16	Pied Currawong	<i>Strepera graculina</i>	▶  5
15	Black Currawong	<i>Strepera fuliginosa</i>	▶  8
2	Gray Currawong	<i>Strepera versicolor</i>	▶  2
8	Northern Fantail	<i>Rhipidura rufiventris</i>	▶  5
35	Willie-wagtail	<i>Rhipidura leucophrys</i>	▶  17
2	Arafura Fantail	<i>Rhipidura dryas</i>	▶  2
2	Australian Rufous Fantail	<i>Rhipidura rufifrons</i>	▶  2
59	Gray Fantail	<i>Rhipidura albiscapa</i>	▶  21

12	Spangled Drongo	<i>Dicurus bracteatus</i>	▶  7
5	Paradise Riflebird	<i>Ptiloris paradiseus</i>	▶  4
12	Victoria's Riflebird	<i>Ptiloris victoriae</i>	▶  5
4	Black-faced Monarch	<i>Monarcha melanopsis</i>	▶  2
6	Australian Spectacled Monarch	<i>Symposiachrus trivirgatus</i>	▶  4
1	Pied Monarch	<i>Arses kaupi</i>	▶  1
82	Magpie-lark	<i>Grallina cyanoleuca</i>	▶  21
2	Leaden Flycatcher	<i>Myiagra rubecula</i>	▶  2  2
3	Broad-billed Flycatcher	<i>Myiagra ruficollis</i>	▶  3
7	Satin Flycatcher	<i>Myiagra cyanoleuca</i>	▶  3
8	Paperbark Flycatcher	<i>Myiagra nana</i>	▶  3  3
3	Shining Flycatcher	<i>Myiagra alecto</i>	▶  2
77	Apostlebird	<i>Struthidea cinerea</i>	▶  8
25	Torresian Crow	<i>Corvus orru</i>	▶  9
67	Forest Raven	<i>Corvus tasmanicus</i>	▶  16
1	Rose Robin	<i>Petroica rosea</i>	▶  1
2	Pink Robin	<i>Petroica rodinogaster</i>	▶  2
2	Flame Robin	<i>Petroica phoenicea</i>	▶  2
4	Scarlet Robin	<i>Petroica boodang</i>	▶  2
6	Lemon-bellied Flyrobin	<i>Microeca flavigaster</i>	▶  3
9	Gray-headed Robin	<i>Heteromyias cinereifrons</i>	▶  4
1	Dusky Robin	<i>Melanodryas vittata</i>	▶  1
1	Mangrove Robin	<i>Melanodryas pulverulenta</i>	▶  1  1
10	Eastern Yellow Robin	<i>Eopsaltria australis</i>	▶  6
2	Pale-yellow Robin	<i>Eopsaltria capito</i>	▶  2
1	Singing Bushlark	<i>Mirafrja javanica</i>	▶  1
7	Eurasian Skylark	<i>Alauda arvensis</i> *	▶  2
5	Golden-headed Cisticola	<i>Cisticola exilis</i>	▶  1
1	Australian Reed Warbler	<i>Acrocephalus australis</i>	▶  1
3	Tawny Grassbird	<i>Cincloramphus timoriensis</i>	▶  1

114	Welcome Swallow	<i>Hirundo neoxena</i>	▶ 19
23	Fairy Martin	<i>Petrochelidon ariel</i>	▶ 2
13	Tree Martin	<i>Petrochelidon nigricans</i>	▶ 4
10	Australian Yellow White-eye	<i>Zosterops luteus</i>	▶ 1 2
7	Silvereye	<i>Zosterops lateralis</i>	▶ 5
178	Metallic Starling	<i>Aplonis metallica</i>	▶ 5
20	European Starling	<i>Sturnus vulgaris</i> *	▶ 4
25	Common Myna	<i>Acridotheres tristis</i> *	▶ 8
1	Russet-tailed Thrush	<i>Zoothera heinei</i>	▶ 1
13	Eurasian Blackbird	<i>Turdus merula</i> *	▶ 9
7	Mistletoebird	<i>Dicaeum hirundinaceum</i>	▶ 3
6	Sahul Sunbird	<i>Cinnyris frenatus</i>	▶ 4
3	Beautiful Firetail	<i>Stagonopleura bella</i>	▶ 1
80	Crimson Finch	<i>Neochmia phaeton</i>	▶ 1
22	Red-browed Firetail	<i>Neochmia temporalis</i>	▶ 2
52	Double-barred Finch	<i>Stizoptera bichenovii</i>	▶ 4
14	Masked Finch	<i>Poephila personata</i>	▶ 1
4	Black-throated Finch	<i>Poephila cincta</i>	▶ 1
15	Scaly-breasted Munia	<i>Lonchura punctulata</i> *	▶ 1
14	Chestnut-breasted Munia	<i>Lonchura castaneothorax</i>	▶ 2
34	House Sparrow	<i>Passer domesticus</i> *	▶ 7
8	Australian Pipit	<i>Anthus australis</i>	▶ 3
1	European Greenfinch	<i>Chloris chloris</i> *	▶ 1
7	European Goldfinch	<i>Carduelis carduelis</i> *	▶ 3

ADDITIONAL TAXA

3	Domestic goose sp. (Domestic type)	<i>Anser sp. (Domestic type)</i>	▶ 2
11	cormorant sp.	<i>Phalacrocoracidae</i> sp.	▶ 2
1	Accipitrine hawk sp. (former Accipiter sp.)	<i>Aerospiza/Tachyspiza/Accipiter/Astur</i> sp.	▶ 1