

## Trip Report — Arizona's Second Spring I 2026

July 25-August 3, 2026 with Chris Benesh & Alex Sundvall



Cave Creek Canyon forms a dramatic gateway into the Chiricahuas as seen from Portal in this image taken by Chris Benesh.

To borrow a theme from *Forest Gump*, Arizona's Second Spring tour is like a box of chocolates, you never know what you're going to get. That was certainly true at times on this tour. While the monsoon had done a good job of greening up parts of southeast Arizona, the tour happened to fall on a bit of a heat bubble, with temperatures several degrees above normal. On top of that, the relative humidity was higher than normal for the area, meaning that overnight temperatures stayed high. Despite that, we did well with the birds and other critters over the course of the tour.



The recently re-minted Coppery-tailed Trogon proved elusive for us for much of the tour. We missed it in the Chiricahuas and Huachucas and had quick flight views in Harshaw Canyon. Thankfully Madera Canyon came through for us, and we had fantastic views of this male. Photo by Chris Benesh.

One of the first things noticed on the tour was that Elegant Trogon had gone missing, replaced by something called Coppery-tailed Trogon. First described in 1835, the first name given to this species was Coppery-tailed Trogon. This persisted for decades until 1983 when it was determined that Coppery-tailed was best considered a subspecies of the Elegant Trogon found much farther south in Central America. So for much of our birding lives, Arizona birds have been known as Elegant Trogons. However, some researchers have recently considered splitting northern birds based on subtle differences in vocalizations, and in 2025, the Coppery-tailed Trogon was resurrected as a full species. Elegant Trogon is once again restricted to parts of Central America. What was perhaps more relevant on this tour was the difficulty we had tracking one down. It wasn't until the tour was nearing its end that we really, really connected. Our experience earned this species top spot in our voting during our final dinner.



The Southwest Research Station was hosting a couple of locally rare hummingbirds including this stunning male White-eared Hummingbird taken by Donna Pomeroy.

Another highly sought after species on the tour is Montezuma Quail. It is not always easy to see, and birders can go years between sightings. Fortunately, we spend a good deal of time in ideal habitat for this species, and fortunately we had Marsha along who deftly spotted a pair with chicks on our way back from the George Walker House! Much celebration was had! We had a nice showing of screech-owls in the Chiricahuas with a pair of Whiskered Screech-Owls and a Western Screech-Owl. We also got to hear some Mexican Spotted Owls hooting along South Fork late one evening while we lit up a couple local species of scorpions with UV lights. Special mention must be made of the American Barn Owls seen near Willcox first found by my son's good friend Jacob shortly before our tour.



Donna also captured this image of a female Berylline Hummingbird at the same feeders.

Hummingbirds were a treat on the tour with each new location seemingly providing something new. A few slipped through the cracks, but smashing views of the ones we saw made up for it. Having White-eared and Berylline hummingbirds coming to the same feeders at SWRS was fantastic. Rick Taylor came through for us with Lucifer Hummingbird, a species that can be tricky to track down at times. The impressively big Blue-throated Mountain-gems and Rivoli's Hummingbirds were a sight too!



This male Lucifer Hummingbird showed nicely for us at a private feeder in Whitetail Canyon. Photo by Chris Benesh.

Flycatcher and flycatcher-adjacent species played well. A female Rose-throated Becard was great to see in Harshaw. This species is on another downward spiral in southern Arizona, its populations fluctuating over the decades. We connected with four species of kingbird, each of the Myiarchus, the splendid Sulphur-bellied Flycatcher, and the diminutive Buff-breasted Flycatcher. Greater Roadrunner was an iconic cuckoo to see, but we were also thrilled to see a couple of Yellow-billed Cuckoos at Lake Pena Blanca. Hawks presented well too. A trip up Mount Lemmon in the hope of seeing Short-tailed Hawk paid off quickly with a couple of flyover views. It also proved a good spot for Red-faced Warbler and the monotypic Olive Warbler. We had several good Zone-tailed Hawk sightings, and a pair spent the entire morning screaming high above Miller Canyon during our time there.



When seen in the right light, Varied Bunting lives up to its name, *Passerina versicolor*. This male was photographed by Donna Pomeroy.

Another magical moment was during our walk along Santa Gertrudis Lane to the sloppy bank of the Santa Cruz River. And against all odds, a male Green Kingfisher appeared and perched in view of our scopes. Fantastic! Other favorites not already mentioned included the Five-striped Sparrow we enjoyed in Montosa Canyon, the flashy Painted Redstarts seen in most of the oak filled canyons, the dainty Black-tailed Gnatcatchers seen on our first afternoon in the Tucson Mountains, the versicolored Varied Buntings, and the eye-popping Violet-crowned Hummingbirds at the Paton's Center for Hummingbirds. Notably rare from an Arizona perspective was a young Yellow-crowned Night Heron seen in Willcox, one of very few records in the state.



Looking a bit like a mini-trogon, this flashy Painted Redstart photographed by Donna Stump was a treat!

### **Mammals seen on the tour:**

Bat (spp.)

Robust Cottontail (*Sylvilagus holzneri*)

Desert Cottontail (*Sylvilagus audubonii*)

Black-tailed Jackrabbit (*Lepus californicus*)

Antelope Jackrabbit (*Lepus alleni*)

Cliff Chipmunk (*Neotamias dorsalis*)

Harris's Antelope Squirrel (*Ammospermophilus harrisi*)

Common Rock Squirrel (*Otospermophilus variegatus*)

Mexican Fox Squirrel (*Sciurus nayaritensis*)

Arizona Gray Squirrel (*Sciurus arizonensis*)

Striped Skunk (*Mephitis mephitis*)

American Hog-nosed Skunk (*Conepatus leuconotus*)

Collared Peccary (*Dicotyles tajacu*)

White-tailed Deer (*Odocoileus virginianus*)

Some other critters seen on the tour:

Western Diamondback Rattlesnake (*Crotalus atrox*)

American Bullfrog (*Lithobates catesbeianus*)

Chiricahua Leopard Frog (*Lithobates chiricahuensis*)

Clark's Spiny Lizard (*Sceloporus clarkii*)

Yarrow's Spiny Lizard (*Sceloporus jarrovi*)

Chihuahuan Spotted Whiptail (*Aspidoscelis exsanguis*)

Sonoran Spotted Whiptail (*Aspidoscelis sonorae*)

Desert Grassland Whiptail (*Aspidoscelis uniparens*)

Black Witch (*Ascalapha odorata*)

Terloo Moth (*Proserpinus terlooii*)

Cash's Scorpion (*Vaejovis cashi*)

Stripe-tailed Scorpion (*Paravaejovis spinigerus*)

Pseudouroctonus apacheanus

Southern Bee-killer (*Mallophora orcina*)

See iNaturalist list for a more complete rundown on critters.



Alan Leeds's shot of this Cliff Chipmunk demonstrates the length they will go to get an acorn.

Thanks to all of you for making this such as easy tour for me and Alex. You handled the heat well and were troopers throughout. I hope that our paths cross again and that you stay well and healthy and enjoy bird-rich days.

You can see my complete trip report on eBird at this link:

<https://ebird.org/tripreport/555788>

You can see my iNaturalist report of non-avian taxa at this link:

<https://www.inaturalist.org/projects/field-guides-arizona-second-spring-tour-2026>

You can download a combined PDF of this page and the eBird report at this link: <https://fieldguides.com/triplists/azs26aTRIPLIST.pdf>

-- Chris

## Field Guides Birding Tours -- ARIZONA'S SECOND SPRING, 2026 (with guides Chris Benesh & Alex Sundvall)



25 Jul – 2 Aug 2026 (9 days) [Link-only](#)



 **United States**

Arizona | New Mexico [Subregions](#)

 Chris Benesh, Alex Sundvall, fgi Triplists



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...

DATA FOR: [Group \(all people\)](#) ▾

186

Species Observed

69

Checklists

2

Species with Audio

## Species Observed

[Show all details](#)

|     |                                     |                                 |                                                                                            |
|-----|-------------------------------------|---------------------------------|--------------------------------------------------------------------------------------------|
| 6   | <b>Black-bellied Whistling-Duck</b> | <i>Dendrocygna autumnalis</i>   | ▶  1    |
| 1   | <b>Wood Duck</b>                    | <i>Aix sponsa</i>               | ▶  1    |
| 18  | <b>Cinnamon Teal</b>                | <i>Spatula cyanoptera</i>       | ▶  2    |
| 1   | <b>Mallard</b>                      | <i>Anas platyrhynchos</i>       | ▶  1    |
| 38  | <b>Mexican Duck</b>                 | <i>Anas diazi</i>               | ▶  3    |
| 5   | <b>Ruddy Duck</b>                   | <i>Oxyura jamaicensis</i>       | ▶  2    |
| 5   | <b>Scaled Quail</b>                 | <i>Callipepla squamata</i>      | ▶  2    |
| 126 | <b>Gambel's Quail</b>               | <i>Callipepla gambelii</i>      | ▶  8    |
| 8   | <b>Montezuma Quail</b>              | <i>Cyrtonyx montezumae</i>      | ▶  3   |
| 19  | <b>Rock Pigeon</b>                  | <i>Columba livia</i> *          | ▶  5  |
| 3   | <b>Band-tailed Pigeon</b>           | <i>Patagioenas fasciata</i>     | ▶  1  |
| 29  | <b>Eurasian Collared-Dove</b>       | <i>Streptopelia decaocto</i> *  | ▶  12 |
| 6   | <b>Inca Dove</b>                    | <i>Columbina inca</i>           | ▶  4  |
| 7   | <b>Common Ground Dove</b>           | <i>Columbina passerina</i>      | ▶  3  |
| 120 | <b>White-winged Dove</b>            | <i>Zenaida asiatica</i>         | ▶  26 |
| 150 | <b>Mourning Dove</b>                | <i>Zenaida macroura</i>         | ▶  35 |
| 3   | <b>Greater Roadrunner</b>           | <i>Geococcyx californianus</i>  | ▶  3  |
| 2   | <b>Yellow-billed Cuckoo</b>         | <i>Coccyzus americanus</i>      | ▶  1  |
| 4   | <b>Lesser Nighthawk</b>             | <i>Chordeiles acutipennis</i>   | ▶  1  |
| 5   | <b>Common Poorwill</b>              | <i>Phalaenoptilus nuttallii</i> | ▶  1  |

|     |                                   |                                |                                                                                           |
|-----|-----------------------------------|--------------------------------|-------------------------------------------------------------------------------------------|
| 2   | <b>Mexican Whip-poor-will</b>     | <i>Antrostomus arizonae</i>    | ▶  2   |
| 4   | <b>White-throated Swift</b>       | <i>Aeronautes saxatalis</i>    | ▶  2   |
| 9   | <b>Rivoli's Hummingbird</b>       | <i>Eugenes fulgens</i>         | ▶  7   |
| 6   | <b>Blue-throated Mountain-gem</b> | <i>Lampornis clemenciae</i>    | ▶  2   |
| 2   | <b>Lucifer Hummingbird</b>        | <i>Calothorax lucifer</i>      | ▶  1   |
| 30  | <b>Black-chinned Hummingbird</b>  | <i>Archilochus alexandri</i>   | ▶  12  |
| 8   | <b>Anna's Hummingbird</b>         | <i>Calypte anna</i>            | ▶  6   |
| 1   | <b>Calliope Hummingbird</b>       | <i>Selasphorus calliope</i>    | ▶  1   |
| 9   | <b>Rufous Hummingbird</b>         | <i>Selasphorus rufus</i>       | ▶  3   |
| 4   | <b>Broad-tailed Hummingbird</b>   | <i>Selasphorus platycercus</i> | ▶  4   |
| 68  | <b>Broad-billed Hummingbird</b>   | <i>Cynanthus latirostris</i>   | ▶  17  |
| 1   | <b>White-eared Hummingbird</b>    | <i>Basilinna leucotis</i>      | ▶  1  |
| 3   | <b>Violet-crowned Hummingbird</b> | <i>Ramosomyia violiceps</i>    | ▶  2 |
| 1   | <b>Berylline Hummingbird</b>      | <i>Saucerottia beryllina</i>   | ▶  1 |
| 10  | <b>American Coot</b>              | <i>Fulica americana</i>        | ▶  2 |
| 27  | <b>Black-necked Stilt</b>         | <i>Himantopus mexicanus</i>    | ▶  3 |
| 60  | <b>American Avocet</b>            | <i>Recurvirostra americana</i> | ▶  2 |
| 20  | <b>Killdeer</b>                   | <i>Charadrius vociferus</i>    | ▶  2 |
| 21  | <b>Long-billed Dowitcher</b>      | <i>Limnodromus scolopaceus</i> | ▶  2 |
| 8   | <b>Wilson's Phalarope</b>         | <i>Phalaropus tricolor</i>     | ▶  1 |
| 6   | <b>Lesser Yellowlegs</b>          | <i>Tringa flavipes</i>         | ▶  2 |
| 5   | <b>Stilt Sandpiper</b>            | <i>Calidris himantopus</i>     | ▶  2 |
| 175 | <b>Baird's Sandpiper</b>          | <i>Calidris bairdii</i>        | ▶  2 |

|     |                                   |                                 |                                                                                            |
|-----|-----------------------------------|---------------------------------|--------------------------------------------------------------------------------------------|
| 40  | <b>Least Sandpiper</b>            | <i>Calidris minutilla</i>       | ▶  2    |
| 90  | <b>Western Sandpiper</b>          | <i>Calidris mauri</i>           | ▶  2    |
| 1   | <b>Semipalmated Sandpiper</b>     | <i>Calidris pusilla</i>         | ▶  1    |
| 3   | <b>Pied-billed Grebe</b>          | <i>Podilymbus podiceps</i>      | ▶  3    |
| 4   | <b>Eared Grebe</b>                | <i>Podiceps nigricollis</i>     | ▶  1    |
| 2   | <b>Neotropic Cormorant</b>        | <i>Nannopterum brasilianum</i>  | ▶  1    |
| 1   | <b>Yellow-crowned Night Heron</b> | <i>Nyctanassa violacea</i>      | ▶  1    |
| 18  | <b>Snowy Egret</b>                | <i>Egretta thula</i>            | ▶  1    |
| 1   | <b>Green Heron</b>                | <i>Butorides virescens</i>      | ▶  1    |
| 1   | <b>Great Egret</b>                | <i>Ardea alba</i>               | ▶  1    |
| 1   | <b>Great Blue Heron</b>           | <i>Ardea herodias</i>           | ▶  1    |
| 3   | <b>Black Vulture</b>              | <i>Coragyps atratus</i>         | ▶  1   |
| 104 | <b>Turkey Vulture</b>             | <i>Cathartes aura</i>           | ▶  36 |
| 1   | <b>Osprey</b>                     | <i>Pandion haliaetus</i>        | ▶  1  |
| 4   | <b>Cooper's Hawk</b>              | <i>Astur cooperii</i>           | ▶  3  |
| 1   | <b>Mississippi Kite</b>           | <i>Ictinia mississippiensis</i> | ▶  1  |
| 1   | <b>Harris's Hawk</b>              | <i>Parabuteo unicinctus</i>     | ▶  1  |
| 6   | <b>Gray Hawk</b>                  | <i>Buteo plagiatus</i>          | ▶  5  |
| 6   | <b>Zone-tailed Hawk</b>           | <i>Buteo albonotatus</i>        | ▶  4  |
| 1   | <b>Short-tailed Hawk</b>          | <i>Buteo brachyurus</i>         | ▶  1  |
| 17  | <b>Swainson's Hawk</b>            | <i>Buteo swainsoni</i>          | ▶  9  |
| 18  | <b>Red-tailed Hawk</b>            | <i>Buteo jamaicensis</i>        | ▶  12 |
| 2   | <b>American Barn Owl</b>          | <i>Tyto furcata</i>             | ▶  1  |

|    |                                      |                                     |                                                                                            |
|----|--------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------|
| 2  | <b>Whiskered Screech-Owl</b>         | <i>Megascops trichopsis</i>         | ▶  1    |
| 3  | <b>Western Screech-Owl</b>           | <i>Megascops kennicottii</i>        | ▶  2    |
| 1  | <b>Great Horned Owl</b>              | <i>Bubo virginianus</i>             | ▶  1    |
| 1  | <b>Spotted Owl</b>                   | <i>Strix occidentalis</i> Sensitive | ▶  1    |
| 3  | <b>Coppery-tailed Trogon</b>         | <i>Trogon ambiguus</i>              | ▶  2    |
| 1  | <b>Green Kingfisher</b>              | <i>Chloroceryle americana</i>       | ▶  1    |
| 61 | <b>Acorn Woodpecker</b>              | <i>Melanerpes formicivorus</i>      | ▶  16   |
| 11 | <b>Gila Woodpecker</b>               | <i>Melanerpes uropygialis</i>       | ▶  7    |
| 10 | <b>Ladder-backed Woodpecker</b>      | <i>Dryobates scalaris</i>           | ▶  10   |
| 2  | <b>Hairy Woodpecker</b>              | <i>Leuconotopicus villosus</i>      | ▶  2    |
| 5  | <b>Arizona Woodpecker</b>            | <i>Leuconotopicus arizonae</i>      | ▶  4    |
| 14 | <b>Northern Flicker</b>              | <i>Colaptes auratus</i>             | ▶  10  |
| 2  | <b>Gilded Flicker</b>                | <i>Colaptes chrysoides</i>          | ▶  1  |
| 1  | <b>American Kestrel</b>              | <i>Falco sparverius</i>             | ▶  1  |
| 1  | <b>Peregrine Falcon</b>              | <i>Falco peregrinus</i>             | ▶  1  |
| 1  | <b>Rose-throated Becard</b>          | <i>Pachyramphus aglaiae</i>         | ▶  1  |
| 4  | <b>Northern Beardless-Tyrannulet</b> | <i>Camptostoma imberbe</i>          | ▶  3  |
| 6  | <b>Greater Pewee</b>                 | <i>Contopus pertinax</i>            | ▶  5  |
| 47 | <b>Western Wood-Pewee</b>            | <i>Contopus sordidulus</i>          | ▶  17 |
| 17 | <b>Western Flycatcher</b>            | <i>Empidonax difficilis</i>         | ▶  7  |
| 7  | <b>Buff-breasted Flycatcher</b>      | <i>Empidonax fulvifrons</i>         | ▶  1  |
| 6  | <b>Black Phoebe</b>                  | <i>Sayornis nigricans</i>           | ▶  5  |
| 2  | <b>Say's Phoebe</b>                  | <i>Sayornis saya</i>                | ▶  2  |

|    |                                   |                                  |                                                                                            |
|----|-----------------------------------|----------------------------------|--------------------------------------------------------------------------------------------|
| 11 | <b>Vermilion Flycatcher</b>       | <i>Pyrocephalus rubinus</i>      | ▶  5    |
| 10 | <b>Dusky-capped Flycatcher</b>    | <i>Myiarchus tuberculifer</i>    | ▶  7    |
| 5  | <b>Ash-throated Flycatcher</b>    | <i>Myiarchus cinerascens</i>     | ▶  2    |
| 18 | <b>Brown-crested Flycatcher</b>   | <i>Myiarchus tyrannulus</i>      | ▶  13   |
| 11 | <b>Sulphur-bellied Flycatcher</b> | <i>Myiodynastes luteiventris</i> | ▶  4    |
| 3  | <b>Tropical Kingbird</b>          | <i>Tyrannus melancholicus</i>    | ▶  2    |
| 17 | <b>Cassin's Kingbird</b>          | <i>Tyrannus vociferans</i>       | ▶  12   |
| 7  | <b>Thick-billed Kingbird</b>      | <i>Tyrannus crassirostris</i>    | ▶  3    |
| 18 | <b>Western Kingbird</b>           | <i>Tyrannus verticalis</i>       | ▶  7    |
| 14 | <b>Bell's Vireo</b>               | <i>Vireo bellii</i>              | ▶  6    |
| 19 | <b>Hutton's Vireo</b>             | <i>Vireo huttoni</i>             | ▶  9    |
| 13 | <b>Plumbeous Vireo</b>            | <i>Vireo plumbeus</i>            | ▶  8   |
| 2  | <b>Western Warbling Vireo</b>     | <i>Vireo swainsoni</i>           | ▶  2  |
| 8  | <b>Loggerhead Shrike</b>          | <i>Lanius ludovicianus</i>       | ▶  5  |
| 9  | <b>Steller's Jay</b>              | <i>Cyanocitta stelleri</i>       | ▶  4  |
| 3  | <b>Woodhouse's Scrub-Jay</b>      | <i>Aphelocoma woodhouseii</i>    | ▶  2  |
| 62 | <b>Mexican Jay</b>                | <i>Aphelocoma wollweberi</i>     | ▶  12 |
| 10 | <b>Chihuahuan Raven</b>           | <i>Corvus cryptoleucus</i>       | ▶  3  |
| 15 | <b>Common Raven</b>               | <i>Corvus corax</i>              | ▶  10 |
| 9  | <b>Mountain Chickadee</b>         | <i>Poecile gambeli</i>           | ▶  2  |
| 2  | <b>Mexican Chickadee</b>          | <i>Poecile sclateri</i>          | ▶  1  |
| 66 | <b>Bridled Titmouse</b>           | <i>Baeolophus wollweberi</i>     | ▶  13 |
| 4  | <b>Juniper Titmouse</b>           | <i>Baeolophus ridgwayi</i>       | ▶  1  |

|    |                                      |                                        |                                                                                            |
|----|--------------------------------------|----------------------------------------|--------------------------------------------------------------------------------------------|
| 28 | <b>Verdin</b>                        | <i>Auriparus flaviceps</i>             | ▶  11   |
| 5  | <b>Horned Lark</b>                   | <i>Eremophila alpestris</i>            | ▶  2    |
| 4  | <b>Tree Swallow</b>                  | <i>Tachycineta bicolor</i>             | ▶  1    |
| 55 | <b>Violet-green Swallow</b>          | <i>Tachycineta thalassina</i>          | ▶  2    |
| 1  | <b>Purple Martin</b>                 | <i>Progne subis</i>                    | ▶  1    |
| 3  | <b>Northern Rough-winged Swallow</b> | <i>Stelgidopteryx serripennis</i>      | ▶  2    |
| 33 | <b>Barn Swallow</b>                  | <i>Hirundo rustica</i>                 | ▶  9    |
| 5  | <b>Cliff Swallow</b>                 | <i>Petrochelidon pyrrhonota</i>        | ▶  1    |
| 14 | <b>Bushtit</b>                       | <i>Psaltirparus minimus</i>            | ▶  2    |
| 30 | <b>White-breasted Nuthatch</b>       | <i>Sitta carolinensis</i>              | ▶  13   |
| 11 | <b>Pygmy Nuthatch</b>                | <i>Sitta pygmaea</i>                   | ▶  3    |
| 4  | <b>Red-breasted Nuthatch</b>         | <i>Sitta canadensis</i>                | ▶  2   |
| 8  | <b>Brown Creeper</b>                 | <i>Certhia americana</i>               | ▶  4  |
| 2  | <b>Black-tailed Gnatcatcher</b>      | <i>Poliopitila melanura</i>            | ▶  1  |
| 4  | <b>Rock Wren</b>                     | <i>Salpinctes obsoletus</i>            | ▶  2  |
| 2  | <b>Canyon Wren</b>                   | <i>Catherpes mexicanus</i>             | ▶  1  |
| 7  | <b>Northern House Wren</b>           | <i>Troglodytes aedon</i>               | ▶  6  |
| 31 | <b>Bewick's Wren</b>                 | <i>Thryomanes bewickii</i>             | ▶  18 |
| 11 | <b>Cactus Wren</b>                   | <i>Campylorhynchus brunneicapillus</i> | ▶  5  |
| 3  | <b>European Starling</b>             | <i>Sturnus vulgaris</i> *              | ▶  1  |
| 25 | <b>Curve-billed Thrasher</b>         | <i>Toxostoma curvirostre</i>           | ▶  14 |
| 1  | <b>Bendire's Thrasher</b>            | <i>Toxostoma bendirei</i>              | ▶  1  |
| 1  | <b>Crissal Thrasher</b>              | <i>Toxostoma crissale</i>              | ▶  1  |

|     |                               |                                      |                                                                                                                                                                               |
|-----|-------------------------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 12  | <b>Northern Mockingbird</b>   | <i>Mimus polyglottos</i>             | ▶  8                                                                                       |
| 4   | <b>Eastern Bluebird</b>       | <i>Sialia sialis</i>                 | ▶  2                                                                                       |
| 4   | <b>Western Bluebird</b>       | <i>Sialia mexicana</i>               | ▶  1                                                                                       |
| 11  | <b>American Robin</b>         | <i>Turdus migratorius</i>            | ▶  6                                                                                       |
| 34  | <b>Phainopepla</b>            | <i>Phainopepla nitens</i>            | ▶  11                                                                                      |
| 1   | <b>Olive Warbler</b>          | <i>Peucedramus taeniatus</i>         | ▶  1                                                                                       |
| 43  | <b>House Sparrow</b>          | <i>Passer domesticus</i> *           | ▶  7                                                                                       |
| 128 | <b>House Finch</b>            | <i>Haemorhous mexicanus</i>          | ▶  21                                                                                      |
| 10  | <b>Red Crossbill</b>          | <i>Loxia curvirostra</i>             | ▶  1  4 |
| 103 | <b>Lesser Goldfinch</b>       | <i>Spinus psaltria</i>               | ▶  21                                                                                      |
| 10  | <b>Rufous-winged Sparrow</b>  | <i>Peucaea carpalis</i>              | ▶  5                                                                                       |
| 1   | <b>Botteri's Sparrow</b>      | <i>Peucaea botterii</i>              | ▶  1                                                                                      |
| 16  | <b>Cassin's Sparrow</b>       | <i>Peucaea cassinii</i>              | ▶  3                                                                                     |
| 3   | <b>Grasshopper Sparrow</b>    | <i>Ammodramus savannarum</i>         | ▶  1                                                                                     |
| 1   | <b>Black-chinned Sparrow</b>  | <i>Spizella atrogularis</i>          | ▶  1                                                                                     |
| 1   | <b>Five-striped Sparrow</b>   | <i>Amphispizopsis quinquestriata</i> | ▶  1                                                                                     |
| 38  | <b>Black-throated Sparrow</b> | <i>Amphispiza bilineata</i>          | ▶  10                                                                                    |
| 20  | <b>Lark Sparrow</b>           | <i>Chondestes grammacus</i>          | ▶  7                                                                                     |
| 48  | <b>Yellow-eyed Junco</b>      | <i>Junco phaeonotus</i>              | ▶  10                                                                                    |
| 4   | <b>Song Sparrow</b>           | <i>Melospiza melodia</i>             | ▶  2                                                                                     |
| 16  | <b>Canyon Towhee</b>          | <i>Melospiza fusca</i>               | ▶  8                                                                                     |
| 7   | <b>Abert's Towhee</b>         | <i>Melospiza aberti</i>              | ▶  4                                                                                     |
| 13  | <b>Rufous-crowned Sparrow</b> | <i>Aimophila ruficeps</i>            | ▶  8                                                                                     |

|    |                                    |                                      |                                                                                                                                                                                   |
|----|------------------------------------|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 38 | <b>Spotted Towhee</b>              | <i>Pipilo maculatus</i>              | ▶  14                                                                                          |
| 28 | <b>Yellow-breasted Chat</b>        | <i>Icteria virens</i>                | ▶  6                                                                                           |
| 23 | <b>Yellow-headed Blackbird</b>     | <i>Xanthocephalus xanthocephalus</i> | ▶  2                                                                                           |
| 9  | <b>Chihuahuan Meadowlark</b>       | <i>Sturnella lilianae</i>            | ▶  3                                                                                           |
| 6  | <b>Hooded Oriole</b>               | <i>Icterus cucullatus</i>            | ▶  4                                                                                           |
| 4  | <b>Scott's Oriole</b>              | <i>Icterus parisorum</i>             | ▶  2                                                                                           |
| 6  | <b>Red-winged Blackbird</b>        | <i>Agelaius phoeniceus</i>           | ▶  2                                                                                           |
| 1  | <b>Bronzed Cowbird</b>             | <i>Molothrus aeneus</i>              | ▶  1                                                                                           |
| 47 | <b>Brown-headed Cowbird</b>        | <i>Molothrus ater</i>                | ▶  8                                                                                           |
| 26 | <b>Great-tailed Grackle</b>        | <i>Quiscalus mexicanus</i>           | ▶  5                                                                                           |
| 6  | <b>Lucy's Warbler</b>              | <i>Leiothlypis luciae</i>            | ▶  3                                                                                           |
| 2  | <b>Virginia's Warbler</b>          | <i>Leiothlypis virginiae</i>         | ▶  2                                                                                          |
| 2  | <b>Common Yellowthroat</b>         | <i>Geothlypis trichas</i>            | ▶  1                                                                                         |
| 12 | <b>Northern Yellow Warbler</b>     | <i>Setophaga aestiva</i>             | ▶  7                                                                                         |
| 10 | <b>Grace's Warbler</b>             | <i>Setophaga graciae</i>             | ▶  5                                                                                         |
| 16 | <b>Black-throated Gray Warbler</b> | <i>Setophaga nigrescens</i>          | ▶  8                                                                                         |
| 8  | <b>Red-faced Warbler</b>           | <i>Cardellina rubrifrons</i>         | ▶  2                                                                                         |
| 34 | <b>Painted Redstart</b>            | <i>Myioborus pictus</i>              | ▶  7                                                                                         |
| 13 | <b>Hepatic Tanager</b>             | <i>Piranga flava</i>                 | ▶  7                                                                                         |
| 13 | <b>Summer Tanager</b>              | <i>Piranga rubra</i>                 | ▶  6                                                                                         |
| 24 | <b>Western Tanager</b>             | <i>Piranga ludoviciana</i>           | ▶  13                                                                                        |
| 1  | <b>Flame-colored Tanager</b>       | <i>Piranga bidentata</i>             | ▶  1  1 |
| 40 | <b>Northern Cardinal</b>           | <i>Cardinalis cardinalis</i>         | ▶  14                                                                                        |

- 9

Pyrrhuloxia

Cardinalis sinuatus

▸

4
- 57

Black-headed Grosbeak

Pheucticus melanocephalus

▸

22
- 18

Blue Grosbeak

Passerina caerulea

▸

9
- 17

Lazuli Bunting

Passerina amoena

▸

8
- 6

Varied Bunting

Passerina versicolor

▸

4

ADDITIONAL TAXA

- 4

hummingbird sp.

Trochilidae sp.

▸

1