

# Trip Report — Bolivia's Lowland Lodges: Blue-throated Macaws & Beyond 2025

October 5-18, 2025 with Micah Riegner & local guides



Barba Azul is one of those places I would go back to in a heartbeat. We saw so many great birds and mammals there, from flocks of Blue-throated Macaws crossing the Beni Savanna on their way to their night roosts to displaying Cock-tailed Tyrants, Black-masked Finches and migrant Buff-breasted Sandpipers. Drone photo by guide Micah Riegner.

Bolivia is one of those countries like Brazil, Peru, Ecuador and Colombia that you can't do justice to with just one visit, which is why we've developed this new itinerary delving into its avian-rich (and I mean filthy rich!) lowlands. The Andes cover the western third of Bolivia and, for this itinerary, we sampled a number of important habitats comprising the eastern two thirds of the country. First, we got a taste of the Chiquitania forests, a low-stature, semi-deciduous forest, surrounding Santa Cruz, then we flew to Riberalta at the southern edge of the Amazon Basin. We birded the Cerrado at Pampa San

Lorenzo, then immersed ourselves in the vast Beni Savanna, a complex network of marshes, gallery forest, Cerrado and palm forests, around Trinidad and Reserva Barba Azul. Our charter flight in and out of Barba Azul gave us an idea of just how vast and intact the Beni Savanna remains. We finished the tour in the foothills of the Andes at Sadiri Lodge, teaming with feeding flocks and specialty birds we don't get on any other tour.

Our first morning we birded the Viru Viru International Airport. We enjoyed some hot Salteñas (a Bolivian empanada filled with spicey chicken or beef) then Carlos, our longtime driver, drove us around to see Red-winged Tinamous right outside the airport parking lot! At Valle Sanchez, the neighborhood east of the airport, we flushed a White-bellied Nothura that darted away into a weedy field. We then walked a trail to the Rio Pirai, finding Bolivian Slaty Antshrikes, a surprising number of Amazonian Motmots, Golden-crowned Warblers, White-wedged Piculets, Ochre-fronted Tody-Flycatcher, a perched Hook-billed Kite and some highly vocal Bolivian Gray Titi Monkeys, the first of many mammals. We had lunch back at the airport, then flew to Riberalta. Upon our arrival, we dropped off our bags at the hotel, then we left for Reserva Hamburgo, a protected patch of floodplain forest right outside of town, to try for Masked Antpitta, the main reason we were there. We heard numerous antpittas trilling at dusk but couldn't lock onto one with our bins.

The following day, however, brought us better luck. We reached Hamburgo predawn and listened to the forest awaken—a Pheasant Cuckoo sang from a canopy limb, while Tawny-bellied Screech-owls gave their last sullen hoots. Once it was light enough to see, we meandered into the floodplain forest and eventually locked onto a Masked Antpitta, one of the most range-restricted birds in Amazonia! Through the scope we could see its striking facial pattern and scaly breast pattern. What a bird! We continued to bird Hamburgo

finding Johannes's Tody-Tyrant, a Dusky-tailed Flatbill, Yellow-crowned Amazons and Plumbeous Antbirds. We then drove to another access point and found Purus Jacamars, Hauxwell's Thrush, and a Black-and-white Hawk-Eagle chased by a Bat Falcon. Right before lunch we paid a visit to the Rio Beni, the river that joins the Madre de Dios, then connects to the Rio Madiera in Brazil, where we saw some Horned Screamers and White-bellied Seedeater (the black-backed subspecies).

We took off early the next morning to reach Pampa San Lorenzo before it got too hot. Early on, we had nice looks at White-eared Puffbirds, a Rusty-backed Antwren and dozens of Plain-crested and Lesser Elaenias, but the star of the morning was Rufous-sided Scrub-tyrant, an adorable little flycatcher restricted to the Cerrado. We were on our way back for lunch when Lynn spotted a Butterfly Coquette at some yellow flowers along the road—a scarce little bird indeed! Before our flight to Trinidad, we squeezed in one more afternoon at Hamburgo. We picked up a number of new trip birds, including Gray Antbird, Amazonian Antshrike, and Band-tailed Manakins at a lek. Watching those manakins bounce around in the understory was quite something! We flew to Trinidad, and Carlos, with his son Pedro, magically appeared to pick us up.

The next few days we covered the complex mosaic of waterways, reedbeds, palm savannas and gallery woodlands surrounding Trinidad, where we enjoyed Scarlet-headed and Unicolored Blackbirds, the Beni form of Plain Softtails, Velvet-fronted Grackles, Rusty-backed Spinetail, Band-tailed Antbirds, Sulphur-bellied Tyrant-Manakin, Rufous Casiornis, Large Elaenias, Mato Grosso Antbird, Southern Yellowthroat, Hudson's Black-Tyrant, lots of Toco Toucans and a surprising number of Staneck's Tyrannulets. We saw a number of cool mammals, too, including Bolivian Red Howlers, more Bolivian Gray Titi Monkeys, Red Brocket Deer, Crab-eating Racoon, Crab-eating Fox

and the endemic Bolivian River Dolphin, isolated from its Amazonian cousins by a series of rapids downstream.

Then it was time to leave Carlos and Pedro and fly to Reserva Barba Azul, one of the last strongholds of the Blue-throated Macaw. We met Raul, the local guide, and loaded into two Cessna aircrafts. The flight was nothing short of spectacular. We flew over vast marshes, meandering rivers, islands of forest, and from the plane we could even see Jabirus, Wood Storks, and vultures and Savanna Hawks soaring below us. I was tempted to keep an eBird list, but Cornell hasn't come up with a "flight protocol" yet. We landed at Barba Azul and the staff were there to greet us: Jhulian the park ranger, Rocio the tourism coordinator, and Maribel the waitress. We loaded bags into the ATV trailer and then walked the trail to the lodge, about 10 minutes away. We had a nice cool drink, then got settled into the cabañas. In the afternoon we crossed the boardwalk to Isla Barba Azul. It was still pretty toasty out, but we saw Paraguayan Snipe and a White-rumped Sandpiper in the mud. We walked the trail through the shade *Motacu* palms and saw Black-and-gold Howlers, Red-rumped Agoutis, Brown Capuchins and, most importantly, Blue-throated Macaws! We watched them for a while, and then they took off. Thankfully, it was the first of many encounters. On the way back we saw Streamer-tailed Tyrant from the boardwalk.

Our next full day at Barba Azul we birded the Cerrado. On our way back across the marsh, we saw both Ash-throated and Rufous-sided Crakes, then Jhulian and Rocio picked us up and we drove out into the expansive grasslands, finding White-rumped Monjita, Sharp-tailed Tyrants, and Grass Wren along the way. Our main target was Cock-tailed Tyrant, which we eventually spotted a good way off. We stopped and got out to walk a side road along the fence where they were perching, getting right up to a displaying male. It was awesome to see it (and hear it!) so close. We then

drove on to the shortgrass fields and saw good numbers of migrant Buff-breasted Sandpipers and a few Upland Sandpipers were mixed in, too, refueling for their journey to Argentina. While we watched the shorebirds some Yellowish Pipits performed their aerial displays above us. That afternoon we walked out toward the landing strip and called an Undulated Tinamou right out across the trail. We reached the end of the landing strip and found some White-rumped Tanagers and a Black-masked Finch way the heck out, but it responded to playback and flew right in.

The next morning again, we birded the landing strip and saw a family group of Long-tailed Ground-Doves then not long afterwards we saw not one but two Maned Wolves! One crossed the landing strip a way off, then we spooked another one that was right along the trail! Unfortunately, it darted off without giving us time to get photos. In the late afternoon we went back out toward Isla Barba Azul and counted a total of 59 Blue-throated Macaws flying to their roosting islands. It was heartwarming to see so many of them.



We had numerous encounters with Blue-throated Macaws at Reserva Barba Azul. One afternoon we counted a total of 59 individuals flying across the Beni Savanna to their roosting islands. Thanks to the dedicated team from Asociacion Armonia, Blue throated Macaw numbers have doubled from 450 individuals in 2015 to over 900 individuals in 2025. Photo by guide Micah Riegner.

Sadly, it was time to leave Barba Azul, so we packed our bags and headed out to the landing strip to await the pilots Francisco and Nicolas for our charter flight to Rurrenabaque. We saw a close pair of Orinoco Geese, then another Black-masked Finch on a wire. A pair of Long-tailed Reed-Finches showed up but, best of all, we heard two Dwarf Tinamous, one on either side of the road! This enigmatic species has only recently been found in Bolivia and we were some of the first to record it! We tried to call them into view, but they didn't want to move.

Our pilots dropped us off in the town of Reyes (due to fog in Rurrenabaque). The drivers came to pick us up, we said goodbye to Raul and greeted his brother Hernan and his assistant Orlando, our guides for Sadiri Lodge. We made a brief stop at the office in town, then continued to the lodge. One of our vehicles had some mechanical issues, so we waited for another one to arrive to get us. Once settled at the lodge we birded the main road, finding a feeding flock with Scaled Fruiteater, Sharpbills, Guira Tanagers, Yungas Tyrannulet, and loads of honeycreepers. We walked up the trail behind the ranger station trying for Subtropical Pygmy-Owl, but got no response. We birded a bit more along the road until dark, then did our checklist and dinner.



Masked Antpitta was a Field Guides first! This spectacular species is found in the flooded forests around the town of Riberalta. Photo by guide Micah Riegner.

There was heavy fog the following morning and we literally couldn't see anything around the lodge, so we drove down in elevation to get below the fog line, and it turned out to be a productive morning. We saw Western Striolated Puffbird (the one Bret named after Obama), Southern Emerald Toucanets, Amazonian Pygmy-Owl a Spot-legged Poison Frog, and a feeding flock with Yellow-crested Tanager and Cinnamon-faced Tyrannulets. Before turning back for lunch, we saw a Rufous Motmot that was buried in the vegetation. Back at the lodge, Hernan pointed out a Great Potoo roosting in a tree below, while a Golden-tailed Sapphire buzzed by the red flowers. A Black-faced Antthrush was singing nearby, so we called it in and had incredible views of it. We spent the afternoon on the road and the fog was still really thick, so again, we went down in elevation where we called in Hairy-crested Antbird –stunning bird! At dusk we called in a pair of Bandbellied Owls, then we headed back up for dinner.

Having birded the foothills, it was time to head to the lower elevations for a new set of birds. We left for San Jose del Uchupiamonas, the village in the middle of Madidi National Park where Raul and Hernan are from. At our first stop, we saw Madidi Titi Monkey, yet another mammal for the tour, Curlcrested Aracaris, and a close pair of White-browed Antbirds. Further along, we stopped and saw both Gilded and Lemon-throated Barbets, Pinkthroated Becards and a troop of Saddle-backed Tamarins, a Fasciated Antshrike sitting for scope views, King Vulture, White-necked Puffbird and Rufous-bellied Euphonia. We heard Starred Wood-quail, but they didn't come into view. We reached San Jose Uchupiamonas and had a wonderful lunch at someone's house, then we birded a bit around the town before heading back up to the lodge. It was cool to see Sulphur-bellied Flycatchers on their wintering grounds, a bird I'm used to seeing in the tropical dry forests of Mexico.



Our charter flight over the Beni Savanna to Barba Azul was nothing short of spectacular. We flew over vast unpopulated areas with wild meandering rivers like this one...makes you wonder what's out there to be discovered! Photo by guide Micah Riegner.

Our final day at Sadiri, we birded first near the cabañas and saw Banded Antbird singing right in the middle of the trail, a pair of Tawny-crowned Greenlets, Yellow-lored Tanagers and we heard Brownish-headed Antbird, but it didn't come into view. Some Military Macaws appeared through a hole in the canopy—migrants passing through. Farther along, I heard a Semicollared Puffbird from up the slope and before long we were soaking it up through the scope! Heck-of-a bird. We wrapped up the morning with Amazonian Royal Flycatcher, Collared Trogon, and a feeding flock with Yellow-shouldered Grosbeak, Slaty-capped Shrike-vireo, Masked Tanagers and White-winged Shrike-Tanager, then headed back up for another

wonderful lunch. In the afternoon we drove back toward San Jose Uchupiamonas, first stopping for Eastern Woodhaunter that was calling below the lodge. We made it to the site where Hernan had seen Rufousvented Ground-cuckoos the week before, so I played the recording and within a few minutes one responded. It came right to the edge of the road cooing and bill snapping, but it was just a solid wall of vegetation, so sadly we couldn't see it. Frustrating! We made our way back after dark finding Silkytailed Nightjars and a Long-tailed Potoo along the road.

Sadly, it was time to leave the comforts of Sadiri Lodge, so we loaded up after breakfast and drove back down to Rurrenabaque. We stopped at a palm grove along the way and squeezed out a few new birds (Point-tailed Palmcreepers and Red-bellied Macaws) before reaching the airport for our flight back to Santa Cruz. Arriving in Santa Cruz, we had lunch at a great Brazilian buffet restaurant, then we swung through Laguna Guapilo where we picked up Ringed Teal, Fulvous Whistling Ducks and White-winged Coots—all new birds for the trip. We had our final dinner back at the hotel joined by Tjalle Boorsma, a Dutch conservationist working with the Bluethroated Macaw. He gave us some good insights on what it's like doing conservation work in Bolivia.

Lots of people took part in making this a hugely successful tour. First, I'd like to thank our drivers Carlos and his sons Pedro and Gabriel for driving around Santa Cruz and Trinidad, Vincent Voss and his family for hosting us in Riberalta, the wonderful staff at Barba Azul and Sadiri Lodge, and our guides Raul, Hernan and Orlando for all their help in getting us on the birds. I'd like to thank Caroline and our ground agent for lining everything up for us and you all for joining me on this wild adventure through Bolivia—I hope to see you again before too long!



There are numerous puffbirds possible at Sadiri Lodge including this tough-to-see Semicollared Puffbird we saw the day before we left. Photo by guide Micah Riegner.

#### Mammals

Large Fruit-eating Bats (Artibeus spp.) Several were feeding on Cecropia fruits at Sadiri Lodge.

Greater Bulldog Bat (Noctilio leporinus) These tremendous fish-eating bats were flying over the marsh at Barba Azul.

Black-capped Squirrel Monkey (Saimiri boliviensis) We saw some around Trinidad.

Bolivian Gray Titi Monkey (Plecturocebus donacophilus) We saw these noisy titis around Santa Cruz and also at Puerto Bolivian near Trinidad.

Madidi Titi Monkey (Plecturocebus aureipalatii) This localized endemic was seen below Sadiri Lodge.

Black-and-gold Howler (Alouatta caraya) These are the howlers at Barba

Azul. The males are all black while the females are blond.

Bolivian Red Howler (Alouatta sara) We saw a few at Puerto Ballivian.

Brown Capuchin (Sapajus apella) Seen at Barba Azul and Sadiri Lodge.

Black Spider Monkey (Ateles chamek) We heard them at Sadiri Lodge but never got eyes on them.

Brown-throated Three-toed Sloth (Bradypus variegatus) We saw one our final day at the Santa Cruz Botanical Gardens.

Giant Anteater (Myrmecophaga tridactyla) Holy smokes, what a view! Seen right off the road at Barba Azul

Six-banded Armadillo (Euphractus sexcinctus) These were running around the grounds at Barba Azul.

Nine-banded Armadillo (Dasypus novemcinctus) Seen a couple times at Barba Azul.

Southern Amazon Red Squirrel (Sciurus spadiceus)

Greater Capybara (Hydrochoerus hydrochaeris) Abundant around Trinidad and Barba Azul.

Common Red-rumped Agouti (Dasyprocta leporina) Seen regularly throughout the tour.

Bolivian River Dolphin (Inia boliviensis) We saw these on our river trip at Puerto Ballivian.

Crab-eating Fox (Cerdocyon thous) Seen at night along the road near Trinidad, then along the road near Rurrenabaque.

Maned Wolf (Chrysocyon brachyurus) Certainly the mammal highlight of the trip. We saw one cross the landing strip at Barba Azul, then we turned around and one was crouched under a tree right next to us! As soon as we saw it, the animal sprinted off into the grasses.

Crab-eating Raccoon (Procyon cancrivorus) We saw one near Trinidad, then one on the lawn at Barba Azul.

South American Coati (Nasua nasua) A few zipped by at Barba Azul. Collared Peccary (Dicotyles tajacu) A few ran across the landing strip at Barba Azul.

Marsh Deer (Blastocerus dichotomus) Seen regularly in the marsh at Barba Azul.

Pampas Deer (Ozotoceros bezoarticus) We saw a number of them out in the grasslands at Barba Azul.

Common Red Brocket (Mazama americana) We saw one cross through a field in Trinidad.

Herps

Spot-legged Poison Frog (Ameerega picta) Seen along the main road at Sadiri Lodge

Yacare Caiman (Caiman yacare) Abundant in the Beni.

Bridled Forest Gecko (Gonatodes humeralis) Seen at Riberalta.

Miranda's White-lipped Frog (Leptodactylus macrosternum) At Barba Azul.

Chaco Tree Frog (Boana raniceps) These were on the boardwalk ferry at Barba Azul.

Mato Grosso Lancehead (Bothrops mattogrossensis) Seen at Barba Azul. Giant Ameiva (Ameiva ameiva) Common throughout the tour.

You can see my complete trip report on eBird at this link: <a href="https://ebird.org/tripreport/427378">https://ebird.org/tripreport/427378</a>

You can see my iNaturalist report of non-avian taxa at this link: <a href="https://www.inaturalist.org/projects/field-guides-bolivia-lowlands-tour">https://www.inaturalist.org/projects/field-guides-bolivia-lowlands-tour</a>

You can download a combined PDF of this page and the eBird report at this link: <a href="https://fieldguides.com/triplists/blw25TRIPLIST.pdf">https://fieldguides.com/triplists/blw25TRIPLIST.pdf</a>

-- Micah






## Field Guides Birding Tours—BOLIVIA'S LOWLAND LODGES: BLUE-THROATED MACAWS AND BEYOND (with Micah Riegner and local guides)



6 - 17 Oct 2025 (12 days) Link-only



Bolivia

El Beni | La Paz | Santa Cruz

Micah Riegner



For a narrative summary of this tour, including a Field Guides photo gallery and additional...



■ 35

**a** 34

**Species Observed** 

Checklists

**Species with Photos** 

LIFERS 26 224 3

### **Species Observed**

2 Little Tinamou Crypturellus soui

Show all details

▶ ■ 2

| 14 | Greater Rhea Rhea americana                    | ▶ 🖪 3        |
|----|--|--------------|
| 2  | Dwarf Tinamou Taoniscus nanus 📀                | <b>▶ ⋒</b> 1 |
| 1  | White-bellied Nothura Nothura boraquira        | <b>▶ ⋒</b> 1 |
| 11 | Red-winged Tinamou Rhynchotus rufescens        | ▶ 🗷 1 👖 6    |
| 4  | Gray Tinamou Tinamus tao                       | ▶ 🗖 4        |
| 2  | Cinereous Tinamou Crypturellus cinereus        | ▶ 🗖 2        |
| 5  | Small-billed Tinamou Crypturellus parvirostris | ▶ 🗖 4        |
| 1  | Brown Tinamou Crypturellus obsoletus           | <b>→ 📶</b> 1 |

| 10  | Undulated Tinamou Crypturellus undulatus            | ▶ 🔼 1 🗐 9     |
|-----|---|---------------|
| 1   | Brazilian Tinamou Crypturellus strigulosus          | <b>→ 📶</b> 1  |
| 2   | Horned Screamer Anhima cornuta                      | <b>→ 📶</b> 1  |
| 20  | Southern Screamer Chauna torquata                   | ▶ <b>1</b> 6  |
| 246 | White-faced Whistling-Duck Dendrocygna viduata      | ▶ 🗖 3         |
| 100 | Black-bellied Whistling-Duck Dendrocygna autumnalis | <b>→ 📶</b> 1  |
| 40  | Fulvous Whistling-Duck Dendrocygna bicolor          | <b>→ 📶</b> 1  |
| 20  | Orinoco Goose Oressochen jubatus 🗸                  | ▶ 🗖 2         |
| 2   | Muscovy Duck Cairina moschata                       | <b>▶ ⋒</b> 1  |
| 1   | Ringed Teal Callonetta leucophrys                   | <b>▶ ⋒</b> 1  |
| 16  | Brazilian Teal Amazonetta brasiliensis              | ▶ 🚺 5         |
| 6   | White-throated Piping-Guan Pipile grayi             | ▶ 🗖 2         |
| 5   | Spix's Guan Penelope jacquacu                       | ▶ 🗖 4         |
| 3   | Razor-billed Curassow Mitu tuberosum                | ▶ 🗖 3         |
| 26  | Speckled Chachalaca Ortalis guttata                 | <b>→ 📶</b> 11 |
| 1   | Starred Wood-Quail Odontophorus stellatus           | <b>→ 1</b> 1  |
| 25  | Pale-vented Pigeon Patagioenas cayennensis          | ▶ 🗖 7         |
| 3   | Scaled Pigeon Patagioenas speciosa                  | ▶ 🖪 3         |
| 9   | Picazuro Pigeon Patagioenas picazuro                | ▶ 🚺 5         |
| 7   | Plumbeous Pigeon Patagioenas plumbea                | ▶ 🗖 3         |

| 1  | Ruddy Pigeon Patagioenas subvinacea                  | <b>1</b>     |
|----|--|--------------|
| 23 | Ruddy Ground Dove Columbina talpacoti                | ▶ 🚺 5        |
| 25 | Picui Ground Dove Columbina picui                    | ▶ 🚺 5        |
| 6  | Long-tailed Ground Dove Uropelia campestris          | <b>• 1</b>   |
| 1  | Ruddy Quail-Dove Geotrygon montana                   | <b>• 1</b>   |
| 12 | White-tipped Dove Leptotila verreauxi                | ▶ 🚮 6        |
| 9  | Eared Dove Zenaida auriculata                        | ▶ 🚮 3        |
| 22 | Guira Cuckoo Guira guira                             | ▶ <b>1</b> 7 |
| 5  | Greater Ani Crotophaga major                         | <b>1</b> 2   |
| 16 | Smooth-billed Ani Crotophaga ani                     | ▶ 🚺 5        |
| 1  | Striped Cuckoo Tapera naevia                         | <b>1</b>     |
| 1  | Pheasant Cuckoo Dromococcyx phasianellus             | <b>1</b>     |
| 1  | Rufous-vented Ground-Cuckoo Neomorphus geoffroyi   ✓ | <b>1</b>     |
| 2  | Little Cuckoo Coccycua minuta                        | <b>1</b> 2   |
| 4  | Common Squirrel-Cuckoo Piaya cayana                  | ▶ <b>1</b> 4 |
| 3  | Nacunda Nighthawk Chordeiles nacunda                 | <b>1</b> 2   |
| 2  | Band-tailed Nighthawk Nyctiprogne leucopyga          | <b>1</b>     |
| 1  | Blackish Nightjar Nyctipolus nigrescens              | <b>1</b>     |
| 9  | Common Pauraque Nyctidromus albicollis               | ▶ 🚮 3        |
| 2  | Silky-tailed Nightjar Antrostomus sericocaudatus     | <b>1</b>     |

https://ebird.org/tripreport/427378 4/23

| 1 | Great Potoo Nyctibius grandis                     | <b>→ 📶</b> 1 |
|---|---|--------------|
| 1 | Long-tailed Potoo Nyctibius aethereus             | <b>)</b> 🚮 1 |
| 6 | White-collared Swift Streptoprocne zonaris        | <b>• 1</b> 1 |
| 3 | Short-tailed Swift Chaetura brachyura             | <b>1</b> 2   |
| 1 | Fork-tailed Palm Swift Tachornis squamata         | <b>)</b> 📶 1 |
| 1 | White-necked Jacobin Florisuga mellivora          | <b>)</b> 📶 1 |
| 1 | Reddish Hermit Phaethornis ruber                  | <b>)</b> 📶 1 |
| 1 | Rufous-crested Coquette Lophornis delattrei       | <b>• 1</b> 1 |
| 1 | Butterfly Coquette Lophornis verreauxii           | <b>• 1</b> 1 |
| 1 | Gould's Jewelfront Heliodoxa aurescens            | <b>• 1</b> 1 |
| 1 | Amethyst Woodstar Calliphlox amethystina          | <b>• 1</b> 1 |
| 1 | Blue-tailed Emerald Chlorostilbon mellisugus      | <b>• 1</b> 1 |
| 2 | Violet-headed Hummingbird Klais guimeti           | <b>1</b> 2   |
| 3 | Gray-breasted Sabrewing Campylopterus largipennis | <b>▶ ■</b> 3 |
| 1 | Fork-tailed Woodnymph Thalurania furcata          | <b>)</b> 🚮 1 |
| 3 | Many-spotted Hummingbird Taphrospilus hypostictus | <b>▶ ■</b> 3 |
| 2 | Golden-tailed Sapphire Chrysuronia oenone         | ▶ 🗖 2        |
| 1 | Glittering-throated Emerald Chionomesa fimbriata  | <b>→ 1</b> 1 |
| 1 | Gilded Hummingbird Hylocharis chrysura            | <b>)</b> []  |
| 6 | Ash-throated Crake Mustelirallus albicollis       | ▶ 2 12       |

| 4  | Gray-cowled Wood-Rail Aramides cajaneus        | <b>)</b> [ | 3          |
|----|--|------------|------------|
| 6  | White-winged Coot Fulica leucoptera            | <b>)</b>   | <b>a</b> 1 |
| 4  | Ocellated Crake Rufirallus schomburgkii        | <b>)</b> [ | 12         |
| 4  | Rufous-sided Crake Laterallus melanophaius     | <b>)</b>   | <b>a</b> 1 |
| 2  | Limpkin Aramus guarauna                        | <b>)</b> [ | 12         |
| 1  | Pied Plover Hoploxypterus cayanus              | <b>)</b>   | <b>a</b> 1 |
| 14 | Southern Lapwing Vanellus chilensis            | <b>)</b> [ | <b>1</b> 6 |
| 5  | Collared Plover Anarhynchus collaris           | <b>)</b>   | <b>a</b> 1 |
| 6  | Wattled Jacana Jacana jacana                   | <b>)</b> [ | <b>1</b> 5 |
| 2  | Upland Sandpiper Bartramia longicauda          | <b>)</b>   | <b>a</b> 1 |
| 5  | Pantanal Snipe Gallinago paraguaiae            | <b>)</b> [ | <b>1</b> 3 |
| 1  | Spotted Sandpiper Actitis macularius           | <b>)</b>   | <b>a</b> 1 |
| 3  | Solitary Sandpiper Tringa solitaria            | <b>)</b> [ | <b>1</b> 3 |
| 12 | Buff-breasted Sandpiper Calidris subruficollis | <b> </b>   | <b>a</b> 1 |
| 1  | White-rumped Sandpiper Calidris fuscicollis    | <b>)</b>   | <b>a</b> 1 |
| 40 | Pectoral Sandpiper Calidris melanotos          | <b>)</b>   | <b>a</b> 1 |
| 6  | Large-billed Tern Phaetusa simplex             | <b>)</b> [ | <b>1</b> 3 |
| 4  | Hoatzin Opisthocomus hoazin                    | <b>)</b>   | <b>a</b> 1 |
| 1  | Maguari Stork Ciconia maguari                  | <b>)</b>   | <b>1</b> 1 |
| 6  | Jabiru Jabiru mycteria                         | <b>)</b> [ | 12         |

https://ebird.org/tripreport/427378 6/23

| 9  | Wood Stork Mycteria americana               | ▶ 🚮 3          |
|----|---|----------------|
| 3  | Anhinga Anhinga anhinga                     | ▶ <b>1</b> 2   |
| 8  | Neotropic Cormorant Nannopterum brasilianum | ▶ 🖪 3          |
| 6  | Green lbis Mesembrinibis cayennensis        | ▶ 🗖 5          |
| 13 | Bare-faced lbis Phimosus infuscatus         | ▶ 🗖 2          |
| 15 | Plumbeous Ibis Theristicus caerulescens     | ▶ 🖪 6          |
| 5  | Buff-necked Ibis Theristicus caudatus       | ▶ <b>1</b> 4   |
| 6  | Roseate Spoonbill Platalea ajaja            | ▶ 🗖 2          |
| 10 | Rufescent Tiger-Heron Tigrisoma lineatum    | ▶ 🖪 8          |
| 1  | Capped Heron Pilherodius pileatus           | <b>1</b>       |
| 4  | Whistling Heron Syrigma sibilatrix          | ▶ 🚮 3          |
| 1  | Little Blue Heron Egretta caerulea          | <b>1</b>       |
| 3  | Snowy Egret Egretta thula                   | ▶ 🚮 3          |
| 5  | Striated Heron Butorides striata            | ▶ 🚮 5          |
| 59 | Western Cattle-Egret Ardea ibis             | ▶ 🚮 6          |
| 6  | Great Egret Ardea alba                      | ▶ 🚮 6          |
| 8  | Cocoi Heron Ardea cocoi                     | ▶ 🗖 7          |
| 2  | King Vulture Sarcoramphus papa              | ▶ 🗖 2          |
| 15 | Black Vulture Coragyps atratus              | ▶ 🚺 10         |
| 15 | Turkey Vulture Cathartes aura               | <b>)</b> [] 11 |

| 4 | Lesser Yellow-headed Vulture Cathartes burrovianus | ▶ 🗖 4            |
|---|--|------------------|
| 1 | Hook-billed Kite Chondrohierax uncinatus           | <b>→ 🗐</b> 1     |
| 1 | Swallow-tailed Kite Elanoides forficatus           | <b>)</b> 📶 1     |
| 1 | Black Hawk-Eagle Spizaetus tyrannus                | <b>→  1</b>      |
| 2 | Black-and-white Hawk-Eagle Spizaetus melanoleucus  | ▶ 🗷 1 🚺 2        |
| 5 | Long-winged Harrier Circus buffoni                 | ▶ <b>1</b> 4     |
| 1 | Double-toothed Kite Harpagus bidentatus            | <b>)</b> 📶 1     |
| 3 | Plumbeous Kite Ictinia plumbea                     | ▶ <b>1</b> 2     |
| 6 | Black-collared Hawk Busarellus nigricollis         | ▶ <b>1</b> 4     |
| 1 | Snail Kite Rostrhamus sociabilis                   | <b>)</b>         |
| 4 | Savanna Hawk Buteogallus meridionalis              | <b>▶ 1</b> 3     |
| 5 | Great Black Hawk Buteogallus urubitinga            | ▶ <b>1</b> 4     |
| 7 | Roadside Hawk Rupornis magnirostris                | <b>▶ 1</b> 5     |
| 3 | White-tailed Hawk Geranoaetus albicaudatus         | ▶ <b>1</b> 2     |
| 3 | White Hawk Pseudastur albicollis                   | ▶ 1 12           |
| 1 | Zone-tailed Hawk Buteo albonotatus                 | <b>)</b> 📶 1     |
| 1 | Tropical Screech-Owl Megascops choliba             | <b>→ 四1 1</b> 11 |
| 1 | Rufescent Screech-Owl Megascops ingens             | <b>→  1</b>      |
| 2 | Tawny-bellied Screech-Owl Megascops watsonii       | ▶ 🗖 2            |
| 3 | Band-bellied Owl Pulsatrix melanota                | ▶ 🗖 2            |

| 2 | Subtropical Pygmy-Owl Glaucidium parkeri       | ▶ 🚺 2                   |
|---|--|-------------------------|
| 4 | Amazonian Pygmy-Owl Glaucidium hardyi          | ▶ 💌 1 📑 4               |
| 3 | Ferruginous Pygmy-Owl Glaucidium brasilianum   | <b>▶ ■</b> 3            |
| 1 | Burrowing Owl Athene cunicularia               | <b>)</b> 🚮 1            |
| 1 | Black-banded Owl Strix huhula                  | <b>)</b> 📑 1            |
| 5 | Black-tailed Trogon Trogon melanurus           | ▶ 💌 1 📑 4               |
| 1 | Green-backed Trogon Trogon viridis             | <b>)</b> 📑 1            |
| 8 | Blue-crowned Trogon Trogon curucui             | ▶ 🖪 8                   |
| 2 | Collared Trogon Trogon collaris                | <b>)</b> 📑 1            |
| 6 | Amazonian Motmot Momotus momota                | <b>▶ ■</b> 3            |
| 2 | Rufous Motmot Baryphthengus martii 💿           | ▶ 21 1 2                |
| 4 | Broad-billed Motmot Electron platyrhynchum   ✓ | <b>)</b> 📑 1            |
| 3 | Ringed Kingfisher Megaceryle torquata          | <b>▶ ■</b> 3            |
| 4 | Amazon Kingfisher Chloroceryle amazona         | ▶ 🗖 4                   |
| 1 | American Pygmy Kingfisher Chloroceryle aenea   | <b>)</b> 📑 1            |
| 3 | Green Kingfisher Chloroceryle americana        | <b>▶ ■</b> 3            |
| 2 | White-necked Puffbird Notharchus hyperrhynchus | ▶ 🗖 2                   |
| 1 | Chestnut-capped Puffbird Bucco macrodactylus   | <b>) 1</b>              |
| 2 | Western Striolated-Puffbird Nystalus obamai    | ▶ 🗷 2 🚺 1               |
| 3 | White-eared Puffbird Nystalus chacuru          | → <b>四</b> 1 <b>1</b> 1 |

| 1 | Semicollared Puffbird Malacoptila semicincta        | <b>≥</b> 2 <b>1</b> 1 |
|---|---|-----------------------|
| 6 | Black-fronted Nunbird Monasa nigrifrons             | ▶ 🗖 4                 |
| 4 | Purus Jacamar Galbalcyrhynchus purusianus           | → <b>m</b> 1          |
| 3 | Rufous-tailed Jacamar Galbula ruficauda             | ▶ 1 2                 |
| 2 | Gilded Barbet Capito auratus                        | ▶ 🗖 2                 |
| 2 | Lemon-throated Barbet Eubucco richardsoni           | ▶ 🗖 2                 |
| 2 | Southern Emerald-Toucanet Aulacorhynchus albivitta  | ▶ 1 12                |
| 3 | Chestnut-eared Aracari Pteroglossus castanotis      | ▶ 🗻 3                 |
| 8 | Ivory-billed Aracari Pteroglossus azara             | ▶ 🗖 2                 |
| 4 | Curl-crested Aracari Pteroglossus beauharnaisii 🗸   | <b>→ 1</b> 1          |
| 7 | Toco Toucan Ramphastos toco                         | ▶ 🗊 4                 |
| 5 | White-throated Toucan Ramphastos tucanus            | ▶ 🚺 5                 |
| 1 | Channel-billed Toucan Ramphastos vitellinus         | → <b>m</b> 11         |
| 2 | Bar-breasted Piculet Picumnus aurifrons             | ▶ 🗖 2                 |
| 6 | White-wedged Piculet Picumnus albosquamatus         | ▶ 🚺 5                 |
| 5 | White Woodpecker Melanerpes candidus                | ▶ 🗖 2                 |
| 5 | Yellow-tufted Woodpecker Melanerpes cruentatus      | ▶ 🗖 2                 |
| 4 | Little Woodpecker Veniliornis passerinus            | ▶ 🗊 4                 |
| 1 | Red-necked Woodpecker Campephilus rubricollis       | <b>)</b> 📶 1          |
| 5 | Crimson-crested Woodpecker Campephilus melanoleucos | ▶ 🖪 3                 |

| 2  | Cream-colored Woodpecker Celeus flavus           | <b>▶ ■1</b> 1 |
|----|--|---------------|
| 3  | White-throated Woodpecker Piculus leucolaemus    | ▶ 🚺 2         |
| 1  | Green-barred Woodpecker Colaptes melanochloros   | <b>1</b>      |
| 8  | Campo Flicker Colaptes campestris                | ▶ 🚮 6         |
| 1  | Slaty-backed Forest-Falcon Micrastur mirandollei | <b>1</b>      |
| 2  | Barred Forest-Falcon Micrastur ruficollis        | ▶ 🚺 2         |
| 8  | Crested Caracara Caracara plancus                | ▶ 🚮 6         |
| 1  | Red-throated Caracara Ibycter americanus         | <b>1</b>      |
| 4  | Yellow-headed Caracara Daptrius chimachima       | ▶ 🚮 4         |
| 1  | Black Caracara Daptrius ater                     | <b>1</b>      |
| 5  | Aplomado Falcon Falco femoralis                  | ▶ 🚮 3         |
| 1  | Bat Falcon Falco rufigularis                     | <b>1</b>      |
| 3  | Tui Parakeet Brotogeris sanctithomae             | <b>1</b>      |
| 12 | Yellow-chevroned Parakeet Brotogeris chiriri     | ▶ 🚺 5         |
| 7  | Cobalt-winged Parakeet Brotogeris cyanoptera     | ▶ 🚺 2         |
| 2  | Orange-cheeked Parrot Pyrilia barrabandi         | <b>1</b>      |
| 11 | Blue-headed Parrot Pionus menstruus              | ▶ 🗖 4         |
| 9  | Yellow-crowned Amazon Amazona ochrocephala       | ▶ 🗖 3         |
| 22 | Mealy Amazon Amazona farinosa                    | ▶ 🗖 3         |
| 10 | Cobalt-rumped Parrotlet Forpus xanthopterygius   | <b>1</b> 4    |

| 2  | White-bellied Parrot Pionites leucogaster              | <b>→ 1</b> 1 |
|----|--|--------------|
| 18 | Rose-fronted Parakeet Pyrrhura roseifrons              | ▶ 🗖 4        |
| 12 | Peach-fronted Parakeet Eupsittula aurea                | ▶ 🗖 4        |
| 21 | Dusky-headed Parakeet Aratinga weddellii               | ▶ 🗖 4        |
| 6  | Red-bellied Macaw Orthopsittaca manilatus              | <b>→ 📶</b> 1 |
| 8  | Yellow-collared Macaw Primolius auricollis             | <b>▶ 1</b> 5 |
| 29 | Blue-and-yellow Macaw Ara ararauna                     | <b>▶ </b>    |
| 69 | Blue-throated Macaw Ara glaucogularis Sensitive        | ▶ 23 📑 3     |
| 13 | Chestnut-fronted Macaw Ara severus                     | <b>▶ 1</b> 5 |
| 4  | Military Macaw Ara militaris                           | <b>→ 🚮</b> 1 |
| 1  | Red-and-green Macaw Ara chloropterus                   | <b>▶ ₪</b> 1 |
| 50 | Mitred Parakeet Psittacara mitratus                    | <b>▶ ₪</b> 1 |
| 6  | White-eyed Parakeet Psittacara leucophthalmus          | <b>▶ 1</b> 2 |
| 1  | Fasciated Antshrike Cymbilaimus lineatus               | <b>→ 📶</b> 1 |
| 3  | Great Antshrike Taraba major                           | <b>▶ 1</b> 3 |
| 3  | Barred Antshrike Thamnophilus doliatus                 | <b>▶ 1</b> 3 |
| 2  | Natterer's Slaty-Antshrike Thamnophilus stictocephalus | <b>▶ ₪</b> 1 |
| 3  | Bolivian Slaty-Antshrike Thamnophilus sticturus        | <b>▶ 1</b> 2 |
| 1  | White-shouldered Antshrike Thamnophilus aethiops       | <b>→ 🗐</b> 1 |
| 1  | Amazonian Antshrike Thamnophilus amazonicus            | <b>▶ ⋒</b> 1 |

| 4 | Plain Antvireo Dysithamnus mentalis                  | ▶ 🚮 3        |
|---|--|--------------|
| 1 | White-flanked Antwren Myrmotherula axillaris         | <b>• 1</b> 1 |
| 1 | Banded Antbird Dichrozona cincta                     | <b>) 1</b>   |
| 1 | Rusty-winged Antwren Herpsilochmus frater            | <b>) 1</b>   |
| 4 | Rusty-backed Antwren Formicivora rufa                | ▶ 🗖 2        |
| 1 | Peruvian Warbling-Antbird Hypocnemis peruviana       | <b>1</b>     |
| 2 | Riparian Antbird Cercomacroides fuscicauda           | <b>1</b>     |
| 1 | Gray Antbird Cercomacra cinerascens                  | <b>• 1</b> 1 |
| 1 | Mato Grosso Antbird Cercomacra melanaria             | <b>1</b>     |
| 2 | White-browed Antbird Myrmoborus leucophrys           | <b>• 1</b> 1 |
| 4 | Black-faced Antbird Myrmoborus myotherinus           | ▶ 🚮 3        |
| 2 | Band-tailed Antbird Hypocnemoides maculicauda        | <b>1</b>     |
| 1 | Plumbeous Antbird Myrmelastes hyperythrus            | <b>• 1</b> 1 |
| 1 | Brownish-headed Antbird Myrmelastes brunneiceps      | <b>• 1</b> 1 |
| 2 | Chestnut-tailed Antbird Sciaphylax hemimelaena       | ▶ 🗖 2        |
| 1 | Sooty Antbird Hafferia fortis                        | <b>1</b>     |
| 2 | Black-throated Antbird Myrmophylax atrothorax        | <b>• 1</b> 1 |
| 1 | Hairy-crested Antbird Rhegmatorhina melanosticta   ✓ | <b>• 1</b>   |
| 1 | Black-spotted Bare-eye Phlegopsis nigromaculata      | <b>1</b>     |
| 7 | Masked Antpitta Hylopezus auricularis                | <b>1</b> 2   |

| 1  | Black-faced Antthrush Formicarius analis                | <b>▶ 🚮</b> 1            |
|----|---|-------------------------|
| 1  | Gray-throated Leaftosser Sclerurus albigularis ♥        | <b>→ 🗐</b> 1            |
| 3  | Ocellated Woodcreeper Xiphorhynchus ocellatus           | <b>▶ 1</b> 3            |
| 1  | Elegant Woodcreeper Xiphorhynchus elegans               | <b>→ 🗐</b> 1            |
| 4  | Buff-throated Woodcreeper Xiphorhynchus guttatus        | ▶ 🗊 4                   |
| 4  | Straight-billed Woodcreeper Dendroplex picus            | ▶ 🗊 4                   |
| 2  | Red-billed Scythebill Campylorhamphus trochilirostris   | <b>→ 四</b> 1 <b>1</b> 1 |
| 2  | Narrow-billed Woodcreeper Lepidocolaptes angustirostris | ▶ 🗖 2                   |
| 4  | Inambari Woodcreeper Lepidocolaptes fatimalimae         | ▶ 🗊 4                   |
| 2  | Point-tailed Palmcreeper Berlepschia rikeri             | <b>→ ■</b> 1            |
| 1  | Pale-legged Hornero Furnarius leucopus                  | <b>→ ■</b> 1            |
| 29 | Rufous Hornero Furnarius rufus                          | ▶ 🗊 9                   |
| 1  | Ochre-throated Foliage-gleaner Automolus ochrolaemus    | <b>→</b> 📶 1            |
| 1  | Eastern Woodhaunter Automolus subulatus                 | <b>→</b> 📶 1            |
| 2  | Rufous-fronted Thornbird Phacellodomus rufifrons        | <b>→ ■</b> 1            |
| 4  | Greater Thornbird Phacellodomus ruber                   | <b>▶ 1</b> 3            |
| 5  | Plain Softtail Thripophaga fusciceps                    | ▶ 💌 1 🚮 3               |
| 5  | Rusty-backed Spinetail Cranioleuca vulpina              | <b>→ 前</b> 1            |
| 4  | Rufous Cacholote Pseudoseisura unirufa                  | <b>▶ 1</b> 2            |
| 4  | Yellow-chinned Spinetail Certhiaxis cinnamomeus         | ▶ <b>1</b> 2            |

| 3  | Chotoy Spinetail Schoeniophylax phryganophilus          | •           | 1           | ĺ        |
|----|---|-------------|-------------|----------|
| 2  | Plain-crowned Spinetail Synallaxis gujanensis           | •           | <b>a</b> 1  | l        |
| 1  | Dwarf Tyrant-Manakin Tyranneutes stolzmanni             | •           | <b>a</b> 11 | l        |
| 1  | Sulphur-bellied Tyrant-Manakin Neopelma sulphureiventer | <b>&gt;</b> | <b>1</b>    | l        |
| 1  | Blue-capped Manakin Lepidothrix coronata                | •           | <b>a</b> 1  | l        |
| 4  | Band-tailed Manakin Pipra fasciicauda      O            | <b>&gt;</b> | <b>1</b>    | l        |
| 1  | Fiery-capped Manakin Machaeropterus pyrocephalus        | •           | <b>a</b> 11 | l        |
| 1  | Scaled Fruiteater Ampelioides tschudii 🔮 🖸              | <b>&gt;</b> | <b>1</b>    | l        |
| 1  | Purple-throated Fruitcrow Querula purpurata             | •           | <b>a</b> 1  | l        |
| 1  | Spangled Cotinga Cotinga cayana                         | •           | <b>a</b> 1  | ĺ        |
| 13 | Screaming Piha Lipaugus vociferans                      | •           | <b>1</b> 4  | ļ        |
| 3  | Bare-necked Fruitcrow Gymnoderus foetidus               | •           | <b>1</b> 3  | }        |
| 1  | Black-tailed Tityra Tityra cayana                       | •           | <b>a</b> 11 | l        |
| 2  | White-winged Becard Pachyramphus polychopterus          | •           | <b>1</b> 2  | <u>)</u> |
| 2  | Black-capped Becard Pachyramphus marginatus             | •           | <b>1</b> 2  | <u>)</u> |
| 1  | Pink-throated Becard Pachyramphus minor                 | •           | <b>a</b> 1  | i        |
| 4  | Sharpbill Oxyruncus cristatus                           | <b>M</b> 1  | <b>1</b> 2  | <u>}</u> |
| 1  | Tropical Royal Flycatcher Onychorhynchus coronatus      | <b> </b>    | <b>a</b> 1  | ı        |
| 1  | Ochre-bellied Flycatcher Mionectes oleagineus           | •           | <b>a</b> 1  | ĺ        |
| 1  | Sepia-capped Flycatcher Leptopogon amaurocephalus       | •           | <b>a</b> 1  | l        |

| 2 | Cinnamon-faced Tyrannulet Phylloscartes parkeri           | ▶ 1 2                    |
|---|---|--------------------------|
| 1 | Ringed Antpipit Corythopis torquatus                      | <b>→ 📶</b> 1             |
| 1 | Short-tailed Pygmy-Tyrant Myiornis ecaudatus              | <b>→ 📶</b> 1             |
| 1 | Johannes's Tody-Tyrant Hemitriccus iohannis               | <b>→ 📶</b> 1             |
| 3 | Rusty-fronted Tody-Flycatcher Poecilotriccus latirostris  | ▶ 🗂 3                    |
| 2 | Spotted Tody-Flycatcher Todirostrum maculatum             | ▶ 🗖 2                    |
| 3 | Common Tody-Flycatcher Todirostrum cinereum               | ▶ 🗖 2                    |
| 3 | Yellow-browed Tody-Flycatcher Todirostrum chrysocrotaphum | ▶ 🗂 3                    |
| 3 | Yellow-olive Flatbill Tolmomyias sulphurescens            | ▶ 🗂 3                    |
| 1 | Southern Beardless-Tyrannulet Camptostoma obsoletum       | <b>→ 📶</b> 1             |
| 3 | Yellow Tyrannulet Capsiempis flaveola                     | <b>→  1</b> 1            |
| 4 | Sharp-tailed Tyrant Culicivora caudacuta                  | ▶ 💌 1 📑 2                |
| 3 | Forest Elaenia Myiopagis gaimardii                        | ▶ 🗖 2                    |
| 7 | Plain-crested Elaenia Elaenia cristata                    | <b>→  1</b> 1            |
| 3 | Yellow-bellied Elaenia Elaenia flavogaster                | ▶ 🗖 2                    |
| 4 | Small-billed Elaenia Elaenia parvirostris                 | ▶ 🗖 4                    |
| 3 | Large Elaenia Elaenia spectabilis                         | ▶ 🗖 2                    |
| 4 | Lesser Elaenia Elaenia chiriquensis                       | <b>→ m</b> 1             |
| 2 | Straneck's Tyrannulet Serpophaga griseicapilla            | ▶ 🗖 2                    |
| 1 | Yungas Tyrannulet Phyllomyias weedeni 🗸 🖸                 | <b>→ 四</b> 1 <b>1</b> 11 |

| 2  | Slender-footed Tyrannulet Zimmerius gracilipes       | ▶ 🗖 2            |
|----|--|------------------|
| 2  | Rufous-sided Scrub-Tyrant Euscarthmus rufomarginatus | ▶ 🖾 3 🗻 1        |
| 2  | Bran-colored Flycatcher Myiophobus fasciatus         | ▶ 🗖 2            |
| 5  | Euler's Flycatcher Lathrotriccus euleri              | <b>)</b> 🗻 1     |
| 1  | Western Wood-Pewee Contopus sordidulus               | <b>→ 📶</b> 1     |
| 6  | Vermilion Flycatcher Pyrocephalus rubinus            | ▶ <b>1</b> 4     |
| 1  | Hudson's Black-Tyrant Knipolegus hudsoni 💿           | <b>→ 四1 1</b> 11 |
| 1  | Spectacled Tyrant Hymenops perspicillatus            | <b>▶ ⋒</b> 1     |
| 2  | White-rumped Monjita Xolmis velatus   O              | ▶ 21 12          |
| 1  | White-headed Marsh Tyrant Arundinicola leucocephala  | <b>▶ ⋒</b> 1     |
| 1  | Black-backed Water-Tyrant Fluvicola albiventer       | <b>→ 🚮</b> 1     |
| 1  | Streamer-tailed Tyrant Gubernetes yetapa             | → <b>፫</b> 1 🚮 1 |
| 13 | Cock-tailed Tyrant Alectrurus tricolor               | ▶ 2 5 1 2        |
| 1  | Long-tailed Tyrant Colonia colonus                   | <b>▶ ⋒</b> 1     |
| 1  | Dusky-tailed Flatbill Ramphotrigon fuscicauda   ✓    | <b>▶ ⋒</b> 1     |
| 3  | Dull-capped Attila Attila bolivianus                 | ▶ 🗖 3            |
| 1  | Bright-rumped Attila Attila spadiceus                | <b>→ 📶</b> 1     |
| 1  | Rufous Casiornis Casiornis rufus                     | <b>→ 📶</b> 1     |
| 5  | Short-crested Flycatcher Myiarchus ferox             | ▶ 🗖 4            |
| 2  | Brown-crested Flycatcher Myiarchus tyrannulus        | ▶ 🗊 2            |

| 5  | Cattle Tyrant Machetornis rixosa                           | ▶ 🚺 5        |
|----|--|--------------|
| 6  | Great Kiskadee Pitangus sulphuratus                        | ▶ 🚮 6        |
| 3  | Boat-billed Flycatcher Megarynchus pitangua                | ▶ 🚮 3        |
| 2  | Rusty-margined Flycatcher Myiozetetes cayanensis           | ▶ 1 2        |
| 7  | Streaked Flycatcher Myiodynastes maculatus                 | ▶ 🗖 4        |
| 2  | Sulphur-bellied Flycatcher Myiodynastes luteiventris       | <b>1</b>     |
| 4  | Piratic Flycatcher Legatus leucophaius                     | ▶ 🚮 4        |
| 1  | Variegated Flycatcher Empidonomus varius                   | <b>• 1</b> 1 |
| 3  | Crowned Slaty Flycatcher Empidonomus aurantioatrocristatus | ▶ 🚺 2        |
| 7  | White-throated Kingbird Tyrannus albogularis               | ▶ 🚺 2        |
| 16 | Tropical Kingbird Tyrannus melancholicus                   | ▶ <b>1</b> 7 |
| 6  | Eastern Kingbird Tyrannus tyrannus                         | <b>1</b>     |
| 34 | Fork-tailed Flycatcher Tyrannus savana                     | ▶ 1 2        |
| 5  | Rufous-browed Peppershrike Cyclarhis gujanensis            | ▶ 🚮 3        |
| 1  | Lemon-chested Greenlet Hylophilus thoracicus               | <b>1</b>     |
| 5  | Slaty-capped Shrike-Vireo Vireolanius leucotis             | ▶ 🚮 3        |
| 1  | Rufous-fronted Greenlet Tunchiornis ferrugineifrons        | <b>1</b>     |
| 1  | Dusky-capped Greenlet Pachysylvia hypoxantha               | <b>1</b>     |
| 6  | Chivi Vireo Vireo chivi                                    | ▶ 1 2        |
| 7  | Violaceous Jay Cyanocorax violaceus                        | <b>1</b> 2   |

| 11          | Purplish Jay Cyanocorax cyanomelas   | ▶ 🖪 3   |
|-------------|--|---|
| 2           | Black-capped Donacobius Donacobius atricapilla   | <b>→ </b>   |
| 2           | White-winged Swallow Tachycineta albiventer  | <b>→ 📶</b> 1  |
| 5           | Gray-breasted Martin Progne chalybea   | ▶ 🗖 2   |
| 3           | Brown-chested Martin Progne tapera   | ▶ 🗖 2   |
| 2           | Southern Rough-winged Swallow Stelgidopteryx ruficollis  | ▶ 🗖 2   |
| 12          | Barn Swallow Hirundo rustica   | ▶ 🗖 2   |
| 54          | Cliff Swallow Petrochelidon pyrrhonota   | ▶ 🗖 2   |
| 3           | Masked Gnatcatcher Polioptila dumicola   | ▶ 🗖 2   |
| 3           | Scaly-breasted Wren Microcerculus marginatus   | ▶ 🚮 3   |
| 1           | Southern House Wren Troglodytes musculus   | <b>→ 📶</b> 1  |
| 1           | Grass Wren Cistothorus platensis   | → <b>四</b> 1 <b>1</b> 1                             |
| 9           |  |   |
|             | Thrush-like Wren Campylorhynchus turdinus  | ▶ 🖪 4   |
| 2           | Thrush-like Wren Campylorhynchus turdinus  Moustached Wren Pheugopedius genibarbis   | <ul><li> ■ 4</li><li> ■ 2</li></ul>                 |
| 2           |  |   |
| 2<br>1<br>2 | Moustached Wren Pheugopedius genibarbis  | <b>▶ 1</b> 2  |
| 1           | Moustached Wren Pheugopedius genibarbis  Buff-breasted Wren Cantorchilus leucotis  | <ul><li>▶ ■ 2</li><li>▶ ■ 1</li></ul>               |
| 1           | Moustached Wren Pheugopedius genibarbis  Buff-breasted Wren Cantorchilus leucotis  Fawn-breasted Wren Cantorchilus guarayanus  | <ul><li>▶ ■ 2</li><li>▶ ■ 1</li><li>▶ ■ 2</li></ul> |
| 1           | Moustached Wren Pheugopedius genibarbis  Buff-breasted Wren Cantorchilus leucotis  Fawn-breasted Wren Cantorchilus guarayanus  Chalk-browed Mockingbird Mimus saturninus | <ul><li></li></ul>                                  |

| 1  | Lawrence's Thrush Turdus lawrencii                | <b>1</b>     |
|----|---|--------------|
| 1  | Pale-breasted Thrush Turdus leucomelas            | <b>) 1</b>   |
| 2  | Hauxwell's Thrush Turdus hauxwelli                | <b>1</b> 2   |
| 3  | House Sparrow Passer domesticus *                 | <b>1</b>     |
| 3  | Yellowish Pipit Anthus chii                       | <b>1</b> 2   |
| 1  | Golden-rumped Euphonia Chlorophonia cyanocephala  | <b>1</b>     |
| 1  | Blue-naped Chlorophonia Chlorophonia cyanea       | <b>1</b>     |
| 3  | Purple-throated Euphonia Euphonia chlorotica      | <b>1</b> 2   |
| 1  | Rufous-bellied Euphonia Euphonia rufiventris      | <b>1</b>     |
| 3  | Grassland Sparrow Ammodramus humeralis            | ▶ 🗖 2        |
| 2  | Pectoral Sparrow Arremon taciturnus               | ▶ <b>1</b> 2 |
| 11 | Russet-backed Oropendola Psarocolius angustifrons | <b>1</b>     |
| 15 | Crested Oropendola Psarocolius decumanus          | ▶ 🚺 5        |
| 1  | Solitary Black Cacique Cacicus solitarius         | <b>1</b>     |
| 26 | Yellow-rumped Cacique Cacicus cela                | ▶ 🖪 8        |
| 1  | Variable Oriole Icterus pyrrhopterus              | <b>1</b>     |
| 4  | Orange-backed Troupial Icterus croconotus         | <b>1</b> 4   |
| 1  | Screaming Cowbird Molothrus rufoaxillaris         | <b>)</b> 🚮 1 |
| 17 | Shiny Cowbird Molothrus bonariensis               | ▶ <b>1</b> 7 |
| 6  | Giant Cowbird Molothrus oryzivorus                | ▶ <b>1</b> 6 |

| 13 | Velvet-fronted Grackle Lampropsar tanagrinus                       | ▶ 🔼 1 📑 3       |
|----|--|-----------------|
| 4  | Scarlet-headed Blackbird Amblyramphus holosericeus                 | → <b>m</b> 11   |
| 20 | Chopi Blackbird Gnorimopsar chopi                                  | ▶ 🗖 4           |
| 10 | Grayish Baywing Agelaioides badius                                 | ▶ 🗻 3           |
| 6  | Unicolored Blackbird Agelasticus cyanopus                          | <b>→ ii</b> l 1 |
| 2  | Southern Yellowthroat Geothlypis velata      Output   Description: | ▶ 🔼 1 🚺 2       |
| 4  | Tropical Parula Setophaga pitiayumi                                | ▶ 🖪 3           |
| 3  | Golden-crowned Warbler Basileuterus culicivorus                    | <b>→ </b>       |
| 2  | Buff-rumped Warbler Myiothlypis fulvicauda                         | <b>→ ii</b> l 1 |
| 2  | Cuzco Warbler Myiothlypis chrysogaster 📀                           | <b>→ ii</b> l 1 |
| 1  | Hepatic Tanager Piranga flava                                      | <b>→ i</b> 11   |
| 2  | Red-crowned Ant-Tanager Habia rubica                               | <b>▶ 1</b> 2    |
| 4  | Yellow-lored Tanager Chlorothraupis frenata   ✓                    | ▶ <b>1</b> 2    |
| 3  | Amazonian Grosbeak Cyanoloxia rothschildii                         | ▶ 🖪 3           |
| 6  | Red-crested Cardinal Paroaria coronata                             | ▶ <b>1</b> 4    |
| 3  | Red-capped Cardinal Paroaria gularis                               | ▶ <b>1</b> 2    |
| 6  | Black-faced Tanager Schistochlamys melanopis                       | ▶ <b>1</b> 2    |
| 1  | Magpie Tanager Cissopis leverianus                                 | <b>→ </b>       |
| 1  | Hooded Tanager Nemosia pileata                                     | <b>→ 📶</b> 1    |
| 1  | Gray-headed Tanager Eucometis penicillata                          | <b>→ 1</b> 1    |

| 1  | Yellow-crested Tanager Loriotus rufiventer 🗸 | <b>1</b>     |
|----|--|--------------|
| 3  | White-winged Shrike-Tanager Lanio versicolor | <b>1</b> 2   |
| 15 | Silver-beaked Tanager Ramphocelus carbo      | ▶ <b>1</b> 9 |
| 1  | Blue-and-yellow Tanager Rauenia bonariensis  | <b>1</b>     |
| 6  | Blue-gray Tanager Thraupis episcopus         | ▶ 🚮 3        |
| 5  | Sayaca Tanager Thraupis sayaca               | ▶ 🚮 3        |
| 2  | Palm Tanager Thraupis palmarum               | <b>1</b> 2   |
| 1  | Spotted Tanager Ixothraupis punctata         | <b>1</b>     |
| 6  | Masked Tanager Stilpnia nigrocincta          | ▶ <b>1</b> 2 |
| 3  | Turquoise Tanager Tangara mexicana           | <b>1</b>     |
| 2  | Paradise Tanager Tangara chilensis           | ▶ 🗖 2        |
| 1  | Opal-rumped Tanager Tangara velia            | <b>1</b>     |
| 2  | Bay-headed Tanager Tangara gyrola            | ▶ 🗖 2        |
| 3  | Green-and-gold Tanager Tangara schrankii     | ▶ <b>1</b> 2 |
| 1  | Swallow Tanager Tersina viridis              | <b>1</b>     |
| 4  | Black-faced Dacnis Dacnis lineata            | ▶ <b>1</b> 2 |
| 5  | Blue Dacnis Dacnis cayana                    | ▶ 🖪 3        |
| 4  | Purple Honeycreeper Cyanerpes caeruleus      | <b>1</b> 2   |
| 3  | Red-legged Honeycreeper Cyanerpes cyaneus    | <b>1</b>     |
| 3  | Green Honeycreeper Chlorophanes spiza        | ▶ 🚮 3        |

Chaetura sp. Chaetura sp. ▶ ■ 1

Sporophila sp. Sporophila sp. ▶ ■ 1