

# Trip Report — Cambodia: Angkor Temples & Vanishing Birds 2025

February 1-17, 2025 with Phil Gregory & Chea Seab



Field Guides tour group, Cambodia 2025. Photo by guide Phil Gregory.

Our third post-pandemic foray into Cambodia was another very rewarding tour, with Angkor not too crowded despite the new airport now being open, though visitor numbers are edging upwards.

Cambodia Bird Guides (CBGA) still has its key conservation initiatives functional. The wetlands at Ang Trepeang Thmor (ATT) are intact and have their local guides, as does the grassland site at Pro Lay near Kompong Thom,

the 4 vulture restaurants and the very important dry dipterocarp forest at Tmatboey, last haven for the two critically endangered ibis, though the situation here is not so encouraging and population pressure is taking a toll.

We began in Siem Reap with a morning out at Phnom Krom paddyfields as an introduction to Cambodian birding, with a recently established colony of Asian Golden Weaver nearby as a very good sighting.

Next came a very successful day trip to the blinds at Changkran Roy ecotourism reserve, where we saw Scaly-breasted (Green-legged) Partridge, Banded Broadbill, White-crested Laughingthrush, Siberian Blue Robin and a wonderful female Bar-bellied Pitta at the last gasp, whilst Sid and Randy had seen the pitta earlier, so opted for Siamese Fireback at another hide.

Ang Trepeang Thmor (ATT) was good with 57 Sarus Cranes and several Indian Spotted Eagles, as well as Greater Spotted Eagle, Spotted Wood Owl, Western Barn Owl, and a male Pied Harrier. Some migrants were on a wet area later that afternoon, with a distant big flock of Black-tailed Godwit, and some surprises, including a vagrant Sharp-tailed Sandpiper, Ruff, Red-necked Stint, Marsh Sandpiper, and a gorgeous full summer plumage White-winged Black Tern, as well as a large flock of Garganey, Knob-billed Duck and many Whiskered Tern.



Bar-bellied Pitta female. Photo by guide Phil Gregory.

Angkor Wat and the surrounding temple complexes made for a fantastic cultural experience, with our expert guide reeling off details of the Hindu cosmology and the bewildering outbreaks of Hindu and Buddhist religious fanaticism that led to the building of these truly extraordinary vast monuments. This must have been the New York of its time, with a huge population. We learned about nagas, devas, garudas, the sea of milk, avatars of Vishnu, and the amazing variety of gods and mythical creatures associated with them. Birds here were also quite rewarding, with Asian Barred Owlet, Brown Boobook, Spotted Owlet, Hainan Blue Flycatcher, White-throated Rock-Thrush, and Forest Wagtail among the stars. 3 Wreathed Hornbill at Angkor Thom were unexpected too.



Angkor Thom South Gate.  
Photo by guide Phil Gregory.

The boat trip to Prek Toal on the vast Tonle Sap lake was a very different day out among the floating villages, and we did see Greater Adjutant and for a couple a single Milky Stork. We also saw Painted Stork, Lesser Adjutant Asian Openbill, Spot-billed Pelican, and many herons, including Purple Heron, Cinnamon and Yellow Bittern, Grey-headed Fishing-Eagle, and both Glossy and the rare Black-headed Ibis.

Preahout Grassland Reserve area near Kompong Thom was a new site for us, mainly for the rare Yellow-breasted Bunting which we saw nicely, and we did get onto a Manchurian Reed Warbler here after some effort; the photos from John and Sid were very helpful to clinch it. Oriental Pratincole and Oriental Skylark showed well, and we had good flight views of Blue-breasted Quail. The florican however was not around, so we made a last effort trip to the nearby Pro Lay grasslands, and thanks to Mr. Ry (our usual local guide), we came up with Bengal Florican within minutes, avoiding what would have been a major dip.

Tmatboey is a trip highlight, though this year we stayed at a resort about 30 minutes away at Phnom Tbeng, which had the benefits of good air-conditioning and wifi, and no noisy Khmer weddings. The Tmatboey ecolodge is being redeveloped, but I am concerned at the habitat degradation and disturbance; it is still good, but worrying for the longer term. The star birds here are, of course, the Giant and White-shouldered ibises, and we had very good experiences, with both being seen at nest. White-rumped Falcon also showed well, and we enjoyed great looks at Green-billed Malkoha. Rufous-bellied, Yellow-crested, Gray-capped Pygmy, a wonderful noisy group of 6 Great Slaty, Grey-headed (Black-naped) and Black-headed woodpeckers. Brown Boobook and a pair of flighty Brown Fish-Owl were nice finds, and we had fine views of Savanna Nightjar and Orange-breasted Trogon, the latter by the Stueng Chhuek River. The woodlands at the resort at Phnom Tbeng were also rewarding, with many seeing a Blue Whistling Thrush (sorry John!), Van Hasselt's Sunbird, Little Spiderhunter and a Collared Scops Owl that evening.



Dragon float at ATT. Photo by guide Phil Gregory.

The vulture restaurant at Baeng Toel was next, with a pleasant cool night in the large tents. White-rumped and Slender-billed vultures showed well, and we had 2 of the very rare Red-headed Vulture, plus a vagrant Himalayan Griffon; our timing was perfect. Owls here were great too, with wonderful views of an Oriental Scops rufous morph coming in almost immediately, and a fine Brown Wood Owl for those who made the foray out afterwards.

Kratie and the Mekong boat trip were good, with the rare Irrawaddy River Dolphin seen well, plus Mekong Wagtail, Small Pratincole, Little Ringed Plover and yet more swiftlet condos, the huge blocks built for Germain's Swiftlets and the harvesting of the saliva nests now a very big business indeed. Pallas's Grasshopper and Black-browed Reed Warbler showed well on a late afternoon walk in the fields, and we had brief looks at Watercock.



Giant Ibis at nest. Photo by guide Phil Gregory.

The final few days over in the cooler highlands at Seima and Dak Dam on the Vietnam border were interesting and added a lot of species, though tourism here is very much on the up-swing, and the scale of new developments is worrying. This area gave us two fine new barbets in Red-vented and Annam (Indochinese), Heart-spotted Woodpecker, Lesser Yellownape, Gray-faced Tit-Babbler, Silver-eared Media, Crimson and the eminent splittable Dalat/Langbian form of Black-throated Sunbird, Yellow-vented and Thick-billed Flowerpecker, Golden-crested Myna, and Rufous-bellied Eagle. A major highlight was with a troupe of 7+ Black-shanked Douc (Langur) in trees not too far from the road and for once not fleeing away at first sight of us, with another smaller group later, a great find and one especially suited for primatologist Dick. One morning we struck out at a dry and dusty hilltop site, but then tried a nearby area near an old cemetery and here we got lucky with the little-known Annam Prinia, saving us a flog around a hot, dry and dusty hillside grassland later!

Dak Dam later that afternoon had some surprises, as Chea took us to the site where Orange-breasted Laughingthrush has just been discovered in Cambodia, hitherto a Vietnam endemic. It was very responsive and came right in amongst dense shrubbery; with hindsight, I wish we'd tried to one

side where we could see in better, but as it was, we heard it singing beautifully and saw leaves shaking as it was so close! Driving out, a large bird with whitish outer half of the tail flashed across the road- a male Silver Pheasant; what a shame it did not linger. We then tried a spot where we'd seen Green Peafowl late afternoon the previous year; no luck this time but instead our first Lesser Yellownap, and what proved to be a Black-hooded Laughingthrush singing. This meant Phil now has 5 species of heard-only laughingthrushes on his list, more than heard-only owls, and he got 4 lifers today!

Heading back to the capital, we avoided the traffic, and had good views of Cambodian Tailorbird just after lunch this time as the final mega of the tour, with Brown-cheeked Sunbird the last species addition here.

It was a fun trip with a very compatible and good-humored group replete with excellent spotters, and we did well for the birds. I know many good photos were taken and look forward to seeing some. Thank you all for coming; I hope our paths may cross again in the future, and safe travels.

Chea Seab from CBGA was a skilled, hardworking and helpful guide who knew where to find most things; he did well by us, and our thanks to him and our safe and hard-working drivers Fi, Ben, Pov and Kin, who routinely did long days without complaint. Thanks also to Karen at Field Guides who got it all put together. Sadly, I am not doing 2025, but it should be an excellent trip with Doug Gochfeld, with some fine-tuning after this year; the lodge at Phnom Tbeng is a keeper.

— Phil Gregory (Sicklebill), Topaz, Feb 2025

## **Mammals**

**Lyle's Flying Fox** (*Pteropus lylei*) by the Royal Residence in Siem Reap as usual, with several hundred this year

**Black-bearded Tomb Bat** (*Taphozous melanopogon*) A small colony in one of the towers at Tah Prohm, provisionally this species.



**Northern Treeshrew** (*Tupaia belangeri*) Great views from the blind of two drinking at Changkran Roy

**Rice rat** (*Rattus argentiventer*) Some folks saw some small rodents at the Sarus Crane site, likely this species; a delicacy in Cambodia, and they are trapped in large numbers to feed a growing export market. Considered healthy-eating because they are free-range and eat a mostly organic diet.

**Long-tailed Macaque** (*Macaca fascicularis*) Only at Angkor Thom this year, very few

**Germain's (Silver) Langur** (*Presbytis germaini*) Pamela and Garret saw one from the boat at Prek Toal

**Black-shanked Douc** (*Pygathrix nigripes*) Wonderful views of a troupe of at least 7 as we came into Seima Protected Forest, not shy this year and we were able to watch them for some while, with another smaller troupe later.

**Pallas's Squirrel** (*Callosciurus erythraeus*) This was the grey one some folks saw at Tmatboey and Seima

**Finlayson's Squirrel** (*Callosciurus finlaysonii*) The lovely deep chestnut one with the white basal tail band, seen nicely at Angkor

**Cambodian Striped Squirrel** (*Tamiops rodolphii*) This tiny, very striped, chipmunk-like squirrel was seen at Phnom Krom and Tmatboey

**Indochinese Ground Squirrel** (*Menetes berdmorei*) The small less stripy squirrel which we saw at the ground-cuckoo blind at Changkran Roy

**Irrawaddy Dolphin** (*Orcaella brevirostris*) A great boat trip this year, as we had them more or less to ourselves, with at least 5 animals, including youngsters, surfacing and blowing quite close to the boats; a rare species with about 50 in this particular section of the Mekong.

## Herps

**Ornate flying snake** (Golden Tree-snake) (*Chrysopelea ornata*) was the rather beautiful gold, green and black snake we found seemingly injured in the track at Phnom Krom

**Indochinese rat-snake** (*Ptyas korros*) A quite large pinkish-grey snake with pale underparts being carried by a fisherman at ATT was called a rat snake by locals and seems likely to be this species in this habitat

**A stripy black and golden brown snake** was in the grassland at Preahout  
**Tokay Gecko** was very noisy in the cabins at Nature Lodge, I will see if I can  
attach a recording

**Butterflies:** We had several folks besides Phil get into this and attempt  
photos where possible. Species seen included Golden Birdwing, Blue-  
spotted Archduke, Blue Kaiser, Double-branded Blue Crow, Painted Jezebel  
(great name), Psyche, Common Bluebottle, Lime Swallowtail for some at  
Tmatboey, Grey Pansy, Common Sailer, Common Tiger, Great Orange-tip,

Birds of the trip were very varied, and included Giant Ibis, White-shouldered  
Ibis, Bengal Florican, Pied Harrier, White-bellied Woodpecker, Great Slaty  
Woodpecker, Black-headed Woodpecker, Bar-bellied Pitta, Eurasian Hoopoe  
and Scaly-breasted Partridge, with the Black-shanked Douc sighting also  
rating very high.

We had several poetry fans on the tour, here are a few of the haiku inspired  
by it:

Tractor cart-the whole family on board-even the dog - by Linda Weir

Vulture restaurant-Cambodian beef- \$500 per order - by Linda Weir

Temples surround us- Mystery, Healing, Beauty- Cambodia's pride - by  
Randy Beaton

Ancient ibis forest-smoky, dry, dusty-leaves crackle - by Phil Gregory

Angkor Thom faces-equanimity, compassion, sympathy, kindness-Four  
boundless qualities - by Phil Gregory

You can see my complete trip report on eBird at this link:


<https://ebird.org/tripreport/329795>

You can download a combined PDF of this page and the eBird report at this link: <https://fieldguides.com/triplists/cab25TRIPLIST.pdf>

--Sicklebill (Phil Gregory)

# Field Guides Birding Tours Cambodia 2025

3 – 17 Feb 2025 (15 days) Link-only



## Cambodia

Bântéay Méanchey | Krâchéh | Môndól Kiri | Preah Vihéar | Siemréab | Batdâmbâng | Kâmpóng Cham | Kâmpóng Thum

Phil Gregory | Si lebill Safaris | www.birder.travel



**306**  
Species Observed

**41**  
Checklists

**1**  
Species with Photos

LIFERS 6

























## Species Observed
























Show all details

200 Lesser Whistling-Duck *Dendrocygna javanica*

















120	<b>Knob-billed Duck</b> <i>Sarkidiornis melanotos</i>	▶ 🗑️ 1
96	<b>Cotton Pygmy-Goose</b> <i>Nettapus coromandelianus</i>	▶ 🗑️ 3
270	<b>Garganey</b> <i>Spatula querquedula</i>	▶ 🗑️ 2
14	<b>Indian Spot-billed Duck</b> <i>Anas poecilorhyncha</i>	▶ 🗑️ 4
1	<b>Bar-backed Partridge</b> <i>Arborophila brunneopectus</i>	▶ 🗑️ 1
1	<b>Silver Pheasant</b> <i>Lophura nycthemera</i> ✓	▶ 🗑️ 1
2	<b>Siamese Fireback</b> <i>Lophura diardi</i>	▶ 🗑️ 1
7	<b>Scaly-breasted Partridge</b> <i>Tropicoperdix chloropus</i>	▶ 🗑️ 1 🗑️ 1
1	<b>Germain's Peacock-Pheasant</b> <i>Polyplectron germaini</i>	▶ 🗑️ 1
7	<b>Red Junglefowl</b> <i>Gallus gallus</i>	▶ 🗑️ 3
11	<b>Chinese Francolin</b> <i>Francolinus pintadeanus</i>	▶ 🗑️ 7
2	<b>Blue-breasted Quail</b> <i>Synoicus chinensis</i>	▶ 🗑️ 1
3	<b>Rock Pigeon</b> <i>Columba livia</i> *	▶ 🗑️ 3
2	<b>Oriental Turtle-Dove</b> <i>Streptopelia orientalis</i>	▶ 🗑️ 1
13	<b>Red Collared-Dove</b> <i>Streptopelia tranquebarica</i>	▶ 🗑️ 9
19	<b>Spotted Dove</b> <i>Spilopelia chinensis</i>	▶ 🗑️ 11
7	<b>Asian Emerald Dove</b> <i>Chalcophaps indica</i>	▶ 🗑️ 1
13	<b>Zebra Dove</b> <i>Geopelia striata</i> *	▶ 🗑️ 5
10	<b>Thick-billed Green-Pigeon</b> <i>Treron curvirostra</i>	▶ 🗑️ 1
15	<b>Pin-tailed Green-Pigeon</b> <i>Treron apicauda</i>	▶ 🗑️ 3
1	<b>Green Imperial-Pigeon</b> <i>Ducula aenea</i>	▶ 🗑️ 1
4	<b>Mountain Imperial-Pigeon</b> <i>Ducula badia</i>	▶ 🗑️ 2
1	<b>Bengal Florican</b> <i>Houbaropsis bengalensis</i>	▶ 🗑️ 1
6	<b>Greater Coucal</b> <i>Centropus sinensis</i>	▶ 🗑️ 6


























3	<b>Lesser Coucal</b> <i>Centropus bengalensis</i>	▶  2
5	<b>Green-billed Malkoha</b> <i>Phaenicophaeus tristis</i>	▶  5
7	<b>Asian Koel</b> <i>Eudynamys scolopaceus</i>	▶  6
1	<b>Violet Cuckoo</b> <i>Chrysococcyx xanthorhynchus</i>	▶  1
5	<b>Banded Bay Cuckoo</b> <i>Cacomantis sonneratii</i>	▶  5
9	<b>Plaintive Cuckoo</b> <i>Cacomantis merulinus</i>	▶  2
1	<b>Himalayan Cuckoo</b> <i>Cuculus saturatus</i>	▶  1
2	<b>Large-tailed Nightjar</b> <i>Caprimulgus macrurus</i>	▶  2
1	<b>Savanna Nightjar</b> <i>Caprimulgus affinis</i>	▶  1
50	<b>Brown-backed Needletail</b> <i>Hirundapus giganteus</i>	▶  1
131	<b>White-nest Swiftlet</b> <i>Aerodramus fuciphagus</i>	▶  21
4	<b>House Swift</b> <i>Apus nipalensis</i>	▶  2
11	<b>Asian Palm Swift</b> <i>Cypsiurus balasiensis</i>	▶  5
10	<b>Crested Treeswift</b> <i>Hemiprocne coronata</i>	▶  5
3	<b>Eurasian Moorhen</b> <i>Gallinula chloropus</i>	▶  2
60	<b>Eurasian Coot</b> <i>Fulica atra</i>	▶  1
34	<b>Gray-headed Swamphen</b> <i>Porphyrio poliocephalus</i>	▶  1  3
4	<b>White-browed Crake</b> <i>Poliolimnas cinereus</i>	▶  2
1	<b>Watercock</b> <i>Gallicrex cinerea</i>	▶  1
1	<b>White-breasted Waterhen</b> <i>Amaurornis phoenicurus</i>	▶  1
52	<b>Sarus Crane</b> <i>Antigone antigone</i>	▶  1
256	<b>Black-winged Stilt</b> <i>Himantopus himantopus</i>	▶  4
5	<b>Little Ringed Plover</b> <i>Thinornis dubius</i>	▶  3
























2	<b>Red-wattled Lapwing</b> <i>Vanellus indicus</i>	▶  2
25	<b>Pheasant-tailed Jacana</b> <i>Hydrophasianus chirurgus</i>	▶  3
2	<b>Bronze-winged Jacana</b> <i>Metopidius indicus</i>	▶  1
120	<b>Black-tailed Godwit</b> <i>Limosa limosa</i>	▶  1
1	<b>Common Sandpiper</b> <i>Actitis hypoleucos</i>	▶  1
40	<b>Marsh Sandpiper</b> <i>Tringa stagnatilis</i>	▶  1
3	<b>Wood Sandpiper</b> <i>Tringa glareola</i>	▶  2
31	<b>Spotted Redshank</b> <i>Tringa erythropus</i>	▶  2
2	<b>Common Greenshank</b> <i>Tringa nebularia</i>	▶  2
1	<b>Ruff</b> <i>Calidris pugnax</i>	▶  1
1	<b>Sharp-tailed Sandpiper</b> <i>Calidris acuminata</i>	▶  1
2	<b>Red-necked Stint</b> <i>Calidris ruficollis</i>	▶  1
2	<b>Barred Buttonquail</b> <i>Turnix suscitator</i>	▶  1
1	<b>Small Buttonquail</b> <i>Turnix sylvaticus</i>	▶  1
2	<b>Small Pratincole</b> <i>Glareola lactea</i>	▶  1
9	<b>Oriental Pratincole</b> <i>Glareola maldivarum</i>	▶  2
347	<b>Whiskered Tern</b> <i>Chlidonias hybrida</i>	▶  5
1	<b>White-winged Tern</b> <i>Chlidonias leucopterus</i>	▶  1
126	<b>Little Grebe</b> <i>Tachybaptus ruficollis</i>	▶  5
39	<b>Asian Openbill</b> <i>Anastomus oscitans</i>	▶  4
3	<b>Asian Woolly-necked Stork</b> <i>Ciconia episcopus</i>	▶  1
7	<b>Lesser Adjutant</b> <i>Leptoptilos javanicus</i>	▶  2
1	<b>Greater Adjutant</b> <i>Leptoptilos dubius</i>	▶  1

























1	<b>Milky Stork</b> <i>Mycteria cinerea</i>	▶ 1
313	<b>Painted Stork</b> <i>Mycteria leucocephala</i>	▶ 6
203	<b>Oriental Darter</b> <i>Anhinga melanogaster</i>	▶ 2
78	<b>Little Cormorant</b> <i>Microcarbo niger</i>	▶ 6
7	<b>Great Cormorant</b> <i>Phalacrocorax carbo</i>	▶ 2
185	<b>Indian Cormorant</b> <i>Phalacrocorax fuscicollis</i>	▶ 3
57	<b>Glossy Ibis</b> <i>Plegadis falcinellus</i>	▶ 3
2	<b>Black-headed Ibis</b> <i>Threskiornis melanocephalus</i>	▶ 1
5	<b>White-shouldered Ibis</b> <i>Pseudibis davisoni</i>	▶ 3
4	<b>Giant Ibis</b> <i>Pseudibis gigantea</i>	▶ 2
1	<b>Black Bittern</b> <i>Botaurus flavicollis</i>	▶ 1
4	<b>Cinnamon Bittern</b> <i>Botaurus cinnamomeus</i>	▶ 2
4	<b>Yellow Bittern</b> <i>Botaurus sinensis</i>	▶ 4
25	<b>Black-crowned Night Heron</b> <i>Nycticorax nycticorax</i>	▶ 2
24	<b>Little Egret</b> <i>Egretta garzetta</i>	▶ 6
221	<b>Chinese Pond-Heron</b> <i>Ardeola bacchus</i>	▶ 13
64	<b>Eastern Cattle-Egret</b> <i>Ardea coromanda</i>	▶ 7
272	<b>Great Egret</b> <i>Ardea alba</i>	▶ 4
141	<b>Medium Egret</b> <i>Ardea intermedia</i>	▶ 2
35	<b>Gray Heron</b> <i>Ardea cinerea</i>	▶ 5
36	<b>Purple Heron</b> <i>Ardea purpurea</i>	▶ 2
125	<b>Spot-billed Pelican</b> <i>Pelecanus philippensis</i>	▶ 1
6	<b>Black-winged Kite</b> <i>Elanus caeruleus</i>	▶ 3



























1	<b>Jerdon's Baza</b> <i>Aviceda jerdoni</i> 	▶  1
17	<b>Black Baza</b> <i>Aviceda leuphotes</i>	▶  4
5	<b>Oriental Honey-buzzard</b> <i>Pernis ptilorhynchus</i>	▶  3
3	<b>Red-headed Vulture</b> <i>Sarcogyps calvus</i>	▶  2
2	<b>Himalayan Griffon</b> <i>Gyps himalayensis</i>	▶  2
18	<b>White-rumped Vulture</b> <i>Gyps bengalensis</i>	▶  2
10	<b>Slender-billed Vulture</b> <i>Gyps tenuirostris</i>	▶  2
6	<b>Crested Serpent-Eagle</b> <i>Spilornis cheela</i>	▶  5
1	<b>Short-toed Snake-Eagle</b> <i>Circaetus gallicus</i>	▶  1
1	<b>Rufous-bellied Eagle</b> <i>Lophotriorchis kienerii</i>	▶  1
2	<b>Indian Spotted Eagle</b> <i>Clanga hastata</i>	▶  1
2	<b>Greater Spotted Eagle</b> <i>Clanga clanga</i>	▶  1
1	<b>Crested Goshawk</b> <i>Lophospiza trivirgata</i>	▶  1
1	<b>Besra</b> <i>Tachyspiza virgata</i>	▶  1
5	<b>Shikra</b> <i>Tachyspiza badia</i>	▶  5
8	<b>Eastern Marsh Harrier</b> <i>Circus spilonotus</i>	▶  5
2	<b>Pied Harrier</b> <i>Circus melanoleucos</i>	▶  2
6	<b>Black Kite</b> <i>Milvus migrans</i>	▶  2
2	<b>Brahminy Kite</b> <i>Haliastur indus</i>	▶  1
1	<b>Gray-headed Fish-Eagle</b> <i>Ichthyophaga ichthyaetus</i>	▶  1
11	<b>Rufous-winged Buzzard</b> <i>Butastur liventer</i>	▶  5
1	<b>Eastern Barn Owl</b> <i>Tyto javanica</i>	▶  1
2	<b>Collared Scops-Owl</b> <i>Otus lettia</i>	▶  1

2	<b>Oriental Scops-Owl</b> <i>Otus sunia</i>	▶  1  2
2	<b>Brown Fish-Owl</b> <i>Ketupa zeylonensis</i>	▶  1
2	<b>Asian Barred Owlet</b> <i>Glaucidium cuculoides</i>	▶  2
1	<b>Collared Owlet</b> <i>Taenioptynx brodiei</i>	▶  1
2	<b>Spotted Wood-Owl</b> <i>Strix seloputo</i>	▶  2
1	<b>Brown Wood-Owl</b> <i>Strix leptogrammica</i>	▶  1  1
3	<b>Brown Boobook</b> <i>Ninox scutulata</i>	▶  2
2	<b>Orange-breasted Trogon</b> <i>Harpactes oreskios</i>	▶  1
3	<b>Eurasian Hoopoe</b> <i>Upupa epops</i>	▶  3
7	<b>Oriental Pied-Hornbill</b> <i>Anthracoceros albirostris</i>	▶  2
3	<b>Wreathed Hornbill</b> <i>Rhyticeros undulatus</i>	▶  1
1	<b>Blue-bearded Bee-eater</b> <i>Nyctyornis athertoni</i>	▶  1
20	<b>Asian Green Bee-eater</b> <i>Merops orientalis</i>	▶  9
31	<b>Blue-tailed Bee-eater</b> <i>Merops philippinus</i>	▶  8
1	<b>Chestnut-headed Bee-eater</b> <i>Merops leschenaulti</i>	▶  1
10	<b>Common Kingfisher</b> <i>Alcedo atthis</i>	▶  5
1	<b>Stork-billed Kingfisher</b> <i>Pelargopsis capensis</i>	▶  1
6	<b>White-throated Kingfisher</b> <i>Halcyon smyrnensis</i>	▶  5
2	<b>Black-capped Kingfisher</b> <i>Halcyon pileata</i>	▶  2
6	<b>Pied Kingfisher</b> <i>Ceryle rudis</i>	▶  2
6	<b>Indochinese Roller</b> <i>Coracias affinis</i>	▶  4
7	<b>Coppersmith Barbet</b> <i>Psilopogon haemacephalus</i>	▶  6
4	<b>Blue-eared Barbet</b> <i>Psilopogon cyanotis</i>	▶  4

4	<b>Red-vented Barbet</b> <i>Psilopogon lagrandieri</i>	▶  2
2	<b>Green-eared Barbet</b> <i>Psilopogon faiostrictus</i>	▶  2
10	<b>Lineated Barbet</b> <i>Psilopogon lineatus</i>	▶  7
12	<b>Indochinese Barbet</b> <i>Psilopogon annamensis</i>	▶  4
1	<b>Speckled Piculet</b> <i>Picumnus innominatus</i>	▶  1
1	<b>Heart-spotted Woodpecker</b> <i>Hemicircus canente</i>	▶  1
4	<b>Gray-capped Pygmy Woodpecker</b> <i>Yungipicus canicapillus</i>	▶  4
1	<b>Yellow-crowned Woodpecker</b> <i>Leiopicus mahrattensis</i>	▶  1
3	<b>Rufous-bellied Woodpecker</b> <i>Dendrocopos hyperythrus</i>	▶  2
3	<b>Freckle-breasted Woodpecker</b> <i>Dendrocopos analis</i>	▶  3
3	<b>Greater Flameback</b> <i>Chrysocolaptes guttacristatus</i>	▶  1
5	<b>Common Flameback</b> <i>Dinopium javanense</i>	▶  5
2	<b>Lesser Yellownape</b> <i>Picus chlorolophus</i>	▶  1
1	<b>Gray-headed Woodpecker</b> <i>Picus canus</i>	▶  1
4	<b>Black-headed Woodpecker</b> <i>Picus erythropygius</i>	▶  2
12	<b>Great Slaty Woodpecker</b> <i>Mulleripicus pulverulentus</i>	▶  4
3	<b>White-bellied Woodpecker</b> <i>Dryocopus javensis</i>	▶  3
1	<b>Collared Falconet</b> <i>Microhierax caerulescens</i>	▶  1
1	<b>White-rumped Falcon</b> <i>Neohierax insignis</i>	▶  1
1	<b>Peregrine Falcon</b> <i>Falco peregrinus</i>	▶  1
3	<b>Alexandrine Parakeet</b> <i>Psittacula eupatria</i>	▶  1
4	<b>Blossom-headed Parakeet</b> <i>Psittacula roseata</i>	▶  3
14	<b>Red-breasted Parakeet</b> <i>Psittacula alexandri</i>	▶  4

- 1 **Vernal Hanging-Parrot** *Loriculus vernalis* ▶  1
- 2 **Banded Broadbill** *Eurylaimus javanicus* ▶  1
- 1 **Bar-bellied Pitta** *Hydrornis elliotii* ▶  2  1
- 2 **Golden-bellied Gerygone** *Gerygone sulphurea* ▶  2
- 13 **Small Minivet** *Pericrocotus cinnamomeus* ▶  7
- 4 **Scarlet Minivet** *Pericrocotus speciosus* ▶  3
- 2 **Ashy Minivet** *Pericrocotus divaricatus* ▶  1
- 7 **Brown-rumped Minivet** *Pericrocotus cantonensis* ▶  2
- 5 **Oriental Cuckooshrike** *Coracina javensis* ▶  3
- 1 **Indochinese Cuckooshrike** *Lalage polioptera* ▶  1
- 2 **White-bellied Erpornis** *Erpornis zantholeuca* ▶  2
- 8 **Black-naped Oriole** *Oriolus chinensis* ▶  5
- 12 **Black-hooded Oriole** *Oriolus xanthornus* ▶  8
- 1 **Maroon Oriole** *Oriolus traillii* ▶  1
- 5 **Large Woodshrike** *Tephrodornis virgatus* ▶  3
- 8 **Common Woodshrike** *Tephrodornis pondicerianus* ▶  4
- 4 **Bar-winged Flycatcher-shrike** *Hemipus picatus* ▶  3
- 8 **Common Iora** *Aegithina tiphia* ▶  4
- 7 **Malaysian Pied-Fantail** *Rhipidura javanica* ▶  4
- 2 **White-throated Fantail** *Rhipidura albicollis* ▶  1
- 7 **White-browed Fantail** *Rhipidura aureola* ▶  4
- 59 **Black Drongo** *Dicrurus macrocercus* ▶  4
- 12 **Ashy Drongo** *Dicrurus leucophaeus* ▶  7

























4	<b>Bronzed Drongo</b> <i>Dicrurus aeneus</i>	▶  1
1	<b>Lesser Racket-tailed Drongo</b> <i>Dicrurus remifer</i>	▶  1
11	<b>Hair-crested Drongo</b> <i>Dicrurus hottentottus</i>	▶  8
3	<b>Greater Racket-tailed Drongo</b> <i>Dicrurus paradiseus</i>	▶  2
2	<b>Black-naped Monarch</b> <i>Hypothymis azurea</i>	▶  2
2	<b>Brown Shrike</b> <i>Lanius cristatus</i>	▶  1
5	<b>Burmese Shrike</b> <i>Lanius colluriooides</i>	▶  5
2	<b>Eurasian Jay</b> <i>Garrulus glandarius</i>	▶  1
4	<b>Red-billed Blue-Magpie</b> <i>Urocissa erythroryncha</i>	▶  3
4	<b>Rufous Treepie</b> <i>Dendrocitta vagabunda</i>	▶  3
6	<b>Racket-tailed Treepie</b> <i>Crypsirina temia</i>	▶  2
42	<b>Large-billed Crow</b> <i>Corvus macrorhynchos</i>	▶  9
4	<b>Gray-headed Canary-Flycatcher</b> <i>Culicicapa ceylonensis</i>	▶  3
3	<b>Indochinese Bushlark</b> <i>Plocealauda erythrocephala</i>	▶  2
10	<b>Oriental Skylark</b> <i>Alauda gulgula</i>	▶  1
3	<b>Common Tailorbird</b> <i>Orthotomus sutorius</i>	▶  3
7	<b>Dark-necked Tailorbird</b> <i>Orthotomus atrogularis</i>	▶  7
3	<b>Cambodian Tailorbird</b> <i>Orthotomus chaktomuk</i>	▶  1
2	<b>Annam Prinia</b> <i>Prinia rocki</i> 	▶  1
4	<b>Brown Prinia</b> <i>Prinia polychroa</i>	▶  2
12	<b>Rufescent Prinia</b> <i>Prinia rufescens</i>	▶  5
3	<b>Gray-breasted Prinia</b> <i>Prinia hodgsonii</i>	▶  1
5	<b>Yellow-bellied Prinia</b> <i>Prinia flaviventris</i>	▶  2






24	<b>Plain Prinia</b> <i>Prinia inornata</i>	▶ 🗄 4
2	<b>Zitting Cisticola</b> <i>Cisticola juncidis</i>	▶ 🗄 1
1	<b>Golden-headed Cisticola</b> <i>Cisticola exilis</i>	▶ 🗄 1
1	<b>Thick-billed Warbler</b> <i>Arundinax aedon</i>	▶ 🗄 1
1	<b>Black-browed Reed Warbler</b> <i>Acrocephalus bistrigiceps</i>	▶ 🗄 1
1	<b>Manchurian Reed Warbler</b> <i>Acrocephalus tangorum</i>	▶ 🗄 1
2	<b>Oriental Reed Warbler</b> <i>Acrocephalus orientalis</i>	▶ 🗄 2
2	<b>Pallas's Grasshopper Warbler</b> <i>Helopsaltes certhiola</i>	▶ 🗄 1
40	<b>Gray-throated Martin</b> <i>Riparia chinensis</i>	▶ 🗄 1
5	<b>Bank Swallow</b> <i>Riparia riparia</i>	▶ 🗄 2
245	<b>Barn Swallow</b> <i>Hirundo rustica</i>	▶ 🗄 11
4	<b>Siberian House-Martin</b> <i>Delichon lagopodum</i>	▶ 🗄 2
15	<b>Eastern Red-rumped Swallow</b> <i>Cecropis daurica</i>	▶ 🗄 3
8	<b>Puff-throated Bulbul</b> <i>Alophoixus pallidus</i>	▶ 🗄 2
7	<b>Gray-eyed Bulbul</b> <i>Iole propinqua</i>	▶ 🗄 1 🗄 5
4	<b>Ashy Bulbul</b> <i>Hemixos flavala</i>	▶ 🗄 1
41	<b>Black Bulbul</b> <i>Hypsipetes leucocephalus</i>	▶ 🗄 4
6	<b>Black-headed Bulbul</b> <i>Microtarsus melanocephalos</i>	▶ 🗄 1
12	<b>Black-crested Bulbul</b> <i>Rubigula flaviventris</i>	▶ 🗄 6
7	<b>Streak-eared Bulbul</b> <i>Pycnonotus conradi</i>	▶ 🗄 4
9	<b>Stripe-throated Bulbul</b> <i>Pycnonotus finlaysoni</i>	▶ 🗄 4
4	<b>Red-whiskered Bulbul</b> <i>Pycnonotus jocosus</i>	▶ 🗄 2
9	<b>Yellow-vented Bulbul</b> <i>Pycnonotus goiavier</i>	▶ 🗄 4

35	<b>Sooty-headed Bulbul</b>	<i>Pycnonotus aurigaster</i>		▶	📄	9	
26	<b>Yellow-browed Warbler</b>	<i>Phylloscopus inornatus</i>		▶	📄	9	
9	<b>Dusky Warbler</b>	<i>Phylloscopus fuscatus</i>		▶	📄	4	
2	<b>Two-barred Warbler</b>	<i>Phylloscopus plumbeitarsus</i>		▶	📄	2	
3	<b>Pale-legged Leaf Warbler</b>	<i>Phylloscopus tenellipes</i>		▶	📄	2	
2	<b>Yellow-bellied Warbler</b>	<i>Abroscopus superciliaris</i>		▶	📄	1	
3	<b>Indian White-eye</b>	<i>Zosterops palpebrosus</i>		▶	📄	2	
1	<b>Chestnut-capped Babbler</b>	<i>Timalia pileata</i>		▶	📄	1	
4	<b>Gray-faced Tit-Babbler</b>	<i>Mixornis kelleyi</i>		▶	📄	2	
6	<b>Pin-striped Tit-Babbler</b>	<i>Mixornis gularis</i>		▶	📄	2	
1	<b>Large Scimitar-Babbler</b>	<i>Erythrogonys hypoleucos</i>		▶	📄	1	
2	<b>Black-browed Fulvetta</b>	<i>Alcippe grotei</i>		▶	📄	1	
1	<b>Silver-eared Mesia</b>	<i>Leiothrix argenteauris</i>		▶	📄	1	
2	<b>Orange-breasted Laughingthrush</b>	<i>Garrulax annamensis</i>	Sensitive	✔	▶	📄	1
4	<b>White-crested Laughingthrush</b>	<i>Garrulax leucolophus</i>		▶	📄	1	
1	<b>Black-hooded Laughingthrush</b>	<i>Garrulax milleti</i>	✔	▶	📄	1	
4	<b>Velvet-fronted Nuthatch</b>	<i>Sitta frontalis</i>		▶	📄	4	
1	<b>Burmese Nuthatch</b>	<i>Sitta neglecta</i>		▶	📄	1	
2	<b>Golden-crested Myna</b>	<i>Ampeliceps coronatus</i>		▶	📄	1	
2	<b>Common Hill Myna</b>	<i>Gracula religiosa</i>		▶	📄	1	
8	<b>Black-collared Starling</b>	<i>Gracupica nigricollis</i>		▶	📄	5	
70	<b>White-shouldered Starling</b>	<i>Sturnia sinensis</i>		▶	📄	1	
2	<b>Chestnut-tailed Starling</b>	<i>Sturnia malabarica</i>		▶	📄	1	











51	<b>Common Myna</b> <i>Acridotheres tristis</i>	▶ 7
16	<b>Vinous-breasted Myna</b> <i>Acridotheres leucocephalus</i>	▶ 2
34	<b>Great Myna</b> <i>Acridotheres grandis</i>	▶ 5
9	<b>Asian Brown Flycatcher</b> <i>Muscicapa dauurica</i>	▶ 7
1	<b>Brown-streaked Flycatcher</b> <i>Muscicapa williamsoni</i> ✓	▶ 1
8	<b>Oriental Magpie-Robin</b> <i>Copsychus saularis</i>	▶ 8
5	<b>White-rumped Shama</b> <i>Copsychus malabaricus</i>	▶ 2
8	<b>Verditer Flycatcher</b> <i>Eumyias thalassinus</i>	▶ 5
3	<b>Hainan Blue Flycatcher</b> <i>Cyornis hainanus</i>	▶ 3
1	<b>Indochinese Blue Flycatcher</b> <i>Cyornis sumatrensis</i>	▶ 1
5	<b>Siberian Blue Robin</b> <i>Larvivora cyane</i>	▶ 1
4	<b>Bluethroat</b> <i>Luscinia svecica</i>	▶ 1
1	<b>Blue Whistling-Thrush</b> <i>Myophonus caeruleus</i>	▶ 1
3	<b>White-throated Rock-Thrush</b> <i>Monticola gularis</i>	▶ 1
4	<b>Blue Rock-Thrush</b> <i>Monticola solitarius</i>	▶ 4
3	<b>Amur Stonechat</b> <i>Saxicola stejnegeri</i>	▶ 2
11	<b>Pied Bushchat</b> <i>Saxicola caprata</i>	▶ 5
2	<b>Thick-billed Flowerpecker</b> <i>Pachyglossa agilis</i>	▶ 2
1	<b>Yellow-vented Flowerpecker</b> <i>Pachyglossa chrysorrhea</i>	▶ 1
5	<b>Plain Flowerpecker</b> <i>Dicaeum minullum</i>	▶ 2
3	<b>Fire-breasted Flowerpecker</b> <i>Dicaeum ignipectus</i>	▶ 1
4	<b>Ruby-cheeked Sunbird</b> <i>Chalcoparia singalensis</i>	▶ 3
1	<b>Brown-throated Sunbird</b> <i>Anthreptes malacensis</i>	▶ 1



2	<b>Van Hasselt's Sunbird</b>	<i>Leptocoma brasiliana</i>		▶  2
5	<b>Purple Sunbird</b>	<i>Cinnyris asiaticus</i>		▶  2
11	<b>Ornate Sunbird</b>	<i>Cinnyris ornatus</i>		▶  6
2	<b>Black-throated Sunbird</b>	<i>Aethopyga saturata</i>		▶  2
9	<b>Crimson Sunbird</b>	<i>Aethopyga siparaja</i>		▶  5
2	<b>Little Spiderhunter</b>	<i>Arachnothera longirostra</i>		▶  2
3	<b>Streaked Spiderhunter</b>	<i>Arachnothera magna</i>		▶  2
7	<b>Asian Fairy-bluebird</b>	<i>Irena puella</i>		▶  2
3	<b>Blue-winged Leafbird</b>	<i>Chloropsis moluccensis</i>		▶  2
4	<b>Golden-fronted Leafbird</b>	<i>Chloropsis aurifrons</i>		▶  2
20	<b>Asian Golden Weaver</b>	<i>Ploceus hypoxanthus</i>	Sensitive	▶  1
34	<b>Scaly-breasted Munia</b>	<i>Lonchura punctulata</i>		▶  3
7	<b>White-rumped Munia</b>	<i>Lonchura striata</i>		▶  1
X	<b>Chestnut Munia</b>	<i>Lonchura atricapilla</i>		▶  1
6	<b>Red Avadavat</b>	<i>Amandava amandava</i>		▶  1
19	<b>House Sparrow</b>	<i>Passer domesticus</i>		▶  3
6	<b>Plain-backed Sparrow</b>	<i>Passer flaveolus</i>		▶  1  4
16	<b>Eurasian Tree Sparrow</b>	<i>Passer montanus</i>		▶  4
2	<b>Forest Wagtail</b>	<i>Dendronanthus indicus</i>		▶  1
1	<b>Gray Wagtail</b>	<i>Motacilla cinerea</i>		▶  1
54	<b>Eastern Yellow Wagtail</b>	<i>Motacilla tschutschensis</i>		▶  3
2	<b>Mekong Wagtail</b>	<i>Motacilla samveasnae</i>		▶  1
4	<b>White Wagtail</b>	<i>Motacilla alba</i>		▶  2

- 1 **Richard's Pipit** *Anthus richardi* ▶  1
- 3 **Paddyfield Pipit** *Anthus rufulus* ▶  2
- 3 **Olive-backed Pipit** *Anthus hodgsoni* ▶  1
- 2 **Red-throated Pipit** *Anthus cervinus* ▶  1
- 11 **Yellow-breasted Bunting** *Emberiza aureola* ▶  1

#### ADDITIONAL TAXA

- 3 green-pigeon sp. *Treron sp.* ▶  2
- 1 snipe sp. *Gallinago sp.* ▶  1
- 20 shorebird sp. *Charadriiformes sp. (shorebird sp.)* ▶  1
- 40 cormorant sp. *Phalacrocoracidae sp.* ▶  1
- 4 bee-eater sp. *Merops sp.* ▶  1
- 1 parakeet sp. *Psittaciformes sp. (parakeet sp.)* ▶  1
- 3 Acrocephalus sp. *Acrocephalus sp.* ▶  1
- 4 Siberian/Asian House-Martin *Delichon lagopodum/dasyopus* ▶  1
- 1 Ficedula sp. *Ficedula sp.* ▶  1
- 1 flowerpecker sp. *Dicaeidae sp.* ▶  1