

## Trip Report — Colombia's Eastern Cordillera 2025

January 14-22, 2025 with Willy Perez & Local guide Roger  
Rodriguez



In this tour the landscape was impressive and here is a great example of it. The happy group posing when we visited Chicaque reserve. Photo by guide Willy Perez.

Colombia is a birdwatcher's dream—home to the largest number of bird species in the world. What made our adventure even more unforgettable was the rapidly growing birdwatching infrastructure, offering numerous opportunities to observe these beautiful creatures. Our journey through the Eastern Cordillera of Colombia, one of the most biodiverse regions on Earth, was nothing short of magical. Nestled in the heart of the Andes, this region is a paradise for birders, with lush cloud forests, high-altitude páramos, and vibrant valleys, all teeming with unique birds, great coffee, and even better food.

We spent a few days in Bogotá as our base and ventured to two charming lodges on either side of the mountains. This gave us the chance to immerse ourselves in completely different habitats. The first morning, we gathered early for a quick cup of coffee before we hit the road. After an hour's drive, we stopped at a local parador for breakfast. The aroma of fresh arepas, orange juice, yogurt, and eggs filled the air. Some of us indulged in a comforting bowl of caldo de Costilla, a traditional local soup. The parador had some feeders, and we were thrilled to catch our first glimpses of hummingbirds.



A Rusty-breasted Antpitta, usually a difficult bird to see but hard work paid off and eventually we had one in front of us, where Valerie Gebert got this great photo.

Our next stop was Laguna Tabacal, where we birded the car park for a bit before heading to the lake area. We ventured down a side road, and the birding was nothing short of spectacular. Spectacled Parrotlets and Bar-crested Antshrikes graced our day, and we could feel the excitement building. After a fruitful morning, we headed to La Vega town for a well-deserved lunch.

Following our meal, we visited Jardín Encantado—an absolute gem for hummingbird lovers. The place was buzzing with activity, and we marveled at the Black-throated Mango, White-bellied Woodstar, and the endemic Indigo-capped Hummingbird. It was like being in a dream. We lingered here for a while before continuing our journey to the Gyrola Hotel in La Mesa. The views from the lodge were stunning, and we were greeted by birds just outside our rooms—be prepared for the noisy but charming Colombian Chachalacas.



Golden-fronted Redstart is a very handsome warbler found in the high Andes of Venezuela and Colombia. Here, Valerie Gebert got a clean shot of this beauty at Chingaza.

The next day was an adventure in itself as we visited Chicaque and Campo Tangara. After an early start, we birded the area near the entrance, and before long, flocks of tanagers, brushfinches, and furnariids were in full view. The two-kilometre downhill walk was a bit challenging for some of us, but the birds made it absolutely worth it. We eventually reached El Refugio for lunch, and after a relaxing break, we spent time in the garden, where we spotted the rare Black Inca. With our spirits high, we took a four-wheel-drive vehicle in two groups to ascend back to the top. Our next stop was Campo

Tangara, a small reserve known for its stunning hummingbirds, especially the Golden-bellied Starfrontlet.

Our next destination, Laguna de Pedro Palo, was just as lively, with plenty of bird activity along the road. We had some fantastic sightings, including a Whiskered Puffbird, Red-headed Barbet, Ash-browed Spinetail, and a variety of tanagers. After lunch at El Rancho de Jairo, we made our way back to Bogotá, arriving in the evening for a check-in, list review, and, of course, a delicious dinner.



There is always time for an ice cream, especially after seeing a nice bird; this photo by Willy Perez says it all!

The following day, we set off to Parque Nacional Natural Chingaza. We were greeted by Ana, our knowledgeable local guide, at La Calera. The elfin forest here was nothing short of enchanting, and we spotted flocks of Hooded, Black-chested, and Scarlet-bellied Mountain Tanagers, along with a Rufous-browed Conebill and a Crimson-mantled Woodpecker. After birding until late morning, we returned to La Calera for a delicious ajiaco lunch—a much-needed treat. Although road closures delayed our visit to the Observatorio de

Colibris, we finally reached the spot, where the hummingbirds were as active as ever. The highlight, though, was spotting a pair of Tropical Screech Owls, which was an unexpected but exciting surprise.



In our short visit to the llanos, we were surprised with the presence of one of the strangest mammals in the world, and Valerie Gebert didn't miss the opportunity to photograph this Giant Anteater.

We then headed to Sumapaz National Natural Reserve, Chiguaza, and Reserva Camana. After an early start, we found the Green-bearded Helmetcrest, a rare sighting. Daniel from Chiguaza treated us to a wonderful field breakfast, making the morning even more special. The landscape of the páramo was unlike anything I've ever seen—unique and breathtaking. After lunch, we explored the Chiguaza Reserve, and later enjoyed coffee at Casa Hillebrand, where we were treated to an unexpected sighting of the Band-bellied Owls roosting in the gardens of the coffee plantation. Our journey continued to Camana, where we arrived in the evening, enjoyed dinner, and reflected on the incredible birding.

The next day at Bosque Bavaria was an unforgettable experience, especially with Elvis, our local guide. We saw so many exciting species before heading to a nearby road where we encountered Hoatzins, Scarlet Ibis, Boat-billed Herons, and more. After lunch, we took some time to rest before more birding at the feeders and a trip to the Cumaral-Restrepo road. There, we found a Great Potoo, Scaled Piculet, and Amazonian Motmot. And just when we thought the day couldn't get any better, a Giant Anteater made an appearance. What a treat!



Valerie Gebert got a stunning shot of this White-chested Puffbird that was hidden deep in the forest at Bosque Bavaria.

On our last day of birding, we headed to La Herrería. After a coffee and a drive up the hill with Ariel, we reached the top, where we were treated to the rare sighting of the Cundinamarca Antpitta. We were hosted by a warm family who made us feel right at home with a delicious breakfast. Afterward, we headed back toward Bogotá, making a final stop at Parque La Florida, where we had an exciting sighting of the Bogotá Rail along with other water species. Our journey back to Bogotá was bittersweet, but we ended it with a

final dinner, a drink with Jesse, and lots of reflections on the incredible adventure we had shared together.

This trip through the Eastern Cordillera of Colombia was far more than just a birding experience. It was a deep connection with nature, local culture, and the wonderful people who made it all possible. I am so grateful to each of you for joining me on this unforgettable journey. Thank you for making it so special!

Other animals seen:

Ornate Titi Monkey, Brumback's Night Monkey, Colombian Squirrel Monkey and Giant Anteater.


You can see my complete trip report on eBird at this link: <https://ebird.org/tripreport/342891>

Abrazos,  
Willy, from Dorset

# Field Guides Birding Tours-Colombia's Easter Cordillera 2025 with Willy Perez and Local guide Roger Rodriguez



15 – 21 Jan 2025 (7 days) Link-only



Colombia

Cundinamarca | Distrito Capital de Bogotá | Meta

Willian Perez



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...













 **305**
 **25**
LIFERS  67 


## Species Observed
























[Show all details](#)

- 1 **Little Tinamou** *Crypturellus soui*   1
- 10 **Black-bellied Whistling-Duck** *Dendrocygna autumnalis*   2
- 17 **Blue-winged Teal** *Spatula discors*   1
- 16 **Andean Teal** *Anas andium*   2
- 12 **Andean Duck** *Oxyura ferruginea*   2
- 3 **Colombian Chachalaca** *Ortalis columbiana*    2
- 5 **Speckled Chachalaca** *Ortalis guttata*   2
- 1 **Andean Guan** *Penelope montagnii*   1
- 1 **Crested Bobwhite** *Colinus cristatus*    1
- 10 **Rock Pigeon** *Columba livia*    2
- 2 **Pale-vented Pigeon** *Patagioenas cayennensis*   1
- 4 **Band-tailed Pigeon** *Patagioenas fasciata*   2
- 14 **Ruddy Ground Dove** *Columbina talpacoti*   3
- 2 **Ruddy Quail-Dove** *Geotrygon montana*   1
- 1 **White-tipped Dove** *Leptotila verreauxi*   1
- 1 **Gray-fronted Dove** *Leptotila rufaxilla*   1
- 1 **Lined Quail-Dove** *Zentrygon linearis*    1
- 9 **Eared Dove** *Zenaida auriculata*   5
- 13 **Smooth-billed Ani** *Crotophaga ani*   3
- 3 **Squirrel Cuckoo** *Piaya cayana*   3
























- 3 **Common Pauraque** *Nyctidromus albicollis* ▶  1
- 1 **Great Potoo** *Nyctibius grandis* ▶  1
- 6 **White-tipped Swift** *Aeronautes montivagus* ✓ ▶  1
- 2 **Fork-tailed Palm Swift** *Tachornis squamata* ▶  1
- 1 **Gray-chinned Hermit** *Phaethornis griseogularis* ▶  1
- 1 **Blue-fronted Lancebill** *Doryfera johannae* ▶  1
- 5 **Sparkling Violetear** *Colibri coruscans* ▶  2
- 11 **Lesser Violetear** *Colibri cyanotus* ▶  4
- 16 **Black-throated Mango** *Anthracothorax nigricollis* ▶  3
- 2 **Longuemare's Sunangel** *Heliangelus clarisse* ✓ ▶  1
- 3 **Tourmaline Sunangel** *Heliangelus exortis* ▶  1
- 3 **Speckled Hummingbird** *Adelomyia melanogenys* ▶  2
- 3 **Long-tailed Sylph** *Agelaiocercus kingii* ▶  2
- 3 **Black-tailed Trainbearer** *Lesbia victoriae* ▶  1
- 1 **Green-tailed Trainbearer** *Lesbia nuna* ▶  1
- 1 **Purple-backed Thornbill** *Ramphomicron microrhynchum* ✓ ▶  1
- 1 **Bronze-tailed Thornbill** *Chalcostigma heteropogon* ✓ ▶  1
- 1 **Green-bearded Helmetcrest** *Oxygogon guerinii* ✓ ▶  1
- 3 **Tyrian Metaltail** *Metallura tyrianthina* ▶  2
- 3 **Glowing Puffleg** *Eriocnemis vestita* ▶  2
- 2 **Coppery-bellied Puffleg** *Eriocnemis cupreiventris* ✓ ▶  1
- 1 **Bronzy Inca** *Coeligena coeligena* ▶  1
- 1 **Black Inca** *Coeligena prunellei* ✓ ▶  1
- 4 **Collared Inca** *Coeligena torquata* ▶  2
























- 2 **Golden-bellied Starfrontlet** *Coeligena bonapartei* ✓ ▶ 📄 1
- 4 **Blue-throated Starfrontlet** *Coeligena helianthea* ✓ ▶ 📄 1
- 2 **Sword-billed Hummingbird** *Ensifera ensifera* ▶ 📄 1
- 1 **Great Sapphirewing** *Pterophanes cyanopterus* ▶ 📄 1
- 3 **Buff-tailed Coronet** *Boissonneaua flavescens* ▶ 📄 2
- 2 **White-booted Racket-tail** *Ocreatus underwoodii* ▶ 📄 1
- 1 **Violet-fronted Brilliant** *Heliodoxa leadbeateri* ▶ 📄 1
- 12 **White-bellied Woodstar** *Chaetocercus mulsant* ▶ 📄 5
- 2 **White-vented Plumeleteer** *Chalybura buffonii* ▶ 📄 2
- 5 **Crowned Woodnymph** *Thalurania colombica* ▶ 📄 3
- 1 **Fork-tailed Woodnymph** *Thalurania furcata* ▶ 📄 1
- 10 **Indigo-capped Hummingbird** *Saucerottia cyanifrons* ✓ ▶ 📄 1
- 1 **Green-bellied Hummingbird** *Saucerottia viridigaster* ✓ ▶ 📄 1
- 13 **Rufous-tailed Hummingbird** *Amazilia tzacatl* ▶ 📄 3
- 2 **Andean Emerald** *Uranomitra franciae* ▶ 📄 2
- 1 **Versicolored Emerald** *Chrysuronia versicolor* ✓ ▶ 📄 1
- 1 **Glittering-throated Emerald** *Chionomesa fimbriata* ▶ 📄 1
- 2 **Bogota Rail** *Rallus semiplumbeus* ✓ ▶ 📄 1
- 2 **Gray-cowled Wood-Rail** *Aramides cajaneus* ▶ 📄 2
- 1 **Spot-flanked Gallinule** *Porphyriops melanops* ▶ 📄 1
- 1 **Sora** *Porzana carolina* ✓ ▶ 📄 1
- 4 **Common Gallinule** *Gallinula galeata* ▶ 📄 1
- 11 **American Coot** *Fulica americana* ▶ 📄 2

2	<b>Purple Gallinule</b>	<i>Porphyrio martinica</i>	▶  1
7	<b>Southern Lapwing</b>	<i>Vanellus chilensis</i>	▶  2
2	<b>Wattled Jacana</b>	<i>Jacana jacana</i>	▶  1
2	<b>Solitary Sandpiper</b>	<i>Tringa solitaria</i>	▶  1
1	<b>Lesser Yellowlegs</b>	<i>Tringa flavipes</i>	▶  1
2	<b>Greater Yellowlegs</b>	<i>Tringa melanoleuca</i>	▶  1
4	<b>Least Grebe</b>	<i>Tachybaptus dominicus</i>	▶  1
2	<b>Pied-billed Grebe</b>	<i>Podilymbus podiceps</i>	▶  1
3	<b>Hoatzin</b>	<i>Opisthocomus hoazin</i>	▶  1
10	<b>Neotropic Cormorant</b>	<i>Nannopterum brasilianum</i>	▶  2
14	<b>Scarlet Ibis</b>	<i>Eudocimus ruber</i> ✓	▶  2
1	<b>Green Ibis</b>	<i>Mesembrinibis cayennensis</i> ✓	▶  1
7	<b>Bare-faced Ibis</b>	<i>Phimosus infuscatus</i>	▶  3
2	<b>Boat-billed Heron</b>	<i>Cochlearius cochlearius</i>	▶  1
2	<b>Little Blue Heron</b>	<i>Egretta caerulea</i>	▶  2
1	<b>Snowy Egret</b>	<i>Egretta thula</i>	▶  1
8	<b>Striated Heron</b>	<i>Butorides striata</i>	▶  3
1	<b>Green Heron</b>	<i>Butorides virescens</i>	▶  1
43	<b>Western Cattle-Egret</b>	<i>Ardea ibis</i>	▶  9
3	<b>Great Egret</b>	<i>Ardea alba</i>	▶  1
31	<b>Black Vulture</b>	<i>Coragyps atratus</i>	▶  8
2	<b>Turkey Vulture</b>	<i>Cathartes aura</i>	▶  2
1	<b>Lesser Yellow-headed Vulture</b>	<i>Cathartes burrovianus</i>	▶  1
























- 2 **Plumbeous Kite** *Ictinia plumbea* ▶  1
- 2 **Snail Kite** *Rostrhamus sociabilis* ▶  1
- 5 **Roadside Hawk** *Rupornis magnirostris* ▶  3
- 2 **Black-chested Buzzard-Eagle** *Geranoaetus melanoleucus* ▶  1
- 3 **Broad-winged Hawk** *Buteo platypterus* ▶  3
- 2 **Tropical Screech-Owl** *Megascops choliba* ▶  1
- 2 **Band-bellied Owl** *Pulsatrix melanota* ▶  1
- 1 **Burrowing Owl** *Athene cunicularia* ▶  1
- 1 **Golden-headed Quetzal** *Pharomachrus auriceps* ▶  1
- 1 **Green-backed Trogon** *Trogon viridis* ▶  1
- 2 **Amazonian Motmot** *Momotus momota* ▶  1
- 1 **Amazon Kingfisher** *Chloroceryle amazona* ▶  1
- 1 **Two-banded Puffbird** *Hypnelus bicinctus* ✓ ▶  1
- 2 **White-chested Puffbird** *Malacoptila fusca* ✓ ▶  1
- 2 **Moustached Puffbird** *Malacoptila mystacalis* ✓ ▶  1
- 3 **Yellow-billed Nunbird** *Monasa flavirostris* ✓ ▶  1
- 2 **White-chinned Jacamar** *Galbula tombacea* ✓ ▶  1
- 2 **Red-headed Barbet** *Eubucco bourcierii* ▶  1
- 3 **Southern Emerald-Toucanet** *Aulacorhynchus albivitta* ▶  2
- 1 **Scaled Piculet** *Picumnus squamulatus* ✓ ▶  1
- 4 **Olivaceous Piculet** *Picumnus olivaceus* ▶  3
- 1 **Acorn Woodpecker** *Melanerpes formicivorus* ▶  1
- 2 **Yellow-tufted Woodpecker** *Melanerpes cruentatus* ▶  1
























- 1 **Red-crowned Woodpecker** *Melanerpes rubricapillus* ✓ ▶ 1
- 2 **Smoky-brown Woodpecker** *Dryobates fumigatus* ▶ 1
- 5 **Lineated Woodpecker** *Dryocopus lineatus* ▶ 2
- 1 **Crimson-mantled Woodpecker** *Colaptes rivolii* ▶ 1
- 1 **Spot-breasted Woodpecker** *Colaptes punctigula* ▶ 1
- 1 **Crested Caracara** *Caracara plancus* ▶ 1
- 3 **Yellow-headed Caracara** *Daptrius chimachima* ▶ 2
- 1 **American Kestrel** *Falco sparverius* ▶ 1
- 2 **Bat Falcon** *Falco ruficularis* ▶ 1
- 4 **Orange-chinned Parakeet** *Brotogeris jugularis* ✓ ▶ 1
- 2 **Cobalt-winged Parakeet** *Brotogeris cyanopectera* ▶ 1
- 1 **Yellow-crowned Amazon** *Amazona ochrocephala* ▶ 1
- 2 **Orange-winged Amazon** *Amazona amazonica* ▶ 1
- 2 **Spectacled Parrotlet** *Forpus conspicillatus* ✓ ▶ 1
- 7 **Brown-breasted Parakeet** *Pyrrhura calliptera* ✓ ▶ 1
- 3 **Brown-throated Parakeet** *Eupsittula pertinax* ✓ ▶ 2
- 4 **Red-bellied Macaw** *Orthopsittaca manilatus* ▶ 1
- 3 **Barred Antshrike** *Thamnophilus doliatus* ▶ 2
- 2 **Bar-crested Antshrike** *Thamnophilus multistriatus* ✓ ▶ 1
- 1 **Northern Slaty-Antshrike** *Thamnophilus punctatus* ✓ ▶ 1
- 1 **Uniform Antshrike** *Thamnophilus unicolor* ▶ 1
- 2 **Plain Antvireo** *Dysithamnus mentalis* ▶ 1
- 2 **White-browed Antbird** *Myrmoborus leucophrys* ▶ 1

- 1 **Black-faced Antbird** *Myrmoborus myotherinus* ▶  1
- 1 **Spot-winged Antbird** *Myrmelastes leucostigma* ▶  1
- 2 **Chestnut-crowned Antpitta** *Grallaria ruficapilla* ▶  1
- 2 **Cundinamarca Antpitta** *Grallaria kaestneri* ✓ ▶  1
- 3 **Boyaca Antpitta** *Grallaria alticola* ✓ ▶  1
- 2 **Rusty-breasted Antpitta** *Grallaricula ferrugineipectus* ✓ ▶  1
- 1 **White-crowned Tapaculo** *Scytalopus atratus* ▶  1
- 1 **Long-tailed Tapaculo** *Scytalopus micropterus* ▶  1
- 1 **Blackish Tapaculo** *Scytalopus latrans* ▶  1
- 2 **Pale-bellied Tapaculo** *Scytalopus griseicollis* ✓ ▶  2
- 1 **Straight-billed Woodcreeper** *Dendroplex picus* ▶  1
- 3 **Montane Woodcreeper** *Lepidocolaptes lacrymiger* ▶  2
- 1 **Streaked Xenops** *Xenops rutilans* ▶  1
- 1 **Caribbean Hornero** *Furnarius longirostris* ✓ ▶  1
- 4 **Montane Foliage-gleaner** *Anabacerthia striaticollis* ▶  2
- 1 **Lineated Foliage-gleaner** *Syndactyla subalaris* ▶  1
- 1 **Andean Tit-Spinetail** *Leptasthenura andicola* ▶  1
- 1 **Plain Thornbird** *Phacellodomus inornatus* ✓ ▶  1
- 1 **Many-striped Canastero** *Asthenes flammulata* ▶  1
- 2 **White-chinned Thistletail** *Asthenes fuliginosa* ▶  1
- 2 **Ash-browed Spinetail** *Cranioleuca curtata* ▶  1
- 1 **Silvery-throated Spinetail** *Synallaxis subpudica* ✓ ▶  1
- 1 **Azara's Spinetail** *Synallaxis azarae* ▶  1
























- 2 **Rufous Spinetail** *Synallaxis unirufa* ▶  1
- 1 **White-bearded Manakin** *Manacus manacus* ▶  1
- 1 **Striolated Manakin** *Machaeropterus striolatus* ✓ ▶  1
- 1 **Golden-headed Manakin** *Ceratopira erythrocephala* ▶  1
- 2 **Green-and-black Fruiteater** *Pipreola riefferii* ▶  1
- 1 **Black-tailed Tityra** *Tityra cayana* ▶  1
- 2 **White-winged Becard** *Pachyramphus polychopterus* ▶  1
- 1 **Olive-striped Flycatcher** *Mionectes galbinus* ▶  1
- 1 **Sepia-capped Flycatcher** *Leptopogon amaurocephalus* ✓ ▶  1
- 1 **Slaty-capped Flycatcher** *Leptopogon superciliaris* ▶  1
- 2 **Rufous-breasted Flycatcher** *Leptopogon rufipectus* ▶  1
- 4 **Common Tody-Flycatcher** *Todirostrum cinereum* ▶  2
- 2 **Cinnamon Flycatcher** *Pyrrhomyias cinnamomeus* ▶  1
- 1 **Southern Beardless-Tyrannulet** *Camptostoma obsoletum* ▶  1
- 4 **White-throated Tyrannulet** *Mecocerculus leucophrys* ▶  1
- 6 **Yellow-bellied Elaenia** *Elaenia flavogaster* ▶  3
- 2 **Torrent Tyrannulet** *Serpophaga cinerea* ▶  1
- 2 **Sooty-headed Tyrannulet** *Phyllomyias griseiceps* ▶  1
- 1 **Ashy-headed Tyrannulet** *Tyranniscus cinereiceps* ▶  1
- 2 **Golden-faced Tyrannulet** *Zimmerius chrysops* ▶  1
- 1 **Flavescent Flycatcher** *Myiophobus flavicans* ▶  1
- 1 **Acadian Flycatcher** *Empidonax virescens* ▶  1
- 1 **Streak-throated Bush-Tyrant** *Myiotheretes striaticollis* ▶  1











- 2 **Chestnut-bellied Chat-Tyrant** *Ochthoeca cinnamomeiventris* ▶  1
- 1 **Brown-backed Chat-Tyrant** *Ochthoeca fumicolor* ▶  1
- 2 **Pale-edged Flycatcher** *Myiarchus cephalotes* ▶  1
- 1 **Cattle Tyrant** *Machetornis rixosa* ▶  1
- 9 **Great Kiskadee** *Pitangus sulphuratus* ▶  5
- 1 **Boat-billed Flycatcher** *Megarynchus pitangua* ▶  1
- 3 **Rusty-margined Flycatcher** *Myiozetetes cayanensis* ▶  2
- 1 **Golden-bellied Flycatcher** *Myiodynastes hemichrysus* ▶  1
- 1 **Piratic Flycatcher** *Legatus leucophaeus* ▶  1
- 17 **Tropical Kingbird** *Tyrannus melancholicus* ▶  11
- 5 **Fork-tailed Flycatcher** *Tyrannus savana* ▶  1
- 1 **Rufous-browed Peppershrike** *Cyclarhis gujanensis* ▶  1
- 2 **Black-billed Peppershrike** *Cyclarhis nigrirostris* ▶  2
- 2 **Scrub Greenlet** *Hylophilus flavipes* ✓ ▶  1
- 3 **Rufous-naped Greenlet** *Pachysylvia semibrunnea* ▶  1
- 2 **Brown-capped Vireo** *Vireo leucophrys* ▶  2
- 1 **Red-eyed Vireo** *Vireo olivaceus* ▶  1
- 7 **Violaceous Jay** *Cyanocorax violaceus* ▶  2
- 3 **Black-capped Donacobius** *Donacobius atricapilla* ▶  1
- 2 **Southern Rough-winged Swallow** *Stelgidopteryx ruficollis* ▶  1
- 12 **Brown-bellied Swallow** *Orochelidon murina* ▶  2
- 1 **Long-billed Gnatwren** *Ramphocaenus melanurus* ▶  1
- 4 **Southern House Wren** *Troglodytes musculus* ▶  2

- 1 **Mountain Wren** *Troglodytes solstitialis* ▶  1
- 5 **Apolinar's Wren** *Cistothorus apolinari* ✓ ▶  1
- 2 **Band-backed Wren** *Campylorhynchus zonatus* ✓ ▶  1
- 1 **Whiskered Wren** *Pheugopedius mystacalis* ▶  1
- 4 **Rufous Wren** *Cinnycerthia unirufa* ▶  1
- 8 **Sharpe's Wren** *Cinnycerthia olivascens* ▶  1
- 3 **Gray-breasted Wood-Wren** *Henicorhina leucophrys* ▶  2
- 8 **Tropical Mockingbird** *Mimus gilvus* ▶  4
- 1 **Andean Solitaire** *Myadestes ralloides* ▶  1
- 8 **Swainson's Thrush** *Catharus ustulatus* ▶  3
- 5 **Pale-breasted Thrush** *Turdus leucomelas* ✓ ▶  2
- 3 **Spectacled Thrush** *Turdus nudigenis* ✓ ▶  2
- 2 **Black-billed Thrush** *Turdus ignobilis* ▶  2
- 13 **Great Thrush** *Turdus fuscater* ▶  5
- 2 **Blue-naped Chlorophonia** *Chlorophonia cyanea* ▶  1
- 1 **Velvet-fronted Euphonia** *Euphonia concinna* ✓ ▶  1
- 2 **Golden-bellied Euphonia** *Euphonia chrysopasta* ▶  1
- 6 **Thick-billed Euphonia** *Euphonia laniirostris* ▶  3
- 5 **Lesser Goldfinch** *Spinus psaltria* ▶  3
- 1 **Common Chlorospingus** *Chlorospingus flavopectus* ▶  1
- 2 **Yellow-browed Sparrow** *Ammodramus aurifrons* ▶  1
- 2 **Gray-browed Brushfinch** *Arremon assimilis* ▶  1
- 1 **Orange-billed Sparrow** *Arremon aurantirostris* ▶  1

- 2 **Pectoral Sparrow** *Arremon taciturnus* ✓ ▶ 📄 1
- 2 **Chestnut-capped Brushfinch** *Arremon brunneinucha* ▶ 📄 1
- 9 **Rufous-collared Sparrow** *Zonotrichia capensis* ▶ 📄 3
- 1 **White-naped Brushfinch** *Atlapetes albinucha* ✓ ▶ 📄 1
- 1 **Moustached Brushfinch** *Atlapetes albofrenatus* ✓ ▶ 📄 1
- 1 **Ochre-breasted Brushfinch** *Atlapetes semirufus* ✓ ▶ 📄 1
- 2 **Northern Slaty Brushfinch** *Atlapetes schistaceus* ▶ 📄 1
- 3 **Pale-naped Brushfinch** *Atlapetes pallidinucha* ✓ ▶ 📄 2
- 1 **Eastern Meadowlark** *Sturnella magna* ✓ ▶ 📄 1
- 3 **Red-breasted Meadowlark** *Leistes militaris* ▶ 📄 1
- 2 **Russet-backed Oropendola** *Psarocolius angustifrons* ▶ 📄 1
- 5 **Crested Oropendola** *Psarocolius decumanus* ▶ 📄 2
- 8 **Olive Oropendola** *Psarocolius bifasciatus* ▶ 📄 1
- 2 **Yellow-rumped Cacique** *Cacicus cela* ▶ 📄 1
- 1 **Yellow-backed Oriole** *Icterus chrysater* ✓ ▶ 📄 1
- 1 **Venezuelan Troupial** *Icterus icterus* ✓ ▶ 📄 1
- 6 **Shiny Cowbird** *Molothrus bonariensis* ▶ 📄 1
- 3 **Giant Cowbird** *Molothrus oryzivorus* ▶ 📄 2
- 3 **Carib Grackle** *Quiscalus lugubris* ✓ ▶ 📄 1
- 7 **Oriole Blackbird** *Gymnomystax mexicanus* ▶ 📄 3
- 6 **Yellow-hooded Blackbird** *Chrysomus icterocephalus* ✓ ▶ 📄 1
- 1 **Black-and-white Warbler** *Mniotilta varia* ▶ 📄 1
- 3 **American Redstart** *Setophaga ruticilla* ▶ 📄 2

- 2 **Cerulean Warbler** *Setophaga cerulea* ▶  1
- 2 **Tropical Parula** *Setophaga pitiayumi* ▶  2
- 2 **Bay-breasted Warbler** *Setophaga castanea* ✓ ▶  2
- 7 **Blackburnian Warbler** *Setophaga fusca* ▶  5
- 1 **Blackpoll Warbler** *Setophaga striata* ▶  1
- 3 **Chestnut-capped Warbler** *Basileuterus delatirii* ✓ ▶  2
- 3 **Black-crested Warbler** *Myiothlypis nigrocristata* ▶  2
- 1 **Buff-rumped Warbler** *Myiothlypis fulvicauda* ▶  1
- 1 **Russet-crowned Warbler** *Myiothlypis coronata* ▶  1
- 4 **Canada Warbler** *Cardellina canadensis* ▶  2
- 6 **Slate-throated Redstart** *Myioborus miniatus* ▶  3
- 2 **Golden-fronted Redstart** *Myioborus ornatus* ✓ ▶  1
- 5 **Summer Tanager** *Piranga rubra* ▶  3
- 1 **Rose-breasted Grosbeak** *Pheucticus ludovicianus* ▶  1
- 2 **Black-eared Hemispingus** *Sphenopsis melanotis* ▶  1
- 2 **Superciliaried Hemispingus** *Thlypopsis superciliaris* ✓ ▶  1
- 1 **Gray-headed Tanager** *Eucometis penicillata* ▶  1
- 2 **Silver-beaked Tanager** *Ramphocelus carbo* ▶  1
- 6 **Crimson-backed Tanager** *Ramphocelus dimidiatus* ✓ ▶  4
- 3 **Hooded Mountain Tanager** *Buthraupis montana* ▶  1
- 3 **Blue-capped Tanager** *Sporathraupis cyanocephala* ▶  2
- 2 **Black-chested Mountain Tanager** *Cnemathraupis eximia* ✓ ▶  1
- 6 **Scarlet-bellied Mountain Tanager** *Anisognathus igniventris* ▶  2

- 2 **Buff-breasted Mountain Tanager** *Dubusia taeniata* ▶  2
- 1 **Golden-crowned Tanager** *Iridosornis rufivertex* ▶  1
- 2 **Fawn-breasted Tanager** *Pipraeidea melanonota* ▶  1
- 12 **Blue-gray Tanager** *Thraupis episcopus* ▶  8
- 4 **Palm Tanager** *Thraupis palmarum* ▶  3
- 1 **Black-capped Tanager** *Stilpnia heinei* ▶  1
- 6 **Scrub Tanager** *Stilpnia vitriolina* ▶  3
- 1 **Masked Tanager** *Stilpnia nigrocincta* ▶  1
- 11 **Blue-necked Tanager** *Stilpnia cyanicollis* ▶  5
- 2 **Blue-and-black Tanager** *Tangara vassorii* ▶  1
- 2 **Beryl-spangled Tanager** *Tangara nigroviridis* ▶  1
- 3 **Metallic-green Tanager** *Tangara labradorides* ▶  1
- 2 **Plain-colored Tanager** *Tangara inornata* ✓ ▶  1
- 3 **Bay-headed Tanager** *Tangara gyrola* ▶  3
- 2 **Golden Tanager** *Tangara arthus* ▶  1
- 2 **Purple Honeycreeper** *Cyanerpes caeruleus* ▶  1
- 1 **Capped Conebill** *Conirostrum albifrons* ▶  1
- 4 **Rufous-browed Conebill** *Conirostrum rufum* ✓ ▶  2
- 3 **Glossy Flowerpiercer** *Diglossa lafresnayii* ▶  2
- 5 **White-sided Flowerpiercer** *Diglossa albilatera* ▶  3
- 2 **Bluish Flowerpiercer** *Diglossa caerulescens* ▶  2
- 5 **Masked Flowerpiercer** *Diglossa cyanea* ▶  3
- 1 **Plushcap** *Catamblyrhynchus diadema* ▶  1

- 1 **Plumbeous Sierra Finch** *Geospizopsis unicolor* ▶  1
  
  - 24 **Saffron Finch** *Sicalis flaveola* ▶  8
  
  - 2 **Gray Seedeater** *Sporophila intermedia* ✓ ▶  1
  
  - 2 **Yellow-bellied Seedeater** *Sporophila nigricollis* ▶  2
  
  - 2 **Plain-colored Seedeater** *Catamenia inornata* ▶  1
  
  - 17 **Bananaquit** *Coereba flaveola* ▶  4
  
  - 2 **Yellow-faced Grassquit** *Tiaris olivaceus* ✓ ▶  1
  
  - 4 **Streaked Saltator** *Saltator striatipectus* ▶  2
-