

EASTERN WOOD-PEWEE (*Contopus virens*)
TROPICAL PEWEE (*Contopus cinereus*)
ACADIAN FLYCATCHER (*Empidonax virescens*)
BLACK PHOEBE (*Sayornis nigricans*)
VERMILION FLYCATCHER (*Pyrocephalus rubinus*)
SANTA MARTA BUSH-TYRANT (*Myiotheretes pernix*) – Difficult and missed some years. One came in briefly and a few folks saw it in flight, but it never did show very well. Heard by all. [E]
PIED WATER-TYRANT (*Fluvicola pica*)
WHITE-HEADED MARSH TYRANT (*Arundinicola leucocephala*)
YELLOW-BELLIED CHAT-TYRANT (*Ochthoeca diadema*)
BROWN-BACKED CHAT-TYRANT (*Ochthoeca fumicolor*)
LONG-TAILED TYRANT (*Colonia colonus*)
CATTLE TYRANT (*Machetornis rixosa*)
BRIGHT-RUMPED ATTLA (*Attila spadiceus*)
DUSKY-CAPPED FLYCATCHER (*Myiarchus tuberculifer*)
PANAMA FLYCATCHER (*Myiarchus panamensis*)
APICAL FLYCATCHER (*Myiarchus apicalis*) – Great looks at this endemic at a "secret" spot as we descended the west slope of the Eastern Cordillera below La Vega. [E]
GREAT CRESTED FLYCATCHER (*Myiarchus crinitus*) [*]
BROWN-CRESTED FLYCATCHER (*Myiarchus tyrannulus*)
LESSER KISKADEE (*Pitangus lictor*)
GREAT KISKADEE (*Pitangus sulphuratus*)
BOAT-BILLED FLYCATCHER (*Megarynchus pitangua*)
RUSTY-MARGINED FLYCATCHER (*Myiozetetes cayanensis*)
SOCIAL FLYCATCHER (*Myiozetetes similis*)
GOLDEN-CROWNED FLYCATCHER (*Myiodynastes chrysocephalus*)
STREAKED FLYCATCHER (*Myiodynastes maculatus*)
PIRATIC FLYCATCHER (*Legatus leucophaeus*)
TROPICAL KINGBIRD (*Tyrannus melancholicus*)
FORK-TAILED FLYCATCHER (*Tyrannus savana*)

Cotingidae (Cotingas)

GOLDEN-BREASTED FRUITEATER (*Pipreola aureopectus*) – Always good to see a fruiteater! Seen well near the lodge at El Dorado several times.
RED-CRESTED COTINGA (*Ampelion rubrocristatus*)

Pipridae (Manakins)

WHITE-BIBBED MANAKIN (*Corapipo leucorrhoa*) [*]
BLUE-CROWNED MANAKIN (*Lepidothrix coronata*)
WHITE-BEARDED MANAKIN (*Manacus manacus*)
STRIOLATED MANAKIN (STRIOLATED) (*Machaeropterus striolatus striolatus*) [*]
GOLDEN-HEADED MANAKIN (*Ceratopipra erythrocephala*)

Tityridae (Tityras and Allies)

MASKED TITYRA (*Tityra semifasciata*)
RUSSET-WINGED SCHIFFORNIS (*Schiffornis stenorhyncha*) – The schiffornis seen at Rio Claro was this species, a split from the old Thrush-like Schiffornis. Some authorities are calling it Russet-winged Mourner.
BARRED BECARD (*Pachyramphus versicolor*) [*]
CINEREOUS BECARD (*Pachyramphus rufus*)
CINNAMON BECARD (*Pachyramphus cinnamomeus*)
WHITE-WINGED BECARD (*Pachyramphus polychopterus*)
BLACK-AND-WHITE BECARD (*Pachyramphus albogriseus*) – One of the harder *Pachyramphus* to see. We had a pair at the bushbird reserve above Ocana.
ONE-COLORED BECARD (*Pachyramphus homochrous*)

Vireonidae (Vireos, Shrike-Babblers, and Erpornis)

RUFOUS-BROWED PEPPERSHRIKE (*Cyclarhis gujanensis*)
SCRUB GREENLET (*Hylophilus flavipes*)
LESSER GREENLET (*Pachysylvia decurtata*)
GOLDEN-FRONTED GREENLET (*Pachysylvia aurantiifrons*)
RUFOUS-NAPED GREENLET (*Pachysylvia semibrunnea*)
BROWN-CAPPED VIREO (*Vireo leucophrys*)

Corvidae (Crows, Jays, and Magpies)

BLACK-CHESTED JAY (*Cyanocorax affinis*)
GREEN JAY (*Cyanocorax yncas*)

Hirundinidae (Swallows).

- BLUE-AND-WHITE SWALLOW** (*Pygochelidon cyanoleuca*)
- SOUTHERN ROUGH-WINGED SWALLOW** (*Stelgidopteryx ruficollis*)
- GRAY-BREASTED MARTIN** (*Progne chalybea*)
- BROWN-CHESTED MARTIN** (*Progne tapera*)
- WHITE-WINGED SWALLOW** (*Tachycineta albiventer*)
- BARN SWALLOW** (*Hirundo rustica*)

Troglodytidae (Wrens).

- SCALY-BREASTED WREN** (*Microcerculus marginatus*) [*****]
- HOUSE WREN (SOUTHERN)** (*Troglodytes aedon musculus*)
- SEDGE WREN (VENEZUELAN)** (*Cistothorus platensis alticola*)
- BAND-BACKED WREN** (*Campylorhynchus zonatus*)
- STRIPE-BACKED WREN** (*Campylorhynchus nuchalis*)
- BICOLORED WREN** (*Campylorhynchus griseus*)
- SOOTY-HEADED WREN** (*Pheugopedius spadix*) – This is a near endemic that we saw nicely at La Victoria.
- BLACK-BELLIED WREN** (*Pheugopedius fasciatoventris*)
- WHISKERED WREN** (*Pheugopedius mystacalis*)
- RUFOUS-BREASTED WREN** (*Pheugopedius rutilus*)
- SPECKLE-BREASTED WREN (COLOMBIAN)** (*Pheugopedius sclateri columbianus*)
- RUFOUS-AND-WHITE WREN** (*Thryophilus rufalbus*)
- NICEFORO'S WREN** (*Thryophilus nicefori*) – The endemic, closely related to the previous species, seen below the RCA lodge. A nice songster. [**E**]
- BAY WREN** (*Cantorchilus nigricapillus*)
- BUFF-BREASTED WREN** (*Cantorchilus leucotis*)
- RUFOUS WREN** (*Cinnycerthia unirufa*)
- WHITE-BREASTED WOOD-WREN (BLACK-CAPPED)** (*Henicorhina leucosticta albilateralis*)
- GRAY-BREASTED WOOD-WREN** (*Henicorhina leucophrys*)
- GRAY-BREASTED WOOD-WREN (BANGSI)** (*Henicorhina leucophrys bangsi*) – Seen at lower elevations around El Dorado lodge.
- HERMIT WOOD-WREN** (*Henicorhina anachoreta*) – Now split, this is the higher elevation Gray-breasted-type seen in the Santa Marta Mountains. [**E**]

Poliophtilidae (Gnatcatchers).

- LONG-BILLED GNATWREN** (*Ramphocaenus melanurus*)
- LONG-BILLED GNATWREN (RUFIVENTRIS GROUP)** (*Ramphocaenus melanurus sanctaemarthae*)
- TROPICAL GNATCATCHER (PLUMBICEPS/ANTEOCULARIS)** (*Poliophtila plumbea anteocularis*)
- TROPICAL GNATCATCHER (PLUMBICEPS/ANTEOCULARIS)** (*Poliophtila plumbea plumbiceps*)

Turdidae (Thrushes and Allies).

- ORANGE-BILLED NIGHTINGALE-THRUSH** (*Catharus aurantiirostris*)
- SLATY-BACKED NIGHTINGALE-THRUSH** (*Catharus fuscater*)
- GRAY-CHEEKED THRUSH** (*Catharus minimus*)
- SWAINSON'S THRUSH** (*Catharus ustulatus*)
- PALE-BREASTED THRUSH** (*Turdus leucomelas*)
- YELLOW-LEGGED THRUSH** (*Turdus flavipes*)
- CLAY-COLORED THRUSH** (*Turdus grayi*)
- SPECTACLED THRUSH** (*Turdus nudigenis*)
- BLACK-BILLED THRUSH** (*Turdus ignobilis*)
- CHESTNUT-BELLIED THRUSH** (*Turdus fulviventris*)
- BLACK-HOODED THRUSH** (*Turdus olivater*)
- GREAT THRUSH** (*Turdus fuscater*)

Mimidae (Mockingbirds and Thrashers).

- TROPICAL MOCKINGBIRD** (*Mimus gilvus*)

Fringillidae (Finches, Euphonias, and Allies).

- BLUE-NAPED CHLOROPHONIA** (*Chlorophonia cyanea*) – Killer looks at the banana feeders at El Dorado Lodge.
- TRINIDAD EUPHONIA** (*Euphonia trinitatis*)
- VELVET-FRONTED EUPHONIA** (*Euphonia concinna*) – This endemic was seen several times at El Hato and in the Upper Magdalena dry forest. [**E**]
- THICK-BILLED EUPHONIA** (*Euphonia laniirostris*)
- GOLDEN-RUMPED EUPHONIA** (*Euphonia cyanocephala*)
- FULVOUS-VENTED EUPHONIA** (*Euphonia fulvicrissa*)
- ORANGE-BELLIED EUPHONIA** (*Euphonia xanthogaster*)
- LESSER GOLDFINCH** (*Spinus psaltria*)
- YELLOW-BELLIED SISKIN** (*Spinus xanthogastrus*)

Rhodinocichlidae (Thrush-Tanager).

ROSY THRUSH-TANAGER (*Rhodinocichla rosea*)

Passerellidae (New World Sparrows).

BLACK-STRIPED SPARROW (*Arremonops conirostris*)

SIERRA NEVADA BRUSHFINCH (*Arremon basilicus*) – Our first sighting was as we climbed to El Dorado from Minca, but again at the El Dorado compost pile! [E]

BLACK-HEADED BRUSHFINCH (*Arremon atricapillus atricapillus*)

ORANGE-BILLED SPARROW (*Arremon aurantiostris*)

GOLDEN-WINGED SPARROW (*Arremon schlegeli*) – This sharp-looking Arremon was seen between Minca and El Dorado.

CHESTNUT-CAPPED BRUSHFINCH (*Arremon brunneinucha*)

RUFOUS-COLLARED SPARROW (*Zonotrichia capensis*)

WHITE-NAPED BRUSHFINCH (YELLOW-THROATED) (*Atlapetes albinucha gutturalis*)

MOUSTACHED BRUSHFINCH (*Atlapetes albofrenatus*)

SANTA MARTA BRUSHFINCH (*Atlapetes melanocephalus*) – Common in the area around El Dorado Lodge. [E]

YELLOW-HEADED BRUSHFINCH (*Atlapetes flaviceps*) – This endemic was seen in the scrubby understory above the coffee town of Libano. [E]

PALE-NAPED BRUSHFINCH (*Atlapetes pallidinucha*)

Icteridae (Troupials and Allies).

EASTERN MEADOWLARK (*Sturnella magna*)

RED-BREASTED MEADOWLARK (*Leistes militaris*)

RUSSET-BACKED OROPENDOLA (*Psarocolius angustifrons*)

CRESTED OROPENDOLA (*Psarocolius decumanus*)

YELLOW-RUMPED CACIQUE (*Cacicus cela*)

MOUNTAIN CACIQUE (*Cacicus chrysonotus*)

YELLOW-BACKED ORIOLE (*Icterus chrysater*)

YELLOW ORIOLE (*Icterus nigrogularis*)

BALTIMORE ORIOLE (*Icterus galbula*)

SHINY COWBIRD (*Molothrus bonariensis*)

GIANT COWBIRD (*Molothrus oryzivorus*)

GREAT-TAILED GRACKLE (*Quiscalus mexicanus*)

CARIB GRACKLE (*Quiscalus lugubris*)

YELLOW-HOODED BLACKBIRD (*Chrysomus icterocephalus*)

Parulidae (New World Warblers).

NORTHERN WATERTHRUSH (*Parkesia noveboracensis*)

BLACK-AND-WHITE WARBLER (*Mniotilta varia*)

PROTHONOTARY WARBLER (*Protonotaria citrea*)

TENNESSEE WARBLER (*Oreothlypis peregrina*)

MOURNING WARBLER (*Geothlypis philadelphia*)

AMERICAN REDSTART (*Setophaga ruticilla*)

CERULEAN WARBLER (*Setophaga cerulea*) – The reserve "Reinita Cielo Azul" is named after this species, and we saw it here in the coffee plantation.

TROPICAL PARULA (*Setophaga pitiayumi*)

BAY-BREASTED WARBLER (*Setophaga castanea*)

BLACKBURNIAN WARBLER (*Setophaga fusca*) – One of the most common wintering warblers encountered on this trip.

YELLOW WARBLER (*Setophaga petechia*)

CHESTNUT-SIDED WARBLER (*Setophaga pensylvanica*)

RUFOUS-CAPPED WARBLER (CHESTNUT-CAPPED) (*Basileuterus rufifrons mesochrysus*)

GOLDEN-CROWNED WARBLER (*Basileuterus culicivorus*)

THREE-STRIPED WARBLER (*Basileuterus tristriatus*)

SANTA MARTA WARBLER (*Myiothlypis basilica*) – This prize endemic was seen at the highest area on San Lorenzo Ridge. Always the most difficult of the three endemic SM warblers to see. [E]

BLACK-CRESTED WARBLER (*Myiothlypis nigrocristata*)

BUFF-RUMPED WARBLER (*Myiothlypis fulvicauda*)

GRAY-THROATED WARBLER (*Myiothlypis cinereicollis*)

WHITE-LORED WARBLER (*Myiothlypis conspicillata*) – The SM endemic seen at the lower elevations including just above Minca. Appearance is much like the previous species. [E]

CANADA WARBLER (*Cardellina canadensis*)

SLATE-THROATED REDSTART (*Myioborus miniatus*)

YELLOW-CROWNED REDSTART (*Myioborus flavivertex*) – Seen at San Lorenzo Ridge; more conspicuous than the Santa Marta Warbler. [E]

GOLDEN-FRONTED REDSTART (*Myioborus ornatus*)

Mitrospingidae (Mitrospingid Tanagers).

DUSKY-FACED TANAGER (*Mitrospingus cassinii*)

Cardinalidae (Cardinals and Allies).

HEPATIC TANAGER (*Piranga flava*)

SUMMER TANAGER (*Piranga rubra*)

SOOTY ANT-TANAGER (*Habia gutturalis*) – The next two species are spectacular endemic *Habia* ant-tanagers. The Sooty AT was seen at La Victoria where it gave us a bit of trouble, however, the Crested AT above Libano was much more cooperative. [E]

CRESTED ANT-TANAGER (*Habia cristata*) [E]

VERMILION CARDINAL (*Cardinalis phoeniceus*) – A spectacular bird restricted to the dry forest of northern South America.

ROSE-BREASTED GROSBEAK (*Pheucticus ludovicianus*)

BLUE-BLACK GROSBEAK (*Cyanoloxia cyanooides*)

Thraupidae (Tanagers and Allies)

GRAY-HEADED TANAGER (*Eucometis penicillata*)

WHITE-SHOULDERED TANAGER (*Tachyphonus luctuosus*)

TAWNY-CRESTED TANAGER (*Tachyphonus delatrii*)

WHITE-LINED TANAGER (*Tachyphonus rufus*)

FLAME-RUMPED TANAGER (LEMON-RUMPED) (*Ramphocelus flammigerus icteronotus*)

CRIMSON-BACKED TANAGER (*Ramphocelus dimidiatus*)

BLACK-CHESTED MOUNTAIN-TANAGER (*Cnemathraupis eximia*)

BLACK-CHEEKED MOUNTAIN-TANAGER (*Anisognathus melanogenys*) – Endemic to the Santa Martas; this year they were around in good numbers. [E]

SCARLET-BELLIED MOUNTAIN-TANAGER (*Anisognathus igniventris*)

BLUE-GRAY TANAGER (*Thraupis episcopus*)

GLAUCOUS TANAGER (*Thraupis glaucocolpa*)

PALM TANAGER (*Thraupis palmarum*)

BLUE-CAPPED TANAGER (*Thraupis cyanocephala*)

SPECKLED TANAGER (*Ixothraupis guttata*)

BLACK-HEADED TANAGER (*Tangara cyanoptera*)

BLACK-CAPPED TANAGER (*Tangara heinei*)

BURNISHED-BUFF TANAGER (*Tangara cayana*)

SCRUB TANAGER (*Tangara vitriolina*)

GOLDEN-HODED TANAGER (*Tangara larvata*)

BLUE-NECKED TANAGER (*Tangara cyanicollis*)

METALLIC-GREEN TANAGER (*Tangara labradorides*)

PLAIN-COLORED TANAGER (*Tangara inornata*)

BAY-HEADED TANAGER (BAY-AND-BLUE) (*Tangara gyrola catharinae*)

BAY-HEADED TANAGER (BAY-AND-GREEN) (*Tangara gyrola viridissima*)

FLAME-FACED TANAGER (*Tangara parzudakii*)

GOLDEN TANAGER (*Tangara arthus*)

SWALLOW TANAGER (*Tersina viridis*)

TURQUOISE DACNIS (*Dacnis hartlaubi*) – It's 5 pm, there it is! [E]

BLUE DACNIS (*Dacnis cayana*)

GREEN HONEYCREEPER (*Chlorophanes spiza*)

BICOLORED CONEBILL (*Conirostrum bicolor*)

WHITE-EARED CONEBILL (*Conirostrum leucogenys*)

BLUE-BACKED CONEBILL (*Conirostrum sitticolor*)

RUFIOUS-BROWED CONEBILL (*Conirostrum rufum*)

GLOSSY FLOWERPIERCER (*Diglossa lafresnayii*)

BLACK FLOWERPIERCER (*Diglossa humeralis nocticolor*)

BLACK FLOWERPIERCER (*Diglossa humeralis humeralis*)

WHITE-SIDED FLOWERPIERCER (*Diglossa albilatera*)

RUSTY FLOWERPIERCER (*Diglossa sittoides*)

MASKED FLOWERPIERCER (*Diglossa cyanea*)

PLUMBEOUS SIERRA-FINCH (*Geospizopsis unicolor*)

SAFFRON FINCH (*Sicalis flaveola*)

BLUE-BLACK GRASSQUIT (*Volatinia jacarina*)

RUDDY-BREASTED SEEDEATER (*Sporophila minuta*)

THICK-BILLED SEED-FINCH (*Sporophila funerea*)

YELLOW-BELLIED SEEDEATER (*Sporophila nigricollis*)

PILEATED FINCH (*Coryphospingus pileatus*)

BANANAQUIT (*Coereba flaveola*)

YELLOW-FACED GRASSQUIT (*Tiaris olivaceus*)

BLACK-FACED GRASSQUIT (*Tiaris bicolor*)

BUFF-THROATED SALTATOR (*Saltator maximus*)

BLACK-WINGED SALTATOR (*Saltator atripennis*)

ORINOCAN SALTATOR (*Saltator orenocensis*)

GRAYISH SALTATOR (*Saltator coerulescens*)

STREAKED SALTATOR (*Saltator striatipectus*)

MAMMALS

SILVERY-BROWN BARE-FACE TAMARIN (*Saguinus leucopus*)

GRAY-BELLIED NIGHT MONKEY (*Aotus lemurinus*)

RED HOWLER MONKEY (*Alouatta seniculus*) [*****]

EASTERN COTTONTAIL (*Sylvilagus floridanus*)

RED-TAILED SQUIRREL (*Sciurus granatensis*)

ANDEAN SQUIRREL (*Sciurus pucheranii*) [**E**]

SANTANDER DWARF SQUIRREL (*Microsciurus santanderensis*) [**E**]

GUINEA PIG (*Cavia aperea*)

CENTRAL AMERICAN AGOUTI (*Dasyprocta punctata*)

KINKAJOU (*Potos flavus*)

ADDITIONAL COMMENTS

Totals for the tour: 551 bird taxa and 10 mammal taxa