

Trip Report — Colombia's Santa Marta Mountains & Caribbean Coast II 2026

February 21-March 1, 2026 with Dan Lane & Manuela Zapata



This pair of Santa Marta Parakeets was a major highlight of our visit! Photo by Dan Lane.

Northern Colombia is quite a hodgepodge of habitats that results in some pretty impressive avifaunal variety. Our tour started in the bustling port city of Barranquilla, which grew from being the crossroads of goods coming down the Magdalena river from the interior of Colombia to be exported to North America, Europe, and beyond. Also, imports arriving from these regions arrived here to be carried to the interior cities of Bogota, Cali, Medellin, and others. The Magdalena also provides a constant source of water for an otherwise fairly arid region, resulting in extensive fertile

marshes near its mouth and mangrove swamps thrive along the immediate coast nearby. We certainly took advantage of these features our first couple of days. We then continued east, across the sand spit separating the Caribbean Sea from the Laguna Grande de Santa Marta, a huge brackish lagoon barely visible through the mangrove canopy. After passing the city of Santa Marta, we entered the coastal foothills of the Sierra Nevada de Santa Marta, a region that is presently incorporated by Tayrona National Park, the name of which commemorates the local tribes of the Tayrona, who still control much of the region. We passed farther east along the coast to the arid Guajira peninsula, a thumb shared by Colombia and Venezuela that sticks out into the Caribbean yet appears more like the thorn-scrub desert of southern Arizona! After a day spent in this unique environment, we returned to the Santa Marta range and headed upslope into the humid forests and coffee fincas near the town of Minca and then higher still into the El Dorado reserve, cloaked in luxurious cloud forest. Here, we spent several days exploring different elevations before returning to Barranquilla.



Co-leader Manuela can barely contain her glee at finding the snuggled pair of Santa Marta Parakeets in the previous photo! Photo by Dan Lane.

These various habitats and land features in a tropical setting all contributed to our success in encountering over 300 species of birds! Just around Barranquilla, our visit to the Isla Salamanca area, expertly guided by Omar, resulted in a morning of 100+ species! These included things such as a wintering Belted Kingfisher, the flashy Golden-green Woodpecker, the local subspecies of Bronzed Cowbird, the range-restricted Northern Screamer and Dwarf Cuckoo, and the exceptionally poorly known Sapphire-bellied Hummingbird. Around Camarones at the base of the Guajira peninsula, we had a very different set of species, including the stunning Vermilion Cardinal, the roadrunner-like Double-banded Thick-knee, the feeders run by a local couple and the boat trip on the shallow estuary to see the American Flamingos, Scarlet Ibis, and other waders, and of course the Mangrove Rails! Around Minca, in the humid foothills, we enjoyed a visit to a set of feeders

operated by a local family (again) that provided stunning views of Blue Ground-Dove, Golden-winged Sparrow, Whooping Motmot, and more!



After a recent split from Clapper Rail, Mangrove Rails are found in Neotropical mangrove woodlands such as near Camarones. Photo by Dan Lane.

Higher up, a visit to the Mountain House resulted in a nice smattering of tanagers, hummingbirds (including the endemic Santa Marta Blossomcrown and the stunning Lazuline Sabrewing) and the constant Flower-piercer and Tennessee Warbler show. At our lodging at the Koguihabs of El Dorado, amid the stunning views, another set of feeders provided in-our-face views of Crowned Woodnymphs and violetears, the endemic (sub?) species of Blue-naped Chlorophonia, and crowds of Band-tailed Guans. Even on the San Lorenzo ridge, feeders there allowed us easy views of the White-tailed Starfrontlet, Mountain Velvetbreast, and even the Santa Marta Antpitta! Our return visit to the San Lorenzo ridge was Manuela's day to shine, as she

expertly picked out most of the remaining targets! Band-tailed Seed eater? Check. Santa Marta Bush-Tyrant? Yup. Santa Marta Parakeet?? Wait, where's Manuela? Oh, over there waving her arms to come over: she somehow located a small group of snoozing parakeets! Finally, the recently-split Carriker's Mountain-Tanager finally came in at the parking area, giving us stunning views. It was a magical day, and we were all pleased at its end! In the cloudforest nearer to our digs, we had a couple of walks on the road that also resulted in some great views of targets: White-tipped Quetzal (which was nesting near the lower buildings of El Dorado), an amazingly extroverted Barred Forest-Falcon that was a lifer for many, and even North American migrants such as Mourning and Blackburnian warblers, the latter bringing tears to Carol's eyes after 40 years of absence! Overall, it was a successful visit and we will keep these lovely memories for a long, long time!



The powder-blue Blue Ground-Dove is usually a very difficult bird to see, but on this tour, flaunts itself in front of us at feeders near Minca! Photo by Dan Lane.

So now it's time to "flip the tortilla (or arepa?)" and say that the group was also one of the memorable aspects of the tour: a fun bunch of folks who enjoyed one another's company, rolled with any minor inconveniences we experienced, and drank up the birding, food, culture, and scenery we experienced over the course of the tour! Manuela and I sincerely thank you for joining us for this visit to one of the great endemic landmarks on planet Earth. We would love to bird with you all again! Until then, keep the binoculars close at hand and a sense of adventure in your hearts!



Another difficult bird is Dwarf Cuckoo, so this view was simply gob-smacking! Photo by Dan Lane.



Now split from Buff-breasted Mountain-Tanager, this Carriker's Mountain-Tanager is endemic to the Santa Martas and named for Melvin Carriker, an American ornithologist who decided to live in the area and raise his family there. Photo by Dan Lane.



And continuing the splitting theme: the Colombian endemic hummingbird called Blossomcrown has been split into two species, both still endemic. This is the Santa Marta Blossomcrown, endemic to (you guessed it!) the Santa Martas. Photo by Dan Lane.

Mammals:

Gray-legged Night Monkey (*Aotus griseimembra*)
Colombian Red Howler (*Alouatta seniculus*)
Red-tailed Squirrel (*Sciurus granatensis*)
Crab-eating Fox (*Cerdocyon thous*)
Northern Neotropical River Otter (*Lontra annectens*)

Herps of note:

Green Iguana (*Iguana iguana*)



Woodpeckers can be either fairly dull or strikingly colorful. This is one of the latter: the Golden-green Woodpecker, which gave us a great show at Isla Salamanca. Photo by Dan Lane.

You can see my complete trip report on eBird at this link: <https://ebird.org/tripreport/484449>


You can download a combined PDF of this page and the eBird report at this link: <https://fieldguides.com/triplists/cms26bTRIPLIST.pdf>

-- Dan (the Barbet)

Field Guides Birding Tours --COLOMBIA: SANTA MARTA 2026 (with Dan Lane and Manuela Zapata)



21 – 28 Feb 2026 (8 days) Link-only



Colombia

Atlántico | La Guajira | Magdalena

Dan Lane FGI tours



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...



 312
























 36
LIFERS  10 
























Species Observed
























[Show all details](#)
























- | | | |
|----|---|--|
| 1 | Gray Tinamou <i>Tinamus tao</i> |  1 |
| 2 | Northern Screamer <i>Chauna chavaria</i> |  1 |
| 10 | Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i> |  1 |
| 8 | Blue-winged Teal <i>Spatula discors</i> |  1 |
| 2 | Sickle-winged Guan <i>Chamaepetes goudotii</i> |  1 |
| 32 | Band-tailed Guan <i>Penelope argyrotis</i> |  7 |
| 16 | Chestnut-winged Chachalaca <i>Ortalis garrula</i> |  2 |
| 6 | Rufous-vented Chachalaca <i>Ortalis ruficauda</i> |  1 |
| 6 | Rock Pigeon <i>Columba livia</i> * |  1 |
| 11 | Pale-vented Pigeon <i>Patagioenas cayennensis</i> |  3 |
| 2 | Scaled Pigeon <i>Patagioenas speciosa</i> |  2 |
| 3 | Bare-eyed Pigeon <i>Patagioenas corensis</i> |  1 |
| 4 | Band-tailed Pigeon <i>Patagioenas fasciata</i> |  4 |
| 3 | Common Ground Dove <i>Columbina passerina</i> |  2 |
| 10 | Ruddy Ground Dove <i>Columbina talpacoti</i> |  2 |
| 19 | Scaled Dove <i>Columbina squammata</i> |  5 |
| 5 | Blue Ground Dove <i>Claravis pretiosa</i> |  1 |
| 26 | White-tipped Dove <i>Leptotila verreauxi</i> |  12 |
| 12 | Lined Quail-Dove <i>Zentrygon linearis</i> |  6 |
| 1 | Eared Dove <i>Zenaida auriculata</i> |  1 |
























1	Smooth-billed Ani <i>Crotophaga ani</i>	▶  1
10	Groove-billed Ani <i>Crotophaga sulcirostris</i>	▶  3
2	Striped Cuckoo <i>Tapera naevia</i>	▶  1
1	Dwarf Cuckoo <i>Coccyua pumila</i>	▶  1
1	Common Squirrel-Cuckoo <i>Piaya cayana</i>	▶  1
2	Band-winged Nightjar <i>Systellura longirostris</i> ✓	▶  1
15	Chestnut-collared Swift <i>Streptoprocne rutila</i>	▶  1
20	White-collared Swift <i>Streptoprocne zonalis</i>	▶  1
5	Gray-rumped Swift <i>Chaetura cinereiventris</i> ✓	▶  1
3	Short-tailed Swift <i>Chaetura brachyura</i>	▶  1
2	White-tipped Swift <i>Aeronautes montivagus</i>	▶  1
10	White-necked Jacobin <i>Florisuga mellivora</i>	▶  1
1	Rufous-breasted Hermit <i>Glaucis hirsutus</i>	▶  1
3	Sparkling Violetear <i>Colibri coruscans</i>	▶  2
21	Brown Violetear <i>Colibri delphinae</i>	▶  6
26	Lesser Violetear <i>Colibri cyanotus</i>	▶  8
1	Black-backed Thornbill <i>Ramphomicron dorsale</i>	▶  1
15	Tyrian Metaltail <i>Metallura tyrianthina</i>	▶  6
4	White-tailed Starfrontlet <i>Coeligena phalerata</i>	▶  2
2	Mountain Velvetbreast <i>Lafresnaya lafresnayi</i>	▶  2
3	Santa Marta Blossomcrown <i>Anthocephala floriceps</i>	▶  3
1	Lazuline Sabrewing <i>Campylopterus falcatus</i>	▶  1
15	White-vented Plumeleteer <i>Chalybura buffonii</i>	▶  2
144	Crowned Woodnymph <i>Thalurania colombica</i>	▶  9
























- 2 **Buffy Hummingbird** *Leucippus fallax* ▶  1
- 3 **Steely-vented Hummingbird** *Saucerottia saucerottei* ▶  1
- 9 **Rufous-tailed Hummingbird** *Amazilia tzacatl* ▶  3
- 5 **Shining-green Hummingbird** *Chrysuronia goudoti* ▶  2
- 6 **Sapphire-bellied Hummingbird** *Chrysuronia lilliae* ▶  2
- 3 **Mangrove Rail** *Rallus longirostris* ✓ ▶  1
- 2 **Common Gallinule** *Gallinula galeata* ▶  1
- 4 **Purple Gallinule** *Porphyrio martinica* ▶  1
- 1 **Limpkin** *Aramus guarauna* ▶  1
- 2 **Double-striped Thick-knee** *Hesperoburhinus bistriatus* ▶  1
- 11 **Black-necked Stilt** *Himantopus mexicanus* ▶  2
- 6 **American Oystercatcher** *Haematopus palliatus* ▶  2
- 5 **Black-bellied Plover** *Pluvialis squatarola* ▶  2
- 15 **Semipalmated Plover** *Charadrius semipalmatus* ▶  1
- 4 **Southern Lapwing** *Vanellus chilensis* ▶  2
- 2 **Wattled Jacana** *Jacana jacana* ▶  2
- 11 **Hudsonian Whimbrel** *Numenius hudsonicus* ▶  2
- 10 **Short-billed Dowitcher** *Limnodromus griseus* ✓ ▶  1
- 4 **Spotted Sandpiper** *Actitis macularius* ▶  3
- 5 **Solitary Sandpiper** *Tringa solitaria* ▶  1
- 4 **Lesser Yellowlegs** *Tringa flavipes* ▶  3
- 17 **Willet** *Tringa semipalmata* ▶  3
- 2 **Greater Yellowlegs** *Tringa melanoleuca* ▶  1






















1	Stilt Sandpiper	<i>Calidris himantopus</i>	▶  1
5	Sanderling	<i>Calidris alba</i>	▶  1
7	Least Sandpiper	<i>Calidris minutilla</i>	▶  2
5	Western Sandpiper	<i>Calidris mauri</i>	▶  1
50	Semipalmated Sandpiper	<i>Calidris pusilla</i>	▶  1
65	Laughing Gull	<i>Leucophaeus atricilla</i>	▶  3
56	Black Skimmer	<i>Rynchops niger</i>	▶  1
6	Large-billed Tern	<i>Phaetusa simplex</i>	▶  3
1	Gull-billed Tern	<i>Gelochelidon nilotica</i> ✓	▶  1
11	Caspian Tern	<i>Hydroprogne caspia</i>	▶  2
5	Common Tern	<i>Sterna hirundo</i>	▶  1
30	Sandwich Tern	<i>Thalasseus sandvicensis</i>	▶  3
161	Royal Tern	<i>Thalasseus maximus</i>	▶  4
501	American Flamingo	<i>Phoenicopterus ruber</i>	▶  2
42	Wood Stork	<i>Mycteria americana</i>	▶  3
30	Magnificent Frigatebird	<i>Fregata magnificens</i>	▶  5
2557	Neotropic Cormorant	<i>Nannopterum brasilianum</i>	▶  6
82	White Ibis	<i>Eudocimus albus</i>	▶  2
2	Scarlet Ibis	<i>Eudocimus ruber</i> ✓	▶  1
100	Glossy Ibis	<i>Plegadis falcinellus</i>	▶  1
27	Bare-faced Ibis	<i>Phimosus infuscatus</i>	▶  3
7	Roseate Spoonbill	<i>Platalea ajaja</i>	▶  3
2	Yellow-crowned Night Heron	<i>Nyctanassa violacea</i>	▶  1
























7	Little Blue Heron <i>Egretta caerulea</i>	▶  4
9	Tricolored Heron <i>Egretta tricolor</i>	▶  3
7	Reddish Egret <i>Egretta rufescens</i>	▶  3
192	Snowy Egret <i>Egretta thula</i>	▶  7
1	Striated Heron <i>Butorides striata</i>	▶  1
1	Green Heron <i>Butorides virescens</i>	▶  1
5	Western Cattle-Egret <i>Ardea ibis</i>	▶  1
89	Great Egret <i>Ardea alba</i>	▶  7
5	Great Blue Heron <i>Ardea herodias</i>	▶  1
2	Cocoi Heron <i>Ardea cocoi</i>	▶  2
61	Brown Pelican <i>Pelecanus occidentalis</i>	▶  4
23	Black Vulture <i>Coragyps atratus</i>	▶  9
116	Turkey Vulture <i>Cathartes aura</i>	▶  13
2	Lesser Yellow-headed Vulture <i>Cathartes burrovianus</i>	▶  2
3	Osprey <i>Pandion haliaetus</i>	▶  3
3	Hook-billed Kite <i>Chondrohierax uncinatus</i>	▶  1
1	Sharp-shinned Hawk <i>Accipiter striatus</i>	▶  1
3	Plumbeous Kite <i>Ictinia plumbea</i>	▶  1
3	Snail Kite <i>Rostrhamus sociabilis</i>	▶  2
3	Common Black Hawk <i>Buteogallus anthracinus</i>	▶  1
1	Savanna Hawk <i>Buteogallus meridionalis</i>	▶  1
1	Roadside Hawk <i>Rupornis magnirostris</i>	▶  1
3	Santa Marta Screech-Owl <i>Megascops gilesi</i>	▶  2
























- 1 **Ferruginous Pygmy-Owl** *Glaucidium brasilianum* ▶  1
- 1 **Mottled Owl** *Strix virgata* ▶  1
- 8 **White-tipped Quetzal** *Pharomachrus fulgidus* ▶  4
- 4 **Gartered Violaceous Trogon** *Trogon caligatus* ▶  3
- 5 **Masked Trogon** *Trogon personatus* ▶  4
- 2 **Whooping Motmot** *Momotus subrufescens* ▶  2
- 4 **Ringed Kingfisher** *Megaceryle torquata* ▶  3
- 1 **Belted Kingfisher** *Megaceryle alcyon* ✓ ▶  1
- 1 **Amazon Kingfisher** *Chloroceryle amazona* ▶  1
- 2 **American Pygmy Kingfisher** *Chloroceryle aenea* ▶  2
- 1 **Green Kingfisher** *Chloroceryle americana* ▶  1
- 1 **Pied Puffbird** *Notharchus tectus* ▶  1
- 7 **Russet-throated Puffbird** *Hypnelus ruficollis* ▶  3
- 4 **Rufous-tailed Jacamar** *Galbula ruficauda* ▶  1
- 3 **Southern Emerald-Toucanet** *Aulacorhynchus albivitta* ▶  2
- 5 **Groove-billed Toucanet** *Aulacorhynchus sulcatus* ▶  2
- 1 **Keel-billed Toucan** *Ramphastos sulfuratus* ▶  1
- 4 **Chestnut Piculet** *Picumnus cinnamomeus* ▶  3
- 7 **Red-crowned Woodpecker** *Melanerpes rubricapillus* ▶  5
- 1 **Red-rumped Woodpecker** *Veniliornis kirkii* ▶  1
- 4 **Crimson-crested Woodpecker** *Campephilus melanoleucos* ▶  3
- 2 **Lineated Woodpecker** *Dryocopus lineatus* ▶  2
- 1 **Golden-green Woodpecker** *Piculus chrysochloros* ✓ ▶  1

4	Golden-olive Woodpecker <i>Colaptes rubiginosus</i>	▶  3
1	Spot-breasted Woodpecker <i>Colaptes punctigula</i>	▶  1
2	Collared Forest-Falcon <i>Micrastur semitorquatus</i>	▶  2
4	Barred Forest-Falcon <i>Micrastur ruficollis</i>	▶  3
10	Crested Caracara <i>Caracara plancus</i>	▶  6
7	Yellow-headed Caracara <i>Daptrius chimachima</i>	▶  3
2	American Kestrel <i>Falco sparverius</i>	▶  2
14	Orange-chinned Parakeet <i>Brotogeris jugularis</i>	▶  4
8	Red-billed Parrot <i>Pionus sordidus</i>	▶  4
5	Blue-headed Parrot <i>Pionus menstruus</i>	▶  1
8	Orange-winged Amazon <i>Amazona amazonica</i>	▶  2
6	Scaly-naped Amazon <i>Amazona mercenarius</i>	▶  2
5	Turquoise-winged Parrotlet <i>Forpus spengeli</i> ✓	▶  1
4	Green-rumped Parrotlet <i>Forpus passerinus</i>	▶  2
3	Santa Marta Parakeet <i>Pyrrhura viridicata</i>	▶  1
172	Brown-throated Parakeet <i>Eupsittula pertinax</i>	▶  6
30	Blue-crowned Parakeet <i>Thectocercus acuticaudatus</i>	▶  1
86	Scarlet-fronted Parakeet <i>Psittacara wagleri</i>	▶  8
13	Black-crested Antshrike <i>Sakesphorus canadensis</i>	▶  6
2	Barred Antshrike <i>Thamnophilus doliatus</i>	▶  2
3	Slaty Antwren <i>Myrmotherula schisticolor</i>	▶  1
5	Northern White-fringed Antwren <i>Formicivora intermedia</i>	▶  2
1	Santa Marta Antbird <i>Drymophila hellmayri</i>	▶  1
























- 3 **White-bellied Antbird** *Myrmeciza longipes* ▶  1
- 3 **Santa Marta Antpitta** *Grallaria bangsi* ▶  2
- 8 **Sierra Nevada Antpitta** *Grallaria spatiator* ▶  2
- 5 **Rusty-breasted Antpitta** *Grallaricula ferrugineipectus* ▶  3
- 2 **Santa Marta Tapaculo** *Scytalopus sanctaemartae* ▶  2
- 8 **Brown-rumped Tapaculo** *Scytalopus latebricola* ▶  2
- 2 **Gray-throated Leaftosser** *Sclerurus albigularis* ▶  1
- 1 **Plain-brown Woodcreeper** *Dendrocincla fuliginosa* ▶  1
- 1 **Black-banded Woodcreeper** *Dendrocolaptes picumnus* ▶  1
- 2 **Strong-billed Woodcreeper** *Xiphocolaptes promeropirhynchus* ▶  2
- 9 **Straight-billed Woodcreeper** *Dendroplex picus* ▶  5
- 1 **Streak-headed Woodcreeper** *Lepidocolaptes souleyetii* ▶  1
- 1 **Montane Woodcreeper** *Lepidocolaptes lacrymiger* ▶  1
- 1 **Northern Plain-Xenops** *Xenops mexicanus* ▶  1
- 2 **Caribbean Hornero** *Furnarius longirostris* ▶  1
- 4 **Montane Foliage-gleaner** *Anabacerthia striaticollis* ▶  2
- 1 **Santa Marta Foliage-gleaner** *Clibanornis rufipectus* ▶  1
- 12 **Streak-capped Spinetail** *Cranioleuca hellmayri* ▶  6
- 5 **Yellow-chinned Spinetail** *Certhiaxis cinnamomeus* ▶  3
- 2 **Pale-breasted Spinetail** *Synallaxis albescens* ▶  2
- 2 **White-whiskered Spinetail** *Synallaxis candei* ▶  1
- 10 **Rusty-headed Spinetail** *Synallaxis fuscorufa* ▶  4
- 2 **White-bearded Manakin** *Manacus manacus* ▶  1

- 6 **Golden-breasted Fruiteater** *Pipreola aureopectus* ▶  2
- 2 **Masked Tityra** *Tityra semifasciata* ▶  1
- 2 **Cinnamon Becard** *Pachyramphus cinnamomeus* ▶  1
- 1 **Olive-striped Flycatcher** *Mionectes galbinus* ▶  1
- 1 **Ochre-bellied Flycatcher** *Mionectes oleagineus* ▶  1
- 2 **Pale-eyed Pygmy-Tyrant** *Atalotriccus pilaris* ▶  2
- 4 **Black-throated Tody-Tyrant** *Hemitriccus granadensis* ▶  4
- 1 **Slate-headed Tody-Flycatcher** *Poecilotriccus sylvia* ▶  1
- 8 **Common Tody-Flycatcher** *Todirostrum cinereum* ▶  3
- 4 **Ochre-ored Flatbill** *Tolmomyias flaviventris* ▶  2
- 3 **Cinnamon Flycatcher** *Pyrrhomyias cinnamomeus* ▶  2
- 3 **Southern Beardless-Tyrannulet** *Camptostoma obsoletum* ▶  2
- 5 **White-throated Tyrannulet** *Mecocerculus leucophrys* ▶  3
- 1 **Forest Elaenia** *Myiopagis gaimardii* ▶  1
- 5 **Yellow-bellied Elaenia** *Elaenia flavogaster* ▶  3
- 9 **Mountain Elaenia** *Elaenia frantzii* ▶  5
- 2 **Golden-faced Tyrannulet** *Zimmerius chrysops* ▶  1
- 3 **Slender-billed Tyrannulet** *Inezia tenuirostris* ▶  3
- 2 **Pale-tipped Tyrannulet** *Inezia caudata* ▶  1
- 1 **Olive-sided Flycatcher** *Contopus cooperi* ▶  1
- 7 **Northern Scrub-Flycatcher** *Sublegatus arenarum* ▶  2
- 1 **Vermilion Flycatcher** *Pyrocephalus rubinus* ▶  1
- 2 **Santa Marta Bush-Tyrant** *Myiotheretes pernix* ▶  1

- 2 **Pied Water-Tyrant** *Fluvicola pica* ▶  2
- 6 **Yellow-bellied Chat-Tyrant** *Silvicultrix diadema* ▶  2
- 1 **Bright-rumped Attila** *Attila spadiceus* ▶  1
- 2 **Dusky-capped Flycatcher** *Myiarchus tuberculifer* ▶  2
- 1 **Panama Flycatcher** *Myiarchus panamensis* ▶  1
- 2 **Brown-crested Flycatcher** *Myiarchus tyrannulus* ▶  2
- 2 **Cattle Tyrant** *Machetornis rixosa* ▶  1
- 21 **Great Kiskadee** *Pitangus sulphuratus* ▶  8
- 2 **Boat-billed Flycatcher** *Megarynchus pitangua* ▶  2
- 13 **Social Flycatcher** *Myiozetetes similis* ▶  5
- 3 **Golden-bellied Flycatcher** *Myiodynastes hemichrysus* ▶  1
- 7 **Streaked Flycatcher** *Myiodynastes maculatus* ▶  3
- 8 **Tropical Kingbird** *Tyrannus melancholicus* ▶  4
- 3 **Gray Kingbird** *Tyrannus dominicensis* ▶  3
- 8 **Scrub Greenlet** *Hylophilus flavipes* ▶  3
- 6 **Brown-capped Vireo** *Vireo leucophrys* ▶  3
- 1 **Chivi Vireo** *Vireo chivi* ▶  1
- 17 **Black-chested Jay** *Cyanocorax affinis* ▶  9
- 4 **White-winged Swallow** *Tachycineta albiventer* ▶  2
- 4 **Gray-breasted Martin** *Progne chalybea* ▶  3
- 2 **Southern Rough-winged Swallow** *Stelgidopteryx ruficollis* ▶  2
- 3 **Blue-and-white Swallow** *Pygochelidon cyanoleuca* ▶  2
- 11 **Barn Swallow** *Hirundo rustica* ▶  2

- 1 **Long-billed Gnatwren** *Ramphocaenus melanurus* ▶  1
- 5 **Tropical Gnatcatcher** *Polioptila plumbea* ▶  3
- 9 **Southern House Wren** *Troglodytes musculus* ▶  8
- 2 **Stripe-backed Wren** *Campylorhynchus nuchalis* ▶  1
- 10 **Bicolored Wren** *Campylorhynchus griseus* ▶  5
- 2 **Rufous-breasted Wren** *Pheugopedius rutilus* ▶  2
- 1 **Rufous-and-white Wren** *Thryophilus rufalbus* ▶  1
- 3 **Buff-breasted Wren** *Cantorchilus leucotis* ▶  2
- 19 **Gray-breasted Wood-Wren** *Henicorhina leucophrys* ▶  9
- 10 **Hermit Wood-Wren** *Henicorhina anachoreta* ▶  2
- 5 **Tropical Mockingbird** *Mimus gilvus* ▶  3
- 1 **Orange-billed Nightingale-Thrush** *Catharus aurantiirostris* ▶  1
- 6 **Slaty-backed Nightingale-Thrush** *Catharus fuscater* ▶  4
- 1 **Swainson's Thrush** *Catharus ustulatus* ▶  1
- 11 **Black-hooded Thrush** *Turdus olivater* ▶  6
- 5 **Great Thrush** *Turdus fuscater* ▶  2
- 7 **Yellow-legged Thrush** *Turdus flavipes* ▶  4
- 1 **White-necked Thrush** *Turdus albicollis* ▶  1
- 9 **Pale-breasted Thrush** *Turdus leucomelas* ▶  5
- 1 **Clay-colored Thrush** *Turdus grayi* ▶  1
- 20 **Blue-naped Chlorophonia** *Chlorophonia cyanea* ▶  9
- 7 **Trinidad Euphonia** *Euphonia trinitatis* ▶  3
- 17 **Thick-billed Euphonia** *Euphonia laniirostris* ▶  2

4	Rosy Thrush-Tanager <i>Rhodinocichla rosea</i>	▶ 2
1	Tocuyo Sparrow <i>Arremonops tocuensis</i>	▶ 1
7	Sierra Nevada Brushfinch <i>Arremon basilicus</i>	▶ 4
2	Golden-winged Sparrow <i>Arremon schlegeli</i>	▶ 1
18	Rufous-collared Sparrow <i>Zonotrichia capensis</i>	▶ 7
23	Santa Marta Brushfinch <i>Atlapetes melanocephalus</i>	▶ 6
16	Crested Oropendola <i>Psarocolius decumanus</i>	▶ 4
6	Yellow-rumped Cacique <i>Cacicus cela</i>	▶ 1
3	Orange-crowned Oriole <i>Icterus auricapillus</i>	▶ 1
10	Yellow Oriole <i>Icterus nigrogularis</i>	▶ 5
4	Baltimore Oriole <i>Icterus galbula</i>	▶ 1
2	Shiny Cowbird <i>Molothrus bonariensis</i>	▶ 1
8	Bronzed Cowbird <i>Molothrus aeneus</i>	▶ 2
27	Great-tailed Grackle <i>Quiscalus mexicanus</i>	▶ 5
47	Carib Grackle <i>Quiscalus lugubris</i>	▶ 4
7	Northern Waterthrush <i>Parkesia noveboracensis</i>	▶ 2
1	Black-and-white Warbler <i>Mniotilta varia</i>	▶ 1
18	Prothonotary Warbler <i>Protonotaria citrea</i>	▶ 3
34	Tennessee Warbler <i>Leiothlypis peregrina</i>	▶ 12
2	Mourning Warbler <i>Geothlypis philadelphia</i>	▶ 2
3	American Redstart <i>Setophaga ruticilla</i>	▶ 3
9	Blackburnian Warbler <i>Setophaga fusca</i>	▶ 6
12	Northern Yellow Warbler <i>Setophaga aestiva</i>	▶ 5

4	Chestnut-capped Warbler <i>Basileuterus delatirii</i>	▶  2
4	Santa Marta Warbler <i>Myiothlypis basilica</i>	▶  2
10	White-lored Warbler <i>Myiothlypis conspicillata</i>	▶  5
8	Slate-throated Redstart <i>Myioborus miniatus</i>	▶  5
6	Yellow-crowned Redstart <i>Myioborus flavivertex</i>	▶  2
2	Summer Tanager <i>Piranga rubra</i>	▶  2
1	Vermilion Cardinal <i>Cardinalis phoeniceus</i>	▶  1
2	Golden Grosbeak <i>Pheucticus chrysogaster</i>	▶  2
1	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	▶  1
2	Blue-black Grosbeak <i>Cyanoloxia cyanoides</i>	▶  1
4	Gray-headed Tanager <i>Eucometis penicillata</i>	▶  2
1	White-lined Tanager <i>Tachyphonus rufus</i>	▶  1
8	Crimson-backed Tanager <i>Ramphocelus dimidiatus</i>	▶  4
3	Blue-capped Tanager <i>Sporathraupis cyanocephala</i>	▶  1
10	Black-cheeked Mountain Tanager <i>Anisognathus melanogenys</i>	▶  3
1	Carriker's Mountain Tanager <i>Dubusia carrikeri</i>	▶  1
11	Blue-gray Tanager <i>Thraupis episcopus</i>	▶  4
18	Glaucous Tanager <i>Thraupis glaucocolpa</i>	▶  3
4	Palm Tanager <i>Thraupis palmarum</i>	▶  2
4	Black-headed Tanager <i>Stilpnia cyanoptera</i>	▶  2
11	Black-capped Tanager <i>Stilpnia heinei</i>	▶  3
7	Bay-headed Tanager <i>Tangara gyrola</i>	▶  5
6	Swallow Tanager <i>Tersina viridis</i>	▶  3

- 13 **Bicolored Conebill** *Conirostrum bicolor* ▶ 🗑️ 2
- 6 **Black Flowerpiercer** *Diglossa humeralis* ▶ 🗑️ 3
- 15 **White-sided Flowerpiercer** *Diglossa albilatera* ▶ 🗑️ 9
- 3 **Rusty Flowerpiercer** *Diglossa sittoides* ▶ 🗑️ 2
- 6 **Saffron Finch** *Sicalis flaveola* ▶ 🗑️ 1
- 1 **Thick-billed Seed-Finch** *Sporophila funerea* ▶ 🗑️ 1
- 1 **Paramo Seedeater** *Catamenia homochroa* ✓ ▶ 🗑️ 1
- 5 **Pileated Finch** *Coryphospingus pileatus* ▶ 🗑️ 2
- 2 **Bananaquit** *Coereba flaveola* ▶ 🗑️ 2
- 2 **Black-faced Grassquit** *Melanospiza bicolor* ▶ 🗑️ 1
- 1 **Dull-colored Grassquit** *Asemospiza obscura* ▶ 🗑️ 1
- 10 **Buff-throated Saltator** *Saltator maximus* ▶ 🗑️ 3
- 1 **Orinocan Saltator** *Saltator orenocensis* ▶ 🗑️ 1
- 14 **Olive-gray Saltator** *Saltator olivascens* ▶ 🗑️ 5
- 6 **Streaked Saltator** *Saltator striatipectus* ▶ 🗑️ 4

HYBRIDS

- 6 White x Scarlet Ibis (hybrid) *Eudocimus albus x ruber* ▶ 🗑️ 1

ADDITIONAL TAXA

- 30 swift sp. *Apodidae sp.* ▶ 🗑️ 1
- 1 Striated/Green Heron *Butorides striata/virescens* ▶ 🗑️ 1
- 1 hawk sp. *Accipitridae sp. (hawk sp.)* ▶ 🗑️ 1
- 1 Red-eyed/Chivi Vireo *Vireo olivaceus/chivi* ▶ 🗑️ 1