

## Trip Report — Mexico: Enchanted Chiapas 2025 Kania Private Tour

February 23-March 4, 2025 with Micah Riegner & Jorge Montejó-Díaz



White-faced Ground-Sparrow has a narrow elevational range along the foothills in Chiapas. This year we had fabulous views of a pair at El Paval near Mapastepec. Photo by guide Micah Riegner.

This year's private tour with the Denis Kania group set a high bar in Chiapas, the southernmost state in Mexico. In just over a week we saw over 320 species including most of the important specialties like Nava's Wren at Reserva el Ocote (after two attempts), Belted Flycatcher, Blue-throated Motmot, Pink-headed Warbler, Singing Quail (actually seen!) and Bearded Screech-owl near San Cristobal, then Slender Sheartail, Red-breasted Chat at Sumidero Canyon, Rose-bellied Buntings, Great Swallow-tailed Swifts,

Cinnamon-tailed Sparrows and Black Hawk-eagle near Arriaga, Agami Herons, White-necked Puffbird and Yellow-naped Parrots at Centro Ecoturistico Costa Verde, White-faced and White-eared Ground-Sparrows, Tody Motmots and Long-tailed Manakins at El Paval, and, last but not least, Azure-rumped Tanagers, Sparkling-tailed, Blue-tailed and Emerald-chinned Hummingbirds at the glorious Volcan Tacana. With everyone on the afternoon flight out of Tapachula, we ended up with an extra morning to bird around Tapachula, so we headed to the coast and saw Mangrove Cuckoo, Gray-headed Kite and Stripe-headed Sparrows, all of which were new for this itinerary.



Our group at Volcan Tacana, the tropical volcano right at the Mexico/Guatemala boarder. Here, we saw Azure-rumped Tanagers, and a number of hummingbirds including Sparkling-tailed Hummingbird and Rufous Sabrewing. Photo set by guide Micah Riegner.

Now, for a more detailed look at our trip. Day one, we took off early from Tuxtla Gutierrez to Reserva El Ocote, the most biodiverse reserve in Mexico with a bird list exceeding 500 species; however, we did not get a sense of that diversity because it was super foggy and soaked in all morning and we could barely make out a Wilson's Warbler 10 feet away! Darn. We heard the explosive song of Nava's Wren, but nobody got a satisfying view, so we decided to save it for another day. After lunch back in Tuxtla, we headed up to the pine/oak zone at San Cristobal. That afternoon we birded some shrubby hills nearby, where it was also quite foggy, but with a bit of patience we were able to pull a Belted Flycatcher into view. What a great little bird!



This is one of several Northern Potoos that we saw in the lowlands along the Pacific coast. Photo by tour participant Jane Kellenberger.

The next day we visited Reserva Montetik, a community reserve outside of San Cristobal. Early on, we watched a mixed flock with Yellow-backed Orioles, Spot-crowned Woodcreepers and Brown Creepers in the tall pines, then on our way up the road we found a close Blue-throated Motmot that sat

out in the open for ages. Continuing up in elevation into the more humid bromeliad-filled forest, we encountered Guatemalan Flicker, now a full species, a couple Pink-headed Warblers, Unicolored Jays and, to our astonishment, a flock of Singing Quail that flew across the road right in front of us. None of us were expecting to see that! We reached the top of the mountain and saw Amethyst-throated Mountain-Gem but, unfortunately, the Garnet-throated Hummingbird wasn't at its usual territory. We had lunch at the main plaza in San Cristobal, then toured around town a bit, enjoying the cobblestone roadways, cathedrals, and tienditas. We returned to Montetik in the late afternoon and birded near the entrance. A Northern (Guatemalan) Pygmy-Owl shot into view in response to my whistling, which attracted a mob of Hermit, Townsend's, Red-faced and Olive Warblers. After a picnic pizza dinner, we tried our luck at Bearded Screech-owl, a resident of high elevation pine forests in Chiapas and neighboring Guatemala. We walked well up the road and turned around, thinking that we had missed the bird but, right at the last minute, one called back, and with the help of my heat scope, we were able to find it.



As you can see, we did not go hungry! Here's our group enjoying lunch at a nice restaurant in San Cristobal. Photo by guide Micah Riegner.

The following day we had many activities to cram in. We started out birding the entrance road to Sumidero Canyon, finding a Red-breasted Chat that sat motionless in the scope because a Sharp-shinned Hawk had flown over. Farther up the canyon road we ran into Fan-tailed Warbler, Northern Bentbill, Blue-and-white Mockingbird and a female Slender Sheartail attending some purple Salvia flowers. Because of our miserable first morning at El Ocote, we decided to give another shot at seeing Nava's Wren, so we drove back to El Ocote after lunch. When we arrived, it was blazing hot with very little bird activity, but at least there was no fog and we could actually see color! We played the recording and waited, and waited, and just as Jorge, the driver, was revving the engine to leave, Señor Nava's decided to sing back! We jumped out and managed to scope it through a tiny window in the vegetation and the thing sat long enough for everyone to see it.

Maravilloso! Continuing down towards Arriaga, we stopped at an overlook where we saw a male Rose-bellied Bunting, Masked Tityras and Brown-crested Flycatchers. Just as we were loading up to leave, Jorge spotted us a Black Hawk-eagle and some high-flying Great Swallow-tailed Swifts.



This Blue-throated Motmot at Reserva Montetik was one of five species of motmots we saw on this tour. Photo by guide Micah Riegner.

With another morning of birding above Arriaga, we enjoyed some close West Mexican Chachalacas (that's the only place to see them in Chiapas), both Rose-bellied and Orange-breasted Buntings, Citreoline Trogons, a male Barred Antshrike, then, after seeing all the targets and with time to spare, we drove over to Paredon to scan the coastline where we saw Sandwich and Royal Terns flying over the Pacific plus Mangrove Swallows on the wires. We continued toward Mapastepec and spent the afternoon birding along the road to El Castaño where we had our first encounters with Giant Wrens, White-bellied Chachalacas, Turquoise-browed Motmots, Scissor-tailed

Flycatchers, a roosting Northern Potoo, Double-striped Thick-knees, and the northernmost Southern Lapwings.



Chiapas has a stable population of Agami Herons along the Pacific Coast. We had nice views of both adults and juveniles during our mangrove canoe trip this year. Photo by guide Micah Riegner.

Returning to El Castaño the next day, we birded along the entrance road seeing Yellow-naped Parrot that was lifer number 4,000 for Diann, Streak-headed Woodcreeper, Spot-breasted Orioles, the newly split Rufous-backed Wrens, a Willow Flycatcher, Bell's Vireo and Cinnamon Hummingbirds. Reaching El Castaño we assembled into five canoes and the boatmen paddled us through the narrow mangrove channels, where we saw Mangrove Vireo, Agami Herons, a White-necked Puffbird, several Boat-billed Herons getting ready to breed, and all the Mexican kingfishers. A few lucky folks even saw a Sungrebe. That evening, we went out to a side road near Mapastepec and saw Pacific Screech-owl just as the sun was setting.

El Paval, at the foothills of Reserva el Triunfo, is one of my favorite places to bird in Chiapas. It's such a birdy place! This year when we arrived, we were greeted by a pair of White-faced Ground-Sparrows that showed nicely. Then, farther up the trail, we saw White-eared Ground Sparrows, Long-tailed Manakins, and both Lesson's and Tody Motmots, making that five species of motmots for the tour. Soaring above us were Chestnut-collared Swifts and a beautiful adult King Vulture.



White-naped Brushfinch was a nice prize at Volcan Tacana. There are two subspecies here in Mexico, this "yellow-throated" form in Chiapas, then a "white-naped" form with a yellow belly along the Gulf Slope of Oaxaca. Photo by guide Micah Riegner.

For the final days of the tour, we ventured up to Union Juarez, on the Mexican side of Volcan Tacana. Our first morning there, we found Azure-rumped Tanagers, Emerald-chinned and Blue-tailed Hummingbirds, Green-throated Mountain-Gems, Hooded Grosbeaks and a cooperative Blue-and-white Mockingbird that sat out on the top of a tree. Continuing up the road, we



found a female Sparkling-tailed Hummingbird at a white flowering tree, then, that afternoon we saw two males perched.

For our second morning on Tacana, we birded around the little town of Chiquihuites with Toledo, our local guide, and saw Blue-crowned Chlorophonias, a handsome White-naped Brushfinch, both Scaly-throated and Ruddy Foliage-gleaners, Emerald Toucanets and Chestnut-sided Shrike-Vireo, something we don't often get on this tour. Then, Toledo took us to a spot for Rufous Sabrewing, and after a bit of waiting, amazingly, the bird showed up! Farther down the road we found some Black-headed Siskins, a pair of White-winged Tanagers and another Rufous Sabrewing at some red tubular flowers. Reaching Tapachula in the afternoon, we birded our hotel grounds where Lesser Swallow-tailed Swifts circled the parking lot. Given our afternoon flight the next day, we decided to squeeze in one more morning of birding. We found a nice stretch of mangrove habitat along the road to the coast and found Mangrove Cuckoo, Gray-headed Kite, Boat-billed Herons and several Ferruginous Pygmy-Owls and Stripe-headed Sparrows, a nice way to wrap up our time in Chiapas. Jorge Montejo and I would like to thank Caroline in our office for making arrangements for us, Jorge the driver, who as always was great to work with, and all of you for joining us for this fun 10 days in Chiapas—we look forward to seeing you again soon!

## **Mammals**

Red-bellied Squirrel (*Sciurus aureogaster*) The common squirrel in the lowlands.

Deppe's Squirrel (*Sciurus deppei*) We saw this species a couple times on Volcan Tacana.

## **Reptiles**

Green Iguana (*Iguana iguana*)

Black Spiny-tailed Iguana (*Ctenosaura similis*)

Striped Basilisk (*Basiliscus vittatus*)

Spectacled Caiman (*Caiman crocodilus*)

You can see my complete trip report on eBird at this link:


<https://ebird.org/tripreport/344691>

Micah

# Field Guides Birding Tours--ENCHANTED CHIAPAS DENIS KANIA PRIVATE TOUR (with Micah Riegner and Jorge Montejo)



23 Feb – 4 Mar 2025 (10 days) Link-only



## Chiapas, Mexico

Arriaga | Jiquipilas | Mapastepec | Mazatán | Ocozocoautla de Espinosa | San Cristóbal de las Casas | Tapachula | Tonalá | Tuxtla Gutiérrez | Unión Juárez

 Micah Riegner



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...

 **266**

Species Observed

 **35**

Checklists



















 **14**

Species with Photos
























LIFERS  

























## Species Observed

[Show all details](#)

- 7 **Black-bellied Whistling-Duck** *Dendrocygna autumnalis* ▶  1
- 1 **Muscovy Duck** *Cairina moschata* ▶  1
- 5 **Blue-winged Teal** *Spatula discors* ▶  1
- 1 **Plain Chachalaca** *Ortalis vetula* ▶  1
- 9 **West Mexican Chachalaca** *Ortalis poliocephala* ▶  2
- 19 **White-bellied Chachalaca** *Ortalis leucogastra* ▶  8
- 1 **Crested Guan** *Penelope purpurascens* ▶  1
- 1 **Highland Guan** *Penelopina nigra* ▶  1
- 6 **Singing Quail** *Dactylortyx thoracicus* ▶  1
- 8 **Red-billed Pigeon** *Patagioenas flavirostris* ▶  4
- 1 **Eurasian Collared-Dove** *Streptopelia decaocto* \* ▶  1
- 18 **Inca Dove** *Columbina inca* ▶  8
- 1 **Ruddy Ground Dove** *Columbina talpacoti* ▶  1
- 4 **White-tipped Dove** *Leptotila verreauxi* ▶  3
- 1 **Gray-headed Dove** *Leptotila plumbeiceps* ▶  1
- 27 **White-winged Dove** *Zenaida asiatica* ▶  7
- 9 **Groove-billed Ani** *Crotophaga sulcirostris* ▶  5
- 1 **Lesser Ground-Cuckoo** *Morococcyx erythropygus* ▶  1
- 3 **Squirrel Cuckoo** *Piaya cayana* ▶  2
- 1 **Mangrove Cuckoo** *Coccyzus minor* ▶  1  1
























- 1 **Lesser Nighthawk** *Chordeiles acutipennis* ▶ 🗄️ 1
- 2 **Common Pauraque** *Nyctidromus albicollis* ▶ 🗄️ 2
- 3 **Northern Potoo** *Nyctibius jamaicensis* ▶ 🗄️ 3
- 52 **Chestnut-collared Swift** *Streptoprocne rutila* ▶ 🗄️ 2
- 458 **Vaux's Swift** *Chaetura vauxi* ▶ 🗄️ 2
- 5 **Lesser Swallow-tailed Swift** *Panyptila cayennensis* ▶ 🗄️ 3 🗄️ 1
- 2 **Great Swallow-tailed Swift** *Panyptila sanctihieronymi* 🕒 ▶ 🗄️ 2 🗄️ 1
- 2 **Stripe-throated Hermit** *Phaethornis striigularis* ▶ 🗄️ 1
- 2 **Mexican Violetear** *Colibri thalassinus* ▶ 🗄️ 1
- 1 **Rivoli's Hummingbird** *Eugenes fulgens* ▶ 🗄️ 1
- 1 **Plain-capped Starthroat** *Heliomaster constantii* ▶ 🗄️ 1
- 2 **Amethyst-throated Mountain-gem** *Lampornis amethystinus* ▶ 🗄️ 1
- 1 **Garnet-throated Hummingbird** *Lamprolaima rhami* ▶ 🗄️ 1
- 3 **Sparkling-tailed Hummingbird** *Tilmatura dupontii* ▶ 🗄️ 1 🗄️ 1
- 1 **Slender Sheartail** *Doricha enicura* ▶ 🗄️ 1 🗄️ 1
- 5 **Ruby-throated Hummingbird** *Archilochus colubris* ▶ 🗄️ 3
- 3 **Canivet's Emerald** *Cyananthus canivetii* ▶ 🗄️ 3
- 4 **White-eared Hummingbird** *Basilinna leucotis* ▶ 🗄️ 2
- 2 **Green-fronted Hummingbird** *Ramosomyia viridifrons* ▶ 🗄️ 2
- 1 **Azure-crowned Hummingbird** *Saucerottia cyanocephala* ▶ 🗄️ 1
- 1 **Berylline Hummingbird** *Saucerottia beryllina* ▶ 🗄️ 1
- 4 **Cinnamon Hummingbird** *Amazilia rutila* ▶ 🗄️ 4
- 1 **White-bellied Emerald** *Chlorestes candida* ▶ 🗄️ 1

2	<b>Russet-naped Wood-Rail</b>	<i>Aramides albiventris</i>	▶  1
1	<b>Sungrebe</b>	<i>Heliornis fulica</i>	▶  1
2	<b>Limpkin</b>	<i>Aramus guarauna</i>	▶  1
3	<b>Double-striped Thick-knee</b>	<i>Hesperoburhinus bistriatus</i>	▶  2
5	<b>Black-necked Stilt</b>	<i>Himantopus mexicanus</i>	▶  2
3	<b>Killdeer</b>	<i>Charadrius vociferus</i>	▶  1
6	<b>Southern Lapwing</b>	<i>Vanellus chilensis</i>	▶  2
12	<b>Northern Jacana</b>	<i>Jacana spinosa</i>	▶  2
2	<b>Whimbrel</b>	<i>Numenius phaeopus</i>	▶  1
2	<b>Spotted Sandpiper</b>	<i>Actitis macularius</i>	▶  2
1	<b>Solitary Sandpiper</b>	<i>Tringa solitaria</i>	▶  1
1	<b>Willet</b>	<i>Tringa semipalmata</i>	▶  1
1	<b>Ruddy Turnstone</b>	<i>Arenaria interpres</i>	▶  1
20	<b>Laughing Gull</b>	<i>Leucophaeus atricilla</i>	▶  1
1	<b>Gull-billed Tern</b>	<i>Gelochelidon nilotica</i>	▶  1
6	<b>Sandwich Tern</b>	<i>Thalasseus sandvicensis</i>	▶  1
10	<b>Royal Tern</b>	<i>Thalasseus maximus</i>	▶  1
4	<b>Least Grebe</b>	<i>Tachybaptus dominicus</i>	▶  1
53	<b>Wood Stork</b>	<i>Mycteria americana</i>	▶  4
10	<b>Magnificent Frigatebird</b>	<i>Fregata magnificens</i>	▶  3
14	<b>Anhinga</b>	<i>Anhinga anhinga</i>	▶  3
4	<b>Neotropic Cormorant</b>	<i>Nannopterum brasilianum</i>	▶  1
7	<b>White Ibis</b>	<i>Eudocimus albus</i>	▶  2

























3	<b>Roseate Spoonbill</b> <i>Platalea ajaja</i>	▶  1
11	<b>Bare-throated Tiger-Heron</b> <i>Tigrisoma mexicanum</i>	▶  2
5	<b>Boat-billed Heron</b> <i>Cochlearius cochlearius</i>	▶  2
3	<b>Agami Heron</b> <i>Agamia agami</i>	▶  1  1
1	<b>Yellow-crowned Night Heron</b> <i>Nyctanassa violacea</i>	▶  1
6	<b>Little Blue Heron</b> <i>Egretta caerulea</i>	▶  5
3	<b>Tricolored Heron</b> <i>Egretta tricolor</i>	▶  2
3	<b>Snowy Egret</b> <i>Egretta thula</i>	▶  3
15	<b>Green Heron</b> <i>Butorides virescens</i>	▶  3
14	<b>Western Cattle-Egret</b> <i>Ardea ibis</i>	▶  3
5	<b>Great Egret</b> <i>Ardea alba</i>	▶  4
1	<b>Great Blue Heron</b> <i>Ardea herodias</i>	▶  1
56	<b>Brown Pelican</b> <i>Pelecanus occidentalis</i>	▶  2
50	<b>Black Vulture</b> <i>Coragyps atratus</i>	▶  11
172	<b>Turkey Vulture</b> <i>Cathartes aura</i>	▶  9
2	<b>Osprey</b> <i>Pandion haliaetus</i>	▶  2
2	<b>Gray-headed Kite</b> <i>Leptodon cayanensis</i>	▶  2
2	<b>Black Hawk-Eagle</b> <i>Spizaetus tyrannus</i>	▶  2
2	<b>Sharp-shinned Hawk</b> <i>Accipiter striatus</i>	▶  2
1	<b>Northern Harrier</b> <i>Circus hudsonius</i>	▶  1
2	<b>Plumbeous Kite</b> <i>Ictinia plumbea</i>	▶  1
2	<b>Black-collared Hawk</b> <i>Busarellus nigricollis</i>	▶  1
2	<b>Common Black Hawk</b> <i>Buteogallus anthracinus</i>	▶  2
























- 3 **Roadside Hawk** *Rupornis magnirostris* ▶ 📄 3
- 1 **Gray Hawk** *Buteo plagiatus* ▶ 📄 1
- 2 **Short-tailed Hawk** *Buteo brachyurus* ▶ 📄 2
- 1 **Swainson's Hawk** *Buteo swainsoni* ▶ 📄 1
- 2 **Red-tailed Hawk** *Buteo jamaicensis* ▶ 📄 2
- 1 **Pacific Screech-Owl** *Megascops cooperi* ▶ 📄 1
- 1 **Northern Pygmy-Owl** *Glaucidium gnoma* ▶ 📄 1 📄 1
- 9 **Ferruginous Pygmy-Owl** *Glaucidium brasilianum* ▶ 📄 2 📄 5
- 3 **Mottled Owl** *Strix virgata* ▶ 📄 1
- 2 **Citreoline Trogon** *Trogon citreolus* ▶ 📄 1
- 1 **Gartered Trogon** *Trogon caligatus* ▶ 📄 1
- 4 **Mountain Trogon** *Trogon mexicanus* ▶ 📄 1
- 2 **Blue-throated Motmot** *Aspatha gularis* ▶ 📄 4 📄 1
- 3 **Russet-crowned Motmot** *Momotus mexicanus* ▶ 📄 2
- 1 **Lesson's Motmot** *Momotus lessonii* ▶ 📄 1
- 6 **Turquoise-browed Motmot** *Eumomota superciliosa* ▶ 📄 1 📄 4
- 9 **Ringed Kingfisher** *Megaceryle torquata* ▶ 📄 3
- 2 **Belted Kingfisher** *Megaceryle alcyon* ▶ 📄 2
- 2 **Amazon Kingfisher** *Chloroceryle amazona* ▶ 📄 1
- 5 **American Pygmy Kingfisher** *Chloroceryle aenea* ▶ 📄 1
- 10 **Green Kingfisher** *Chloroceryle americana* ▶ 📄 2
- 1 **White-necked Puffbird** *Notharchus hyperrhynchus* ▶ 📄 2 📄 1
- 1 **Northern Emerald-Toucanet** *Aulacorhynchus prasinus* ▶ 📄 1


















































- 3 **Collared Aracari** *Pteroglossus torquatus* ▶  1
- 1 **Yellow-bellied Sapsucker** *Sphyrapicus varius* ▶  1
- 19 **Golden-fronted Woodpecker** *Melanerpes aurifrons* ▶  11
- 2 **Hairy Woodpecker** *Dryobates villosus* ▶  1
- 4 **Lineated Woodpecker** *Dryocopus lineatus* ▶  2
- 2 **Golden-olive Woodpecker** *Colaptes rubiginosus* ▶  1
- 1 **Guatemalan Flicker** *Colaptes mexicanoides* ▶  1
- 2 **Laughing Falcon** *Herpetotheres cachinnans* ▶  1
- 6 **Crested Caracara** *Caracara plancus* ▶  4
- 1 **American Kestrel** *Falco sparverius* ▶  1
- 2 **Monk Parakeet** *Myiopsitta monachus* \* ▶  1
- 24 **Orange-chinned Parakeet** *Brotogeris jugularis* ▶  6
- 4 **Red-lored Amazon** *Amazona autumnalis* ▶  1
- 65 **White-fronted Amazon** *Amazona albifrons* ▶  8
- 86 **Orange-fronted Parakeet** *Eupsittula canicularis* ▶  9
- 1 **Barred Antshrike** *Thamnophilus doliatus* ▶  1
- 1 **Olivaceous Woodcreeper** *Sittasomus griseicapillus* ▶  1
- 1 **Ivory-billed Woodcreeper** *Xiphorhynchus flavigaster* ▶  1
- 1 **Streak-headed Woodcreeper** *Lepidocolaptes souleyetii* ▶  1
- 5 **Spot-crowned Woodcreeper** *Lepidocolaptes affinis* ▶  2
- 2 **Ruddy Foliage-gleaner** *Clibanornis rubiginosus* ▶  1
- 1 **Fawn-throated Foliage-gleaner** *Automolus cervinigularis* ▶  1
- 4 **Masked Tityra** *Tityra semifasciata* ▶  3

8	<b>Rose-throated Becard</b> <i>Pachyramphus aglaiae</i>	▶ 6
1	<b>Northern Bentbill</b> <i>Oncostoma cinereigulare</i>	▶ 1
8	<b>Common Tody-Flycatcher</b> <i>Todirostrum cinereum</i>	▶ 2
2	<b>Yellow-olive Flatbill</b> <i>Tolmomyias sulphurescens</i>	▶ 2
2	<b>Northern Beardless-Tyrannulet</b> <i>Camptostoma imberbe</i>	▶ 2
2	<b>Greenish Elaenia</b> <i>Myiopagis viridicata</i>	▶ 1
2	<b>Tufted Flycatcher</b> <i>Mitrephanes phaeocercus</i>	▶ 2
1	<b>Olive-sided Flycatcher</b> <i>Contopus cooperi</i>	▶ 1
2	<b>Greater Pewee</b> <i>Contopus pertinax</i>	▶ 2
2	<b>Willow Flycatcher</b> <i>Empidonax traillii</i>	▶ 2
7	<b>Least Flycatcher</b> <i>Empidonax minimus</i>	▶ 5
1	<b>Hammond's Flycatcher</b> <i>Empidonax hammondii</i>	▶ 1
2	<b>Bright-rumped Attila</b> <i>Attila spadiceus</i>	▶ 1
4	<b>Dusky-capped Flycatcher</b> <i>Myiarchus tuberculifer</i>	▶ 3
3	<b>Ash-throated Flycatcher</b> <i>Myiarchus cinerascens</i>	▶ 3
5	<b>Nutting's Flycatcher</b> <i>Myiarchus nuttingi</i>	▶ 3
1	<b>Great Crested Flycatcher</b> <i>Myiarchus crinitus</i>	▶ 1
4	<b>Brown-crested Flycatcher</b> <i>Myiarchus tyrannulus</i>	▶ 2
16	<b>Great Kiskadee</b> <i>Pitangus sulphuratus</i>	▶ 6
8	<b>Boat-billed Flycatcher</b> <i>Megarynchus pitangua</i>	▶ 4
9	<b>Social Flycatcher</b> <i>Myiozetetes similis</i>	▶ 2
12	<b>Tropical Kingbird</b> <i>Tyrannus melancholicus</i>	▶ 6
7	<b>Western Kingbird</b> <i>Tyrannus verticalis</i>	▶ 2

3	<b>Scissor-tailed Flycatcher</b>	<i>Tyrannus forficatus</i>	▶  1
2	<b>Rufous-browed Peppershrike</b>	<i>Cyclarhis gujanensis</i>	▶  2
2	<b>Green Shrike-Vireo</b>	<i>Vireolanius pulchellus</i>	▶  1
8	<b>Lesser Greenlet</b>	<i>Pachysylvia decurtata</i>	▶  3
1	<b>White-eyed Vireo</b>	<i>Vireo griseus</i>	▶  1
1	<b>Mangrove Vireo</b>	<i>Vireo pallens</i>	▶  1
1	<b>Bell's Vireo</b>	<i>Vireo bellii</i>	▶  1
5	<b>Hutton's Vireo</b>	<i>Vireo huttoni</i>	▶  1
1	<b>Blue-headed Vireo</b>	<i>Vireo solitarius</i>	▶  1
1	<b>Plumbeous Vireo</b>	<i>Vireo plumbeus</i>	▶  1
2	<b>Warbling Vireo</b>	<i>Vireo gilvus</i>	▶  2
19	<b>White-throated Magpie-Jay</b>	<i>Cyanocorax formosus</i>	▶  6
3	<b>Brown Jay</b>	<i>Cyanocorax morio</i>	▶  1
1	<b>Green Jay</b>	<i>Cyanocorax yncas</i>	▶  1
9	<b>Steller's Jay</b>	<i>Cyanocitta stelleri</i>	▶  2
6	<b>Unicolored Jay</b>	<i>Aphelocoma unicolor</i>	▶  1  1
5	<b>Tree Swallow</b>	<i>Tachycineta bicolor</i>	▶  1
2	<b>Mangrove Swallow</b>	<i>Tachycineta albilinea</i>	▶  1
11	<b>Gray-breasted Martin</b>	<i>Progne chalybea</i>	▶  3
3	<b>Northern Rough-winged Swallow</b>	<i>Stelgidopteryx serripennis</i>	▶  2
24	<b>Black-capped Swallow</b>	<i>Atticora pileata</i>	▶  1
2	<b>Barn Swallow</b>	<i>Hirundo rustica</i>	▶  1
2	<b>Bushtit</b>	<i>Psaltriparus minimus</i>	▶  1

2	<b>Brown Creeper</b> <i>Certhia americana</i>	▶  2
4	<b>Blue-gray Gnatcatcher</b> <i>Polioptila caerulea</i>	▶  3
9	<b>White-lored Gnatcatcher</b> <i>Polioptila albiloris</i>	▶  3
4	<b>Nava's Wren</b> <i>Hylorchilus navai</i>	▶  2
1	<b>Southern House Wren</b> <i>Troglodytes musculus</i>	▶  1
1	<b>Rufous-browed Wren</b> <i>Troglodytes rufociliatus</i>	▶  1
4	<b>Band-backed Wren</b> <i>Campylorhynchus zonatus</i>	▶  1
17	<b>Giant Wren</b> <i>Campylorhynchus chiapensis</i>	▶  5
5	<b>Spot-breasted Wren</b> <i>Pheugopedius maculipectus</i>	▶  3
3	<b>Banded Wren</b> <i>Thryophilus pleurostictus</i>	▶  2
3	<b>Cabanis's Wren</b> <i>Cantorchilus modestus</i>	▶  2
4	<b>White-breasted Wood-Wren</b> <i>Henicorhina leucosticta</i>	▶  2
1	<b>Gray-breasted Wood-Wren</b> <i>Henicorhina leucophrys</i>	▶  1
1	<b>Blue-and-white Mockingbird</b> <i>Melanotis hypoleucus</i>	▶  1
1	<b>Gray Catbird</b> <i>Dumetella carolinensis</i>	▶  1
1	<b>Tropical Mockingbird</b> <i>Mimus gilvus</i>	▶  1
3	<b>Brown-backed Solitaire</b> <i>Myadestes occidentalis</i>	▶  2
2	<b>Orange-billed Nightingale-Thrush</b> <i>Catharus aurantiirostris</i>	▶  2
1	<b>Yellow-throated Nightingale-Thrush</b> <i>Catharus dryas</i>	▶  1
1	<b>Swainson's Thrush</b> <i>Catharus ustulatus</i>	▶  1
37	<b>Clay-colored Thrush</b> <i>Turdus grayi</i>	▶  10
11	<b>Rufous-collared Robin</b> <i>Turdus rufitorques</i>	▶  2
4	<b>Gray Silky-flycatcher</b> <i>Ptiliogonys cinereus</i>	▶  1

3	<b>Olive Warbler</b> <i>Peucedramus taeniatus</i>	▶  2
7	<b>House Sparrow</b> <i>Passer domesticus</i> *	▶  1
10	<b>Scrub Euphonia</b> <i>Euphonia affinis</i>	▶  4
5	<b>Yellow-throated Euphonia</b> <i>Euphonia hirundinacea</i>	▶  3
2	<b>Red Crossbill</b> <i>Loxia curvirostra</i>	▶  1
1	<b>Lesser Goldfinch</b> <i>Spinus psaltria</i>	▶  1
2	<b>Cinnamon-tailed Sparrow</b> <i>Peucaea sumichrasti</i>	▶  1
3	<b>Stripe-headed Sparrow</b> <i>Peucaea ruficauda</i>	▶  2  1
4	<b>Olive Sparrow</b> <i>Arremonops rufivirgatus</i>	▶  1
1	<b>Orange-billed Sparrow</b> <i>Arremon aurantirostris</i>	▶  1
1	<b>Chestnut-capped Brushfinch</b> <i>Arremon brunneinucha</i>	▶  1
1	<b>Rufous-collared Sparrow</b> <i>Zonotrichia capensis</i>	▶  1
1	<b>Yellow-breasted Chat</b> <i>Icteria virens</i>	▶  1
1	<b>Yellow-billed Cacique</b> <i>Amblycercus holosericeus</i>	▶  1
5	<b>Orchard Oriole</b> <i>Icterus spurius</i>	▶  2
6	<b>Yellow-backed Oriole</b> <i>Icterus chrysater</i>	▶  1
18	<b>Streak-backed Oriole</b> <i>Icterus pustulatus</i>	▶  2
2	<b>Spot-breasted Oriole</b> <i>Icterus pectoralis</i>	▶  2
14	<b>Altamira Oriole</b> <i>Icterus gularis</i>	▶  6
4	<b>Baltimore Oriole</b> <i>Icterus galbula</i>	▶  2
21	<b>Bronzed Cowbird</b> <i>Molothrus aeneus</i>	▶  2
4	<b>Melodious Blackbird</b> <i>Dives dives</i>	▶  2
32	<b>Great-tailed Grackle</b> <i>Quiscalus mexicanus</i>	▶  8

- 1 **Ovenbird** *Seiurus aurocapilla* ▶  1
- 11 **Northern Waterthrush** *Parkesia noveboracensis* ▶  2
- 2 **Black-and-white Warbler** *Mniotilta varia* ▶  2
- 4 **Crescent-chested Warbler** *Oreothlypis superciliosa* ▶  1
- 7 **Tennessee Warbler** *Leiothlypis peregrina* ▶  2
- 3 **Nashville Warbler** *Leiothlypis ruficapilla* ▶  1
- 1 **Gray-crowned Yellowthroat** *Geothlypis poliocephala* ▶  1
- 1 **Common Yellowthroat** *Geothlypis trichas* ▶  1
- 3 **Hooded Warbler** *Setophaga citrina* ▶  3
- 6 **American Redstart** *Setophaga ruticilla* ▶  2
- 1 **Northern Parula** *Setophaga americana* ▶  1
- 8 **Magnolia Warbler** *Setophaga magnolia* ▶  6
- 3 **Yellow Warbler** *Setophaga petechia* ▶  3
- 7 **Yellow-rumped Warbler** *Setophaga coronata* ▶  2
- 15 **Townsend's Warbler** *Setophaga townsendi* ▶  3
- 2 **Hermit Warbler** *Setophaga occidentalis* ▶  2
- 3 **Black-throated Green Warbler** *Setophaga virens* ▶  2
- 1 **Fan-tailed Warbler** *Basileuterus lachrymosus* ▶  1
- 3 **Rufous-capped Warbler** *Basileuterus rufifrons* ▶  2
- 5 **Golden-crowned Warbler** *Basileuterus culicivorus* ▶  2
- 3 **Wilson's Warbler** *Cardellina pusilla* ▶  3
- 2 **Red-faced Warbler** *Cardellina rubrifrons* ▶  2
- 3 **Pink-headed Warbler** *Cardellina versicolor* ▶  1

- 1 **Slate-throated Redstart** *Myioborus miniatus* ▶ 📄 1
- 27 **Western Tanager** *Piranga ludoviciana* ▶ 📄 3
- 1 **Red-crowned Ant-Tanager** *Habia rubica* ▶ 📄 1
- 5 **Red-throated Ant-Tanager** *Driophlox fuscicauda* ▶ 📄 1
- 4 **Rose-breasted Grosbeak** *Pheucticus ludovicianus* ▶ 📄 2
- 3 **Red-breasted Chat** *Granatellus venustus* ▶ 📄 1 📄 1
- 5 **Indigo Bunting** *Passerina cyanea* ▶ 📄 3
- 3 **Orange-breasted Bunting** *Passerina leclancherii* ▶ 📄 2
- 1 **Painted Bunting** *Passerina ciris* ▶ 📄 1
- 3 **Yellow-winged Tanager** *Thraupis abbas* ▶ 📄 2
- 2 **Red-legged Honeycreeper** *Cyanerpes cyaneus* ▶ 📄 1
- 1 **Cinnamon-bellied Flowerpiercer** *Diglossa baritula* ▶ 📄 1
- 17 **Blue-black Grassquit** *Volatinia jacarina* ▶ 📄 1
- 10 **Morelet's Seedeater** *Sporophila moreletii* ▶ 📄 3
- 3 **Bananaquit** *Coereba flaveola* ▶ 📄 1
- 4 **Black-headed Saltator** *Saltator atriceps* ▶ 📄 2