

# Trip Report — Cloudforests of Ecuador: All the Best of the Wild Northwest 2026

July 20-30, 2026 with Willy Perez



This is our first day in Zuruoloma Reserve, at 10,000 feet, with Pichincha Volcano in the background. Here is where we saw the rare Black-breasted Puffleg. Photo by guide Willy Perez.

I love this tour through the cloud forest in the northwest of the Andes, because it takes me back to the place where I grew up and where I feel most at home. The cloud forest is one of the most biologically diverse areas of Ecuador, known for its dense forests, high levels of rainfall, dramatic mountains, and extraordinary variety of plants and animals, especially birds. To me, the cloud forest is not just a beautiful place. It is part of my life, my memories, and who I am, so this trip was no exception.



The Plate-billed Mountain-Toucan is restricted to the cloud forest of northwest Ecuador and southwest Colombia. Here, François Grenon got this spectacular picture at Guaycapi lodge.

Starting in Quito, we couldn't miss the chance to visit one of the closest highland reserves along our route, so we spent our first morning at Zuroloa. The hummingbirds were incredibly active, and one of the highlights for us was the rare endemic Black-breasted Puffleg, which we saw exceptionally well. The morning continued with a great selection of species, including Sword-billed Hummingbird, Equatorial and Chestnut-naped Antpittas, and the colourful Hooded and Scarlet-bellied Mountain Tanagers.

Birding at our first lodge, Guaycapi, was dazzling, with stunning tanagers, a great selection of hummingbirds, and some of the most enigmatic birds of the Chocó bioregion. The incredible Plate-billed Mountain-Toucan and Toucan Barbet were both seen from the dining room; what a way to start our stay!



Black-chinned Mountain Tanager is an uncommon and highly localized species, found in wet, mossy tropical forests along the western flanks of the Andes. We had several memorable encounters with this stunning bird, and Karen Hamblett managed to capture this perfect photo.

We used Guaycapi as a base to explore several nearby locations. The next day, we headed lower in elevation to the Mashpi-Amagusa Reserve. We had to leave early to arrive before the birds really got going, and it was well worth the effort. This reserve holds an incredible diversity of birds, including some rare and very range-restricted species.

The first birds to appear with daylight were Zeledon's Antbird, the noisy Ochre-breasted Tanager, Bay Wren, and many others that came in to feed on moths. Some strategically placed bananas attracted several tanagers, including Moss-backed Tanager, Black-chinned Mountain Tanager, and the superb Glistening-green Tanager. A short walk along the road gave us scope views of White-tipped Sicklebill, Indigo Flowerpiercer, and Rose-faced Parrots.

That same day, we visited Sacha Guatusa, another reserve lower down the slopes, where we had excellent views of Orange-fronted Barbet and Gray-

and-gold Tanager. At the group's request, we also squeezed in a visit to an Oilbird roosting cave and we had great success, with many Oilbirds sitting on ledges of rock.



Bud Younts captured this incredible photo of a White-faced Nunbird, a rare and distinctive puffbird found in the wet, subtropical forests of the high Andes in Colombia, Ecuador, and Peru.

Our outing to the Cock-of-the-Rock lek at the famous Angel Paz Reserve was also very productive. Several males were displaying, and we were delighted when Yellow-breasted Antpitta and Rufous-breasted Antthrush also showed up. The upper Tandayapa Ridge was incredible too, particularly for the very rare White-faced Nunbird, which we saw twice. Unbelievable!

Our two nights at Maquipucuna were a very different experience. Being completely immersed in the stunning forest and falling asleep to the sound of the river made us feel as though we were truly isolated from the outside world. We explored some of the trails, but the first thing we did each morning was visit the hide to watch the moths, which in turn attracted a wonderful selection of birds. Tawny-breasted Flycatcher, several species of woodcreepers, and the incredibly elusive Esmeraldas Antbird were among

the highlights. Another little adventure was walking to my house on our first night, where we found both Mottled and Black-and-white Owls. On our final morning at Maquipucuna, we headed back towards my house and had some great encounters with Tiny Hawk, and Crested, and Wattled Guans.



The Velvet-purple Coronet can appear almost entirely dark in low light, but catches the light to reveal a magnificent iridescent glow, beautifully captured in this photo by François Grenon.

Our next destination was Sachatamia Lodge, where we spent our final three nights. The lodge is perfectly located for visiting several excellent birding sites, especially at lower elevations. The gardens were full of stunning hummingbirds and provided plenty of opportunities to explore.

One of the most remarkable experiences here was our visit to the Long-wattled Umbrellabird lek. At first, the birds were not particularly active, but eventually several males arrived, and we couldn't believe how such a black bird could be so incredibly fancy and beautiful at the same time! Several males performed courtship displays, with noisy wing flaps and dazzling wattles. It was a full show and an unforgettable experience.

Our full day in the lowlands was equally exciting. From the tower at Silanche, we came face to face with Pale-mandibled Aracari, Chocó Toucan, Scarlet-browed Tanager, Blue-tailed Trogon, and several species of dacnises and honeycreepers.

Our visit to the Fruti Tour trail, where we met Marcelo, the owner, was great fun, and the whole birding experience was superb. Here we found Bronzy Hermit, Purple-crowned Fairy, Red-headed Barbet, and Brown Wood-Rail, among many other species.



The Golden-headed Quetzal takes its name from the bronzy tint to the green plumage of its head, a feature that is not always apparent in the dim light of the humid montane forests where it is found. Karen Hamblett captured this perfect shot of a male, showing the subtle colours beautifully.

On the last day of the tour, we visited the famous town of Mindo, where we found a Coopmans's Elaenia. Another request from the group was Sunbittern, so we made a special visit to a site where one was nesting. It was a lovely way to finish our morning around the Mindo area.

We then returned to our hotel in Quito, where we still had some time for a

final bit of birding in the gardens. We added Vermilion Flycatcher and even the pretty Scrub Tanager to our list before packing up.

Our farewell dinner was very special. We looked back on all the fantastic moments we had shared and remembered the incredible birds we had seen along the way. The lodges were perfect, the food was delicious, and the weather behaved beautifully throughout the trip.

I really enjoyed this tour, but most of all, I enjoyed birding with such a great group of people. Everyone shared knowledge, stories, and great birds with each other. I loved the team spirit within the group, it made my life as a guide easy, pleasant, and enjoyable.

Thank you all for being such a wonderful group, and a special thank you to Edgar for his sharp driving skills and, of course, his equally sharp eyes! Until the next adventure...



The Rufous Motmot is the second largest and arguably the most spectacular of the motmots. Although it lacks the bright, iridescent turquoise blue patches on the head that are characteristic of many other motmot species, its rich rufous plumage is no less striking. Bud Younts got a perfect portrait of one.

**Other Wildlife:**

Central American Agouti (*Dasyprocta punctata*)

Red-tailed Squirrel (*Sciurus granatensis*)

Western dwarf squirrel (*Microsciurus mimulus*)

Mantled howler monkey (*Alouatta palliata*)

You can see my complete trip report on eBird at this link:

<https://ebird.org/tripreport/568944>


You can download a combined PDF of this page and the eBird report at this link: <https://fieldguides.com/triplists/ems26TRIPLIST.pdf>

-- Hugs from Dorset, Willy

## Field Guides Birding Tours - Cloudforests of Ecuador, All the best of the Wild Northwest 2026 (With Willy Perez)



21 – 29 Jul 2026 (9 days) Link-only



 Ecuador

Imbabura | Pichincha

 Willian Perez



For a narrative summary of this tour, including a Field Guides photo gallery and additional...

 **348**

Species Observed

 **44**

Checklists

LIFERS  5 

## Species Observed

[Show all details](#)

- |    |                                                               |                                                                                           |
|----|---------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| 4  | <b>Sickle-winged Guan</b> <i>Chamaepetes goudotii</i>         | ▶  4 |
| 5  | <b>Wattled Guan</b> <i>Aburria aburri</i>                     | ▶  5 |
| 10 | <b>Crested Guan</b> <i>Penelope purpurascens</i>              | ▶  7 |
| 6  | <b>Dark-backed Wood-Quail</b> <i>Odontophorus melanonotus</i> | ▶  2 |
| 8  | <b>Rock Pigeon</b> <i>Columba livia</i> *                     | ▶  1 |
| 5  | <b>Pale-vented Pigeon</b> <i>Patagioenas cayennensis</i>      | ▶  3 |
| 34 | <b>Band-tailed Pigeon</b> <i>Patagioenas fasciata</i>         | ▶  4 |
| 10 | <b>Plumbeous Pigeon</b> <i>Patagioenas plumbea</i>            | ▶  7 |
| 11 | <b>Ruddy Pigeon</b> <i>Patagioenas subvinacea</i>             | ▶  8 |

|     |                                    |                                |                                                                                           |
|-----|------------------------------------|--------------------------------|-------------------------------------------------------------------------------------------|
| 2   | <b>Dusky Pigeon</b>                | <i>Patagioenas goodsoni</i>    | ▶  1    |
| 11  | <b>White-tipped Dove</b>           | <i>Leptotila verreauxi</i>     | ▶  10  |
| 4   | <b>Pallid Dove</b>                 | <i>Leptotila pallida</i>       | ▶  3   |
| 4   | <b>White-throated Quail-Dove</b>   | <i>Zentrygon frenata</i>       | ▶  2   |
| 8   | <b>Eared Dove</b>                  | <i>Zenaida auriculata</i>      | ▶  1   |
| 7   | <b>Smooth-billed Ani</b>           | <i>Crotophaga ani</i>          | ▶  3   |
| 1   | <b>Striped Cuckoo</b>              | <i>Tapera naevia</i>           | ▶  1   |
| 4   | <b>Common Squirrel-Cuckoo</b>      | <i>Piaya cayana</i>            | ▶  4   |
| 2   | <b>Common Pauraque</b>             | <i>Nyctidromus albicollis</i>  | ▶  2   |
| 1   | <b>Lyre-tailed Nightjar</b>        | <i>Uropsalis lyra</i>          | ▶  1  |
| 2   | <b>Common Potoo</b>                | <i>Nyctibius griseus</i>       | ▶  2 |
| 16  | <b>Oilbird</b>                     | <i>Steatornis caripensis</i>   | ▶  2 |
| 17  | <b>Chestnut-collared Swift</b>     | <i>Streptoprocne rutila</i>    | ▶  3 |
| 290 | <b>White-collared Swift</b>        | <i>Streptoprocne zonaris</i>   | ▶  8 |
| 11  | <b>Gray-rumped Swift</b>           | <i>Chaetura cinereiventris</i> | ▶  2 |
| 2   | <b>Lesser Swallow-tailed Swift</b> | <i>Panyptila cayennensis</i>   | ▶  1 |
| 46  | <b>White-necked Jacobin</b>        | <i>Florisuga mellivora</i>     | ▶  9 |
| 1   | <b>White-tipped Sicklebill</b>     | <i>Eutoxeres aquila</i>        | ▶  1 |
| 1   | <b>Bronzy Hermit</b>               | <i>Glaucis aeneus</i>          | ▶  1 |
| 1   | <b>Band-tailed Barbthroat</b>      | <i>Threnetes ruckeri</i>       | ▶  1 |

|    |                                  |                                   |                                                                                            |
|----|----------------------------------|-----------------------------------|--------------------------------------------------------------------------------------------|
| 15 | <b>White-whiskered Hermit</b>    | <i>Phaethornis yaruqui</i>        | ▶  9     |
| 3  | <b>Tawny-bellied Hermit</b>      | <i>Phaethornis syrmatorphorus</i> | ▶  3    |
| 2  | <b>Stripe-throated Hermit</b>    | <i>Phaethornis striigularis</i>   | ▶  2    |
| 2  | <b>Green-fronted Lancebill</b>   | <i>Doryfera ludovicae</i>         | ▶  2    |
| 3  | <b>White-throated Daggerbill</b> | <i>Schistes albogularis</i>       | ▶  2    |
| 20 | <b>Sparkling Violetear</b>       | <i>Colibri coruscans</i>          | ▶  7    |
| 33 | <b>Brown Violetear</b>           | <i>Colibri delphinae</i>          | ▶  12   |
| 8  | <b>Lesser Violetear</b>          | <i>Colibri cyanotus</i>           | ▶  4    |
| 4  | <b>Purple-crowned Fairy</b>      | <i>Heliophryx barroti</i>         | ▶  4    |
| 2  | <b>Black-throated Mango</b>      | <i>Anthracothorax nigricollis</i> | ▶  2    |
| 4  | <b>Gorgeted Sunangel</b>         | <i>Heliangelus strophianus</i>    | ▶  3  |
| 12 | <b>Green Thorntail</b>           | <i>Discosura conversii</i>        | ▶  3  |
| 5  | <b>Speckled Hummingbird</b>      | <i>Adelomyia melanogenys</i>      | ▶  4  |
| 37 | <b>Violet-tailed Sylph</b>       | <i>Agelaiocercus coelestis</i>    | ▶  10 |
| 2  | <b>Black-tailed Trainbearer</b>  | <i>Lesbia victoriae</i>           | ▶  1  |
| 2  | <b>Green-tailed Trainbearer</b>  | <i>Lesbia nuna</i>                | ▶  1  |
| 8  | <b>Tyrian Metaltail</b>          | <i>Metallura tyrianthina</i>      | ▶  1  |
| 1  | <b>Black-breasted Puffleg</b>    | <i>Eriocnemis nigrivestis</i> ✓   | ▶  1  |
| 4  | <b>Sapphire-vented Puffleg</b>   | <i>Eriocnemis luciani</i>         | ▶  1  |
| 7  | <b>Shining Sunbeam</b>           | <i>Aglaeactis cupripennis</i>     | ▶  2  |

|    |                                   |                                     |                                                                                            |
|----|-----------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------|
| 12 | <b>Brown Inca</b>                 | <i>Coeligena wilsoni</i>            | ▶  7     |
| 7  | <b>Collared Inca</b>              | <i>Coeligena torquata</i>           | ▶  2    |
| 6  | <b>Buff-winged Starfrontlet</b>   | <i>Coeligena lutetiae</i>           | ▶  1    |
| 8  | <b>Mountain Velvetbreast</b>      | <i>Lafresnaya lafresnayi</i>        | ▶  1    |
| 2  | <b>Sword-billed Hummingbird</b>   | <i>Ensifera ensifera</i>            | ▶  1    |
| 23 | <b>Buff-tailed Coronet</b>        | <i>Boissonneaua flavescens</i>      | ▶  8    |
| 29 | <b>Velvet-purple Coronet</b>      | <i>Boissonneaua jardini</i>         | ▶  9    |
| 35 | <b>White-booted Racket-tail</b>   | <i>Ocreatus underwoodii</i>         | ▶  9    |
| 36 | <b>Purple-bibbed Whitetip</b>     | <i>Urosticte benjamini</i>          | ▶  11   |
| 26 | <b>Fawn-breasted Brilliant</b>    | <i>Heliodoxa rubinoides</i>         | ▶  8   |
| 6  | <b>Green-crowned Brilliant</b>    | <i>Heliodoxa jacula</i>             | ▶  4  |
| 7  | <b>Empress Brilliant</b>          | <i>Heliodoxa imperatrix</i>         | ▶  5  |
| 1  | <b>Long-billed Starthroat</b>     | <i>Heliomaster longirostris</i>     | ▶  1  |
| 8  | <b>White-bellied Woodstar</b>     | <i>Chaetocercus mulsant</i>         | ▶  1  |
| 41 | <b>Purple-throated Woodstar</b>   | <i>Philodice mitchellii</i>         | ▶  12 |
| 3  | <b>Western Emerald</b>            | <i>Chlorostilbon melanorhynchus</i> | ▶  3  |
| 21 | <b>Crowned Woodnymph</b>          | <i>Thalurania colombica</i>         | ▶  7  |
| 27 | <b>Rufous-tailed Hummingbird</b>  | <i>Amazilia tzacatl</i>             | ▶  11 |
| 13 | <b>Andean Emerald</b>             | <i>Uranomitra franciae</i>          | ▶  6  |
| 3  | <b>Purple-chested Hummingbird</b> | <i>Polyerata rosenbergi</i>         | ▶  2  |

|     |                                   |                                   |                                                                                           |
|-----|-----------------------------------|-----------------------------------|-------------------------------------------------------------------------------------------|
| 4   | <b>Violet-bellied Hummingbird</b> | <i>Chlorestes julie</i>           | ▶  2    |
| 1   | <b>Brown Wood-Rail</b>            | <i>Aramides wolfi</i>             | ▶  1   |
| 2   | <b>White-throated Crake</b>       | <i>Laterallus albigularis</i>     | ▶  2   |
| 8   | <b>Southern Lapwing</b>           | <i>Vanellus chilensis</i>         | ▶  2   |
| 33  | <b>Andean Lapwing</b>             | <i>Vanellus resplendens</i>       | ▶  1   |
| 1   | <b>Sunbittern</b>                 | <i>Eurypyga helias</i>            | ▶  1   |
| 2   | <b>Neotropic Cormorant</b>        | <i>Nannopterum brasilianum</i>    | ▶  2   |
| 252 | <b>Western Cattle-Egret</b>       | <i>Ardea ibis</i>                 | ▶  8   |
| 100 | <b>Black Vulture</b>              | <i>Coragyps atratus</i>           | ▶  17  |
| 21  | <b>Turkey Vulture</b>             | <i>Cathartes aura</i>             | ▶  13 |
| 1   | <b>Osprey</b>                     | <i>Pandion haliaetus</i>          | ▶  1 |
| 5   | <b>Hook-billed Kite</b>           | <i>Chondrohierax uncinatus</i>    | ▶  4 |
| 1   | <b>Gray-headed Kite</b>           | <i>Leptodon cayanensis</i>        | ▶  1 |
| 29  | <b>Swallow-tailed Kite</b>        | <i>Elanoides forficatus</i>       | ▶  6 |
| 2   | <b>Tiny Hawk</b>                  | <i>Microspizias superciliosus</i> | ▶  2 |
| 3   | <b>Barred Hawk</b>                | <i>Morphnarchus princeps</i>      | ▶  3 |
| 6   | <b>Roadside Hawk</b>              | <i>Rupornis magnirostris</i>      | ▶  5 |
| 1   | <b>Harris's Hawk</b>              | <i>Parabuteo unicinctus</i>       | ▶  1 |
| 1   | <b>Gray-lined Hawk</b>            | <i>Buteo nitidus</i>              | ▶  1 |
| 1   | <b>Short-tailed Hawk</b>          | <i>Buteo brachyurus</i>           | ▶  1 |

|    |                                 |                                |                                                                                            |
|----|---------------------------------|--------------------------------|--------------------------------------------------------------------------------------------|
| 1  | <b>Rufescent Screech-Owl</b>    | <i>Megascops ingens</i>        | ▶  1     |
| 2  | <b>Cloud-forest Pygmy-Owl</b>   | <i>Glaucidium nubicola</i>     | ▶  2    |
| 3  | <b>Mottled Owl</b>              | <i>Strix virgata</i>           | ▶  2    |
| 2  | <b>Black-and-white Owl</b>      | <i>Strix nigrolineata</i>      | ▶  1    |
| 9  | <b>Golden-headed Quetzal</b>    | <i>Pharomachrus auriceps</i>   | ▶  6    |
| 2  | <b>Crested Quetzal</b>          | <i>Pharomachrus antisianus</i> | ▶  1    |
| 1  | <b>Blue-tailed Trogon</b>       | <i>Trogon comptus</i>          | ▶  1    |
| 1  | <b>White-tailed Trogon</b>      | <i>Trogon chionurus</i>        | ▶  1    |
| 5  | <b>Collared Trogon</b>          | <i>Trogon collaris</i>         | ▶  3    |
| 7  | <b>Masked Trogon</b>            | <i>Trogon personatus</i>       | ▶  4    |
| 11 | <b>Rufous Motmot</b>            | <i>Baryphthengus martii</i>    | ▶  8  |
| 2  | <b>Broad-billed Motmot</b>      | <i>Electron platyrhynchum</i>  | ▶  2  |
| 1  | <b>Ringed Kingfisher</b>        | <i>Megaceryle torquata</i>     | ▶  1  |
| 2  | <b>Green Kingfisher</b>         | <i>Chloroceryle americana</i>  | ▶  1  |
| 2  | <b>Barred Puffbird</b>          | <i>Nystalus radiatus</i>       | ▶  2  |
| 2  | <b>White-whiskered Puffbird</b> | <i>Malacoptila panamensis</i>  | ▶  2  |
| 2  | <b>White-faced Nunbird</b>      | <i>Haploptila castanea</i>     | ▶  2  |
| 4  | <b>Orange-fronted Barbet</b>    | <i>Capito squamatus</i>        | ▶  2  |
| 16 | <b>Red-headed Barbet</b>        | <i>Eubucco bourcierii</i>      | ▶  11 |
| 11 | <b>Toucan Barbet</b>            | <i>Semnornis ramphastinus</i>  | ▶  8  |

|    |                                     |                                    |                                                                                           |
|----|-------------------------------------|------------------------------------|-------------------------------------------------------------------------------------------|
| 10 | <b>Crimson-rumped Toucanet</b>      | <i>Aulacorhynchus haematopygus</i> | ▶  10   |
| 4  | <b>Plate-billed Mountain-Toucan</b> | <i>Andigena laminirostris</i>      | ▶  4   |
| 8  | <b>Pale-mandibled Aracari</b>       | <i>Pteroglossus erythropygius</i>  | ▶  5   |
| 7  | <b>Yellow-throated Toucan</b>       | <i>Ramphastos ambiguus</i>         | ▶  6   |
| 7  | <b>Choco Toucan</b>                 | <i>Ramphastos brevis</i>           | ▶  6   |
| 1  | <b>Olivaceous Piculet</b>           | <i>Picumnus olivaceus</i>          | ▶  1   |
| 8  | <b>Black-cheeked Woodpecker</b>     | <i>Melanerpes pucherani</i>        | ▶  4   |
| 3  | <b>Smoky-brown Woodpecker</b>       | <i>Leuconotopicus fumigatus</i>    | ▶  3   |
| 3  | <b>Powerful Woodpecker</b>          | <i>Campephilus pollens</i>         | ▶  2   |
| 2  | <b>Guayaquil Woodpecker</b>         | <i>Campephilus gayaquilensis</i>   | ▶  2  |
| 1  | <b>Lineated Woodpecker</b>          | <i>Dryocopus lineatus</i>          | ▶  1 |
| 1  | <b>Cinnamon Woodpecker</b>          | <i>Celeus loricatus</i>            | ▶  1 |
| 6  | <b>Golden-olive Woodpecker</b>      | <i>Colaptes rubiginosus</i>        | ▶  4 |
| 1  | <b>Crimson-mantled Woodpecker</b>   | <i>Colaptes rivolii</i>            | ▶  1 |
| 1  | <b>Laughing Falcon</b>              | <i>Herpetotheres cachinnans</i>    | ▶  1 |
| 2  | <b>Barred Forest-Falcon</b>         | <i>Microstur ruficollis</i>        | ▶  2 |
| 3  | <b>American Kestrel</b>             | <i>Falco sparverius</i>            | ▶  1 |
| 1  | <b>Bat Falcon</b>                   | <i>Falco ruficularis</i>           | ▶  1 |
| 12 | <b>Rose-faced Parrot</b>            | <i>Pyrilia pulchra</i>             | ▶  1 |
| 5  | <b>Red-billed Parrot</b>            | <i>Pionus sordidus</i>             | ▶  2 |

|    |                                       |                                    |                                                                                           |
|----|---------------------------------------|------------------------------------|-------------------------------------------------------------------------------------------|
| 12 | <b>Speckle-faced Parrot</b>           | <i>Pionus tumultuosus</i>          | ▶  1    |
| 2  | <b>Blue-headed Parrot</b>             | <i>Pionus menstruus</i>            | ▶  1   |
| 17 | <b>Bronze-winged Parrot</b>           | <i>Pionus chalcopterus</i>         | ▶  6   |
| 2  | <b>Mealy Amazon</b>                   | <i>Amazona farinosa</i>            | ▶  1   |
| 2  | <b>Scaly-naped Amazon</b>             | <i>Amazona mercenarius</i>         | ▶  1   |
| 2  | <b>Pacific Parrotlet</b>              | <i>Forpus coelestis</i>            | ▶  1   |
| 13 | <b>Maroon-tailed Parakeet</b>         | <i>Pyrrhura melanura</i>           | ▶  4   |
| 2  | <b>Chestnut-fronted Macaw</b>         | <i>Ara severus</i>                 | ▶  1   |
| 2  | <b>Red-masked Parakeet</b>            | <i>Psittacara erythrogenys</i>     | ▶  1   |
| 1  | <b>Rufous-rumped Antwren</b>          | <i>Euchrepomis callinota</i>       | ▶  1   |
| 1  | <b>Great Antshrike</b>                | <i>Taraba major</i>                | ▶  1 |
| 2  | <b>Uniform Antshrike</b>              | <i>Thamnophilus unicolor</i>       | ▶  1 |
| 3  | <b>Russet Antshrike</b>               | <i>Thamnistes anabatinus</i>       | ▶  3 |
| 1  | <b>Plain Antvireo</b>                 | <i>Dysithamnus mentalis</i>        | ▶  1 |
| 2  | <b>Checker-throated Stipplethroat</b> | <i>Epinecrophylla fulviventris</i> | ▶  1 |
| 3  | <b>Slaty Antwren</b>                  | <i>Myrmotherula schisticolor</i>   | ▶  2 |
| 3  | <b>Dot-winged Antwren</b>             | <i>Microrhophias quixensis</i>     | ▶  2 |
| 2  | <b>Western Fire-eye</b>               | <i>Pyriglena maura</i>             | ▶  1 |
| 3  | <b>Chestnut-backed Antbird</b>        | <i>Poliocrania exsul</i>           | ▶  2 |
| 2  | <b>Esmeraldas Antbird</b>             | <i>Sipia nigricauda</i>            | ▶  1 |

- 9 **Zeledon's Antbird** *Hafferia zeledoni* ▶  2
- 1 **Scaled Antpitta** *Grallaria guatimalensis* ▶  1
- 6 **Chestnut-crowned Antpitta** *Grallaria ruficapilla* ▶  2
- 1 **Chestnut-naped Antpitta** *Grallaria nuchalis* ▶  1
- 1 **Yellow-breasted Antpitta** *Grallaria flavotincta* ▶  1
- 4 **Equatorial Antpitta** *Grallaria saturata* ▶  2
- 2 **Ocellated Tapaculo** *Acropternis orthonyx* ▶  1
- 3 **Blackish Tapaculo** *Scytalopus latrans* ▶  3
- 5 **Nariño Tapaculo** *Scytalopus vicini* ▶  3
- 4 **Spillmann's Tapaculo** *Scytalopus spillmanni* ▶  2
- 5 **Rufous-breasted Antthrush** *Formicarius rufipectus* ▶  4
- 1 **Tyrannine Woodcreeper** *Dendrocincla tyrannina* ✓ ▶  1
- 9 **Plain-brown Woodcreeper** *Dendrocincla fuliginosa* ▶  7
- 5 **Wedge-billed Woodcreeper** *Glyphorhynchus spirurus* ▶  4
- 4 **Strong-billed Woodcreeper** *Xiphocolaptes promeropirhynchus* ▶  3
- 1 **Black-striped Woodcreeper** *Xiphorhynchus lachrymosus* ▶  1
- 8 **Spotted Woodcreeper** *Xiphorhynchus erythropygius* ▶  7
- 4 **Streak-headed Woodcreeper** *Lepidocolaptes souleyetii* ▶  3
- 8 **Montane Woodcreeper** *Lepidocolaptes lacrymiger* ▶  6
- 1 **Northern Plain-Xenops** *Xenops mexicanus* ✓ ▶  1

|    |                                       |                                      |                                                                                           |
|----|---------------------------------------|--------------------------------------|-------------------------------------------------------------------------------------------|
| 1  | <b>Streaked Xenops</b>                | <i>Xenops rutilans</i>               | ▶  1    |
| 1  | <b>Pacific Tuftedcheek</b>            | <i>Pseudocolaptes johnsoni</i>       | ▶  1   |
| 3  | <b>Streaked Tuftedcheek</b>           | <i>Pseudocolaptes boissonneautii</i> | ▶  2   |
| 7  | <b>Pacific Hornero</b>                | <i>Furnarius cinnamomeus</i>         | ▶  3   |
| 2  | <b>Scaly-throated Foliage-gleaner</b> | <i>Anabacerthia variegaticeps</i>    | ▶  2   |
| 5  | <b>Lineated Foliage-gleaner</b>       | <i>Syndactyla subalaris</i>          | ▶  5   |
| 3  | <b>Buff-fronted Foliage-gleaner</b>   | <i>Dendroma rufa</i>                 | ▶  3   |
| 1  | <b>Uniform Treehunter</b>             | <i>Thripadectes ignobilis</i>        | ▶  1   |
| 1  | <b>Striped Treehunter</b>             | <i>Thripadectes holostictus</i>      | ▶  1   |
| 5  | <b>Streak-capped Treehunter</b>       | <i>Thripadectes virgaticeps</i>      | ▶  5   |
| 2  | <b>Western Woodhaunter</b>            | <i>Automolus virgatus</i>            | ▶  2 |
| 2  | <b>Spotted Barbtail</b>               | <i>Premnoplex brunnescens</i>        | ▶  2 |
| 8  | <b>Pearled Treerunner</b>             | <i>Margarornis squamiger</i>         | ▶  2 |
| 10 | <b>Red-faced Spinetail</b>            | <i>Cranioleuca erythrops</i>         | ▶  7 |
| 11 | <b>Slaty Spinetail</b>                | <i>Synallaxis brachyura</i>          | ▶  4 |
| 1  | <b>Azara's Spinetail</b>              | <i>Synallaxis azarae</i>             | ▶  1 |
| 2  | <b>Rufous Spinetail</b>               | <i>Synallaxis unirufa</i>            | ▶  2 |
| 1  | <b>Golden-winged Manakin</b>          | <i>Masius chrysopterus</i>           | ▶  1 |
| 1  | <b>Velvety Manakin</b>                | <i>Lepidothrix velutina</i>          | ▶  1 |
| 3  | <b>White-bearded Manakin</b>          | <i>Manacus manacus</i>               | ▶  3 |

|    |                                     |                                                                                                                   |                                                                                           |
|----|-------------------------------------|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| 2  | <b>Club-winged Manakin</b>          | <i>Machaeropterus deliciosus</i>                                                                                  | ▶  2    |
| 4  | <b>Green-and-black Fruiteater</b>   | <i>Pipreola riefferii</i>                                                                                         | ▶  2   |
| 2  | <b>Orange-breasted Fruiteater</b>   | <i>Pipreola jucunda</i>                                                                                           | ▶  1   |
| 2  | <b>Scaled Fruiteater</b>            | <i>Ampelioides tschudii</i>                                                                                       | ▶  2   |
| 9  | <b>Andean Cock-of-the-rock</b>      | <i>Rupicola peruvianus</i>                                                                                        | ▶  2   |
| 10 | <b>Long-wattled Umbrellabird</b>    | <i>Cephalopterus penduliger</i>                                                                                   | ▶  3   |
| 5  | <b>Masked Tityra</b>                | <i>Tityra semifasciata</i>                                                                                        | ▶  4   |
| 1  | <b>Barred Becard</b>                | <i>Pachyramphus versicolor</i>                                                                                    | ▶  1   |
| 5  | <b>Cinnamon Becard</b>              | <i>Pachyramphus cinnamomeus</i>                                                                                   | ▶  5   |
| 2  | <b>Cryptic Becard</b>               | <i>Pachyramphus salvini</i>                                                                                       | ▶  2   |
| 1  | <b>One-colored Becard</b>           | <i>Pachyramphus homochrous</i>                                                                                    | ▶  1 |
| 3  | <b>Tawny-breasted Flycatcher</b>    | <i>Myiobius villosus</i>                                                                                          | ▶  3 |
| 2  | <b>Streak-necked Flycatcher</b>     | <i>Mionectes striaticollis</i>                                                                                    | ▶  1 |
| 5  | <b>Slaty-capped Flycatcher</b>      | <i>Leptopogon superciliaris</i>                                                                                   | ▶  5 |
| 2  | <b>Marble-faced Bristle-Tyrant</b>  | <i>Pogonotriccus ophthalmicus</i>                                                                                 | ▶  2 |
| 1  | <b>Black-capped Pygmy-Tyrant</b>    | <i>Myiornis atricapillus</i>                                                                                      | ▶  1 |
| 4  | <b>Scale-crested Pygmy-Tyrant</b>   | <i>Lophotriccus pileatus</i>                                                                                      | ▶  4 |
| 4  | <b>Common Tody-Flycatcher</b>       | <i>Todirostrum cinereum</i>                                                                                       | ▶  4 |
| 1  | <b>Black-headed Tody-Flycatcher</b> | <i>Todirostrum nigriceps</i>                                                                                      | ▶  1 |
| 2  | <b>Yellow-winged Flatbill</b>       | <i>Tolmomyias flavotectus</i>  | ▶  1 |

- 1 **Cinnamon Flycatcher** *Pyrrhomyias cinnamomeus* ▶  1
- 17 **Ornate Flycatcher** *Myiotriccus ornatus* ▶  7
- 1 **Brown-capped Tyrannulet** *Ornithion brunneicapillus* ▶  1
- 2 **Southern Beardless-Tyrannulet** *Camptostoma obsoletum* ▶  2
- 11 **White-tailed Tyrannulet** *Mecocerculus poecilocercus* ▶  6
- 3 **White-banded Tyrannulet** *Mecocerculus stictopterus* ▶  1
- 4 **Yellow-crowned Tyrannulet** *Tyrannulus elatus* ▶  3
- 1 **Yellow-bellied Elaenia** *Elaenia flavogaster* ▶  1
- 1 **Coopmans's Elaenia** *Elaenia brachyptera* ▶  1
- 1 **White-crested Elaenia** *Elaenia albiceps* ▶  1
- 3 **Torrent Tyrannulet** *Serpophaga cinerea* ▶  3
- 2 **Sooty-headed Tyrannulet** *Phyllomyias griseiceps* ▶  2
- 2 **Black-capped Tyrannulet** *Tyranniscus nigrocapillus* ▶  1
- 10 **Choco Tyrannulet** *Zimmerius albigularis* ▶  5
- 7 **Smoke-colored Pewee** *Contopus fumigatus* ▶  5
- 9 **Black Phoebe** *Sayornis nigricans* ▶  6
- 4 **Vermilion Flycatcher** *Pyrocephalus rubinus* ▶  1
- 6 **Masked Water-Tyrant** *Fluvicola nengeta* ▶  3
- 5 **Dusky-capped Flycatcher** *Myiarchus tuberculifer* ▶  4
- 1 **Boat-billed Flycatcher** *Megarynchus pitangua* ▶  1

|    |                                      |                                   |                                                                                            |
|----|--------------------------------------|-----------------------------------|--------------------------------------------------------------------------------------------|
| 19 | <b>Rusty-margined Flycatcher</b>     | <i>Myiozetetes cayanensis</i>     | ▶  13    |
| 2  | <b>Gray-capped Flycatcher</b>        | <i>Myiozetetes granadensis</i>    | ▶  2    |
| 8  | <b>Golden-bellied Flycatcher</b>     | <i>Myiodynastes hemichrysus</i>   | ▶  6    |
| 17 | <b>Tropical Kingbird</b>             | <i>Tyrannus melancholicus</i>     | ▶  12   |
| 2  | <b>Black-billed Peppershrike</b>     | <i>Cyclarhis nigristrois</i>      | ▶  2    |
| 3  | <b>Slaty-capped Shrike-Vireo</b>     | <i>Vireolanius leucotis</i>       | ▶  3    |
| 2  | <b>Lesser Greenlet</b>               | <i>Pachysylvia decurtata</i>      | ▶  2    |
| 16 | <b>Brown-capped Vireo</b>            | <i>Vireo leucophrys</i>           | ▶  6    |
| 25 | <b>Chivi Vireo</b>                   | <i>Vireo chivi</i>                | ▶  10   |
| 1  | <b>Turquoise Jay</b>                 | <i>Cyanolyca turcosa</i>          | ▶  1   |
| 3  | <b>Gray-breasted Martin</b>          | <i>Progne chalybea</i>            | ▶  1  |
| 11 | <b>Southern Rough-winged Swallow</b> | <i>Stelgidopteryx ruficollis</i>  | ▶  6  |
| 1  | <b>White-thighed Swallow</b>         | <i>Atticora tibialis</i>          | ▶  1  |
| 33 | <b>Blue-and-white Swallow</b>        | <i>Pygochelidon cyanoleuca</i>    | ▶  12 |
| 5  | <b>Scaly-breasted Wren</b>           | <i>Microcerculus marginatus</i>   | ▶  5  |
| 14 | <b>Southern House Wren</b>           | <i>Troglodytes musculus</i>       | ▶  12 |
| 6  | <b>Mountain Wren</b>                 | <i>Troglodytes solstitialis</i>   | ▶  6  |
| 2  | <b>Plain-tailed Wren</b>             | <i>Pheugopedius euophrys</i>      | ▶  1  |
| 4  | <b>Bay Wren</b>                      | <i>Cantorchilus nigricapillus</i> | ▶  4  |
| 1  | <b>Rufous Wren</b>                   | <i>Cinnycerthia unirufa</i>       | ▶  1  |

- 1 **Sharpe's Wren** *Cinnycerthia olivascens* ▶  1
- 22 **Gray-breasted Wood-Wren** *Henicorhina leucophrys* ▶  14
- 4 **White-capped Dipper** *Cinclus leucocephalus* ▶  3
- 6 **Andean Solitaire** *Myadestes raloides* ▶  6
- 2 **Slaty-backed Nightingale-Thrush** *Catharus fuscater* ▶  2
- 2 **Speckled Nightingale-Thrush** *Catharus maculatus* ▶  2
- 1 **Black Solitaire** *Entomodestes coracinus* ▶  1
- 5 **Glossy-black Thrush** *Turdus serranus* ▶  2
- 3 **Great Thrush** *Turdus fuscater* ▶  2
- 6 **Ecuadorian Thrush** *Turdus maculirostris* ▶  4
- 2 **Yellow-collared Chlorophonia** *Chlorophonia flavirostris* ✓ ▶  1
- 10 **Orange-crowned Euphonia** *Euphonia saturata* ▶  4
- 16 **Thick-billed Euphonia** *Euphonia laniirostris* ▶  6
- 2 **Fulvous-vented Euphonia** *Euphonia fulvicrissa* ▶  1
- 26 **Orange-bellied Euphonia** *Euphonia xanthogaster* ▶  15
- 1 **Yellow-bellied Siskin** *Spinus xanthogastrus* ▶  1
- 4 **Hooded Siskin** *Spinus magellanicus* ▶  2
- 6 **Yellow-throated Chlorospingus** *Chlorospingus flavigularis* ▶  5
- 42 **Dusky Chlorospingus** *Chlorospingus semifuscus* ▶  9
- 1 **Black-striped Sparrow** *Arremonops conirostris* ▶  1

|    |                                   |                                 |                                                                                            |
|----|-----------------------------------|---------------------------------|--------------------------------------------------------------------------------------------|
| 1  | <b>Gray-browed Brushfinch</b>     | <i>Arremon assimilis</i>        | ▶  1     |
| 2  | <b>Orange-billed Sparrow</b>      | <i>Arremon aurantirostris</i>   | ▶  2    |
| 5  | <b>Chestnut-capped Brushfinch</b> | <i>Arremon brunneinucha</i>     | ▶  4    |
| 14 | <b>Rufous-collared Sparrow</b>    | <i>Zonotrichia capensis</i>     | ▶  10   |
| 2  | <b>Choco Brushfinch</b>           | <i>Atlapetes crassus</i>        | ▶  2    |
| 4  | <b>Yellow-breasted Brushfinch</b> | <i>Atlapetes latinuchus</i>     | ▶  1    |
| 4  | <b>White-winged Brushfinch</b>    | <i>Atlapetes leucopterus</i>    | ▶  4    |
| 2  | <b>Scarlet-rumped Cacique</b>     | <i>Cacicus uropygialis</i>      | ▶  1    |
| 1  | <b>Yellow-rumped Cacique</b>      | <i>Cacicus cela</i>             | ▶  1    |
| 4  | <b>Shiny Cowbird</b>              | <i>Molothrus bonariensis</i>    | ▶  3    |
| 3  | <b>Giant Cowbird</b>              | <i>Molothrus oryzivorus</i>     | ▶  2  |
| 3  | <b>Scrub Blackbird</b>            | <i>Dives waczewiczi</i>         | ▶  3  |
| 2  | <b>Olive-crowned Yellowthroat</b> | <i>Geothlypis semiflava</i>     | ▶  1  |
| 15 | <b>Tropical Parula</b>            | <i>Setophaga pitiaiumi</i>      | ▶  11 |
| 5  | <b>Three-striped Warbler</b>      | <i>Basileuterus tristriatus</i> | ▶  5  |
| 9  | <b>Buff-rumped Warbler</b>        | <i>Myiothlypis fulvicauda</i>   | ▶  7  |
| 3  | <b>Choco Warbler</b>              | <i>Myiothlypis chlorophrys</i>  | ▶  1  |
| 3  | <b>Russet-crowned Warbler</b>     | <i>Myiothlypis coronata</i>     | ▶  2  |
| 19 | <b>Slate-throated Redstart</b>    | <i>Myioborus miniatus</i>       | ▶  13 |
| 5  | <b>White-winged Tanager</b>       | <i>Piranga leucoptera</i>       | ▶  3  |

|    |                                         |                                   |                                                                                            |
|----|-----------------------------------------|-----------------------------------|--------------------------------------------------------------------------------------------|
| 10 | <b>Ochre-breasted Tanager</b>           | <i>Chlorothraupis stolzmanni</i>  | ▶  5     |
| 1  | <b>Golden Grosbeak</b>                  | <i>Pheucticus chrysogaster</i>    | ▶  1    |
| 1  | <b>Superciliaried Hemispingus</b>       | <i>Thlypopsis superciliaris</i>   | ▶  1    |
| 4  | <b>White-shouldered Tanager</b>         | <i>Loriotus luctuosus</i>         | ▶  3    |
| 4  | <b>Tawny-crested Tanager</b>            | <i>Tachyphonus delatrii</i>       | ▶  1    |
| 9  | <b>White-lined Tanager</b>              | <i>Tachyphonus rufus</i>          | ▶  4    |
| 47 | <b>Flame-rumped Tanager</b>             | <i>Ramphocelus flammigerus</i>    | ▶  18   |
| 3  | <b>Moss-backed Tanager</b>              | <i>Bangsia edwardsi</i>           | ▶  1    |
| 1  | <b>Hooded Mountain Tanager</b>          | <i>Buthraupis montana</i>         | ▶  1    |
| 5  | <b>Blue-capped Tanager</b>              | <i>Sporathraupis cyanocephala</i> | ▶  3   |
| 2  | <b>Grass-green Tanager</b>              | <i>Chlorornis riefferii</i>       | ▶  2  |
| 4  | <b>Scarlet-bellied Mountain Tanager</b> | <i>Anisognathus igniventris</i>   | ▶  2  |
| 22 | <b>Blue-winged Mountain Tanager</b>     | <i>Anisognathus somptuosus</i>    | ▶  7  |
| 10 | <b>Black-chinned Mountain Tanager</b>   | <i>Anisognathus notabilis</i>     | ▶  2  |
| 1  | <b>Buff-banded Mountain Tanager</b>     | <i>Dubusia taeniata</i>           | ▶  1  |
| 3  | <b>Fawn-breasted Tanager</b>            | <i>Pipraeidea melanonota</i>      | ▶  3  |
| 6  | <b>Blue-and-yellow Tanager</b>          | <i>Rauenia bonariensis</i>        | ▶  1  |
| 6  | <b>Glistening-green Tanager</b>         | <i>Chlorochrysa phoenicotis</i>   | ▶  3  |
| 34 | <b>Blue-gray Tanager</b>                | <i>Thraupis episcopus</i>         | ▶  14 |
| 19 | <b>Palm Tanager</b>                     | <i>Thraupis palmarum</i>          | ▶  12 |

|    |                                     |                                  |                                                                                            |
|----|-------------------------------------|----------------------------------|--------------------------------------------------------------------------------------------|
| 3  | <b>Rufous-throated Tanager</b>      | <i>Ixothraupis rufigula</i>      | ▶  2     |
| 33 | <b>Golden-naped Tanager</b>         | <i>Chalcothraupis ruficervix</i> | ▶  11   |
| 2  | <b>Gray-and-gold Tanager</b>        | <i>Poecilostreptus palmeri</i>   | ▶  1    |
| 7  | <b>Black-capped Tanager</b>         | <i>Stilpnia heinei</i>           | ▶  4    |
| 2  | <b>Scrub Tanager</b>                | <i>Stilpnia vitriolina</i>       | ▶  1    |
| 1  | <b>Golden-hooded Tanager</b>        | <i>Stilpnia larvata</i>          | ▶  1    |
| 9  | <b>Blue-necked Tanager</b>          | <i>Stilpnia cyanicollis</i>      | ▶  8    |
| 5  | <b>Blue-and-black Tanager</b>       | <i>Tangara vassorii</i>          | ▶  2    |
| 26 | <b>Beryl-spangled Tanager</b>       | <i>Tangara nigroviridis</i>      | ▶  6    |
| 4  | <b>Metallic-green Tanager</b>       | <i>Tangara labradorides</i>      | ▶  4   |
| 6  | <b>Bay-headed Tanager</b>           | <i>Tangara gyrola</i>            | ▶  5  |
| 22 | <b>Flame-faced Tanager</b>          | <i>Tangara parzudakii</i>        | ▶  10 |
| 37 | <b>Golden Tanager</b>               | <i>Tangara arthus</i>            | ▶  13 |
| 6  | <b>Silver-throated Tanager</b>      | <i>Tangara icterocephala</i>     | ▶  3  |
| 17 | <b>Swallow Tanager</b>              | <i>Tersina viridis</i>           | ▶  4  |
| 2  | <b>Yellow-tufted Dacnis</b>         | <i>Dacnis egregia</i>            | ▶  1  |
| 2  | <b>Scarlet-thighed Dacnis</b>       | <i>Dacnis venusta</i>            | ▶  2  |
| 1  | <b>Scarlet-breasted Dacnis</b>      | <i>Dacnis berlepschi</i>         | ▶  1  |
| 5  | <b>Green Honeycreeper</b>           | <i>Chlorophanes spiza</i>        | ▶  2  |
| 2  | <b>Golden-collared Honeycreeper</b> | <i>Iridophanes pulcherrimus</i>  | ▶  1  |

|    |                                  |                                   |                                                                                            |
|----|----------------------------------|-----------------------------------|--------------------------------------------------------------------------------------------|
| 4  | <b>Scarlet-browed Tanager</b>    | <i>Heterospingus xanthopygius</i> | ▶  1     |
| 1  | <b>Guira Tanager</b>             | <i>Hemithraupis guira</i>         | ▶  1    |
| 4  | <b>Capped Conebill</b>           | <i>Conirostrum albifrons</i>      | ▶  1    |
| 4  | <b>Glossy Flowerpiercer</b>      | <i>Diglossa lafresnayii</i>       | ▶  1    |
| 1  | <b>Black Flowerpiercer</b>       | <i>Diglossa humeralis</i>         | ▶  1    |
| 3  | <b>White-sided Flowerpiercer</b> | <i>Diglossa albilatera</i>        | ▶  2    |
| 1  | <b>Indigo Flowerpiercer</b>      | <i>Diglossa indigotica</i>        | ▶  1    |
| 1  | <b>Rusty Flowerpiercer</b>       | <i>Diglossa sittoides</i>         | ▶  1    |
| 21 | <b>Masked Flowerpiercer</b>      | <i>Diglossa cyanea</i>            | ▶  4    |
| 3  | <b>Saffron Finch</b>             | <i>Sicalis flaveola</i>           | ▶  1    |
| 1  | <b>Blue-black Grassquit</b>      | <i>Volatinia jacarina</i>         | ▶  1  |
| 7  | <b>Variable Seedeater</b>        | <i>Sporophila corvina</i>         | ▶  4  |
| 6  | <b>Yellow-bellied Seedeater</b>  | <i>Sporophila nigricollis</i>     | ▶  2  |
| 1  | <b>Plain-colored Seedeater</b>   | <i>Catamenia inornata</i>         | ▶  1  |
| 11 | <b>Bananaquit</b>                | <i>Coereba flaveola</i>           | ▶  10 |
| 4  | <b>Yellow-faced Grassquit</b>    | <i>Tiaris olivaceus</i>           | ▶  1  |
| 8  | <b>Dull-colored Grassquit</b>    | <i>Asemospiza obscura</i>         | ▶  1  |
| 8  | <b>Buff-throated Saltator</b>    | <i>Saltator maximus</i>           | ▶  5  |
| 5  | <b>Black-winged Saltator</b>     | <i>Saltator atripennis</i>        | ▶  3  |

## ADDITIONAL TAXA

**16** swift sp. *Apodidae* sp.

▶  2