

Trip Report — Ghana: Window Into West African Birding 2026

March 14-April 2, 2026 with Tarry Butcher

Ghana 2026 was another successful fun trip with an awesome group. We shared many stories, lots of laughter and spotted some good birds along the way. Highlights of the trip for most was an amazing Rockfowl experience closely followed by displaying Standard-winged Nightjar in Mole National Park. Other top sightings included Abyssinian Ground Hornbill, a surprise Nkulengu Rail, massive Elephants walking through camp and a Black-bellied Pangolin.

Most of the group arrived the day before and did a day trip to Shai hills to kick off the trip; we repeated this the following day officially with everyone, bar a lost bag which hadn't arrived. Shai as usual was a nice start to the trip, but due to the heat things were playing hard to get, but we did get good views of Yellow-fronted Tinkerbird, Vieillot's Barbet, Shikra and Blue-breasted Kingfisher. Unfortunately, Mocking Cliff Chat was not very cooperative with brief views of the male on a high boulder. After lunch we made our way to the coast, birding the southern section of the Sakumono Lagoon picking up African Swamphen, Black Heron, Collared Pratincole, Western Yellow Wagtail and both Great and Yellow-billed Egrets. We made a quick stop in at the airport on the way back to the hotel for a welcome sight of the lost bag. Overall a good introduction to Ghanaian birds and traffic, which we would see more of the next day as we made our way west to Cape Coast.

On route to Cape Coast we had to make an emergency detour off the main road through farms and villages, weaving the bus under power cables and along tiny tracks, all due to the main road being closed by a fuel tanker which had exploded and was still burning heavily. This exciting yet treacherous detour yielded good looks at Grey-headed Kingfisher and Levillant's Cuckoo.

Winneba Lagoon was the next official stop and a lucky tide meaning the shore birds were much closer than in previous years. We had views of Curlew Sandpipers, Sanderlings, Common Greenshank, Ruddy Turnstone, Bar-tailed Godwit, Western Reef Heron, Black Terns and a surprising Red Knot. West African Crested Terns were playing hard to get with scope views of a tern roost. Winneba Plains was quiet this year due to the heat but we did flush a Long-tailed Nightjar and nice Cardinal Woodpecker. After lunch we did a short tour of the Slave Castle at Cape Coast and made a roadside stop at Fosu Lagoon before making our way north to Rainforest Lodge. Fosu revealed great looks at Woodland and Pied Kingfishers, Reed Cormorant and Wood Sandpiper.



Western Reef-Heron seen at Winneba Lagoon. Photo by guide Tarry Butcher.

The next day was mainly a travel day, but we did make several short stops along the way to break up the journey, stretch the legs and add some new trip birds. The first of the stops was Brenu Beach farm bush, where a walk down the road yielded some good birds like Marsh Tchagra, Red-winged

Prinia, Black-crowned Tchagra, Great Spotted Cuckoo, Tropical Boubou, Yellow-crowned Gonolek, Oriole Warbler and Double Toothed Barbet. A really productive morning. Next stop along the road was at Boko Marshes, a small roadside pond which was really quiet this year due to the road upgrades and construction, but we did get views of Orange Weaver and Grey Kestrel. After lunch we made another roadside stop at Ebi River scanning the wetland and exploring the mangroves. Here we found Hartlaub Duck, one of the major targets. Also seen was African Harrier-hawk hunting over the water. Exploring the mangroves, we were able to get good views of Mangrove Sunbird and White-browed Forest Flycatcher. Still missing one target for the day, we made a few more stops at small roadside ponds viewing from the bus and finally we connected with African Pygmy Goose hiding amongst the lilly pads, just before making the turn off to Ankasa. The newly built Ankasa Reserve Lodge is a fantastic platform for the next couple of nights and a welcome sight after the long drive.



Amazing views of this relaxed White-crested Tiger-Heron in the Road at Ankasa National Park. Photo By guide Tarry Butcher.

Ankasa Forest Reserve is the largest section of primary upper Guinea rainforest in Ghana, and protected by Birdlife International. We started off with a bang, finding a very relaxed White-Crested Tiger-Heron feeding from a muddle puddle in the road, allowing amazing views. The forest ponds were productive with Shining Blue Kingfisher, White-bellied Kingfisher, Red-fronted Ant-pecker and Dwarf Bittern showing well. A small bird party moved through during our time at the ponds, giving us brief views of Ansorge's Greenbul, Yellow-billed Turaco, Blue-billed Malimbe and West African Wattle-eye. Back to the lodge for lunch, with good birding around the grounds with Slender-billed Greenbul, Reichenbach's Sunbird, Speckled Tinkerbird and Black Bee-eater seen from the lunch table. Afternoons in the forest are generally quieter, but we did connect with Red-billed Dwarf Hornbill, Cassin's and Sabine's Spinetail in the late afternoon before rain sent us searching for shelter in a nearby deserted camp site. With rain putting an ending to birding for the day, we waited for it to stop before heading back to camp hearing Akun Eagle-Owl and seeing a Derby's Anomalure just before the park gates.

We focused on the main track the following day, with brief views of Long-tailed Hawk, Olive Long-tailed Cuckoo and good looks at Rufous-sided Broadbill, Hairy-breasted and Yellow-spotted Barbets, Shining Drongo and White-tailed Ant-thrush. No rain in the afternoon meant more time in the forest and we were able to connect with Red-chested Owlet, along with the mob of other birds harassing it, including Black-capped Apalis, Olive and Johanna Sunbirds, Western Bearded Greenbul and Yellow-billed Turaco. Owling after dinner, we were able to find a very responsive Fraser's Eagle-Owl and heard a pair of duetting African Wood-Owls.

Our final morning in the forest was a slow walk from the lodge over the bridge and along a forest track near the entrance. Birding from the bridge was great in the morning, with brilliant views of African Emerald Cuckoo, Cassin's Flycatcher, Green and Lemon-bellied Crombecs, Buff-throated and Tiny Sunbirds and flyover West African Pied Hornbill. Along the track we got views of the cute Orange-breasted Forest Robin, Blue-headed Crested

Flycatcher and Finsch's Flycatcher-Thrush. Chocolate-backed Kingfisher was heard calling agonizingly close, but even with our best efforts we were unable to locate it. An early lunch and last-minute lodge birding before making our way back to Rainforest Lodge.



Mouse-brown Sunbird seen well at Ebi River mangroves. Photo by guide Tarry Butcher.

The next major birding destination was the highly anticipated Kakum Canopy Walkway, where we spent a full morning and afternoon on the walkway and platforms. Views from the platforms over the forest are absolutely awesome. Dawn chorus and morning activity from the platform were good this year, with early sightings of Blue Cuckooshrike, Yellow-mantled Weaver, Olivaceous Flycatcher, Rufous-crowned Eremomela, African Forest Flycatcher and Forest Penduline Tit. As the morning progressed, we moved to a different platform where we found Forest Scimitarbill, Melancholy Woodpecker, Sharpe's Apalis, Sabine's Puffback and Violet-backed Hyliota. Two Sun Squirrels building a nest kept us entertained as they scurried around the trees collecting bedding material.

Our afternoon session started with an amazing sighting of West African Green Mamba seen exploring the cavities of a dead tree, far enough away from the platform to be exciting to look at but not too close to worry about it. The large hornbills were shy this year, keeping their distance, but we did get views of Black-casqued and Yellow-casqued Hornbills. Closer to the platform, we found Yellow-browed Camaroptera, White-breasted, Grey-headed and Chestnut-breasted Nigrita, Yellow-chinned, Blue-throated Brown, Little Green and Collared Sunbirds. Just before sunset a small mixed family of Spot-nosed and Lowe's Monkeys moved through the forest below the platform. After sunset we staked out the tree at the entrance and had brief views of Pel's Anomalure moving up the tree but quickly out of sight.

The following day we targeted farmbush areas on the edge of Kakum National Park, but unfortunately the weather was not on our side with the afternoon cut short due to rain. The morning walk at the Stingless Bee Centre, through stands of bamboo and farmbush, revealed Western Nicator, Red-cheeked Wattle-eye, Blue-spotted Wood-Dove, Red-rumped Tinkerbird, Whistling Cisticola and brief views of White-throated and Swamp Greenbuls, while White-spotted Flufftail was heard well but never appeared. We had rain over lunch and more storms rolling in, so the afternoon was quiet, but we did manage to scratch up Icterine, Golden and Western Bearded Greenbul and a distant Purple-throated Cuckooshrike. Avoiding the rain as best as possible, we headed to Jukwa Farmbush where we got Bronze Mannikin, Red-faced Cisticola and a surprise Great Reed Warbler. We stayed out after sunset in search of Long-tailed Nightjar, which was seen well in the road, and then through local knowledge and much confusion we raced off to tiny patch of forest next to a busy main road. We jumped out at a noisy car wash, walked through a small plantation in the forest to find two Nkulengu Rails roosting in a tree, a bird we missed in Ankasa, so nice save here.



White-necked Rockfowl seen well at their roost site. Photo by guide Tarry Butcher.

ROCKFOWL DAY, but we had a few birding spots to visit before then. Firstly, we spent the morning walking down a narrow farm bush track in the Antwikwaa community forest near Kakum NP. We started with good views of Tambourine Dove and Red-vented Malimbe, but birding was interrupted by a massive Common Emperor Scorpion crossing the track. Eyes back on birds, we soon found Tit-hylia, Bristle-nosed Barbet, Black-and-white Shrike-flycatcher, African Green-Pigeon and Black-winged Oriole. Flying overhead we had views of Red-fronted Parrot, Black Spinetail and distant Rosy Bee-eaters.

After leaving Kakum, we made two road-side stops, firstly a nesting colony of Preuss's Swallows at a bridge over a small stream. We were lucky to find them landing on the ground to collect nesting material in an open area. Then our next stop was the small town of Twifo Praso along the Pra River to view Rock Pratincole and White-throated Blue Swallow. Also, really good looks at Senegal Coucal on the roof of a small palm oil production area. A short

roadside lunch before our main destination for the day, the newly built Ashanti Picathartes Guest House.

We had time to check in and drop bags before making our way into the forest. The walk took about an hour but would have been shorter had we not seen a Pangolin next to the path, a highlight sighting for most of the group. We found a Black-bellied (Long-tailed) Pangolin right next to the path at about eye level. It just tucked its head into a small bunch of leaves ignoring us completely. What a privilege and beautiful animal, but we had Rockfowl to find, so back on the trail and up the hill to the rock roost. We made ourselves comfortable on the wooden benches and were rewarded with six rockfowl hopping around the roost for about 40 min before making our way back to the guest house before dark. A very successful day.

We spent the following morning in a new section of the Kwabena-Sam Forest, seeing Blue-headed Coucal, Tessmann's Flycatcher, African Piculet, Grey Greenbul and Gray Longbill well, and battled with Puvel's and Brown Illadopsis remaining a heard only.



Western Plantain-eater seen well throughout the tour. This pair seen at Fufulso Ponds. Photo by guide Tarry Butcher.

Making our way further north, we headed towards Mole National Park, a full day's drive from Kumasi. Breaking the long drive up with a few short birding stops, we found Guinea Turaco and African Gray Hornbill at Opra Farmbush before lunch, and a productive stop at Fufulso Ponds produced Greater Painted Snipe, Namaqua Dove, Grasshopper Buzzard, Quailfinch, Yellow-billed Ox-peckers, Lesser Honeyguide, Red-cheeked Cordonbleu, African Silverbill and Black-rumped Waxbills. Arriving at Zania Lodge just on sunset.

We used this as a base, exploring different sections of the park on morning and afternoon walks. First morning we focused on a small pond area and waited for smaller birds to come down to drink, seeing Swamp Flycatcher, Willow Warbler, Snowy-crowned Robin-Chat, Western Violet-backed Sunbird, Red-billed, Bar-bellied and Black-bellied Firefinches. Moving to the nearby waterhole, we found Black Crake, Red-winged Pytila, Gray and

Black-Headed Herons and hundreds of White-faced Whistling Ducks. Overhead the skies were busy with Bateleur, White-backed, Hooded, Palm-nut and White-headed Vultures.

The afternoon session was disrupted by rain, forcing us to explore different sections where we found Denham's Bustard and five Forbes's Plovers before sunset. After sunset, we had the great view of displaying Standard-winged Nightjars, a major highlight for the trip, with two males displaying in an open area. Greyish Eagle-Owl to wrap things up on the drive back to the lodge made for another great day.

Our trip to the White Volta was successful with 3 Egyptian Plovers, 2 adults feeding a fledged chick. The route back from the Volta was also productive, with good views of Blue-bellied Roller, Abyssinian Roller, Violet Turaco, Purple Heron and Red-necked Falcons. The afternoon produced the worst sweat bees James had ever seen, making birding tough. We did find Scarlet-chested Sunbird, Moustached Grass-Warbler, Woolly-necked Stork and Chestnut-crowned Sparrow-Weaver and the cherry on top, an African Scops-Owl and Long-tailed Nightjar.

Birding from the Zania Lodge pool area was very productive with Bearded Barbet, Rock-loving Cisticola, Lavender Waxbill, Pygmy Sunbird, Red-headed Weaver, Senegal Parrots and Violet Backed Starlings giving great views, with Elephants and Kob drinking at the waterhole below.

Our last full day in Mole was again rain disrupted, but we did manage to find African Spotted Creeper, Yellow-bellied Hyliota, Black Cuckoo, African Golden Oriole, Emin's Shrike, Woodchat Shrike and Striped Kingfisher in the morning, as well as a brief but awesome view of Abyssinian Ground Hornbill which didn't hang around and flew off deeper into the bush. Northern Red-billed Hornbill, Greater Honeyguide, Stone Partridge and White-throated Francolin were all seen well in the afternoon. On the way back to the lodge, we flushed a small herd of Roan Antelope, my first in Mole.

Our last stop in Mole National Park was a quick stop at the Mole Motel viewing point on the morning of departure, which produced Bruce's Green-Pigeon, Spur-winged Goose, Pallid Swift and better looks at Red-shouldered Cuckooshrike. We made a short stop at the Larabanga Mosque and then it was the long drive back to Kumasi.



Mole National Park produced stunning views of this Bearded Barbet. Photo by guide Tarry Butcher.

This year Bobiri Butterfly Sanctuary was quiet, probably due to the amount of rain in the evening. We walked down the main track past the main center, getting good views of Chestnut-capped Flycatcher, Red-thighed Sparrowhawk and Red-billed Helmetshrike with a surprise sighting of Narina Trogon wrapping up the morning. We made our way further south to Linda Dor, and spent the afternoon birding a nearby forest road. Again rain delayed us greatly, but once we were able to get out we found Dusky-blue Flycatcher, Vieillot's Barbet, Olive-naped, Village and Chestnut and Black Weavers.

Our final morning was probably one of the most productive forest session we had on the entire trip. Birding along a road through a forest section, we finally caught up with Chocolate-backed Kingfisher, Yellow-throated Cuckoo, Western Long-tailed Hornbill, Fire-bellied Woodpecker, Olive-green Camaroptera and Red-tailed Greenbul, all of which had been only heard up too that point. We also had a surprise Garden Warbler and Northern Yellow White-eye.

It was sadly the end of the trip as we had our final meal together and made our way south back to Accra, with a final bit of shopping before the airport and heading home. Special thanks go to the amazing group, to James our fantastic local expert, Ebenezer our local butterfly expert, Ashanti African Tours and Sharon from the Office.

Till next year, Rockrunner



Massive African Elephant casually walking through Zania Lodge in Mole National Park. Photo by guide Tarry Butcher.

Here is a list of Mammals and Butterflies seen on the trip.

MAMMALS:

African Straw-colored Fruit Bat (*Eidolon helvum*)
Tomb Bat sp. (*Taphozous* sp.)
Northern Lesser Galago (*Galago senegalensis*)
Demidoff's Dwarf Galago (*Galago demidoff*) (HEARD)
Spot-nosed Monkey (*Cercopithecus petaurista*)
Lowe's Monkey (*Cercopithecus lowei*)
Green Monkey (*Chlorocebus sabaeus*)
Common Patas Monkey (*Erythrocebus patas*)
Olive Baboon (*Papio anubis*)
Striped Ground Squirrel (*Euxerus erythropus*)
Fire-footed Rope Squirrel (*Funisciurus pyrrhopus*)
Green Bush Squirrel (*Paraxerus poensis*)
Small Sun Squirrel (*Heliosciurus punctatus*)
Red-legged Sun Squirrel (*Heliosciurus rufobrachium*)
Pel's Anomalure (*Anomalurus peli*)
Derby's Anomalure (*Anomalurus derbianus*)
Black-bellied Pangolin (*Phataginus tetradactyla*)
Northern Giant Pouched Rat (*Cricetomys gambianus*)
Forest Giant Pouched Rat (*Cricetomys emini*)
Rusty-spotted Genet (*Genetta fieldiana*)
Common Slender Mongoose (*Herpestes sanguineus*)
African Savanna Elephant (*Loxodonta africana*)
Western Tree Hyrax (*Dendrohyrax dorsalis*) (HEARD)
Desert Warthog (*Phacochoerus aethiopicus*)
Northern Bushbuck (*Tragelaphus scriptus*)
Waterbuck (*Kobus ellipsiprymnus*)
Kob (*Kobus kob*)
Roan Antelope (*Hippotragus equinus*)

BUTTERFLIES:

Regular Club-Dot Sailer (*Neptis melicerta*)
Brown-spot Bush Brown (*Bicyclus madetes madetes*)
Large-striped Swordtail (*Graphium antheus*)
Plain Tiger Butterfly (*Danaus chrysippus*)
Westwood's Acraea (*Stephenia pseudogina*)
Mocker Swallowtail (*Papilio Dardanus*)
Blue Monarch (*Tirumala petiverana*)
Common striped swordtail (*graphium politeness*)
Citrus Swallowtail (*papilio demodocus*)
African Emigrant (*catopsilia florella*)
Common Grass Yellow (*eurema hecabe*)
African Spirit (*leptosia alcesta*)
Common Tiger (*danaus chrysippus*)
Uniform Bush Brown (*bicyclus uniformis*)
Variable Eggfly (*hypolimnas antedon*)
Diadem or False Tiger (*hypolimnas misippus*)
Blue Diadem (*hypolimnas salmacis*)
African Blue Tiger (*tirumala petiverana*)
Forest mother-of-pearl (*protogoniomorpha parhassus*)
Dark Blue Pansy (*junonia oenone*)
Yellow Pansy (*junonia hierta*)
Brown Pansy (*junonia stygia*)
Soldier Pansy (*junonia terea*)
African Joker (*byblia anvatara*)
Common Yellow Glider (*cymothoe caenis*)
Common Pathfinder (*hamanumida daedalus*)
Widespread Forester (*euphaedra medon*)
Common Blue-banded Forester (*euphaedra harpalyce*)
Large Spotted Acraea (*acraea zetes*)
Common Leopard fritillary (*phalanta ophalanta*)
Angular Glider (*harma theobene*)
Forest Glade Nymph (*aterica galene*)
African Beak (*libythea labdaca*)
Large Tiger Blue (*hewitsonia boisduvalii*)

You can see my complete trip report on eBird at this link: <https://ebird.org/tripreport/492500>

You can see my iNaturalist report of non-avian taxa at this link: <https://www.inaturalist.org/projects/ghana-2026-field-guided-birding-tours>

Tarry Butcher

Field Guides Birding Tours--GHANA: WINDOW INTO WEST AFRICAN BIRDING, 2026 (with Tarry Butcher)



16 Mar – 2 Apr 2026 (18 days) Public



Ghana

Ashanti | Central | Eastern | Greater Accra | Northern | Western

Tarry Butcher



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...



415

47















































131



























13






























LIFERS  19  47  12 


































Species Observed





































[Show all details](#)































357	White-faced Whistling-Duck <i>Dendrocygna viduata</i>	  5
8	Hartlaub's Duck <i>Pteronetta hartlaubii</i>	  2  2
13	Spur-winged Goose <i>Plectropterus gambensis</i>	  1
2	African Pygmy-Goose <i>Nettapus auritus</i>	  2  1
33	Helmeted Guineafowl <i>Numida meleagris</i>	  1  5
16	Stone Partridge <i>Ptilopachus petrosus</i>  	  2  4
3	White-throated Francolin <i>Campocolinus albogularis</i>	  1  1
10	Double-spurred Spurfowl <i>Pternistis bicalcaratus</i>	  4
8	Rock Pigeon <i>Columba livia</i> *	  2
18	Speckled Pigeon <i>Columba guinea</i>	  4
44	Red-eyed Dove <i>Streptopelia semitorquata</i>	  1  17
92	Vinaceous Dove <i>Streptopelia vinacea</i>	  9
74	Laughing Dove <i>Spilopelia senegalensis</i>	  1  17
14	Black-billed Wood-Dove <i>Turtur abyssinicus</i>	  6
7	Blue-spotted Wood-Dove <i>Turtur afer</i>	  7
3	Tambourine Dove <i>Turtur tympanistria</i>	  1  3
3	Namaqua Dove <i>Oena capensis</i>	  1
4	Bruce's Green-Pigeon <i>Treron waalia</i>	  2
96	African Green-Pigeon <i>Treron calvus</i>	  1  11
1	Denham's Bustard <i>Neotis denhami</i>	  1  1



































4	Great Blue Turaco <i>Corythaeola cristata</i>	▶  1
37	Western Plantain-eater <i>Crinifer piscator</i> 	▶  1  18
6	Violet Turaco <i>Tauraco violaceus</i>	▶  6
14	Yellow-billed Turaco <i>Tauraco macrorhynchus</i>	▶  3  7
1	Guinea Turaco <i>Tauraco persa</i>	▶  1
3	Black-throated Coucal <i>Centropus leucogaster</i>	▶  3
23	Senegal Coucal <i>Centropus senegalensis</i>	▶  15
9	Blue-headed Coucal <i>Centropus monachus</i>	▶  4
8	Blue Malkoha <i>Ceuthmochares aereus</i>	▶  6
1	Great Spotted Cuckoo <i>Clamator glandarius</i>	▶  2  1
4	Levaillant's Cuckoo <i>Clamator levaillantii</i>	▶  1  3
2	Dideric Cuckoo <i>Chrysococcyx caprius</i>	▶  2
9	Klaas's Cuckoo <i>Chrysococcyx klaas</i>	▶  1  8
2	Yellow-throated Cuckoo <i>Chrysococcyx flavigularis</i>  	▶  1  1
6	African Emerald Cuckoo <i>Chrysococcyx cupreus</i>	▶  2  6
2	Olive Long-tailed Cuckoo <i>Cercococcyx olivinus</i> 	▶  1  1
5	Black Cuckoo <i>Cuculus clamosus</i>	▶  5
1	Red-chested Cuckoo <i>Cuculus solitarius</i> 	▶  3  1
1	African Cuckoo <i>Cuculus gularis</i>	▶  1
1	Brown Nightjar <i>Veles binotatus</i>	▶  1
3	Standard-winged Nightjar <i>Caprimulgus longipennis</i>	▶  2  1
5	Long-tailed Nightjar <i>Caprimulgus climacurus</i> 	▶  2  4
8	Mottled Spinetail <i>Telacanthura ussheri</i>	▶  4
2	Black Spinetail <i>Telacanthura melanopygia</i>	▶  1  1






























3	Sabine's Spinetail <i>Rhaphidura sabini</i>	▶  2
1	Cassin's Spinetail <i>Neafrapus cassini</i>	▶  1
31	Common Swift <i>Apus apus</i>	▶  5
2	Pallid Swift <i>Apus pallidus</i> ✓	▶  1
72	Little Swift <i>Apus affinis</i>	▶  13
1	White-rumped Swift <i>Apus caffer</i>	▶  1
2	Bates's Swift <i>Apus batesi</i> ✓	▶  1
28	African Palm Swift <i>Cypsiurus parvus</i>	▶  10
1	White-spotted Flufftail <i>Sarothrura pulchra</i> 🔊	▶  1  1
6	Eurasian Moorhen <i>Gallinula chloropus</i>	▶  2
1	African Swamphen <i>Porphyrio madagascariensis</i>	▶  1
3	Nkulengu Rail <i>Himantornis haematopus</i> 📷	▶  1  2
4	Black Crake <i>Zapornia flavirostra</i>	▶  1
2	Spotted Thick-knee <i>Burhinus capensis</i>	▶  1
6	Senegal Thick-knee <i>Burhinus senegalensis</i>	▶  4
3	Egyptian Plover <i>Pluvianus aegyptius</i>	▶  1  1
13	Black-winged Stilt <i>Himantopus himantopus</i>	▶  3
4	Black-bellied Plover <i>Pluvialis squatarola</i>	▶  1
12	Common Ringed Plover <i>Charadrius hiaticula</i>	▶  2
7	Forbes's Plover <i>Thinornis forbesi</i>	▶  1  3
35	Spur-winged Lapwing <i>Vanellus spinosus</i>	▶  1  8
16	Wattled Lapwing <i>Vanellus senegallus</i>	▶  6
6	Greater Painted-Snipe <i>Rostratula benghalensis</i>	▶  2  1

63	African Jacana <i>Actophilornis africanus</i>	▶  1  9
16	Eurasian Whimbrel <i>Numenius phaeopus</i>	▶  2
2	Bar-tailed Godwit <i>Limosa lapponica</i>	▶  1  1
15	Common Sandpiper <i>Actitis hypoleucos</i>	▶  1  7
3	Wood Sandpiper <i>Tringa glareola</i>	▶  1  2
2	Common Greenshank <i>Tringa nebularia</i>	▶  1  1
1	Ruddy Turnstone <i>Arenaria interpres</i>	▶  1
1	Red Knot <i>Calidris canutus</i> 	▶  1  1
30	Curlew Sandpiper <i>Calidris ferruginea</i>	▶  1
15	Sanderling <i>Calidris alba</i>	▶  1
1	Small Buttonquail <i>Turnix sylvaticus</i>	▶  1
4	Rock Pratincole <i>Glareola nuchalis</i>	▶  1  1
13	Collared Pratincole <i>Glareola pratincola</i>	▶  1
7	Black Tern <i>Chlidonias niger</i>	▶  2  2
1	Common Tern <i>Sterna hirundo</i>	▶  1
4	Sandwich Tern <i>Thalasseus sandvicensis</i>	▶  1
7	West African Crested Tern <i>Thalasseus albididorsalis</i>	▶  2
7	Little Grebe <i>Tachybaptus ruficollis</i>	▶  2
2	African Woolly-necked Stork <i>Ciconia microscelis</i>	▶  2
65	Reed Cormorant <i>Microcarbo africanus</i>	▶  4
16	Hadada Ibis <i>Bostrychia hagedash</i>	▶  6
1	White-crested Tiger-Heron <i>Tigriornis leucolopha</i> 	▶  1
2	Dwarf Bittern <i>Botaurus sturmii</i>	▶  1































1	Black-crowned Night Heron <i>Nycticorax nycticorax</i>	▶  1
8	Black Heron <i>Egretta ardesiaca</i>	▶  3
4	Little Egret <i>Egretta garzetta</i>	▶  2
7	Western Reef-Heron <i>Egretta gularis</i>	▶  2  3
3	Little Heron <i>Butorides atricapilla</i>	▶  3
11	Squacco Heron <i>Ardeola ralloides</i>	▶  8
61	Western Cattle-Egret <i>Ardea ibis</i>	▶  10
12	Great Egret <i>Ardea alba</i>	▶  1  2
5	Yellow-billed Egret <i>Ardea brachyrhyncha</i>	▶  3
2	Gray Heron <i>Ardea cinerea</i>	▶  2
4	Purple Heron <i>Ardea purpurea</i>	▶  4
43	Black-headed Heron <i>Ardea melanocephala</i>	▶  2
19	Hamerkop <i>Scopus umbretta</i>	▶  6
2	Black-winged Kite <i>Elanus caeruleus</i>	▶  2
9	African Harrier-Hawk <i>Polyboroides typus</i>	▶  2  7
10	Palm-nut Vulture <i>Gypohierax angolensis</i>	▶  3  7
6	African Cuckoo-Hawk <i>Aviceda cuculoides</i>	▶  2  4
3	European Honey-buzzard <i>Pernis apivorus</i> 	▶  1  3
2	White-headed Vulture <i>Trionoceph occipitalis</i>	▶  1  2
6	Hooded Vulture <i>Necrosyrtes monachus</i>	▶  1  3
12	White-backed Vulture <i>Gyps africanus</i>	▶  1  2
10	Bateleur <i>Terathopius ecaudatus</i>	▶  3
1	Ayres's Hawk-Eagle <i>Hieraaetus ayresii</i>  	▶  1  1


































1	Long-tailed Hawk <i>Urotriorchis macrourus</i>	▶  1
2	Dark Chanting-Goshawk <i>Melierax metabates</i>	▶  2
4	Lizard Buzzard <i>Kaupifalco monogrammicus</i> 	▶  1  2
1	African Goshawk <i>Aerospiza tachiro</i>	▶  1
2	Red-thighed Sparrowhawk <i>Tachyspiza erythropus</i>  	▶  3  1
7	Shikra <i>Tachyspiza badia</i>	▶  1  6
3	Black Goshawk <i>Astur melanoleucus</i>	▶  3
118	Black Kite <i>Milvus migrans</i>	▶  25
8	Grasshopper Buzzard <i>Butastur rufipennis</i>	▶  1  3
4	Red-necked Buzzard <i>Buteo auguralis</i> 	▶  1  4
3	Western Barn Owl <i>Tyto alba</i>	▶  2
6	African Scops-Owl <i>Otus senegalensis</i>	▶  1  2
1	Northern White-faced Owl <i>Ptilopsis leucotis</i> 	▶  1
4	Grayish Eagle-Owl <i>Bubo cinerascens</i>	▶  2  2
1	Fraser's Eagle-Owl <i>Ketupa poensis</i>	▶  1
2	Akun Eagle-Owl <i>Ketupa leucosticta</i>	▶  2
3	Pearl-spotted Owlet <i>Glaucidium perlatum</i>	▶  3
1	Red-chested Owlet <i>Glaucidium tephronotum</i>	▶  1
3	African Barred Owlet <i>Glaucidium capense</i>	▶  1
3	African Wood-Owl <i>Strix woodfordii</i>	▶  2
1	Narina Trogon <i>Apaloderma narina</i>	▶  1
11	Green Woodhoopoe <i>Phoeniculus purpureus</i>	▶  3
1	Forest Scimitarbill <i>Rhinopomastus castaneiceps</i> 	▶  1  1

2	Black Scimitarbill <i>Rhinopomastus aterrimus</i>	▶  2
3	Abyssinian Ground-Hornbill <i>Bucorvus abyssinicus</i> ✓ 	▶  1  2
5	Red-billed Dwarf Hornbill <i>Lophoceros camurus</i>	▶  1
77	West African Pied Hornbill <i>Lophoceros semifasciatus</i>	▶  1  12
17	African Gray Hornbill <i>Lophoceros nasutus</i>	▶  9
3	Northern Red-billed Hornbill <i>Tockus erythrorhynchus</i>	▶  2
4	Western Long-tailed Hornbill <i>Horizocerus albocristatus</i>	▶  2
1	Yellow-casqued Hornbill <i>Ceratogymna elata</i>	▶  1
7	Black-casqued Hornbill <i>Ceratogymna atrata</i>	▶  2
5	Piping Hornbill <i>Bycanistes fistulator</i>	▶  2
14	Black Bee-eater <i>Merops gularis</i> 	▶  2  6
51	Red-throated Bee-eater <i>Merops bulocki</i>	▶  2  7
4	Little Bee-eater <i>Merops pusillus</i>	▶  2
109	White-throated Bee-eater <i>Merops albicollis</i>	▶  1  11
4	Rosy Bee-eater <i>Merops malimbicus</i>	▶  2
1	Shining-blue Kingfisher <i>Alcedo quadribrachys</i>	▶  1
8	Malachite Kingfisher <i>Corythornis cristatus</i>	▶  7
1	White-bellied Kingfisher <i>Corythornis leucogaster</i>	▶  1
7	African Pygmy Kingfisher <i>Ispidina picta</i>	▶  7
5	Chocolate-backed Kingfisher <i>Halcyon badia</i> 	▶  1  4
12	Gray-headed Kingfisher <i>Halcyon leucocephala</i>	▶  1  8
5	Woodland Kingfisher <i>Halcyon senegalensis</i>	▶  5
8	Blue-breasted Kingfisher <i>Halcyon malimbica</i>	▶  1  6


































1	Striped Kingfisher <i>Halcyon chelicuti</i>	▶  1
9	Pied Kingfisher <i>Ceryle rudis</i>	▶  1  5
1	Abyssinian Roller <i>Coracias abyssinicus</i>	▶  1  1
2	Blue-bellied Roller <i>Coracias cyanogaster</i>	▶  1
15	Broad-billed Roller <i>Eurystomus glaucurus</i>	▶  5
2	Blue-throated Roller <i>Eurystomus gularis</i>	▶  2
2	Western Yellow-billed Barbet <i>Trachylaemus goffinii</i>	▶  2
4	Bristle-nosed Barbet <i>Gymnobucco peli</i>	▶  1
16	Naked-faced Barbet <i>Gymnobucco calvus</i>	▶  4
5	Speckled Tinkerbird <i>Pogoniulus scolopaceus</i>	▶  1  5
5	Red-rumped Tinkerbird <i>Pogoniulus atroflavus</i>	▶  5
5	Yellow-throated Tinkerbird <i>Pogoniulus subsulphureus</i>	▶  4
1	Yellow-rumped Tinkerbird <i>Pogoniulus bilineatus</i>	▶  1
3	Yellow-fronted Tinkerbird <i>Pogoniulus chrysoconus</i> 	▶  1  2
5	Yellow-spotted Barbet <i>Buccanodon duchaillui</i>	▶  5
6	Hairy-breasted Barbet <i>Tricholaema hirsuta</i>	▶  6
4	Vieillot's Barbet <i>Lybius vieilloti</i>	▶  2
2	Double-toothed Barbet <i>Pogonornis bidentatus</i>	▶  1
3	Bearded Barbet <i>Pogonornis dubius</i>	▶  3
1	Willcocks's Honeyguide <i>Indicator willcocksii</i>	▶  1
2	Lesser Honeyguide <i>Indicator minor</i>	▶  2
1	Spotted Honeyguide <i>Indicator maculatus</i>	▶  1
2	Greater Honeyguide <i>Indicator indicator</i>	▶  1  2







































2	African Piculet <i>Verreauxia africana</i> 📷	▶ 📷 2 📄 1
4	Fire-bellied Woodpecker <i>Chloropicus pyrrhogaster</i> 📷	▶ 📷 1 📄 1
4	Melancholy Woodpecker <i>Dendropicos lugubris</i> 📷	▶ 📷 2 📄 3
3	Cardinal Woodpecker <i>Dendropicos fuscescens</i>	▶ 📄 3
1	African Gray Woodpecker <i>Dendropicos goertae</i>	▶ 📄 1
6	Buff-spotted Woodpecker <i>Pardipicus nivosus</i>	▶ 📄 4
3	Eurasian Kestrel <i>Falco tinnunculus</i>	▶ 📄 3
8	Gray Kestrel <i>Falco ardosiaceus</i>	▶ 📄 6
4	Red-necked Falcon <i>Falco chicquera</i>	▶ 📄 3
2	African Hobby <i>Falco cuvierii</i>	▶ 📄 2
3	Rose-ringed Parakeet <i>Psittacula krameri</i>	▶ 📄 1
4	Gray Parrot <i>Psittacus erithacus</i>	▶ 📄 1
16	Red-fronted Parrot <i>Poicephalus gulielmi</i> 📷	▶ 📷 1 📄 5
13	Senegal Parrot <i>Poicephalus senegalus</i>	▶ 📄 5
3	Rufous-sided Broadbill <i>Smithornis rufolateralis</i>	▶ 📄 2
1	White-breasted Cuckooshrike <i>Cebilepyris pectoralis</i> ✓	▶ 📄 1
5	Red-shouldered Cuckooshrike <i>Campephaga phoenicea</i>	▶ 📄 3
4	Purple-throated Cuckooshrike <i>Campephaga quiscalina</i>	▶ 📄 3
1	Blue Cuckooshrike <i>Cyanograucalus azureus</i>	▶ 📄 1
2	African Golden Oriole <i>Oriolus auratus</i>	▶ 📄 1
2	Western Black-headed Oriole <i>Oriolus brachyrhynchus</i>	▶ 📄 2
5	Black-winged Oriole <i>Oriolus nigripennis</i>	▶ 📄 3
4	West African Wattle-eye <i>Dyaphorophya hormophora</i> 📷	▶ 📷 1 📄 2








































6	Brown-throated Wattle-eye <i>Platysteira cyanea</i>	▶  4
2	Red-cheeked Wattle-eye <i>Platysteira blissetti</i> 	▶  1  2
1	Senegal Batis <i>Batis senegalensis</i>	▶  1
3	White-crested Helmetshrike <i>Prionops plumatus</i>	▶  1
7	Red-billed Helmetshrike <i>Prionops caniceps</i>	▶  2
3	Black-and-white Shrike-flycatcher <i>Bias musicus</i>	▶  2
5	Brubru <i>Nilaus afer</i>	▶  4
11	Northern Puffback <i>Dryoscopus gambensis</i>	▶  6
5	Sabine's Puffback <i>Dryoscopus sabini</i>	▶  3
3	Marsh Tchagra <i>Bocagia minuta</i>	▶  1  2
6	Black-crowned Tchagra <i>Tchagra senegalus</i>	▶  3
1	Brown-crowned Tchagra <i>Tchagra australis</i>	▶  1
2	Tropical Boubou <i>Laniarius major</i>	▶  1  1
13	Yellow-crowned Gonolek <i>Laniarius barbarus</i> 	▶  2  7
1	Sulphur-breasted Bushshrike <i>Chlorophoneus sulfureopectus</i>	▶  1
6	Shining Drongo <i>Dicurus atripennis</i>	▶  3
14	Fork-tailed Drongo <i>Dicurus adsimilis</i>	▶  8
27	Velvet-mantled Drongo <i>Dicurus modestus</i>	▶  10
4	Blue-headed Crested Flycatcher <i>Trochocercus nitens</i>	▶  2
12	Black-headed Paradise-Flycatcher <i>Terpsiphone rufiventer</i>	▶  8
3	African Paradise-Flycatcher <i>Terpsiphone viridis</i>	▶  1  3
1	Yellow-billed Shrike <i>Corvinella corvina</i>	▶  1
1	Emin's Shrike <i>Lanius gubernator</i>	▶  1







































10	Northern Fiscal <i>Lanius humeralis</i>	▶  8
1	Woodchat Shrike <i>Lanius senator</i> 	▶  1  1
4	Piapiac <i>Ptilostomus afer</i>	▶  3
135	Pied Crow <i>Corvus albus</i>	▶  27
6	White-necked Rockfowl <i>Picathartes gymnocephalus</i>	▶  3  1
2	Yellow-bellied Hyliota <i>Hyliota flavigaster</i>	▶  1
3	Violet-backed Hyliota <i>Hyliota violacea</i>	▶  2
2	African Blue Flycatcher <i>Elminia longicauda</i>	▶  2
6	White-shouldered Black-Tit <i>Melaniparus guineensis</i>	▶  4
1	Dusky Tit <i>Melaniparus funereus</i> 	▶  1
9	Forest Penduline-Tit <i>Anthoscopus flavifrons</i>	▶  3
1	Rufous-rumped Lark <i>Pinarocorys erythropygia</i>	▶  1  1
4	Flappet Lark <i>Amirafra rufocinnamomea</i>	▶  3
2	Sun Lark <i>Galerida modesta</i>	▶  1
8	Western Nicator <i>Nicator chloris</i> 	▶  1  7
4	Green Crombec <i>Sylvietta virens</i>	▶  2  3
1	Lemon-bellied Crombec <i>Sylvietta denti</i> 	▶  1  1
2	Northern Crombec <i>Sylvietta brachyura</i>	▶  1
1	Moustached Grass-Warbler <i>Melocichla mentalis</i>	▶  1
2	Kemp's Longbill <i>Macrosphenus kemp</i>	▶  2
3	Gray Longbill <i>Macrosphenus concolor</i>	▶  2
12	Senegal Eremomela <i>Eremomela pusilla</i>	▶  5
9	Rufous-crowned Eremomela <i>Eremomela badiceps</i>	▶  2































16	Green-backed Camaroptera <i>Camaroptera brachyura</i>	▶ 13
8	Yellow-browed Camaroptera <i>Camaroptera superciliaris</i>	▶ 1 5
4	Olive-green Camaroptera <i>Camaroptera chloronota</i>	▶ 2 4
2	Black-capped Apalis <i>Apalis nigriceps</i>	▶ 2
2	Yellow-breasted Apalis <i>Apalis flavida</i>	▶ 1
2	Sharpe's Apalis <i>Apalis sharpii</i>	▶ 1
14	Tawny-flanked Prinia <i>Prinia subflava</i>	▶ 7
2	Red-winged Prinia <i>Prinia erythroptera</i>	▶ 1
4	Oriole Warbler <i>Hypergerus atriceps</i>	▶ 1 3
7	Red-faced Cisticola <i>Cisticola erythropus</i>	▶ 4
2	Singing Cisticola <i>Cisticola cantans</i>	▶ 1 1
3	Whistling Cisticola <i>Cisticola lateralis</i>	▶ 1 2
3	Rock-loving Cisticola <i>Cisticola aberrans</i>	▶ 1 2
1	Dorst's Cisticola <i>Cisticola guinea</i>	▶ 1 1
4	Croaking Cisticola <i>Cisticola natalensis</i>	▶ 1
2	Siffling Cisticola <i>Cisticola brachypterus</i>	▶ 2 1
1	Rufous Cisticola <i>Cisticola rufus</i>	▶ 1 1
1	Great Reed Warbler <i>Acrocephalus arundinaceus</i>	▶ 1
3	Square-tailed Sawwing <i>Psalidoprocne nitens</i>	▶ 1
4	Fanti Sawwing <i>Psalidoprocne obscura</i>	▶ 1
2	Red-throated Crag-Martin <i>Ptyonoprogne rufigula</i>	▶ 1 1
31	Barn Swallow <i>Hirundo rustica</i>	▶ 5
8	Red-chested Swallow <i>Hirundo lucida</i>	▶ 1







































38	Ethiopian Swallow <i>Hirundo aethiopica</i>	 1  7
4	White-throated Blue Swallow <i>Hirundo nigrita</i>	 1
10	Wire-tailed Swallow <i>Hirundo smithii</i>	 4
2	Lesser Striped Swallow <i>Cecropis abyssinica</i>	 1
2	Rufous-chested Swallow <i>Cecropis semirufa</i>	 1
2	Mosque Swallow <i>Cecropis senegalensis</i> 	 1  1
350	Preuss's Swallow <i>Petrochelidon preussi</i>	 1  1
16	Slender-billed Greenbul <i>Stelgidillas gracilirostris</i>	 2  6
3	Golden Greenbul <i>Calyptocichla serinus</i> 	 1  2
4	Red-tailed Bristlebill <i>Bleda syndactylus</i>	 4
2	Gray-headed Bristlebill <i>Bleda canicapillus</i>	 2
4	Swamp Greenbul <i>Thescelocichla leucopleura</i> 	 2  3
5	Simple Greenbul <i>Chlorocichla simplex</i>	 5
1	Honeyguide Greenbul <i>Baeopogon indicator</i>	 1
8	Western Bearded-Greenbul <i>Criniger barbatus</i>	 3
5	Red-tailed Greenbul <i>Criniger calurus</i>	 4
1	Yellow-bearded Greenbul <i>Criniger olivaceus</i>	 1
3	Little Greenbul <i>Eurillas virens</i>	 2
3	Plain Greenbul <i>Eurillas curvirostris</i>	 2
6	Gray Greenbul <i>Eurillas gracilis</i>	 1  3
4	Ansorge's Greenbul <i>Eurillas ansorgei</i>	 2
2	White-throated Greenbul <i>Phyllastrephus albigularis</i>	 1
4	Icterine Greenbul <i>Phyllastrephus icterinus</i>	 3

1	Baumann's Greenbul <i>Phyllastrephus baumanni</i>	▶  1
90	Common Bulbul <i>Pycnonotus barbatus</i>	▶  26
7	Wood Warbler <i>Phylloscopus sibilatrix</i>	▶  5
6	Willow Warbler <i>Phylloscopus trochilus</i>	▶  1  3
16	Green Hylia <i>Hylia prasina</i>	▶  12
7	Tit-hylia <i>Pholidornis rufiae</i>	▶  3
1	Chestnut-capped Flycatcher <i>Erythrocercus mccallii</i> 	▶  1  1
1	Garden Warbler <i>Sylvia borin</i>  	▶  1  1
4	Northern Yellow White-eye <i>Zosterops senegalensis</i>	▶  2  2
1	Brown Illadopsis <i>Illadopsis fulvescens</i> 	▶  2  1
1	Blackcap Illadopsis <i>Illadopsis cleaveri</i>	▶  1
2	Puvel's Illadopsis <i>Illadopsis puveli</i>	▶  1  2
2	Rufous-winged Illadopsis <i>Illadopsis rufescens</i>	▶  1
4	Brown Babbler <i>Turdoides plebejus</i>	▶  1
2	African Spotted Creeper <i>Salpornis salvadori</i>	▶  1  1
14	Yellow-billed Oxpecker <i>Buphagus africanus</i>	▶  1  1
52	Violet-backed Starling <i>Cinnyricinclus leucogaster</i>	▶  1  9
14	Chestnut-winged Starling <i>Onychognathus fulgidus</i>	▶  5
7	Long-tailed Glossy Starling <i>Lamprotornis caudatus</i>	▶  2
5	Splendid Starling <i>Lamprotornis splendidus</i>	▶  4
4	Greater Blue-eared Starling <i>Lamprotornis chalybaeus</i>	▶  1
5	Purple Starling <i>Lamprotornis purpureus</i> 	▶  1  4
3	Bronze-tailed Starling <i>Lamprotornis chalcurus</i>	▶  2

5	Finsch's Flycatcher-Thrush <i>Stizorhina finschi</i>	▶  4
1	White-tailed Ant-Thrush <i>Neocossyphus poensis</i>	▶  1
6	African Thrush <i>Turdus pelios</i>	▶   6
2	Little Flycatcher <i>Muscicapa epulata</i>	▶  1
4	Spotted Flycatcher <i>Muscicapa striata</i>	▶  3
1	Gambaga Flycatcher <i>Muscicapa gambagae</i> 	▶   1
3	Swamp Flycatcher <i>Muscicapa aquatica</i>	▶   1
4	Cassin's Flycatcher <i>Muscicapa cassini</i>	▶   1
6	Ussher's Flycatcher <i>Artomyias ussheri</i> 	▶   3
6	Dusky-blue Flycatcher <i>Bradornis comitatus</i>	▶  3
1	Pale Flycatcher <i>Agricola pallidus</i>	▶  1
3	White-browed Forest-Flycatcher <i>Fraseria cinerascens</i> 	▶  1
8	African Forest-Flycatcher <i>Fraseria ocreata</i>	▶  4
5	Gray Tit-Flycatcher <i>Fraseria plumbea</i>	▶  4
2	Olivaceous Flycatcher <i>Fraseria olivascens</i>  	▶   1
2	Tessmann's Flycatcher <i>Fraseria tessmanni</i>  	▶   1
2	Ashy Flycatcher <i>Fraseria caerulescens</i>	▶  1
4	Northern Black-Flycatcher <i>Melaenornis edolioides</i>	▶  3
4	Snowy-crowned Robin-Chat <i>Cossypha niveicapilla</i>	▶  4
1	White-crowned Robin-Chat <i>Cossypha albicapillus</i>	▶  1
4	Orange-breasted Forest Robin <i>Stiphornis erythrothorax</i> 	▶   3
2	European Pied Flycatcher <i>Ficedula hypoleuca</i>	▶  2
2	Mocking Cliff-Chat <i>Thamnolaea cinnamomeiventris</i>	▶  1

2	White-fronted Black-Chat <i>Oenanthe albifrons</i>	▶  2
3	Familiar Chat <i>Oenanthe familiaris</i>	▶  2
2	Mouse-brown Sunbird <i>Anthreptes gabonicus</i> 	▶  2  1
1	Western Violet-backed Sunbird <i>Anthreptes longuemarei</i>	▶  1  1
10	Little Green Sunbird <i>Anthreptes seimundi</i>	▶  2  7
1	Yellow-chinned Sunbird <i>Anthreptes rectirostris</i> 	▶  1  1
35	Collared Sunbird <i>Hedydipna collaris</i>	▶  1  11
15	Pygmy Sunbird <i>Hedydipna platura</i> 	▶  2  5
2	Reichenbach's Sunbird <i>Anabathmis reichenbachii</i>	▶  1
4	Green-headed Sunbird <i>Cyanomitra verticalis</i>	▶  2
6	Blue-throated Brown Sunbird <i>Cyanomitra cyanolaema</i> 	▶  1  3
8	Olive Sunbird <i>Cyanomitra olivacea</i>	▶  6
12	Buff-throated Sunbird <i>Chalcomitra adelberti</i>	▶  5
6	Scarlet-chested Sunbird <i>Chalcomitra senegalensis</i>	▶  3
14	Olive-bellied Sunbird <i>Cinnyris chloropygius</i>	▶  6
5	Tiny Sunbird <i>Cinnyris minullus</i>	▶  3
7	Beautiful Sunbird <i>Cinnyris pulchellus</i>	▶  3
5	Splendid Sunbird <i>Cinnyris coccinigastrus</i>	▶  1  3
6	Johanna's Sunbird <i>Cinnyris johannae</i>	▶  5
2	Superb Sunbird <i>Cinnyris superbus</i>	▶  2
15	Copper Sunbird <i>Cinnyris cupreus</i>	▶  6
7	Chestnut-crowned Sparrow-Weaver <i>Plocepasser superciliosus</i>	▶  1  4
11	Red-vented Malimbe <i>Malimbus scutatus</i> 	▶  1  2

2	Blue-billed Malimbe <i>Malimbus nitens</i>	▶  2
14	Crested Malimbe <i>Malimbus malimbicus</i>	▶  5
7	Red-headed Malimbe <i>Malimbus rubricollis</i> 	▶  1  3
2	Red-headed Weaver <i>Anaplectes rubriceps</i>	▶  1  1
2	Little Weaver <i>Ploceus luteolus</i>	▶  1
13	Olive-naped Weaver <i>Ploceus brachypterus</i>	▶  5
2	Orange Weaver <i>Ploceus aurantius</i>	▶  1
2	Heuglin's Masked-Weaver <i>Ploceus heuglini</i>	▶  1
52	Chestnut-and-black Weaver <i>Ploceus castaneofuscus</i>	▶  8
106	Village Weaver <i>Ploceus cucullatus</i>	▶  12
4	Black-headed Weaver <i>Ploceus melanocephalus</i>	▶  1
5	Yellow-mantled Weaver <i>Ploceus tricolor</i>	▶  4
14	Maxwell's Black Weaver <i>Ploceus albinucha</i>	▶  3
2	Preuss's Weaver <i>Ploceus preussi</i>	▶  1
4	Red-headed Quelea <i>Quelea erythrops</i>	▶  1
260	Red-billed Quelea <i>Quelea quelea</i>	▶  4
22	Black-winged Bishop <i>Euplectes hordeaceus</i>	▶  2
8	Yellow-mantled Widowbird <i>Euplectes macroura</i> 	▶  1  2
108	Bronze Mannikin <i>Spermestes cucullata</i>	▶  14
4	Magpie Mannikin <i>Spermestes fringilloides</i> 	▶  1
12	Black-and-white Mannikin <i>Spermestes bicolor</i>	▶  1  4
1	African Silverbill <i>Euodice cantans</i>	▶  1
2	Red-fronted Antpecker <i>Parmoptila rubrifrons</i>	▶  1

4	White-breasted Nigrita <i>Nigrita fusconotus</i>	▶  1  2
6	Chestnut-breasted Nigrita <i>Nigrita bicolor</i>	▶  4
18	Gray-headed Nigrita <i>Nigrita canicapillus</i>	▶  5
8	Lavender Waxbill <i>Glaucostrelda caerulescens</i>	▶  1  4
29	Orange-cheeked Waxbill <i>Estrilda melpoda</i>	▶  9
39	Black-rumped Waxbill <i>Estrilda troglodytes</i> 	▶  2  3
9	Quailfinch <i>Ortygospiza atricollis</i>	▶  2
38	Red-cheeked Cordonbleu <i>Uraeginthus bengalus</i>	▶  2  6
3	Western Bluebill <i>Spermophaga haematina</i>	▶  2
2	Red-winged Pytilia <i>Pytilia phoenicoptera</i>	▶  1
17	Red-billed Firefinch <i>Lagonosticta senegala</i>	▶  2  3
2	Black-bellied Firefinch <i>Lagonosticta rara</i> 	▶  2
22	Bar-breasted Firefinch <i>Lagonosticta rufopicta</i>	▶  3
1	Black-faced Firefinch <i>Lagonosticta larvata</i> 	▶  1  1
11	Pin-tailed Whydah <i>Vidua macroura</i>	▶  3
2	Exclamatory Paradise-Whydah <i>Vidua interjecta</i>  	▶  1  1
2	Wilson's Indigobird <i>Vidua wilsoni</i> 	▶  2
4	House Sparrow <i>Passer domesticus</i> *	▶  1
76	Northern Gray-headed Sparrow <i>Passer griseus</i>	▶  1  17
41	Sahel Bush Sparrow <i>Gymnoris dentata</i>	▶  6
9	Western Yellow Wagtail <i>Motacilla flava</i>	▶  3
14	African Pied Wagtail <i>Motacilla aguimp</i>	▶  8
5	Plain-backed Pipit <i>Anthus leucophrys</i>	▶  1  2

- 2 **Yellow-throated Longclaw** *Macronyx croceus* ▶ 🗒️ 2

 - 8 **Yellow-fronted Canary** *Crithagra mozambica* ▶ 🗒️ 1 🗒️ 3

 - 2 **Brown-rumped Bunting** *Emberiza affinis* ▶ 🗒️ 1
-