

Trip Report — Great Rivers of the Amazon III: Mamiraua, Amana & Tefe 2026

July 30-August 12, 2026 with Micah Riegner & Bret Whitney



Buffy Saki Monkey is a strange and wonderful primate restricted to the forest around Tefe. The photos from our trip were the first photos of the species on iNaturalist! Photo by guide Micah Riegner.

Vertebrate-rich is how I'd characterize our Great Rivers of the Amazon tour this year. Birds were our main focus, of course, but we also saw numerous rare and endemic primates, river dolphins virtually every day, lots of cool rats and porcupines and we even saw a group of Giant Otters on a narrow blackwater creek. Logistics ran smoothly thanks to "normal" water levels in the Amazon and its tributaries, permitting access to Reserva Mamiraua,

Amana and the Tefe National Forest—three wonderfully intact chunks of Amazonia few birders get to visit.

Day one of the trip was mostly a travel day. We flew from Manaus to Tefe with a layover in Tabatinga, arriving in Tefe in the early afternoon. From there, we shuttled over to the boat dock to board the speedboat to Uakari Lodge, the floating lodge in the middle of Mamiraua Sustainable Development Reserve where we'd spend the next few days immersed in the largest swath of flooded forest on Earth! We settled into the cabins, then left for the Apra Channel where we saw our first Short-tailed Parrots, Festive Amazons, Hoatzins, White-eared Jacamars and Yellow-chinned Spinetails. We also saw a troop of Vanzolini's, or Black-headed Squirrel Monkeys, a species endemic to Mamiraua.

It was a drizzling on and off the next morning during breakfast, but it cleared up before our outing. Our boat pilots Manoel and Isaquel took us out to a trail—it was the only accessible land at that time. Along the trail we saw Scarlet-crowned Barbets, Mealy Amazons showing their white orbital skin, Plumbeous Antbirds, Chestnut-eared Aracaris, White-chinned Jacamars and a pair of Pygmy Kingfishers. We did lunch, then spent the afternoon on the Apra Channel, going further past where we had gone the afternoon before. While we were cruising along, we heard the high thin, descending whistle of Wattled Curassow, one of our primary targets at Mamiraua. We approached the bird, but it flushed before we could lay eyes on it. Not long after we heard another bird and that one stuck around long enough for us to see it through a tiny window in the trees. *Maravihla!* Festive Amazons gathered at the treetops as we motored back for dinner. After dinner, Manoel and Isaquel took us out for a night trip. With the help of our thermal scopes we found Bamboo Rats, a couple Prehensile-tailed Porcupines, Boat-billed Herons and roosting Gray-cowled Wood-Rails.

Our last full day at Mamiraua, we birded through the flooded forest from the big canoe. At the forest edge we called in both Zimmer's and Straight-billed Woodcreepers—a nice comparison of two very similar species. Once in the

forest we saw Chestnut, and Ringed Woodpeckers, Spotted Puffbird and some animated Sunbitterns vocalizing from some logs. We had another wonderful buffet lunch, then spent the afternoon canoeing around Lago Amana looking somewhat desperately for the White Uakaris, which had evaded us somehow up until that point. We searched all afternoon and basically gave up as it was getting dark out, but just then, Manoel spotted some from across the lake and we watched them foraging in the twilight. Great save by Manoel!

We had our final breakfast at Mamiraua, then shuttled across to the mothership, *Dorinha*, our mobile hotel, restaurant and floating canopy tower for the remainder of the trip. Leaving Mamiraua, we made a couple stops along the Rio Japura, finding Red-and-white Spinetails in some low flooded shrubs, then Island Streaked Flycatcher and Pearly-breasted Conebill in some river edge *Cecropias*... *Cecropia humboldtiana* to be specific. The rest of the afternoon we motored north towards Reserva Amana through some narrow channels. We stopped briefly at the community of Repartimento where we saw Little Cuckoo, Little Woodpecker, Chestnut-crowned Becard, Blueish-gray Saltators, and some Barred Antshrikes. We reached the community of Ubim at Lago Amana after dark.

Early the next morning, our local guides Nego and Wigson picked us up and we canoed to the start of the *Bengala* Trail. Along the way in the Igapo (blackwater flooded forest) we had outstanding views of Kawall's Amazons at the top of a nearby tree, some Black-chinned Antbirds at the water's edge, a Yellow-olive Flatbill constructing a nest, a Striped Woodcreeper up close, and a Parrot Snake slithering through the trees. Along the trail we saw Amazonian Black-throated Trogon, a sneaky Ringed Antpipit, White-fronted Nunbirds, and we flushed a Gray-winged Trumpeter that was on the trail. Right at our turnaround spot Bret called in a Chestnut-bellied Gnateater, which shot in and sat right in front of us, flaring its bright white head plumes. In the afternoon we did a canoe trip through the Igapo and encountered a pair of Chestnut-headed Nunlets, another important target of the tour! They foraged in the dense vine tangles along with Yellow-olive

Flatbills and Amazonian Black-Tyrants. Later, we encountered a noisy troop of Golden-backed Uakaris leaping through the trees.

Our second full day at Amana, we canoed up to the *Cujubim* Trail, where we saw Blue-capped Manakins, Yellow-browed Antbirds, a young male Black-necked Red Cotinga, White-lored Tyrannulet in the scope, Rufous-tailed Flatbills, Ruddy-tailed Flycatcher, and a Rufous-tailed Xenops in a mixed feeding flock. Bret called it down from the canopy and it came down almost to eye level. The trail looped back to the canoes and as we were getting ready to leave, we heard the scream of a Giant River Otter from downstream. I played a recording and within a few seconds there were five Giant Otters sticking their heads out of the water and snarling at us! Our boat pilot who was already in the canoe must have been within three feet of them. We headed back to the *Dorinha*, and on the way we spooked a pair of Spectacled Owls that were roosting along the creek. We then saw a Black-crested Antshrike before we got caught in a rainstorm before reaching the *Dorinha*. We had lunch, then we set off for another leisurely afternoon canoe ride through the flooded forest, getting great looks at another Zimmer's Woodcreeper and more Golden-backed Uakaris. We toured around the community of Ubim and enjoyed a flute concert from the school kids. That evening the crew prepared us a wonderful *churrasco* of *Tambaqui*, a true Amazon specialty fish, and we celebrated Carol's birthday.

Before leaving Amana, we birded again behind the community of Ubim, where we saw Mustached Wrens, Rusty-fronted Tody-Flycatcher and some White-collared Swifts mixed in with smaller *Chaeturas*. As we were saying our goodbyes to the folks at Ubim, one of the young guys called us over to the soccer field where he had seen some Black Titi Monkeys. They were still there when we arrived, feeding on some low Inga trees. We watched them for several minutes as they ate, unafraid, then we returned to the *Dorinha* to begin the long ride back towards Tefe. After lunch we convened on the top deck to bird along the Parana Tambaqui. It was nice and cloudy, which kept bird activity going. Some of the new birds for us included Black-capped Donacobius at the water's edge and a striking male Plum-throated Cotinga

next to some Bare-necked Fruitcrows in the crown of a dead tree. A Slate-colored Hawk sailed across the river right at eye level, too. In the late afternoon, we decided to stop at a narrower creek and get out in the canoes. We called in a pair of Orange-fronted Plushcrows that zipped back and forth over our canoes. A Pale-legged Hornero posed nicely on an open log. We then got a vocal response from Chestnut-capped Puffbird, which took a while to finally show. I could see it with the thermal scope –a white dot deep within a vine tangle, but it was too buried in there to see with the naked eye. Finally, the bird shot into view and sat for everyone to see. Yipee! Before returning to the Dorinha, we watched Chapman's, Gray-rumped and Short-tailed Swifts circling overhead.



Our group setting out to look for White Uakaris in the flooded forests of Mamiraua. It took two full days of searching but we finally found them on our final afternoon. Photo by guide Micah Riegner.

We motored on throughout the night, then anchored at a river island across from Tefe, ready for another fun day of birding. We started out from the top deck at the downstream end of the island, where we saw Lesser Wagtail Tyrants at eye level, Orange-headed Tanagers, White-bellied, Yellow-chinned and Dark-breasted Spinetails, Lesser Horneros, and White-throated Kingbirds. We then canoed to another point further upstream on the island and walked around in the Cecropia forest. On the mudflats were Collared Plovers and a Solitary Sandpiper, already back from its breeding grounds up north. In the forest we pulled in Castelnau's Antshrikes, Brownish and Small-billed Elaenias, some fly-by Chestnut-fronted Macaws, a Fuscous Flycatcher, Orange-backed Troupial, Masked Yellowthroat, both Bicolored and Pearly-breasted Conebills, and Olive-spotted Hummingbirds. Back on the Dorinha, we pulled up to a flowering tree that was attracting both Black-throated Mangoes and Blue-chinned Sapphires. As lunchtime approached, we crossed from the muddy Rio Solimoes to the blackwater Rio Tefe, reaching the community of Tauary in the Tefe National Forest by late afternoon. Emerson the local guide met us, and we hiked back into the forest behind the community. It was getting dark out, but with the heat scope we found several birds beginning to roost, including a Bar-breasted Piculet peeking out of its nickel-sized nest cavity, a female Blue-crowned Manakin, Ochre-bellied Flycatcher, Screaming Piha, and a White-fronted Nunbird. We also saw Tawny-bellied Screech-Owl, but it didn't stick around in the open for very long. We had a late dinner back at the Dorinha.



Chestnut-headed Nunlet occurs in the wedge of Amazonia between the Rio Solimoes (Amazon) and the Rio Negro. It's a specialist of Igapo (blackwater flooded forest) where it forages in dense vine tangles. We were fortunate enough to find a pair at Reserva Amana. Photo by guide Micah Riegner.

We birded the same trail behind Tauary, with Emerson, the following day. Early on, we saw Gilded Barbet, Waved Woodpecker, Yellow-browed Tody-Flycatcher, Blue-crowned Trogon, and a troop of Red-capped Mustached Tamarins. Fabulous. Further along, we came across an army ant swarm with White-throated and Sooty Antbirds attending it. We watched them for several minutes as they pounced to the ground to capture prey escaping from the swarming ants. We then came across an understory flock with Elegant Woodcreeper and Madeira Stipplethroat. After that we found a canopy flock with Green-and-gold Tanager, Mournful Long-tailed Woodcreeper, Wing-barred Piprites and Dusky-capped Greenlet. A Bronzy Jacamar landed on an open perch momentarily, while a Sclater's Antwren moved through the treetops. On our way back, we called in another Chestnut-bellied Gnateater that was vocalizing spontaneously. Both male

and female showed this time. We returned to the boat, then in the afternoon, Francisco the beekeeper at Tauary showed us his extensive collection of stingless bee hives. We sampled the honey and royal jelly, which gave us all an energy boost. We then left Tauary and motored back north on the Rio Tefe. As it was getting dark out, we witnessed a huge flock of Southern Martins—tens of thousands of them coming down to roost on the river islands.

We spent the morning at Arraia birding around the village second growth with Edson, the local guide. It was fairly quiet, but we saw a few good things, including Coppery Titi Monkeys, Bar-breasted Piculet, Amazonian Scrub Flycatcher, a Pygmy Antwren at eye level, and a Rufous-thighed Kite, a migrant from SE Brazil, soaring overhead. In the afternoon we went out on the canoes on the creek behind the community, where we eventually saw Johannes's Tody-Tyrant (after considerable effort!), a super close Snethlage's Tody-Tyrant, Green-and-rufous Kingfisher, Straight-billed Woodcreeper and several close *Chaetura* swifts coming down to drink. We had our final dinner with the crew up on the top deck as we approached Tefe.



This is a tour where every single meal is a buffet. Here, Lili, the cook/caipirinha queen sets up yet another fabulous lunch on the Dorinha. Photo by guide Micah Riegner.

We squeezed one more morning of birding in before our flight back to Manaus. Some taxis picked us up and we drove out to Ramal 007, about a half hour south of Tefe. It turned out to be a great morning. The highlight of the morning was watching a group of Buffy Saki Monkeys lounging in the treetops. This is a species few people have seen. In fact, our photos were the first for iNaturalist! We saw a number of new trip birds, including Chestnut-tailed Antbird, Blue-cheeked Jacamar, Fulvous-crested Tanager, a Yellow-margined Flycatcher at eye level, a brief Gould's Jewelfront, Needle-billed Hermit, Inambari Woodcreeper, White-bellied Tody-Tyrant and Slender-footed Tyrannulet. We tried to bring in a Brown-banded Puffbird, but it kept on overshooting us and landing out of view. We headed back to the Dorinha, packed up, said goodbyes to the crew, then left for the airport for our flight to Manaus. We had our final dinner with Junior, the owner of the Dorinha, then

left for the airport for our flights home, wrapping up another terrific Field Guides Amazon adventure.

Bret and I would like to thank Ruth in our office for tying up all the logistics, all the cooks, boatmen, and staff at Mamiraua, and the crew on the Dorinha, who took such good care of us during our time in Brazil. We'd like to thank you all for joining us—see you again on the next Field Guides adventure!



Kawall's Amazons are patchily distributed throughout the Amazon. They are distinguished from the very similar Mealy Amazon by the white bare skin at the base of the bill and the lack of white orbital, a characteristic of Mealy Amazon. Photo by guide Micah Riegner.

Mammals

Proboscis Bat (*Rhynchonycteris naso*) These were lined up on the trunks at Mamiraua.

Greater Bulldog Bat (*Noctilio leporinus*) The giant rusty fishing bats that

were hunting over the water at Mamiraua.

Avila-Pires Saddleback Tamarin (*Saguinus fuscicollis avilapiresi*) A few were mixed in with a troop of Red-capped Mustached Tamarins behind Tefe.

Red-capped Mustached Tamarin (*Saguinus mystax pileatus*) We had great looks behind the community of Arraia and also behind Tefe.

Guianan Squirrel Monkey (*Saimiri sciureus*) Seen at Amana and Mamiraua.

Golden-backed Squirrel Monkey (*Saimiri ustus*) Seen on the south bank of the Amazon around Tefe.

Black-headed Squirrel Monkey (*Saimiri vanzolinii*) We had numerous encounters of this endemic primate at Mamiraua.

Black Titi (*Cheracebus lugens*) According to iNaturalist, this is the species we saw at Ubim.

Coppery Titi (*Plecturocebus cupreus*) Seen at Arraia.

Colombian Red Howler (*Alouatta seniculus*) Common though tough to see at Mamiraua.

Buffy Saki (*Pithecia albicans*) One of the wildlife highlights of the trip.

Golden-brown Uacari (*Cacajao malanocephalus*) We encountered these shy primates a number of times at Ubim. Though they didn't linger in view for very long, we could see their rusty flanks and bulbous tails as they sped through the treetops.

White Uakari (*Cacajao calvus calvus*) After two full days of searching we finally found a troop at Mamiraua, thanks to Manoel, the boatman for spotting them!

Brown Capuchin (*Sapajus apella*) Encountered regularly at Mamiraua.

Brown-throated Three-toed Sloth (*Bradypus variegatus*) We saw a number of these after the rain cleared at Mamiraua.

Southern Amazon Red Squirrel (*Sciurus spadiceus*) Seen at Arraia and behind Tefe.

Amazon Bamboo Rat (*Dactylomys dactylinus*) Seen at night at Mamiraua.

Ferreira's Spiny Tree Rat (*Mesomys hispidus*) The smaller arboreal rats we saw at Mamiraua.

Long-tailed Porcupine (*Coendou longicaudatus*) We found a few during our nocturnal outings at Mamiraua.

Amazon River Dolphin (*Inia geoffrensis*) This is one of our best tours for seeing Amazon River Dolphins! We saw them almost every day.

Tucuxi (*Sotalia fluviatilis*) The smaller dolphins with more pronounced dorsal fins we saw along the larger rivers

Giant Otter (*Pteronura brasiliensis*) Certainly one of the mammal highlights of the trip and one we were not expecting!

Herps

Amazon Pygmy Gecko (*Pseudogonatodes guianensis*) This tiny gecko is one of the smallest of all reptiles. We saw one at Arraia.

South American Spotted Skink (*Copeoglossum nigripunctatum*) Seen on a tree trunk at Arraia.

Garden Tree Boa (*Corallus hortulana*) Seen along one of the channels at Mamiraua

Giant Parrot Snake (*Leptophis ahaetulla*) This is the snake we saw up in the tree in the flooded forest near Ubim.

You can see my complete trip report on eBird at this link:

<https://ebird.org/tripreport/559590>

You can see my iNaturalist report of non-avian taxa at this link:

<https://www.inaturalist.org/projects/field-guides-birding-tours-brazil-s-japura-and-tefe-rivers-mamiraua-amana-and-the-unknown>


You can download a combined PDF of this page and the eBird report at this link: <https://fieldguides.com/triplists/gr326TRIPLIST.pdf>

-- Micah and Bret

Field Guides Birding Tours --BRAZIL'S JAPURA AND TEFÉ RIVERS: MAMIRAUA, AMANA AND THE UNKNOWN, 2026 (with Micah Riegner, Bret Whitney and local guides)



31 Jul – 11 Aug 2026 (12 days) [Link-only](#)



Amazonas, Brazil

Alvarães | Manaus | Maraã | Tabatinga | Tefé | Uarini

 Micah Riegner

 302

Species Observed

 30

Checklists

 2

Species with Photos

LIFERS  7  2 

Species Observed

[Show all details](#)

1 **White-throated Tinamou** *Tinamus guttatus*

 1

2 **Cinereous Tinamou** *Crypturellus cinereus*

 2

18	Undulated Tinamou	<i>Crypturellus undulatus</i>	▶  13
13	Horned Screamer	<i>Anhima cornuta</i>	▶  3
39	Black-bellied Whistling-Duck	<i>Dendrocygna autumnalis</i>	▶  7
28	Muscovy Duck	<i>Cairina moschata</i>	▶  5
2	Wattled Curassow	<i>Crax globulosa</i> ✓	▶  1
2	Starred Wood-Quail	<i>Odontophorus stellatus</i>	▶  1
14	Pale-vented Pigeon	<i>Patagioenas cayennensis</i>	▶  6
4	Ruddy Pigeon	<i>Patagioenas subvinacea</i>	▶  3
1	Common Ground Dove	<i>Columbina passerina</i>	▶  1
3	Ruddy Ground Dove	<i>Columbina talpacoti</i>	▶  2
5	White-tipped Dove	<i>Leptotila verreauxi</i>	▶  3
4	Gray-fronted Dove	<i>Leptotila rufaxilla</i>	▶  3
18	Greater Ani	<i>Crotophaga major</i>	▶  5
8	Smooth-billed Ani	<i>Crotophaga ani</i>	▶  2
1	Striped Cuckoo	<i>Tapera naevia</i>	▶  1
2	Little Cuckoo	<i>Coccyzus minima</i>	▶  1
1	Common Squirrel-Cuckoo	<i>Piaya cayana</i>	▶  1
1	Sand-colored Nighthawk	<i>Chordeiles rupestris</i>	▶  1
2	Band-tailed Nighthawk	<i>Nyctiprogne leucopyga</i>	▶  2
1	Common Pauraque	<i>Nyctidromus albicollis</i>	▶  1
3	Ladder-tailed Nightjar	<i>Hydropsalis climacocerca</i>	▶  2
2	Great Potoo	<i>Nyctibius grandis</i>	▶  2
1	Common Potoo	<i>Nyctibius griseus</i>	▶  1
2	White-collared Swift	<i>Streptoprocne zonaris</i>	▶  1

- 12 **Gray-rumped Swift** *Chaetura cinereiventris* ▶  3
- 1 **Band-rumped Swift** *Chaetura spinicaudus* ▶  1
- 15 **Chapman's Swift** *Chaetura chapmani* ▶  4
- 24 **Short-tailed Swift** *Chaetura brachyura* ▶  5
- 27 **Fork-tailed Palm Swift** *Tachornis squamata* ▶  3
- 2 **White-necked Jacobin** *Florisuga mellivora* ▶  1
- 1 **Needle-billed Hermit** *Phaethornis philippii* ▶  1
- 2 **Straight-billed Hermit** *Phaethornis bourcierii* ▶  2
- 1 **Reddish Hermit** *Phaethornis ruber* ▶  1
- 1 **Black-eared Fairy** *Heliophryx auritus* ▶  1
- 2 **Black-throated Mango** *Anthracothorax nigricollis* ▶  1
- 1 **Gould's Jewelfront** *Heliodoxa aurescens* ▶  1
- 2 **Fork-tailed Woodnymph** *Thalurania furcata* ▶  1
- 2 **Olive-spotted Hummingbird** *Talaphorus chlorocercus* ▶  1
- 2 **Glittering-throated Emerald** *Chionomesa fimbriata* ▶  2
- 4 **Blue-chinned Sapphire** *Chlorestes notata* ▶  3
- 4 **Gray-cowled Wood-Rail** *Aramides cajaneus* ▶  2
- 5 **Purple Gallinule** *Porphyrio martinica* ▶  3
- 1 **Gray-breasted Crake** *Laterallus exilis* ▶  1
- 1 **Sungrebe** *Heliornis fulica* ▶  1
- 6 **Limpkin** *Aramus guarauna* ▶  5
- 1 **Gray-winged Trumpeter** *Psophia crepitans* ▶  1
- 10 **Southern Lapwing** *Vanellus chilensis* ▶  4

3	Collared Plover	<i>Anarhynchus collaris</i>	▶ 1
71	Wattled Jacana	<i>Jacana jacana</i>	▶ 6
1	Solitary Sandpiper	<i>Tringa solitaria</i>	▶ 1
17	Black Skimmer	<i>Rynchops niger</i>	▶ 6
48	Yellow-billed Tern	<i>Sternula superciliaris</i>	▶ 9
392	Large-billed Tern	<i>Phaetusa simplex</i>	▶ 12
26	Hoatzin	<i>Opisthocomus hoazin</i>	▶ 5
4	Sunbittern	<i>Eurypyga helias</i>	▶ 2
10	Anhinga	<i>Anhinga anhinga</i>	▶ 6
389	Neotropic Cormorant	<i>Nannopterum brasilianum</i>	▶ 11
4	Green Ibis	<i>Mesembrinibis cayennensis</i>	▶ 3
2	Rufescent Tiger-Heron	<i>Tigrisoma lineatum</i>	▶ 2
1	Boat-billed Heron	<i>Cochlearius cochlearius</i>	▶ 1
4	Capped Heron	<i>Pilherodius pileatus</i>	▶ 4
24	Snowy Egret	<i>Egretta thula</i>	▶ 3
48	Striated Heron	<i>Butorides striata</i>	▶ 6
2	Western Cattle-Egret	<i>Ardea ibis</i>	▶ 2
102	Great Egret	<i>Ardea alba</i>	▶ 5
15	Cocoi Heron	<i>Ardea cocoi</i>	▶ 6
2	King Vulture	<i>Sarcoramphus papa</i>	▶ 1
499	Black Vulture	<i>Coragyps atratus</i>	▶ 15
16	Turkey Vulture	<i>Cathartes aura</i>	▶ 12
4	Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>	▶ 3

2	Osprey	<i>Pandion haliaetus</i>	▶  2
2	Swallow-tailed Kite	<i>Elanoides forficatus</i>	▶  2
1	Rufous-thighed Kite	<i>Harpagus diodon</i>	▶  1
56	Plumbeous Kite	<i>Ictinia plumbea</i>	▶  7
2	Crane Hawk	<i>Geranospiza caerulescens</i>	▶  2
9	Black-collared Hawk	<i>Busarellus nigricollis</i>	▶  6
3	Snail Kite	<i>Rostrhamus sociabilis</i>	▶  2
3	Slate-colored Hawk	<i>Buteogallus schistaceus</i>	▶  2
4	Great Black Hawk	<i>Buteogallus urubitinga</i>	▶  3
11	Roadside Hawk	<i>Rupornis magnirostris</i>	▶  9
2	Gray-lined Hawk	<i>Buteo nitidus</i>	▶  1
1	Tropical Screech-Owl	<i>Megascops choliba</i>	▶  1
1	Tawny-bellied Screech-Owl	<i>Megascops watsonii</i>	▶  1
2	Spectacled Owl	<i>Pulsatrix perspicillata</i>	▶  1
3	Ferruginous Pygmy-Owl	<i>Glaucidium brasilianum</i>	▶  2
4	Black-tailed Trogon	<i>Trogon melanurus</i>	▶  4
3	Green-backed Trogon	<i>Trogon viridis</i>	▶  2
1	Amazonian Violaceous Trogon	<i>Trogon ramonianus</i>	▶  1
3	Blue-crowned Trogon	<i>Trogon curucui</i>	▶  3
1	Amazonian Black-throated Trogon	<i>Trogon rufus</i>	▶  1
74	Ringed Kingfisher	<i>Megaceryle torquata</i>	▶  13
17	Amazon Kingfisher	<i>Chloroceryle amazona</i>	▶  6
2	American Pygmy Kingfisher	<i>Chloroceryle aenea</i>	▶  1

- 3 **Green Kingfisher** *Chloroceryle americana* ▶ 📷 3
- 1 **Green-and-rufous Kingfisher** *Chloroceryle inda* ▶ 📷 1
- 1 **Brown-banded Puffbird** *Notharchus ordii* ▶ 📷 1
- 1 **Chestnut-capped Puffbird** *Bucco macrodactylus* ▶ 📷 1
- 2 **Spotted Puffbird** *Bucco tamatia* ▶ 📷 1
- 5 **Chestnut-headed Nunlet** *Nonnula amaurocephala* ✓ 📷 ▶ 📷 2 📷 2
- 22 **Black-fronted Nunbird** *Monasa nigrifrons* ▶ 📷 6
- 9 **White-fronted Nunbird** *Monasa morphoeus* ▶ 📷 3
- 9 **Swallow-winged Puffbird** *Chelidoptera tenebrosa* ▶ 📷 4
- 3 **White-eared Jacamar** *Galbalcyrhynchus leucotis* ▶ 📷 2
- 1 **Blue-cheeked Jacamar** *Galbula cyanicollis* ▶ 📷 1
- 1 **Green-tailed Jacamar** *Galbula galbula* ▶ 📷 1
- 3 **White-chinned Jacamar** *Galbula tombacea* ▶ 📷 2
- 1 **Bronzy Jacamar** *Galbula leucogastra* ▶ 📷 1
- 1 **Paradise Jacamar** *Galbula dea* ▶ 📷 1
- 7 **Scarlet-crowned Barbet** *Capito aurovirens* ▶ 📷 3
- 5 **Gilded Barbet** *Capito auratus* ▶ 📷 4
- 3 **Lettered Aracari** *Pteroglossus inscriptus* ▶ 📷 1
- 2 **Chestnut-eared Aracari** *Pteroglossus castanotis* ▶ 📷 1
- 8 **White-throated Toucan** *Ramphastos tucanus* ▶ 📷 6
- 1 **Channel-billed Toucan** *Ramphastos vitellinus* ▶ 📷 1
- 2 **Bar-breasted Piculet** *Picumnus aurifrons* ▶ 📷 2
- 4 **Yellow-tufted Woodpecker** *Melanerpes cruentatus* ▶ 📷 3

2	Little Woodpecker	<i>Veniliornis passerinus</i>	▶  2
2	Red-stained Woodpecker	<i>Veniliornis affinis</i>	▶  1
2	Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>	▶  2
4	Lineated Woodpecker	<i>Dryocopus lineatus</i>	▶  2
3	Ringed Woodpecker	<i>Celeus torquatus</i>	▶  3
2	Waved Woodpecker	<i>Celeus undatus</i>	▶  1
3	Cream-colored Woodpecker	<i>Celeus flavus</i>	▶  2
1	Chestnut Woodpecker	<i>Celeus elegans</i>	▶  1
1	Golden-green Woodpecker	<i>Piculus chrysochloros</i>	▶  1
1	Crested Caracara	<i>Caracara plancus</i>	▶  1
17	Yellow-headed Caracara	<i>Daptrius chimachima</i>	▶  10
2	Black Caracara	<i>Daptrius ater</i>	▶  2
1	Bat Falcon	<i>Falco rufigularis</i>	▶  1
23	Tui Parakeet	<i>Brotogeris sanctithomae</i>	▶  6
3	White-winged Parakeet	<i>Brotogeris versicolurus</i>	▶  1
5	Cobalt-winged Parakeet	<i>Brotogeris cyanopectus</i>	▶  2
2	Golden-winged Parakeet	<i>Brotogeris chrysoptera</i>	▶  1
11	Blue-headed Parrot	<i>Pionus menstruus</i>	▶  2
21	Short-tailed Parrot	<i>Graydidascalus brachyurus</i>	▶  6
57	Festive Amazon	<i>Amazona festiva</i>	▶  6
7	Mealy Amazon	<i>Amazona farinosa</i>	▶  3
22	Kawall's Amazon	<i>Amazona kawalli</i>  	▶  2  2
1	Riparian Parrotlet	<i>Forpus crassirostris</i>	▶  1

- 5 **White-bellied Parrot** *Pionites leucogaster* ▶  1
- 11 **Red-bellied Macaw** *Orthopsittaca manilatus* ▶  2
- 5 **Chestnut-fronted Macaw** *Ara severus* ▶  1
- 14 **Scarlet Macaw** *Ara macao* ▶  6
- 3 **Red-and-green Macaw** *Ara chloropterus* ▶  1
- 46 **White-eyed Parakeet** *Psittacara leucophthalmus* ▶  6
- 5 **Black-crested Antshrike** *Sakesphorus canadensis* ▶  3
- 1 **Barred Antshrike** *Thamnophilus doliatus* ▶  1
- 1 **Plain-winged Antshrike** *Thamnophilus schistaceus* ▶  1
- 2 **Castelnau's Antshrike** *Thamnophilus cryptoleucus* ▶  1
- 1 **Cinereous Antshrike** *Thamnomanes caesus* ▶  1
- 1 **Plain-throated Antwren** *Isleria huxwelli* ▶  1
- 1 **Spot-winged Antshrike** *Pygiptila stellaris* ▶  1
- 1 **Rufous-backed Stipplethroat** *Epinecrophylla haematonota* ▶  1
- 1 **Rio Madeira Stipplethroat** *Epinecrophylla amazonica* ✓ ▶  1
- 2 **Pygmy Antwren** *Myrmotherula brachyura* ▶  2
- 1 **Sclater's Antwren** *Myrmotherula sclateri* ▶  1
- 1 **Gray Antwren** *Myrmotherula menetriesii* ▶  1
- 1 **Leaden Antwren** *Myrmotherula assimilis* ▶  1
- 6 **Peruvian Warbling-Antbird** *Hypocnemis peruviana* ▶  4
- 3 **Yellow-browed Antbird** *Hypocnemis hypoxantha* ▶  2
- 1 **Dusky Antbird** *Cercomacroides tyrannina* ▶  1
- 1 **Gray Antbird** *Cercomacra cinerascens* ▶  1

- 4 **Black-chinned Antbird** *Hypocnemoides melanopogon* ▶  2
- 3 **Black-and-white Antbird** *Myrmochanes hemileucus* ▶  2
- 1 **Plumbeous Antbird** *Myrmelastes hyperythrus* ▶  1
- 2 **Chestnut-tailed Antbird** *Sciaphylax hemimelaena* ▶  1
- 2 **Sooty Antbird** *Hafferia fortis* ▶  1
- 5 **White-throated Antbird** *Oneillornis salvini* ✓ ▶  1
- 1 **Spot-backed Antbird** *Hylophylax naevius* ▶  1
- 2 **Common Scale-backed Antbird** *Willisornis poecilinotus* ▶  2
- 2 **Chestnut-belted Gnateater** *Conopophaga aurita* ▶  1
- 1 **Rufous-capped Antthrush** *Formicarius colma* ▶  1
- 2 **Olivaceous Woodcreeper** *Sittasomus griseicapillus* ▶  2
- 1 **Mournful Long-tailed Woodcreeper** *Deconychura pallida* ▶  1
- 1 **Wedge-billed Woodcreeper** *Glyphorhynchus spirurus* ▶  1
- 7 **Long-billed Woodcreeper** *Nasica longirostris* ▶  5
- 1 **Amazonian Barred-Woodcreeper** *Dendrocolaptes certhia* ▶  1
- 3 **Black-banded Woodcreeper** *Dendrocolaptes picumnus* ▶  2
- 2 **Striped Woodcreeper** *Xiphorhynchus obsoletus* ▶  2
- 1 **Ocellated Woodcreeper** *Xiphorhynchus ocellatus* ▶  1
- 1 **Elegant Woodcreeper** *Xiphorhynchus elegans* ▶  1
- 7 **Buff-throated Woodcreeper** *Xiphorhynchus guttatus* ▶  5
- 7 **Straight-billed Woodcreeper** *Dendroplex picus* ▶  4
- 4 **Zimmer's Woodcreeper** *Dendroplex kienerii* ▶  3
- 1 **Rufous-tailed Xenops** *Microxenops milleri* ▶  1

7	Pale-legged Hornero	<i>Furnarius leucopus</i>	▶  3
2	Lesser Hornero	<i>Furnarius minor</i>	▶  1
1	Ochre-throated Foliage-gleaner	<i>Automolus ochrolaemus</i>	▶  1
2	Orange-fronted Plushcrown	<i>Metopothrix aurantiaca</i>	▶  1
4	Rusty-backed Spinetail	<i>Cranioleuca vulpina</i>	▶  1
4	Yellow-chinned Spinetail	<i>Certhiaxis cinnamomeus</i>	▶  3
2	Red-and-white Spinetail	<i>Certhiaxis mustelinus</i>	▶  1
2	White-bellied Spinetail	<i>Mazaria propinqua</i>	▶  1
2	Plain-crowned Spinetail	<i>Synallaxis gujanensis</i>	▶  1
1	Dark-breasted Spinetail	<i>Synallaxis albigularis</i>	▶  1
3	Dwarf Tyrant-Manakin	<i>Tyranneutes stolzmanni</i>	▶  3
6	Blue-capped Manakin	<i>Lepidothrix coronata</i>	▶  4
3	Golden-headed Manakin	<i>Ceratopipra erythrocephala</i>	▶  2
1	Black-necked Red-Cotinga	<i>Phoenicircus nigricollis</i>	▶  1
1	Plum-throated Cotinga	<i>Cotinga maynana</i>	▶  1
23	Screaming Piha	<i>Lipaugus vociferans</i>	▶  5
9	Bare-necked Fruitcrow	<i>Gymnoderus foetidus</i>	▶  4
1	Chestnut-crowned Becard	<i>Pachyramphus castaneus</i>	▶  1
2	White-winged Becard	<i>Pachyramphus polychopterus</i>	▶  2
1	Black-capped Becard	<i>Pachyramphus marginatus</i>	▶  1
1	Ruddy-tailed Flycatcher	<i>Terenotriccus erythrurus</i>	▶  1
1	Wing-barred Piprites	<i>Piprites chloris</i>	▶  1
1	Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>	▶  1

- 2 **Ringed Antpipit** *Corythopsis torquatus* ▶  2
- 1 **Short-tailed Pygmy-Tyrant** *Myiornis ecaudatus* ▶  1
- 4 **Snethlage's Tody-Tyrant** *Hemitriccus minor* ▶  4
- 3 **White-bellied Tody-Tyrant** *Hemitriccus griseipectus* ✓ ▶  2
- 2 **Johannes's Tody-Tyrant** *Hemitriccus iohannis* ▶  1
- 1 **Rusty-fronted Tody-Flycatcher** *Poecilatriccus latirostris* ▶  1
- 12 **Spotted Tody-Flycatcher** *Todirostrum maculatum* ▶  9
- 2 **Yellow-browed Tody-Flycatcher** *Todirostrum chrysocrotaphum* ▶  2
- 5 **Yellow-olive Flatbill** *Tolmomyias sulphurescens* ▶  4
- 1 **Yellow-margined Flatbill** *Tolmomyias assimilis* ▶  1
- 2 **Gray-crowned Flatbill** *Tolmomyias poliocephalus* ▶  2
- 2 **White-lored Tyrannulet** *Ornithion inerme* ▶  2
- 1 **Southern Beardless-Tyrannulet** *Camptostoma obsoletum* ▶  1
- 2 **Yellow-crowned Tyrannulet** *Tyrannulus elatus* ▶  2
- 3 **Forest Elaenia** *Myiopagis gaimardii* ▶  3
- 1 **Yellow-crowned Elaenia** *Myiopagis flavivertex* ▶  1
- 1 **Small-billed Elaenia** *Elaenia parvirostris* ▶  1
- 2 **Brownish Elaenia** *Elaenia pelzelni* ▶  1
- 2 **Slender-footed Tyrannulet** *Zimmerius gracilipes* ▶  2
- 2 **Lesser Wagtail-Tyrant** *Stigmatura napensis* ▶  1
- 1 **Euler's Flycatcher** *Lathrotriccus euleri* ▶  1
- 2 **Fuscou Flycatcher** *Cnemotriccus fuscatus* ▶  1
- 1 **Amazonian Scrub-Flycatcher** *Sublegatus obscurior* ▶  1

- 1 **Amazonian Black-Tyrant** *Knipolegus poecilocercus* ▶  1
- 2 **White-headed Marsh Tyrant** *Arundinicola leucocephala* ▶  1
- 3 **Rufous-tailed Flatbill** *Ramphotrigon ruficauda* ▶  1
- 1 **Dull-capped Attila** *Attila bolivianus* ▶  1
- 2 **Bright-rumped Attila** *Attila spadiceus* ▶  1
- 3 **Short-crested Flycatcher** *Myiarchus ferox* ▶  2
- 3 **Lesser Kiskadee** *Philohydor lictor* ▶  3
- 10 **Great Kiskadee** *Pitangus sulphuratus* ▶  7
- 2 **Boat-billed Flycatcher** *Megarynchus pitangua* ▶  2
- 2 **Social Flycatcher** *Myiozetetes similis* ▶  2
- 2 **Dusky-chested Flycatcher** *Myiozetetes luteiventris* ▶  1
- 1 **Streaked Flycatcher** *Myiodynastes maculatus* ▶  1
- 2 **Piratic Flycatcher** *Legatus leucophaeus* ▶  2
- 1 **Variegated Flycatcher** *Empidonomus varius* ▶  1
- 2 **White-throated Kingbird** *Tyrannus albogularis* ▶  1
- 15 **Tropical Kingbird** *Tyrannus melancholicus* ▶  7
- 42 **Fork-tailed Flycatcher** *Tyrannus savana* ▶  5
- 1 **Lemon-chested Greenlet** *Hylophilus thoracicus* ▶  1
- 1 **Dusky-capped Greenlet** *Pachysylvia hypoxantha* ▶  1
- 5 **Chivi Vireo** *Vireo chivi* ▶  4
- 1 **Black-capped Donacobius** *Donacobius atricapilla* ▶  1
- 64 **White-winged Swallow** *Tachycineta albiventer* ▶  15
- 4 **Gray-breasted Martin** *Progne chalybea* ▶  1

20,002	Southern Martin	<i>Progne elegans</i>	▶  3
5	Brown-chested Martin	<i>Progne tapera</i>	▶  3
36	Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>	▶  6
2	Long-billed Gnatwren	<i>Ramphocaenus melanurus</i>	▶  2
1	Wing-banded Wren	<i>Microcerculus bambla</i> ✓	▶  1
4	Southern House Wren	<i>Troglodytes musculus</i>	▶  4
2	Thrush-like Wren	<i>Campylorhynchus turdinus</i>	▶  1
3	Moustached Wren	<i>Pheugopedius genibarbis</i>	▶  3
2	Buff-breasted Wren	<i>Cantorchilus leucotis</i>	▶  1
1	Black-billed Thrush	<i>Turdus ignobilis</i>	▶  1
1	Purple-throated Euphonia	<i>Euphonia chlorotica</i>	▶  1
1	Golden-bellied Euphonia	<i>Euphonia chrysopasta</i>	▶  1
2	Rufous-bellied Euphonia	<i>Euphonia rufiventris</i>	▶  2
2	Yellow-browed Sparrow	<i>Ammodramus aurifrons</i>	▶  2
30	Red-breasted Meadowlark	<i>Leistes militaris</i>	▶  1
26	Russet-backed Oropendola	<i>Psarocolius angustifrons</i>	▶  6
4	Green Oropendola	<i>Psarocolius viridis</i>	▶  1
3	Crested Oropendola	<i>Psarocolius decumanus</i>	▶  1
1	Solitary Black Cacique	<i>Cacicus solitarius</i>	▶  1
150	Yellow-rumped Cacique	<i>Cacicus cela</i>	▶  15
2	Orange-backed Troupial	<i>Icterus croconotus</i>	▶  1
5	Shiny Cowbird	<i>Molothrus bonariensis</i>	▶  2
20	Yellow-hooded Blackbird	<i>Chrysomus icterocephalus</i>	▶  2

1	Masked Yellowthroat	<i>Geothlypis aequinoctialis</i>	▶  1
11	Red-capped Cardinal	<i>Paroaria gularis</i>	▶  6
2	Hooded Tanager	<i>Nemosia pileata</i>	▶  1
5	Orange-headed Tanager	<i>Thlypopsis sordida</i>	▶  1
1	Fulvous-crested Tanager	<i>Tachyphonus surinamus</i>	▶  1
1	Fulvous Shrike-Tanager	<i>Lanio fulvus</i>	▶  1
16	Silver-beaked Tanager	<i>Ramphocelus carbo</i>	▶  6
4	Masked Crimson Tanager	<i>Ramphocelus nigrogularis</i>	▶  2
15	Blue-gray Tanager	<i>Thraupis episcopus</i>	▶  8
7	Palm Tanager	<i>Thraupis palmarum</i>	▶  2
3	Turquoise Tanager	<i>Tangara mexicana</i>	▶  1
3	Paradise Tanager	<i>Tangara chilensis</i>	▶  1
1	Green-and-gold Tanager	<i>Tangara schrankii</i>	▶  1
3	Yellow-bellied Dacnis	<i>Dacnis flaviventer</i>	▶  2
1	Purple Honeycreeper	<i>Cyanerpes caeruleus</i>	▶  1
1	Green Honeycreeper	<i>Chlorophanes spiza</i>	▶  1
4	Bicolored Conebill	<i>Conirostrum bicolor</i>	▶  1
4	Pearly-breasted Conebill	<i>Conirostrum margaritae</i>	▶  2
10	Orange-fronted Yellow-Finch	<i>Sicalis columbiana</i>	▶  1
4	Chestnut-bellied Seedeater	<i>Sporophila castaneiventris</i>	▶  2
1	Chestnut-bellied Seed-Finch	<i>Sporophila angolensis</i>	▶  1
1	Buff-throated Saltator	<i>Saltator maximus</i>	▶  1
5	Bluish-gray Saltator	<i>Saltator coerulescens</i>	▶  3

ADDITIONAL TAXA

- 8 swift sp. *Apodidae* sp. ▶  2
 - 1 hummingbird sp. *Trochilidae* sp. ▶  1
 - 2 new world vulture sp. *Cathartidae* sp. ▶  2
 - 1 new world trogon sp. *Trogon* sp. ▶  1
 - 1 large toucan sp. *Ramphastos* sp. ▶  1
 - 2 Campephilus sp. *Campephilus* sp. ▶  1
 - 7 parrot sp. *Psittaciformes* sp. (parrot sp.) ▶  2
 - 1 woodcreeper sp. *Dendrocolaptinae* sp. ▶  1
 - 2 oropendola sp. *Psarocolius* sp. ▶  1
-