

Trip Report — Guatemala: Shade-grown Birding 2026 (with optional Tikal & Guacamayas Pre-tour Extension)

February 11-20, 2026 with Jesse Fagan (ext. from Feb. 6)



Dusk over the Antigua Basin with Volcan Fuego and Acatenango in the background. Just one of many beautiful places we visited on this tour. Photo by guide Jesse Fagan.

Guatemala never fails to deliver an unforgettable adventure. This year's tour was packed with "oh, wow" moments from start to finish. With ancient temples, active volcanoes, colonial cobblestone streets, and a shimmering caldera lake, the scenery alone was enough to keep us dazzled. Add in the pursuit of treasures like the Pink-headed Warbler and the Resplendent Quetzal, and staying focused became its own delightful challenge.

Our journey carried us through two major biogeographic regions: the Caribbean lowlands of the Petén in northern Guatemala and the Pacific Highlands, with a brief dip into the Pacific Lowlands for a few special species. By the end, we had recorded an impressive 350 species, including

standout prizes such as Horned Guan, Unspotted Saw-whet Owl, Belted Flycatcher, and, of course, the Pink-headed Warbler. It was a true bonanza of regional endemics and memorable sightings.



Check out this pretty group. The flowers add a nice touch. Photo by guide Jesse Fagan.

We began with an extension into the Petén, flying north from Guatemala City. Those with window seats enjoyed sweeping views of the Pacific Highlands and the Motagua River Valley—famous for its Mayan jade—before descending into the lush karst lowlands around Flores. Our first destination was Las Guacamayas Biological Reserve inside Laguna del Tigre National Park, accessible only by boat. That first afternoon, we drifted down the Río Sacluc, taking in spectacular views of Agami Heron, American Pygmy Kingfisher, and, near dusk, a rare Short-tailed Nighthawk.

Las Guacamayas quickly became a group favorite. Its peaceful isolation, gorgeous sunrises and sunsets, and excellent birding made our two nights there truly special. We successfully tracked down several “Yucatán” specialties—Yucatán Jay, Yucatán Woodpecker, and the elusive Yucatán Flycatcher. Other highlights included Chestnut-colored Woodpecker, Rufous-tailed Jacamar, Gray-throated Chat, and a rare Spot-tailed Nightjar at its only known Guatemalan site.



Ocellated Turkeys were roosting in the trees in front of our hotel in Tikal NP. Photo by participant Wayne Whitmore.

From there, we moved on to the iconic ruins of Tikal, spending two nights within the Maya Biosphere Reserve. Climbing Temple V and looking out over endless unbroken forest was breathtaking—straight out of a movie (and yes, very reminiscent of that famous Star Wars scene!). As if the view weren’t enough, an Orange-breasted Falcon perched above us, adding a dramatic flourish. Miguel’s walking tour brought the ancient city to life, and our birding

around the ruins rewarded us with Black-throated Shrike-Tanager, Black-headed Trogon, and the brilliantly colored Ocellated Turkey.

After four nights in the Petén, we returned to Guatemala City for lunch before continuing to the colonial gem of Antigua. Nestled in a basin surrounded by three volcanoes—Fuego, Acatenango, and Atitlán—Antigua offered a dramatic and historic backdrop. We heard the rumble of Volcán Fuego and watched its smoky exhalations throughout our stay. A city walking tour with our local guide, Leonel, gave us a deeper appreciation of Antigua's rich history.



Few tours get looks like this of this rare owl. Unspotted Saw-whet Owl photographed by participant Wayne Whitmore.

One morning was spent birding the cloud forest above town, where oaks draped in epiphytes and vibrant understory flowers created a magical

setting. Southern Emerald-Toucanets bounced through the canopy, and Spot-crowned Woodcreepers worked their way up mossy trunks. We also visited the bird-filled Finca San Cayetano, where Waldemar showed us Baltimore and Streak-backed Orioles, a nesting pair of Rufous-backed Wrens, White-throated Magpie-Jays, and Red-legged Honeycreepers. Lunch came with a spectacular view of Volcán Fuego—perfect for Valentine’s Day photos.

Next, we headed to Finca Los Tarrales at the base of Volcán Atitlán, spending three nights exploring its rich habitats. The location gave us excellent access to a range of elevations and some of the region’s toughest endemics. Highlights included a stunning male Long-tailed Manakin, Rufous-breasted Spinetail, nesting Pacific Parakeets, Spot-breasted Orioles, and White-bellied Chachalacas.

A full day around Lake Atitlán—often called “the most beautiful lake in the world”—brought more excitement. As we climbed the lower slopes of Volcán Tolimán, we encountered Guatemalan Pygmy Owl, White-faced Ground-Sparrow, Lesser Roadrunner, and flocks of Bushy-crested Jays. Our main target, however, required a bit more effort. After a steep climb and some patient listening, the rare Belted Flycatcher finally appeared, prompting well-earned smiles and high-fives. Later that afternoon, we added another gem: a female Slender Sheartail feeding daintily among lantana blossoms.



Not surprising that this bird was Bird of the Trip. The Pink-headed Warbler is only found in Chiapas, Mexico and Western Guatemala. It is found in the highlands here. Thanks to Wayne Whitmore for another awesome photo.

Our final region was Quetzaltenango—known locally as Xela—whose name fittingly means “place of the quetzal.” At Llanos del Pinal, we enjoyed our first encounter with the Pink-headed Warbler, which quickly became the group’s Bird of the Trip.

The next morning at Fuentes Georginas was unforgettable. We arrived before dawn and soon called in a beautiful Fulvous Owl. Moments later, Daniel, our local guide, spotted a Horned Guan perched high on a distant slope. Maroon-chested Ground-Doves sang from multiple locations, bamboo was seeding everywhere, and—against all odds—a quetzal called. Incredibly, it was only Daniel’s second sighting of the species at this site. The list continued to grow with Mountain Trogon, Blue-throated Motmot, Unicolored Jays, and Ruddy-capped Nightingale-Thrush.

That evening, we ventured to Chicabal in search of the mythical Unspotted Saw-whet Owl. After several unsuccessful attempts, we tried one last spot. A soft series of toots broke the silence, and moments later we were standing just meters from this elusive bird, illuminated and unforgettable.

Our final full day carried high expectations, and it did not disappoint. Although we had already seen a female quetzal, we were determined to find a male. At Refugio del Quetzal in the San Marcos department, where the birds are monitored, we soon enjoyed wonderful views of a nesting pair—including a dazzling emerald-green male with full streamers. Afterward, we enjoyed a catered lunch at a local home, complete with hummingbird feeders hosting Sparkling-tailed Hummingbird and both Violet and Rufous Sabrewings.

As we descended toward the Pacific Coastal Plain, just miles from the Mexican border, we made one last spontaneous stop. Thanks to a timely tip, we found Giant Wrens—formerly considered a Mexican endemic—calling and foraging right above us. A perfect final lifer.

This was a truly joyful adventure shared with a wonderful group. Thank you all for your enthusiasm, good humor, and great company. And of course, heartfelt thanks to our local guides and drivers, whose expertise made this trip such a success. I look forward to exploring more of the world with you in 2026 and beyond.

Additional Critters:

Mammals

Central American Black Howler (*Alouatta pigra*) = Good numbers (at least by voice) at Las Guacamayas and Tikal.

Central American Spider Monkey (*Ateles geoffroyi*) = Seen a few times at Tikal, where you have to be careful to not walk under them!

Red-bellied Squirrel (*Sciurus aureogaster*) = This is the large squirrel around Lake Atitlan in the Pacific Highlands.

Yucatan Squirrel (*Sciurus yucatanensis*) = Another large squirrel that we saw in the Peten region.

Variiegated Squirrel (*Sciurus variegatoides*) = Seen on the Pacific side, but usually at lower elevation than Red-bellied. Like at Finca Los Tarrales.

Deppe's Squirrel (*Sciurus deppei*) = We saw one in the cloud forest above Antigua.

Central American Agouti (*Dasyprocta punctata*) = At Tikal NP and around Finca Los Tarrales.

Northern Tamandua (*Tamandua mexicana*) = One was lazing around in the treetops near the main plaza at Tikal.

Kinkajou (*Potos flavus*) = In the bamboo at Finca Los Tarrales.

Northern Gray Fox (*Urocyon cinereoargenteus*) = One was briefly seen in the Peten. They are a smaller version of the gray foxes in the north.

White-nosed Coati (*Nasua narica*) = Small numbers around Tikal NP.

White-tailed Deer (*Odocoileus virginianus*) = Can we count the ones near our cabins at Finca Los Tarrales?

Other Stuff

Green Iguana (*Iguana iguana*)

Red-cheeked Mud Turtle (*Kinosternon cruentatum*) = Jesse saved one from the road as we traveled between Las Guacamayas and Tikal.

Proboscis Bat (*Rhynchonycteris naso*) = Small groups on trunks overhanging the Rio Sacluc at Las Guacamayas.

Slender Brown Scorpion (*Centruroides gracilis*) = The large scorpion seen at Las Guacamayas and during our night walk at Tikal.

You can see my complete trip report on eBird at this

link: <https://ebird.org/tripreport/494707>

You can see my iNaturalist report of non-avian taxa at this

link: <https://www.inaturalist.org/projects/field-guides-birding-tours-guatemala-2026-with-jesse-fagan>

Jesse Fagan (aka Motmot) from Lima, Peru

Field Guides Birding Tours -- GUATEMALA, 2026 (with Jesse Fagan)

6 – 19 Feb 2026 (14 days) Public



Guatemala

Guatemala | Petén | Quetzaltenango | Sacatepéquez | San Marcos | Sololá | Suchitepéquez

Jesse Fagan



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...























350

43
























[Species Observed](#)[Checklists](#)
























Species Observed






















[Show all details](#)
























1	Great Tinamou <i>Tinamus major</i>	▶  1
1	Little Tinamou <i>Crypturellus soui</i>	▶  1
2	Thicket Tinamou <i>Crypturellus cinnamomeus</i>	▶  1
2	Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	▶  1
19	Muscovy Duck <i>Cairina moschata</i>	▶  2
100	Blue-winged Teal <i>Spatula discors</i>	▶  1
11	Highland Guan <i>Penelopina nigra</i>	▶  3
3	Crested Guan <i>Penelope purpurascens</i>	▶  1
1	Horned Guan <i>Oreophasis derbianus</i>	▶  1
1	Great Curassow <i>Crax rubra</i>	▶  1
4	Plain Chachalaca <i>Ortalis vetula</i>	▶  1
12	White-bellied Chachalaca <i>Ortalis leucogastra</i>	▶  2
2	Buffy-crowned Wood-Partridge <i>Dendrortyx leucophrys</i>	▶  1
24	Ocellated Turkey <i>Meleagris ocellata</i>	▶  2
20	Rock Pigeon <i>Columba livia</i> *	▶  3
8	Pale-vented Pigeon <i>Patagioenas cayennensis</i>	▶  4
17	Red-billed Pigeon <i>Patagioenas flavirostris</i>	▶  4
6	Band-tailed Pigeon <i>Patagioenas fasciata</i>	▶  2
2	Short-billed Pigeon <i>Patagioenas nigrirostris</i>	▶  1
6	Eurasian Collared-Dove <i>Streptopelia decaocto</i> *	▶  2
1	Inca Dove <i>Columbina inca</i>	▶  1
2	Common Ground Dove <i>Columbina passerina</i>	▶  1
























2	Ruddy Ground Dove	<i>Columbina talpacoti</i>	▶  1
4	Maroon-chested Ground Dove	<i>Paraclaravis mondetoura</i>	▶  1
27	White-tipped Dove	<i>Leptotila verreauxi</i>	▶  11
1	Gray-headed Dove	<i>Leptotila plumbeiceps</i>	▶  1
2	White-faced Quail-Dove	<i>Zentrygon albifacies</i>	▶  2
16	White-winged Dove	<i>Zenaida asiatica</i>	▶  7
22	Groove-billed Ani	<i>Crotophaga sulcirostris</i>	▶  3
1	Lesser Ground-Cuckoo	<i>Morococcyx erythropygus</i>	▶  1
1	Lesser Roadrunner	<i>Geococcyx velox</i>	▶  1
7	Common Squirrel-Cuckoo	<i>Piaya cayana</i>	▶  4
1	Short-tailed Nighthawk	<i>Lurocalis semitorquatus</i>	▶  1
6	Common Pauraque	<i>Nyctidromus albicollis</i>	▶  3
1	Spot-tailed Nightjar	<i>Antiurus maculicaudus</i>	▶  1
1	Yucatan Poorwill	<i>Nyctiphrynus yucatanicus</i>	▶  1
3	Mexican Whip-poor-will	<i>Antrostomus arizonae</i>	▶  2
3	Northern Potoo	<i>Nyctibius jamaicensis</i>	▶  2
3	Chestnut-collared Swift	<i>Streptoprocne rutila</i>	▶  1
275	White-collared Swift	<i>Streptoprocne zonaris</i>	▶  1
124	Vaux's Swift	<i>Chaetura vauxi</i>	▶  6
4	White-throated Swift	<i>Aeronautes saxatalis</i>	▶  1
1	Lesser Swallow-tailed Swift	<i>Panyptila cayennensis</i>	▶  1
1	Stripe-throated Hermit	<i>Phaethornis striigularis</i>	▶  1
2	Mexican Violetear	<i>Colibri thalassinus</i>	▶  1
1	Purple-crowned Fairy	<i>Heliodytes barroti</i>	▶  1

2	Green-breasted Mango	<i>Anthracothorax prevostii</i>	▶  2
3	Rivoli's Hummingbird	<i>Eugenes fulgens</i>	▶  3
1	Long-billed Starthroat	<i>Heliomaster longirostris</i>	▶  1
8	Green-throated Mountain-gem	<i>Lampornis viridipallens</i>	▶  4
1	Sparkling-tailed Hummingbird	<i>Tilmatura dupontii</i>	▶  1
1	Slender Sheartail	<i>Doricha enicura</i>	▶  1
25	Ruby-throated Hummingbird	<i>Archilochus colubris</i>	▶  5
1	Wine-throated Hummingbird	<i>Selasphorus ellioti</i>	▶  1
13	White-eared Hummingbird	<i>Basilinna leucotis</i>	▶  4
12	Wedge-tailed Sabrewing	<i>Pampa curvipennis</i>	▶  3
2	Rufous Sabrewing	<i>Pampa rufa</i>	▶  2
2	Violet Sabrewing	<i>Campylopterus hemileucurus</i>	▶  2
9	Azure-crowned Hummingbird	<i>Saucerottia cyanocephala</i>	▶  5
8	Berylline Hummingbird	<i>Saucerottia beryllina</i>	▶  4
3	Blue-tailed Hummingbird	<i>Saucerottia cyanura</i>	▶  3
4	Cinnamon Hummingbird	<i>Amazilia rutila</i>	▶  3
5	Rufous-tailed Hummingbird	<i>Amazilia tzacatl</i>	▶  4
20	White-bellied Emerald	<i>Chlorestes candida</i>	▶  3
1	Blue-throated Goldentail	<i>Chlorestes eliciae</i>	▶  1
3	Russet-naped Wood-Rail	<i>Aramides albiventris</i>	▶  2
4	Common Gallinule	<i>Gallinula galeata</i>	▶  3
300	American Coot	<i>Fulica americana</i>	▶  1
4	Purple Gallinule	<i>Porphyrio martinica</i>	▶  2
























2	Ruddy Crane <i>Laterallus ruber</i>	▶  2
2	Sungrebe <i>Heliornis fulica</i>	▶  2
8	Black-necked Stilt <i>Himantopus mexicanus</i>	▶  1
3	Killdeer <i>Charadrius vociferus</i>	▶  1
34	Northern Jacana <i>Jacana spinosa</i>	▶  3
3	Spotted Sandpiper <i>Actitis macularius</i>	▶  2
1	Lesser Yellowlegs <i>Tringa flavipes</i>	▶  1
2	Least Sandpiper <i>Calidris minutilla</i>	▶  1
5	Laughing Gull <i>Leucophaeus atricilla</i>	▶  2
2	Royal Tern <i>Thalasseus maximus</i>	▶  1
3	Least Grebe <i>Tachybaptus dominicus</i>	▶  2
1	Pied-billed Grebe <i>Podilymbus podiceps</i>	▶  1
38	Wood Stork <i>Mycteria americana</i>	▶  5
22	Anhinga <i>Anhinga anhinga</i>	▶  3
17	Neotropic Cormorant <i>Nannopterum brasilianum</i>	▶  2
51	White Ibis <i>Eudocimus albus</i>	▶  2
2	White-faced Ibis <i>Plegadis chihi</i>	▶  1
7	Bare-throated Tiger-Heron <i>Tigrisoma mexicanum</i>	▶  2
3	Boat-billed Heron <i>Cochlearius cochlearius</i>	▶  3
2	Agami Heron <i>Agamia agami</i>	▶  2
4	Least Bittern <i>Botaurus exilis</i>	▶  2
4	Yellow-crowned Night Heron <i>Nyctanassa violacea</i>	▶  3
1	Black-crowned Night Heron <i>Nycticorax nycticorax</i>	▶  1
























5	Little Blue Heron	<i>Egretta caerulea</i>	▶  3
5	Tricolored Heron	<i>Egretta tricolor</i>	▶  4
29	Snowy Egret	<i>Egretta thula</i>	▶  5
31	Green Heron	<i>Butorides virescens</i>	▶  8
22	Western Cattle-Egret	<i>Ardea ibis</i>	▶  2
40	Great Egret	<i>Ardea alba</i>	▶  9
18	Great Blue Heron	<i>Ardea herodias</i>	▶  4
7	American White Pelican	<i>Pelecanus erythrorhynchos</i>	▶  1
3	King Vulture	<i>Sarcoramphus papa</i>	▶  1
154	Black Vulture	<i>Coragyps atratus</i>	▶  15
48	Turkey Vulture	<i>Cathartes aura</i>	▶  12
1	Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>	▶  1
1	Osprey	<i>Pandion haliaetus</i>	▶  1
3	Sharp-shinned Hawk	<i>Accipiter striatus</i>	▶  3
1	Crane Hawk	<i>Geranospiza caerulescens</i>	▶  1
3	Black-collared Hawk	<i>Busarellus nigricollis</i>	▶  2
13	Snail Kite	<i>Rostrhamus sociabilis</i>	▶  3
2	Great Black Hawk	<i>Buteogallus urubitinga</i>	▶  1
6	Roadside Hawk	<i>Rupornis magnirostris</i>	▶  4
2	Gray Hawk	<i>Buteo plagiatus</i>	▶  1
1	Broad-winged Hawk	<i>Buteo platypterus</i>	▶  1
7	Short-tailed Hawk	<i>Buteo brachyurus</i>	▶  4
1	Red-tailed Hawk	<i>Buteo jamaicensis</i>	▶  1

- 2 **American Barn Owl** *Tyto furcata* ▶  1
- 1 **Whiskered Screech-Owl** *Megascops trichopsis* ▶  1
- 1 **Middle American Screech-Owl** *Megascops guatemalae* ▶  1
- 2 **Northern Pygmy-Owl** *Glaucidium gnoma* ▶  1
- 1 **Ferruginous Pygmy-Owl** *Glaucidium brasilianum* ▶  1
- 1 **Mottled Owl** *Strix virgata* ▶  1
- 2 **Fulvous Owl** *Strix fulvescens* ▶  1
- 1 **Unspotted Saw-whet Owl** *Aegolius ridgwayi* ▶  1
- 4 **Resplendent Quetzal** *Pharomachrus mocinno* ▶  2
- 2 **Slaty-tailed Trogon** *Trogon massena* ▶  1
- 5 **Black-headed Trogon** *Trogon melanocephalus* ▶  3
- 5 **Gartered Violaceous Trogon** *Trogon caligatus* ▶  3
- 3 **Mountain Trogon** *Trogon mexicanus* ▶  2
- 2 **Collared Trogon** *Trogon collaris* ▶  2
- 1 **Tody Motmot** *Hylomanes momotula* ▶  1
- 8 **Blue-throated Motmot** *Aspatha gularis* ▶  4
- 7 **Lesson's Motmot** *Momotus lessonii* ▶  6
- 3 **Turquoise-browed Motmot** *Eumomota superciliosa* ▶  1
- 11 **Ringed Kingfisher** *Megaceryle torquata* ▶  6
- 1 **Belted Kingfisher** *Megaceryle alcyon* ▶  1
- 2 **Amazon Kingfisher** *Chloroceryle amazona* ▶  1
- 2 **American Pygmy Kingfisher** *Chloroceryle aenea* ▶  2
- 7 **Green Kingfisher** *Chloroceryle americana* ▶  5

1	White-whiskered Puffbird	<i>Malacoptila panamensis</i>	▶  1
5	Rufous-tailed Jacamar	<i>Galbula ruficauda</i>	▶  4
10	Northern Emerald-Toucanet	<i>Aulacorhynchus prasinus</i>	▶  5
18	Collared Aracari	<i>Pteroglossus torquatus</i>	▶  4
1	Keel-billed Toucan	<i>Ramphastos sulfuratus</i>	▶  1
2	Acorn Woodpecker	<i>Melanerpes formicivorus</i>	▶  1
30	Golden-fronted Woodpecker	<i>Melanerpes aurifrons</i>	▶  11
2	Hairy Woodpecker	<i>Leuconotopicus villosus</i>	▶  1
2	Smoky-brown Woodpecker	<i>Leuconotopicus fumigatus</i>	▶  2
3	Pale-billed Woodpecker	<i>Campephilus guatemalensis</i>	▶  3
4	Lineated Woodpecker	<i>Dryocopus lineatus</i>	▶  3
1	Chestnut-colored Woodpecker	<i>Celeus castaneus</i>	▶  1
7	Golden-olive Woodpecker	<i>Colaptes rubiginosus</i>	▶  6
8	Guatemalan Flicker	<i>Colaptes mexicanoides</i>	▶  4
2	Laughing Falcon	<i>Herpetotheres cachinnans</i>	▶  2
2	Collared Forest-Falcon	<i>Micrastur semitorquatus</i>	▶  2
1	Barred Forest-Falcon	<i>Micrastur ruficollis</i>	▶  1
4	Crested Caracara	<i>Caracara plancus</i>	▶  2
2	American Kestrel	<i>Falco sparverius</i>	▶  2
5	Bat Falcon	<i>Falco ruficularis</i>	▶  3
1	Orange-breasted Falcon	<i>Falco deiroleucus</i> Sensitive	▶  1
2	Barred Parakeet	<i>Bolborhynchus lineola</i>	▶  1
2	Orange-chinned Parakeet	<i>Brotogeris jugularis</i>	▶  1
























20	White-crowned Parrot	<i>Pionus senilis</i>	▶ 6
81	Red-lored Amazon	<i>Amazona autumnalis</i>	▶ 5
19	Yellow-naped Amazon	<i>Amazona auropalliata</i> Sensitive	▶ 3
25	White-fronted Amazon	<i>Amazona albifrons</i>	▶ 7
2	Mealy Amazon	<i>Amazona farinosa</i>	▶ 1
4	Olive-throated Parakeet	<i>Eupsittula nana</i>	▶ 1
15	Orange-fronted Parakeet	<i>Eupsittula canicularis</i>	▶ 1
2	Scarlet Macaw	<i>Ara macao</i> Sensitive	▶ 1
146	Pacific Parakeet	<i>Psittacara strenuus</i>	▶ 5
6	Barred Antshrike	<i>Thamnophilus doliatus</i>	▶ 2
6	Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>	▶ 3
6	Tawny-winged Woodcreeper	<i>Dendrocincla anabatina</i>	▶ 2
6	Ivory-billed Woodcreeper	<i>Xiphorhynchus flavigaster</i>	▶ 5
2	Streak-headed Woodcreeper	<i>Lepidocolaptes souleyetii</i>	▶ 2
2	Spot-crowned Woodcreeper	<i>Lepidocolaptes affinis</i>	▶ 1
1	Scaly-throated Foliage-gleaner	<i>Anabacerthia variegaticeps</i>	▶ 1
1	Ruddy Foliage-gleaner	<i>Clibanornis rubiginosus</i>	▶ 1
2	Rufous-breasted Spinetail	<i>Synallaxis erythrothorax</i>	▶ 1
10	Long-tailed Manakin	<i>Chiroxiphia linearis</i>	▶ 3
2	Red-capped Manakin	<i>Ceratopipra mentalis</i>	▶ 2
9	Masked Tityra	<i>Tityra semifasciata</i>	▶ 5
2	Northern Schiffornis	<i>Schiffornis veraepacis</i>	▶ 2
4	Rose-throated Becard	<i>Pachyramphus aglaiae</i>	▶ 3

1	Tropical Royal Flycatcher	<i>Onychorhynchus coronatus</i>	▶  1
1	Ruddy-tailed Flycatcher	<i>Terenotriccus erythrurus</i>	▶  1
1	Sulphur-rumped Flycatcher	<i>Myiobius sulphureipygius</i>	▶  1
11	Stub-tailed Spadebill	<i>Platyrinchus cancrominus</i>	▶  3
1	Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>	▶  1
1	Northern Bentbill	<i>Oncostoma cinereigulare</i>	▶  1
2	Common Tody-Flycatcher	<i>Todirostrum cinereum</i>	▶  2
4	Eye-ringed Flatbill	<i>Rhynchocyclus brevirostris</i>	▶  1
8	Yellow-olive Flatbill	<i>Tolmomyias sulphurescens</i>	▶  5
2	Yellow-bellied Tyrannulet	<i>Ornithion semiflavum</i>	▶  1
2	Northern Beardless-Tyrannulet	<i>Camptostoma imberbe</i>	▶  1
5	Greenish Elaenia	<i>Myiopagis viridicata</i>	▶  3
4	Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>	▶  2
4	Guatemalan Tyrannulet	<i>Zimmerius vilissimus</i>	▶  2
1	Belted Flycatcher	<i>Xenotriccus callizonus</i>	▶  1
1	Olive-sided Flycatcher	<i>Contopus cooperi</i>	▶  1
5	Greater Pewee	<i>Contopus pertinax</i>	▶  4
3	Northern Tropical Pewee	<i>Contopus bogotensis</i>	▶  3
14	Yellow-bellied Flycatcher	<i>Empidonax flaviventris</i>	▶  9
7	Least Flycatcher	<i>Empidonax minimus</i>	▶  6
8	Hammond's Flycatcher	<i>Empidonax hammondii</i>	▶  3
1	Buff-breasted Flycatcher	<i>Empidonax fulvifrons</i>	▶  1
2	Black Phoebe	<i>Sayornis nigricans</i>	▶  2

3	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	▶  2
1	Bright-rumped Attila <i>Attila spadiceus</i>	▶  1
2	Yucatan Flycatcher <i>Myiarchus yucatanensis</i>	▶  1
14	Dusky-capped Flycatcher <i>Myiarchus tuberculifer</i>	▶  6
6	Great Crested Flycatcher <i>Myiarchus crinitus</i>	▶  2
2	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	▶  2
16	Great Kiskadee <i>Pitangus sulphuratus</i>	▶  4
6	Boat-billed Flycatcher <i>Megarynchus pitangua</i>	▶  4
41	Social Flycatcher <i>Myiozetetes similis</i>	▶  10
35	Tropical Kingbird <i>Tyrannus melancholicus</i>	▶  9
3	Couch's Kingbird <i>Tyrannus couchii</i>	▶  2
1	Fork-tailed Flycatcher <i>Tyrannus savana</i>	▶  1
6	Rufous-browed Peppershrike <i>Cyclarhis gujanensis</i>	▶  2
3	Chestnut-sided Shrike-Vireo <i>Vireolanius melitophrys</i>	▶  3
1	Green Shrike-Vireo <i>Vireolanius pulchellus</i>	▶  1
3	Ochre-crowned Greenlet <i>Tunchiornis ochraceiceps</i>	▶  1
19	Lesser Greenlet <i>Pachysylvia decurtata</i>	▶  4
13	White-eyed Vireo <i>Vireo griseus</i>	▶  6
1	Mangrove Vireo <i>Vireo pallens</i>	▶  1
2	Yellow-throated Vireo <i>Vireo flavifrons</i>	▶  1
2	Blue-headed Vireo <i>Vireo solitarius</i>	▶  2
2	Plumbeous Vireo <i>Vireo plumbeus</i>	▶  1
2	Philadelphia Vireo <i>Vireo philadelphicus</i>	▶  1






7	Eastern Warbling Vireo <i>Vireo gilvus</i>	▶ 4
19	White-throated Magpie-Jay <i>Cyanocorax formosus</i>	▶ 4
41	Brown Jay <i>Cyanocorax morio</i>	▶ 7
27	Bushy-crested Jay <i>Cyanocorax melanocyaneus</i>	▶ 5
14	Yucatan Jay <i>Cyanocorax yucatanicus</i>	▶ 2
1	Steller's Jay <i>Cyanocitta stelleri</i>	▶ 1
2	Unicolored Jay <i>Aphelocoma unicolor</i>	▶ 1
10	Tree Swallow <i>Tachycineta bicolor</i>	▶ 1
96	Mangrove Swallow <i>Tachycineta albilinea</i>	▶ 8
1	Gray-breasted Martin <i>Progne chalybea</i>	▶ 1
130	Northern Rough-winged Swallow <i>Stelgidopteryx serripennis</i>	▶ 8
55	Black-capped Swallow <i>Atticora pileata</i>	▶ 2
15	Barn Swallow <i>Hirundo rustica</i>	▶ 1
4	Bushtit <i>Psaltiriparus minimus</i>	▶ 1
12	Long-billed Gnatwren <i>Ramphocaenus melanurus</i>	▶ 4
2	Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	▶ 2
5	Southern House Wren <i>Troglodytes musculus</i>	▶ 5
6	Rufous-browed Wren <i>Troglodytes rufociliatus</i>	▶ 3
27	Band-backed Wren <i>Campylorhynchus zonatus</i>	▶ 5
2	Giant Wren <i>Campylorhynchus chiapensis</i>	▶ 1
6	Rufous-backed Wren <i>Campylorhynchus capistratus</i>	▶ 3
35	Spot-breasted Wren <i>Pheugopedius maculipectus</i>	▶ 9
4	Cabanis's Wren <i>Cantorchilus modestus</i>	▶ 2

1	White-bellied Wren	<i>Uropsila leucogastra</i>	▶ 1
2	White-breasted Wood-Wren	<i>Henicorhina leucosticta</i>	▶ 1
9	Blue-and-white Mockingbird	<i>Melanotis hypoleucus</i>	▶ 2
19	Gray Catbird	<i>Dumetella carolinensis</i>	▶ 6
4	Tropical Mockingbird	<i>Mimus gilvus</i>	▶ 3
19	Brown-backed Solitaire	<i>Myadestes occidentalis</i>	▶ 5
1	Orange-billed Nightingale-Thrush	<i>Catharus aurantiirostris</i>	▶ 1
4	Swainson's Thrush	<i>Catharus ustulatus</i>	▶ 3
2	Hermit Thrush	<i>Catharus guttatus</i>	▶ 2
21	Wood Thrush	<i>Hylocichla mustelina</i>	▶ 6
1	Black Thrush	<i>Turdus infuscatus</i>	▶ 1
13	Rufous-collared Robin	<i>Turdus rufitorques</i>	▶ 4
1	Mountain Thrush	<i>Turdus plebejus</i>	▶ 1
7	White-throated Thrush	<i>Turdus assimilis</i>	▶ 3
86	Clay-colored Thrush	<i>Turdus grayi</i>	▶ 12
52	Gray Silky-flycatcher	<i>Ptiliogonys cinereus</i>	▶ 5
2	Olive Warbler	<i>Peucedramus taeniatus</i>	▶ 1
12	House Sparrow	<i>Passer domesticus</i> *	▶ 3
7	Elegant Euphonia	<i>Chlorophonia elegantissima</i>	▶ 2
3	Scrub Euphonia	<i>Euphonia affinis</i>	▶ 2
3	Yellow-throated Euphonia	<i>Euphonia hirundinacea</i>	▶ 1
4	Olive-backed Euphonia	<i>Euphonia gouldi</i>	▶ 3
3	Lesser Goldfinch	<i>Spinus psaltria</i>	▶ 1

11	Common Chlorospingus	<i>Chlorospingus flavopectus</i>	▶  2
2	Green-backed Sparrow	<i>Arremonops chloronotus</i>	▶  2
2	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	▶  1
1	Gray-crowned Ground-Sparrow	<i>Melospiza occipitalis</i>	▶  1
15	White-faced Ground-Sparrow	<i>Melospiza biarcuata</i>	▶  1
9	Rusty Sparrow	<i>Aimophila rufescens</i>	▶  2
3	Spotted Towhee	<i>Pipilo maculatus</i>	▶  1
2	White-naped Brushfinch	<i>Atlapetes albinucha</i>	▶  1
2	Eastern Meadowlark	<i>Sturnella magna</i>	▶  1
6	Yellow-billed Cacique	<i>Amblycercus holosericeus</i>	▶  4
30	Montezuma Oropendola	<i>Psarocolius montezuma</i>	▶  5
4	Black-vented Oriole	<i>Icterus wagleri</i>	▶  3
1	Bar-winged Oriole	<i>Icterus maculialatus</i>	▶  1
2	Black-cowled Oriole	<i>Icterus prothemelas</i>	▶  1
38	Orchard Oriole	<i>Icterus spurius</i>	▶  7
1	Yellow-tailed Oriole	<i>Icterus mesomelas</i>	▶  1
4	Streak-backed Oriole	<i>Icterus pustulatus</i>	▶  1
3	Spot-breasted Oriole	<i>Icterus pectoralis</i>	▶  3
1	Altamira Oriole	<i>Icterus gularis</i>	▶  1
58	Baltimore Oriole	<i>Icterus galbula</i>	▶  11
33	Red-winged Blackbird	<i>Agelaius phoeniceus</i>	▶  6
3	Bronzed Cowbird	<i>Molothrus aeneus</i>	▶  1
2	Giant Cowbird	<i>Molothrus oryzivorus</i>	▶  1

62	Melodious Blackbird <i>Dives dives</i>	▶ 16
190	Great-tailed Grackle <i>Quiscalus mexicanus</i>	▶ 20
3	Ovenbird <i>Seiurus aurocapilla</i>	▶ 3
2	Worm-eating Warbler <i>Helmitheros vermivorum</i>	▶ 2
2	Louisiana Waterthrush <i>Parkesia motacilla</i>	▶ 2
22	Northern Waterthrush <i>Parkesia noveboracensis</i>	▶ 3
15	Black-and-white Warbler <i>Mniotilta varia</i>	▶ 8
1	Crescent-chested Warbler <i>Oreothlypis superciliosa</i>	▶ 1
125	Tennessee Warbler <i>Leiothlypis peregrina</i>	▶ 10
7	Nashville Warbler <i>Leiothlypis ruficapilla</i>	▶ 3
1	Gray-crowned Yellowthroat <i>Geothlypis poliocephala</i>	▶ 1
4	MacGillivray's Warbler <i>Geothlypis tolmiei</i>	▶ 2
6	Kentucky Warbler <i>Geothlypis formosa</i>	▶ 5
16	Common Yellowthroat <i>Geothlypis trichas</i>	▶ 6
5	Hooded Warbler <i>Setophaga citrina</i>	▶ 4
3	American Redstart <i>Setophaga ruticilla</i>	▶ 2
1	Cape May Warbler <i>Setophaga tigrina</i>	▶ 1
2	Northern Parula <i>Setophaga americana</i>	▶ 1
30	Magnolia Warbler <i>Setophaga magnolia</i>	▶ 11
15	Northern Yellow Warbler <i>Setophaga aestiva</i>	▶ 4
12	Yellow-rumped Warbler <i>Setophaga coronata</i>	▶ 1
1	Yellow-throated Warbler <i>Setophaga dominica</i>	▶ 1
31	Townsend's Warbler <i>Setophaga townsendi</i>	▶ 7

1	Hermit Warbler <i>Setophaga occidentalis</i>	▶ 1
3	Black-throated Green Warbler <i>Setophaga virens</i>	▶ 3
2	Chestnut-capped Warbler <i>Basileuterus delatirii</i>	▶ 2
2	Golden-crowned Warbler <i>Basileuterus culicivorus</i>	▶ 2
25	Wilson's Warbler <i>Cardellina pusilla</i>	▶ 9
3	Pink-headed Warbler <i>Cardellina versicolor</i>	▶ 2
11	Slate-throated Redstart <i>Myioborus miniatus</i>	▶ 6
17	Summer Tanager <i>Piranga rubra</i>	▶ 8
44	Western Tanager <i>Piranga ludoviciana</i>	▶ 7
8	White-winged Tanager <i>Piranga leucoptera</i>	▶ 3
20	Red-throated Ant-Tanager <i>Driophlox fuscicauda</i>	▶ 2
4	Black-faced Grosbeak <i>Caryothraustes poliogaster</i>	▶ 1
1	Yellow Grosbeak <i>Pheucticus chrysopleus</i>	▶ 1
13	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	▶ 6
1	Gray-throated Chat <i>Granatellus sallaei</i>	▶ 1
2	Blue-black Grosbeak <i>Cyanoloxia cyanoides</i>	▶ 1
3	Blue Bunting <i>Cyanocompsa parellina</i>	▶ 2
2	Blue Grosbeak <i>Passerina caerulea</i>	▶ 2
7	Indigo Bunting <i>Passerina cyanea</i>	▶ 3
2	Black-throated Shrike-Tanager <i>Lanio aurantius</i>	▶ 1
9	Blue-gray Tanager <i>Thraupis episcopus</i>	▶ 3
62	Yellow-winged Tanager <i>Thraupis abbas</i>	▶ 10
56	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	▶ 6

- 1 **Cinnamon-bellied Flowerpiercer** *Diglossa baritula* ▶  1
 - 13 **Morelet's Seedeater** *Sporophila moreletii* ▶  3
 - 1 **Yellow-faced Grassquit** *Tiaris olivaceus* ▶  1
 - 24 **Black-headed Saltator** *Saltator atriceps* ▶  6
 - 6 **Cinnamon-bellied Saltator** *Saltator grandis* ▶  4
-