

Trip Report — Iquitos, Peru: Canopy Walkways & Ancient Forests 2025

August 1-15, 2025 with Micah Riegner & Luis Miyanchi



This is the only Field Guides tour that offers the chance for Black-tailed Antbird, a secretive species of flooded forests in Western Amazonia. Here's a photo of the male taken by tour participant Myles McNally.

Iquitos is one of those places you can spend two weeks and the species accumulation curve doesn't flatten out. This was certainly true for our 2025 tour. We kept seeing new things every single day, up until the last few hours before we had to catch our flight back to Lima! So, let me walk you through how it went. We landed in Iquitos, met Luis, our local guide, and took off for the Rio Nanay where we spent the afternoon enjoying Black-crested Antshrikes, Crane Hawk, Purple-throated Euphonias, Cinereous Becards and

a Band-tailed Nighthawk right at dusk. The next morning, we targeted a very special bird: Allpahuayo Antbird. This species was one of the “white sands forest” species described by Bret Whitney and Pepe Alvarez in the early 2000s. After a rather long drive, we walked a trail where we found a pair of the Allpahuayo Antbirds in the dark understory, the female more colorful than the male. Later that afternoon at the Allpahuayo-Mishana Reserve, we watched a mixed troop of Ecuadorian Squirrel Monkeys and Red-mantled Saddle-back Tamarins feeding on figs, plus we saw Ancient Antwren, Brown Nunlet, Yellow-billed Nunbird, and White-eared Jacamars. We continued to bird at Allpahuayo-Mishana the following day, finding Plain-throated Antwrens, Citron-bellied Attila, Brown-banded Puffbird, White-crowned Manakin, some Pearly Antshrikes and a pair of Short-billed Leaf-tossers right in the middle of the trail. On our way back, we saw a male Black-necked Red Cotinga zipping back and forth across the trail. When it flew, we could hear a whistling sound produced by its wings.

The next morning, our change in habitat brought about a brand-new set of birds. We loaded into a motorized boat and cruised downstream on the Amazon to a whitewater river island where we saw Black-and-white Antbirds, Plain-breasted Piculets, Parker’s, White-bellied, Dark-breasted and Red-and-white Spinetails, Lesser Hornero, Olive-spotted Hummingbirds, Lesser Wagtail-Tyrants, Pearly-breasted and Bicolored Conebills, Little Cuckoo and Island Streaked Flycatchers. The lifers were coming so fast it was hard to keep up! We then motored on to Ceiba Tops, stopping for Black Skimmers and Pied Plover at a sandbar. At Ceiba Tops we searched for Pygmy Marmoset, but they retreated before we could get good views. We did, however, have great views of Black-tailed Antbird, Leaden Antwren, and Pale-billed Hornero at a nearby trail. We reached Explorama Lodge, had lunch, then birded the nearby trails finding Black Bushbird, White-shouldered and Plumbeous Antbirds, Slate-colored Hawk and White-chinned Jacamars before dinner.

Water levels in the rivers were higher than normal, leaving us with a lot of mud to contend with on Isla Yanamono, therefore, we could only do a small

section of the trail before turning back. Thankfully, we found a Zimmer's Woodcreeper before we turned around. Reaching the edge of the island, we found a pair of Orange-fronted Plushcrows constructing a nest. They were grabbing twigs about 10 inches long and flying up to the nest, building it from the bottom up. Castelnau's Antshrikes, Yellow-bellied Dacnis, a migrant Swainson's Flycatcher and White-winged Becards were also present. We crossed back to the mainland and walked the varzea trail, where Orange-eyed Flatbill made its appearance, along with Spot-backed and Plumbeous Antbirds, and Buff-throated, Elegant and Striped Woodcreepers. A Straight-billed Hermit visited a heliconia just in front of us, too! After lunch we went downstream from Yanamono Island to a recently exposed sandbar where Luis had seen Sand-colored Nighthawks the week before. They were still there, vocalizing and displaying in broad daylight. We also found a Black Skimmer nest with four eggs, so we hastily retreated to avoid stressing out the adults. From there, we crossed to another slightly older island, with lots *Gynerium* cane where we saw another island specialist: River Tyrannulet.

Before leaving Explorama Lodge, we took one more walk through the trails and saw Rufous-breasted Hermit, a family of Plumbeous Antbirds with youngsters bouncing around on the ground, Amazonian Trogon, Silvered and Gray Antbirds, Spot-winged Antshrike and yet another Black Bushbird. After lunch we took off for the Rio Napo. Reaching Expornapo Lodge, we assembled into a smaller boat that took us up a shallow creek all the way back to ACTS Lodge. There was just enough water in the creek to get us through, otherwise we would have had to walk. We reached ACTS, got settled into the rooms, then went straight to the canopy walkway for the late afternoon. From the main platform 160 feet off the ground, we saw Many-banded Araçaris, White-fronted Nunbirds and a close Yellow-throated Woodpecker. At dusk we called in a Long-tailed Potoo that flew right in and vocalized below us. Just incredible!

The following morning, we returned to the canopy walkway and saw Lanceolated Monklet, several White-browed Purpletufts, Amazonian Elaenia,

Dugand's Antwren, and some close Great Jacamars that flew in right below us. By 9:00 am it was getting quite hot, so we headed to the trails below. Yellow-billed Jacamars, Blue-crowned Manakin, Amazonian Barred Woodcreeper and a Casqued Oropendola kept us busy until lunchtime. Further exploration of the ACTS trail system the following days brought us Black-and-white Tody-Flycatcher, Common Scale-backed Antbird, Yellow-browed Antbirds, a spectacular Wire-tailed Manakin, and Purplish Jacamars, a species that I had yet to see! We also saw (and, more importantly, heard) Musician Wren in the afternoon. What an incredible song!



Striolated Manakin eluded us up until the second-to-last day of the tour when we saw one at Explornapo. Photo by tour participant Mei Shyong.

From ACTS we walked back to Explornapo Lodge but, before that, we had one more session on the canopy walkway and saw a pair of Black-faced Hawks, Slender-footed Tyrannulet, Monk Sakis and Neotropical Pygmy Squirrels. On our walk to Explornapo we saw a pair of secretive Scaly-breasted Wrens, Rusty-belted Tapaculo, and Luis found us Rusty-breasted

Nunlet just before it started to rain. We reached Explornapo and, as we finished lunch, I heard the distant cry of a Purple-throated Cotinga, so we rushed out to the deck and saw it on the other side of the Quebrada Sucusari. What an awesome bird! In the afternoon we did a relaxing boat ride to Yarina Cocha and saw a super-cooperative Cinnamon Attila, a pair of Amazonian Streaked Antwrens, several Velvet-fronted Grackles and some Short-tailed Nighthawks at dusk.

During our days at Explornapo we birded various spots along the Quebrada Sucusari and Rio Napo and saw Plum-throated Cotinga, Lemon-throated Barbet, a very cooperative Dot-backed Antbird, Long-billed Starthroat and a number of White-chinned and White-chested Swifts overhead, Sepia-capped Flycatchers, Riparian Antbird, Varzea Thrush, Riparian Parrotlets and an Amazonian Umbrellabird flying across the river. Along Sendero Julian, a trail that goes along the flooded forest, we came across Spotted Puffbird, Mustached Antwrens, Tropical Royal Flycatcher, Ochre-throated Foliage-gleaner and a pair of Collared Puffbirds posing nicely.



Pale-billed Hornero is another tough-to-see specialty of the flooded forests around Iquitos. Photo by tour participant Myles McNally.

Nocturnal Curassow is always a tricky species to see. First you need to have a nice clear night, preferably with a full moon, and then you need to hear one singing within a reasonable distance. Once you reach the area where the bird is singing, you need to find it up in the canopy... much easier said than done! Our original plan was to find one at ACTS, but the three nights we were there, Luis and I didn't hear one anywhere close. So, we resorted to plan B, which was to try from a small creek off the Rio Napo. We took off after dinner with Lisbiño, a local forest guy who showed us to a zone where he regularly hears the curassows. We tied up to a trunk, cut the motor and I played the recording. We waited a bit and heard one way the heck off in the distance. I thought we'd be out of luck, but Lisbiño said "diez vueltas adelante" so we continued up another ten bends in the river. We stopped and tied up again, and I played the recording. Within a few seconds the bird

sang back, and it was right above us! I was blown away by Lisbiño's precision. We got out and found the bird through a tiny hole in the canopy.



Seeing Long-tailed Potoo from the canopy walkway was truly exhilarating! It was cool to watch it vocalize, probably something few birders have witnessed. Photo by tour participant Mei Shyong.

Our final morning at Explornapo we saw both Sooty and Slate-colored Antbirds, a singing Striolated Manakin, and a busy feeding flock with Rufous-tailed Stipplethroat, another Rusty-breasted Nunlet, Flame-crested Tanager, Ochre-bellied Flycatcher and Dusky-throated Antshrike. Before reaching the lodge, we saw Yellow-handed Titis in a group with Black-Mantle Tamarins. We had our final buffet lunch, then took off for Iquitos, stopping at Isla San Alejandro in the Napo where we had good views of Ash-breasted Antbird, and Brownish Elaenia. We stopped again at Ceiba Tops and this time had great looks at the Pygmy Marmosets. Before heading to the airport for our flight back to Lima we squeezed in one more morning of birding at the Allpahuayo Mishana Reserve where we saw Rufous-backed Stipplethroat and Duida Woodcreeper, two new birds to wrap up a great trip.

I'd like to thank Luis for some great comradery and finding us some fabulous birds, Nicole in our office for making all our arrangements, and you all for joining us on this adventure in Amazonia. I look forward to seeing you again soon—perhaps in Mexico, Brazil or Bolivia!



We've had good luck finding Brown Nunlet at Allpahuayo-Mishana Reserve! Photo by tour participant Myles McNally.

Mammals

Northern Black-eared Opossum (*Didelphis marsupialis*) Seen off the Quebrada Sucusari one evening.

Proboscis Bat (*Rhynchonycteris naso*)

Greater Sac-winged Bat (*Saccopteryx bilineata*) We saw one clinging to a buttress of a big tree.

Northern Pygmy Marmoset (*Cebuella pygmaea*) We had fantastic views of some at Ceiba Tops.

Black-mantled Tamarin (*Saguinus nigricollis*) Daily encounters at Explornapo.

Red-mantle Saddle-back Tamarin (*Saguinus lagonotus*) The tamarins we saw at Allpahuayo-Mishana Reserve.

Ecuadorian Squirrel Monkey (*Saimiri macrodon*) Abundant throughout the trip.

Spix's Night Monkey (*Aotus vociferans*) Heard behind our cabins at Explornapo.

Red-crowned Titi (*Plecturocebus discolor*) We saw some at Allpahuayo-Mishana Reserve.

White-collared Titi (*Cheracebus torquatus*) Seen our final morning at Explornapo.

Monk Saki Monkey (*Pithecia monachus*) Seen at a distance from the ACTS Canopy Walkway.

Linnaeus's Two-toed Sloth (*Choloepus didactylus*) We had great views of one at Allpahuayo-Mishana.

Brown-throated Three-toed Sloth (*Bradypus variegatus*) We saw a few throughout the trip.

Northern Amazon Red Squirrel (*Sciurus igniventris*)

Neotropical Pygmy Squirrel (*Sciurillus pusillus*) Wow! One of my favorite mammals of the trip. We saw some at the ACTS Canopy Walkway.

Yellow-crowned Brush-tailed Rat (*Isothrix bistrata*) We saw one in a tree cavity along the way to ACTS.

Amazon River Dolphin (*Inia geoffrensis*) We saw a couple on the Rio Napo one afternoon.

Tucuxi (*Sotalia fluviatilis*) They were actively jumping out of the Amazon River in front of Iquitos.

Reptiles

Tropical Thornytail Iguana (*Urocentron flaviceps*) We saw a pair of these odd canopy lizards from the ACTS Canopy Walkway.

Amazon Bark Anole (*Anolis ortonii*) Seen too from the ACTS Canopy Walkway.


You can see my complete trip report on eBird at this link: <https://ebird.org/tripreport/406582>

Micah

Field Guides Birding Tours--IQUITOS PERU: CANOPY WALKWAYS & ANCIENT FORESTS, 2025 (with Micah Riegner and local guide Luis Miyanchi)



2 – 14 Aug 2025 (13 days) Link-only



 Loreto, Peru

 Micah Riegner, Field Guides Birding Tours



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...

DATA FOR: [Group \(all people\)](#) ▾



Species Observed






















Checklists


























Species with Photos
























Species Observed
























[Show all details](#)
























2	Great Tinamou	<i>Tinamus major</i>	▶  1
3	White-throated Tinamou	<i>Tinamus guttatus</i>	▶  3
3	Cinereous Tinamou	<i>Crypturellus cinereus</i>	▶  3
4	Undulated Tinamou	<i>Crypturellus undulatus</i>	▶  3
2	Variegated Tinamou	<i>Crypturellus variegatus</i>	▶  2
4	Horned Screamer	<i>Anhima cornuta</i>	▶  3
5	Black-bellied Whistling-Duck	<i>Dendrocygna autumnalis</i>	▶  2
16	Speckled Chachalaca	<i>Ortalis guttata</i>	▶  3
4	Nocturnal Curassow	<i>Nothocrax urumutum</i>	▶  1
7	Pale-vented Pigeon	<i>Patagioenas cayennensis</i>	▶  3
4	Plumbeous Pigeon	<i>Patagioenas plumbea</i>	▶  3
2	Ruddy Pigeon	<i>Patagioenas subvinacea</i>	▶  1
3	Ruddy Ground Dove	<i>Columbina talpacoti</i>	▶  2
3	Gray-fronted Dove	<i>Leptotila rufaxilla</i>	▶  3
9	Greater Ani	<i>Crotophaga major</i>	▶  3
1	Smooth-billed Ani	<i>Crotophaga ani</i>	▶  1
2	Little Cuckoo	<i>Coccyua minuta</i>	▶  1
6	Squirrel Cuckoo	<i>Piaya cayana</i>	▶  6
2	Black-bellied Cuckoo	<i>Piaya melanogaster</i>	▶  1
10	Sand-colored Nighthawk	<i>Chordeiles rupestris</i>	▶  1
4	Short-tailed Nighthawk	<i>Lurocalis semitorquatus</i>	▶  2
























2	Band-tailed Nighthawk	<i>Nyctiprogne leucopyga</i>	▶  1
2	Common Pauraque	<i>Nyctidromus albicollis</i>	▶  2
1	Long-tailed Potoo	<i>Nyctibius aethereus</i>	▶  1
1	Common Potoo	<i>Nyctibius griseus</i>	▶  1
4	White-chested Swift	<i>Cypseloides lemosi</i>	▶  2  1
8	White-chinned Swift	<i>Cypseloides cryptus</i>	▶  4  1
13	Short-tailed Swift	<i>Chaetura brachyura</i>	▶  6
19	Fork-tailed Palm Swift	<i>Tachornis squamata</i>	▶  7
2	White-necked Jacobin	<i>Florisuga mellivora</i>	▶  2
4	Rufous-breasted Hermit	<i>Glaucis hirsutus</i>	▶  4
1	Straight-billed Hermit	<i>Phaethornis bourcierii</i>	▶  1
4	Black-throated Hermit	<i>Phaethornis atrimentalis</i>	▶  3
1	Reddish Hermit	<i>Phaethornis ruber</i>	▶  1
1	Black-throated Mango	<i>Anthracothorax nigricollis</i>	▶  1
1	Long-billed Starthroat	<i>Helimaster longirostris</i>	▶  1
1	Fork-tailed Woodnymph	<i>Thalurania furcata</i>	▶  1
3	Olive-spotted Hummingbird	<i>Talaphorus chlorocercus</i>	▶  2
1	Glittering-throated Emerald	<i>Chionomesa fimbriata</i>	▶  1
3	Purple Gallinule	<i>Porphyrio martinica</i>	▶  1
1	Azure Gallinule	<i>Porphyrio flavirostris</i>	▶  1
1	Black-banded Crake	<i>Rufirallus fasciatus</i>	▶  1
1	Pied Plover	<i>Hoploxypterus cayanus</i>	▶  1
9	Collared Plover	<i>Anarhynchus collaris</i>	▶  3
8	Wattled Jacana	<i>Jacana jacana</i>	▶  4
























1	Solitary Sandpiper	<i>Tringa solitaria</i>	▶  1
9	Pectoral Sandpiper	<i>Calidris melanotos</i>	▶  2
26	Black Skimmer	<i>Rynchops niger</i>	▶  3
12	Yellow-billed Tern	<i>Sternula superciliaris</i>	▶  3
28	Large-billed Tern	<i>Phaetusa simplex</i>	▶  5
1	Sunbittern	<i>Eurypyga helias</i>	▶  1
6	Neotropic Cormorant	<i>Nannopterum brasilianum</i>	▶  2
2	Green Ibis	<i>Mesembrinibis cayennensis</i>	▶  2
1	Agami Heron	<i>Agamia agami</i>	▶  1
5	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	▶  1
3	Capped Heron	<i>Pilherodius pileatus</i>	▶  3
8	Snowy Egret	<i>Egretta thula</i>	▶  4
9	Striated Heron	<i>Butorides striata</i>	▶  4
10	Western Cattle-Egret	<i>Ardea ibis</i>	▶  2
267	Great Egret	<i>Ardea alba</i>	▶  6
4	Cocoi Heron	<i>Ardea cocoi</i>	▶  2
13	Black Vulture	<i>Coragyps atratus</i>	▶  7
6	Turkey Vulture	<i>Cathartes aura</i>	▶  5
10	Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>	▶  3
1	Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>	▶  1
1	Osprey	<i>Pandion haliaetus</i>	▶  1
1	Gray-headed Kite	<i>Leptodon cayanensis</i>	▶  1
2	Black Hawk-Eagle	<i>Spizaetus tyrannus</i>	▶  2
























3	Double-toothed Kite	<i>Harpagus bidentatus</i>	▶  2
12	Plumbeous Kite	<i>Ictinia plumbea</i>	▶  5
2	Crane Hawk	<i>Geranospiza caerulescens</i>	▶  2
2	Black-collared Hawk	<i>Busarellus nigricollis</i>	▶  2
4	Slate-colored Hawk	<i>Buteogallus schistaceus</i>	▶  4
1	Great Black Hawk	<i>Buteogallus urubitinga</i>	▶  1
5	Roadside Hawk	<i>Rupornis magnirostris</i>	▶  3
2	Black-faced Hawk	<i>Leucopternis melanops</i>	▶  1
2	Tropical Screech-Owl	<i>Megascops choliba</i>	▶  2
4	Tawny-bellied Screech-Owl	<i>Megascops watsonii</i>	▶  3
2	Ferruginous Pygmy-Owl	<i>Glaucidium brasilianum</i>	▶  2
2	Black-banded Owl	<i>Strix huhula</i>	▶  1
1	Black-tailed Trogon	<i>Trogon melanurus</i>	▶  1
3	Green-backed Trogon	<i>Trogon viridis</i>	▶  3
2	Amazonian Trogon	<i>Trogon ramonianus</i>	▶  1
1	Blue-crowned Trogon	<i>Trogon curucui</i>	▶  1
1	Amazonian Black-throated Trogon	<i>Trogon rufus</i>	▶  1
2	Amazonian Motmot	<i>Momotus momota</i>	▶  1
8	Ringed Kingfisher	<i>Megaceryle torquata</i>	▶  7
4	Amazon Kingfisher	<i>Chloroceryle amazona</i>	▶  4
2	American Pygmy Kingfisher	<i>Chloroceryle aenea</i>	▶  2
2	Green-and-rufous Kingfisher	<i>Chloroceryle inda</i>	▶  2
1	White-necked Puffbird	<i>Notharchus hyperrhynchus</i>	▶  1
























2	Brown-banded Puffbird	<i>Notharchus ordii</i>	▶  2
2	Spotted Puffbird	<i>Bucco tamatia</i>	▶  2
2	Collared Puffbird	<i>Bucco capensis</i>	▶  1
1	Lanceolated Monklet	<i>Micromonacha lanceolata</i>	▶  1
2	Rusty-breasted Nunlet	<i>Nonnula rubecula</i>	▶  2
2	Brown Nunlet	<i>Nonnula brunnea</i>	▶  2
12	Black-fronted Nunbird	<i>Monasa nigrifrons</i>	▶  4
8	White-fronted Nunbird	<i>Monasa morphoeus</i>	▶  4
3	Yellow-billed Nunbird	<i>Monasa flavirostris</i>	▶  2
2	Swallow-winged Puffbird	<i>Chelidoptera tenebrosa</i>	▶  2
8	White-eared Jacamar	<i>Galbalcyrhynchus leucotis</i>	▶  3
4	Yellow-billed Jacamar	<i>Galbula albirostris</i>	▶  2
2	White-chinned Jacamar	<i>Galbula tombacea</i>	▶  2
3	Purplish Jacamar	<i>Galbula chalcothorax</i>	▶  1
3	Paradise Jacamar	<i>Galbula dea</i>	▶  2
4	Great Jacamar	<i>Jacamerops aureus</i>	▶  3
4	Scarlet-crowned Barbet	<i>Capito aurovirens</i>	▶  3
6	Gilded Barbet	<i>Capito auratus</i>	▶  4
1	Lemon-throated Barbet	<i>Eubucco richardsoni</i>	▶  1
2	Lettered Aracari	<i>Pteroglossus inscriptus</i>	▶  1
5	Chestnut-eared Aracari	<i>Pteroglossus castanotis</i>	▶  1
6	Many-banded Aracari	<i>Pteroglossus pluricinctus</i>	▶  2
4	Ivory-billed Aracari	<i>Pteroglossus azara</i>	▶  2
























3	Golden-collared Toucanet	<i>Selenidera reinwardtii</i>	▶  1
5	White-throated Toucan	<i>Ramphastos tucanus</i>	▶  2
3	Channel-billed Toucan	<i>Ramphastos vitellinus</i>	▶  3
2	Plain-breasted Piculet	<i>Picumnus castelnu</i>	▶  1
10	Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>	▶  2
4	Little Woodpecker	<i>Dryobates passerinus</i>	▶  3
2	Red-stained Woodpecker	<i>Dryobates affinis</i>	▶  1
1	Red-necked Woodpecker	<i>Campephilus rubricollis</i>	▶  1
1	Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>	▶  1
1	Lineated Woodpecker	<i>Dryocopus lineatus</i>	▶  1
3	Waved Woodpecker	<i>Celeus undatus</i>	▶  2
5	Cream-colored Woodpecker	<i>Celeus flavus</i>	▶  4
3	Chestnut Woodpecker	<i>Celeus elegans</i>	▶  2
1	Yellow-throated Woodpecker	<i>Piculus flavigula</i>	▶  1
3	Spot-breasted Woodpecker	<i>Colaptes punctigula</i>	▶  2
1	Laughing Falcon	<i>Herpetotheres cachinnans</i>	▶  1
1	Buckley's Forest-Falcon	<i>Micrastur buckleyi</i>	▶  1
2	Crested Caracara	<i>Caracara plancus</i>	▶  2
1	Red-throated Caracara	<i>Ibycter americanus</i>	▶  1
14	Yellow-headed Caracara	<i>Daptrius chimachima</i>	▶  7
3	Black Caracara	<i>Daptrius ater</i>	▶  2
1	Bat Falcon	<i>Falco ruficularis</i>	▶  1
10	Tui Parakeet	<i>Brotogeris sanctithomae</i>	▶  1

163	White-winged Parakeet	<i>Brotogeris versicolurus</i>	▶  3
24	Cobalt-winged Parakeet	<i>Brotogeris cyanopectera</i>	▶  4
1	Orange-cheeked Parrot	<i>Pyrilia barrabandi</i>	▶  1
8	Blue-headed Parrot	<i>Pionus menstruus</i>	▶  2
4	Short-tailed Parrot	<i>Graydidascalus brachyurus</i>	▶  1
6	Festive Amazon	<i>Amazona festiva</i>	▶  1
1	Mealy Amazon	<i>Amazona farinosa</i>	▶  1
64	Orange-winged Amazon	<i>Amazona amazonica</i>	▶  3
4	Riparian Parrotlet	<i>Forpus crassirostris</i>	▶  1
6	Black-headed Parrot	<i>Pionites melanocephalus</i>	▶  2
17	Maroon-tailed Parakeet	<i>Pyrrhura melanura</i>	▶  3
12	Dusky-headed Parakeet	<i>Aratinga weddellii</i>	▶  2
10	Red-bellied Macaw	<i>Orthopsittaca manilatus</i>	▶  1
4	Scarlet Macaw	<i>Ara macao</i>	▶  1
15	White-eyed Parakeet	<i>Psittacara leucophthalmus</i>	▶  1
3	Fasciated Antshrike	<i>Cymbilaimus lineatus</i>	▶  2
4	Great Antshrike	<i>Taraba major</i>	▶  2
2	Black-crested Antshrike	<i>Sakesphorus canadensis</i>	▶  1
4	Barred Antshrike	<i>Thamnophilus doliatus</i>	▶  2
3	Mouse-colored Antshrike	<i>Thamnophilus murinus</i>	▶  2
4	Castelnau's Antshrike	<i>Thamnophilus cryptoleucus</i>	▶  2
4	Pearly Antshrike	<i>Megastictus margaritatus</i>	▶  2
2	Black Bushbird	<i>Neotantes niger</i>	▶  2
























- 2 **Dusky-throated Antshrike** *Thamnomanes ardesiacus* ▶  1
- 2 **Cinereous Antshrike** *Thamnomanes caesius* ▶  2
- 1 **Plain-throated Antwren** *Isleria hauxwelli* ▶  1
- 2 **Spot-winged Antshrike** *Pygoptila stellaris* ▶  2
- 1 **Rufous-backed Stipplethroat** *Epinecrophylla haematonota* ▶  1
- 1 **Rufous-tailed Stipplethroat** *Epinecrophylla erythrura* ▶  1
- 1 **Pygmy Antwren** *Myrmotherula brachyura* ▶  1
- 2 **Moustached Antwren** *Myrmotherula ignota* ▶  1
- 2 **Amazonian Streaked-Antwren** *Myrmotherula multostriata* ▶  1
- 3 **White-flanked Antwren** *Myrmotherula axillaris* ▶  2
- 1 **Gray Antwren** *Myrmotherula menetriesii* ▶  1
- 2 **Leaden Antwren** *Myrmotherula assimilis* ▶  2
- 3 **Dugand's Antwren** *Herpsilochmus dugandi* ▶  3
- 1 **Ancient Antwren** *Herpsilochmus gentryi* ▶  1
- 6 **Peruvian Warbling-Antbird** *Hypocnemis peruviana* ▶  4
- 1 **Yellow-browed Antbird** *Hypocnemis hypoxantha* ▶  1
- 1 **Black Antbird** *Cercomacroides serva* ▶  1
- 2 **Riparian Antbird** *Cercomacroides fuscicauda* ▶  1
- 1 **Gray Antbird** *Cercomacra cinerascens* ▶  1
- 3 **Ash-breasted Antbird** *Myrmoborus lugubris* ▶  3
- 3 **Black-faced Antbird** *Myrmoborus myotherinus* ▶  2
- 2 **Black-tailed Antbird** *Myrmoborus melanurus* ▶  1
- 5 **Black-chinned Antbird** *Hypocnemoides melanopogon* ▶  2




















- 5 **Black-and-white Antbird** *Myrmochanes hemileucus* ▶  2
- 3 **Silvered Antbird** *Sclateria naevia* ▶  2
- 2 **Allpahuayo Antbird** *Percnostola arenarum* ▶  1
- 1 **Slate-colored Antbird** *Myrmelastes schistaceus* ▶  1
- 12 **Plumbeous Antbird** *Myrmelastes hyperythrus* ▶  3
- 4 **White-shouldered Antbird** *Akletos melanocephus* ▶  3
- 2 **Sooty Antbird** *Hafferia fortis* ▶  1
- 1 **White-cheeked Antbird** *Gymnopithys leucaspis* ▶  1
- 2 **Spot-backed Antbird** *Hylophylax naevius* ▶  1
- 2 **Dot-backed Antbird** *Hylophylax punctulatus* ▶  1
- 2 **Common Scale-backed Antbird** *Willisornis poecilinotus* ▶  1
- 3 **Black-spotted Bare-eye** *Phlegopsis nigromaculata* ▶  2
- 1 **Thrush-like Antpitta** *Myrmothera campanisona* ▶  1
- 2 **Rusty-belted Tapaculo** *Liosceles thoracicus* ▶  2
- 1 **Rufous-capped Antthrush** *Formicarius colma* ▶  1
- 2 **Short-billed Leaf Tosser** *Sclerurus rufularis* ▶  1
- 6 **Wedge-billed Woodcreeper** *Glyphorhynchus spirurus* ▶  5
- 3 **Cinnamon-throated Woodcreeper** *Dendrexetastes rufigula* ▶  2
- 2 **Amazonian Barred-Woodcreeper** *Dendrocolaptes certhia* ▶  2
- 3 **Striped Woodcreeper** *Xiphorhynchus obsoletus* ▶  3
- 1 **Ocellated Woodcreeper** *Xiphorhynchus ocellatus* ▶  1
- 2 **Elegant Woodcreeper** *Xiphorhynchus elegans* ▶  2
- 5 **Buff-throated Woodcreeper** *Xiphorhynchus guttatus* ▶  5
























- 2 **Straight-billed Woodcreeper** *Dendroplex picus* ▶  1
- 1 **Zimmer's Woodcreeper** *Dendroplex kienerii* ▶  1
- 2 **Duida Woodcreeper** *Lepidocolaptes duidae* ▶  2
- 4 **Pale-legged Hornero** *Furnarius leucopus* ▶  2
- 1 **Pale-billed Hornero** *Furnarius torridus* ▶  1
- 2 **Lesser Hornero** *Furnarius minor* ▶  2
- 1 **Ochre-throated Foliage-gleaner** *Automolus ochrolaemus* ▶  1
- 1 **Olive-backed Foliage-gleaner** *Automolus infuscatus* ▶  1
- 2 **Orange-fronted Plushcrown** *Metopothrix aurantiaca* ▶  1
- 3 **Parker's Spinetail** *Cranioleuca vulpecula* ▶  2
- 5 **Red-and-white Spinetail** *Certhiaxis mustelinus* ▶  2
- 2 **White-bellied Spinetail** *Mazaria propinqua* ▶  1
- 2 **Dark-breasted Spinetail** *Synallaxis albigularis* ▶  2
- 2 **Ruddy Spinetail** *Synallaxis rutilans* ▶  1
- 2 **Blue-capped Manakin** *Lepidothrix coronata* ▶  2
- 1 **Wire-tailed Manakin** *Pipra filicauda* ▶  1
- 2 **Striolated Manakin** *Machaeropterus striolatus* ▶  2
- 1 **White-crowned Manakin** *Pseudopipra pipra* ▶  1
- 3 **Golden-headed Manakin** *Ceratopipra erythrocephala* ▶  2
- 1 **Black-necked Red-Cotinga** *Phoenicircus nigricollis* ▶  1
- 1 **Purple-throated Fruitcrow** *Querula purpurata* ▶  1
- 1 **Amazonian Umbrellabird** *Cephalopterus ornatus* ▶  1
- 2 **Plum-throated Cotinga** *Cotinga maynana* ▶  2
















- 1 **Spangled Cotinga** *Cotinga cayana* ▶  1
- 5 **Screaming Piha** *Lipaugus vociferans* ▶  3
- 1 **Purple-throated Cotinga** *Porphyrolaema porphyrolaema* ▶  1
- 3 **Bare-necked Fruitcrow** *Gymnoderus foetidus* ▶  2
- 2 **Black-tailed Tityra** *Tityra cayana* ▶  1
- 2 **Black-crowned Tityra** *Tityra inquisitor* ▶  1
- 5 **Masked Tityra** *Tityra semifasciata* ▶  3
- 4 **Varzea Schiffornis** *Schiffornis major* ▶  3
- 2 **Brown-winged Schiffornis** *Schiffornis turdina* ▶  2
- 3 **White-browed Purpletuft** *Iodopleura isabellae* ▶  1
- 2 **Cinereous Becard** *Pachyramphus rufus* ▶  1
- 3 **Chestnut-crowned Becard** *Pachyramphus castaneus* ▶  2
- 4 **White-winged Becard** *Pachyramphus polychopterus* ▶  3
- 2 **Black-capped Becard** *Pachyramphus marginatus* ▶  2
- 1 **Pink-throated Becard** *Pachyramphus minor* ▶  1
- 1 **Tropical Royal Flycatcher** *Onychorhynchus coronatus* ▶  1
- 5 **Ruddy-tailed Flycatcher** *Terenotriccus erythrurus* ▶  5
- 2 **Ochre-bellied Flycatcher** *Mionectes oleagineus* ▶  1
- 2 **Sepia-capped Flycatcher** *Leptopogon amaurocephalus* ▶  1
- 1 **Ringed Antpipit** *Corythopis torquatus* ▶  1
- 4 **Double-banded Pygmy-Tyrant** *Lophotriccus vitiuosus* ▶  3
- 2 **Black-and-white Tody-Flycatcher** *Poecilatriccus capitalis* ▶  1
- 1 **Rusty-fronted Tody-Flycatcher** *Poecilatriccus latirostris* ▶  1

5	Spotted Tody-Flycatcher	<i>Todirostrum maculatum</i>	▶  3
5	Yellow-browed Tody-Flycatcher	<i>Todirostrum chrysocrotaphum</i>	▶  5
1	Brownish Twistwing	<i>Cnipodectes subbrunneus</i>	▶  1
1	Orange-eyed Flatbill	<i>Tolmomyias taylori</i>	▶  1
7	Yellow-margined Flatbill	<i>Tolmomyias assimilis</i>	▶  3
4	Olive-faced Flatbill	<i>Tolmomyias viridiceps</i>	▶  3
2	White-lored Tyrannulet	<i>Ornithion inerme</i>	▶  2
1	Mouse-colored Tyrannulet	<i>Nesotriccus murinus</i>	▶  1
1	Yellow-crowned Tyrannulet	<i>Tyrannulus elatus</i>	▶  1
2	Forest Elaenia	<i>Myiopagis gaimardii</i>	▶  2
1	Amazonian Elaenia	<i>Myiopagis cinerea</i>	▶  1
2	Yellow-crowned Elaenia	<i>Myiopagis flavivertex</i>	▶  2
3	Brownish Elaenia	<i>Elaenia pelzelni</i>	▶  1
2	River Tyrannulet	<i>Serpophaga hypoleuca</i>	▶  1
2	Slender-footed Tyrannulet	<i>Zimmerius gracilipes</i>	▶  2
2	Lesser Wagtail-Tyrant	<i>Stigmatura napensis</i>	▶  2
2	Fuscous Flycatcher	<i>Cnemotriccus fuscatus</i>	▶  1
1	Vermilion Flycatcher	<i>Pyrocephalus rubinus</i>	▶  1
2	Drab Water Tyrant	<i>Ochthornis littoralis</i>	▶  1
1	White-headed Marsh Tyrant	<i>Arundinicola leucocephala</i>	▶  1
3	Cinnamon Attila	<i>Attila cinnamomeus</i>	▶  1
2	Citron-bellied Attila	<i>Attila citriniventris</i>	▶  1
1	Dull-capped Attila	<i>Attila bolivianus</i>	▶  1

3	Bright-rumped Attila	<i>Attila spadiceus</i>	▶  2
2	Grayish Mourner	<i>Rhytipterna simplex</i>	▶  2
2	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>	▶  1
1	Swainson's Flycatcher	<i>Myiarchus swainsoni</i>	▶  1
2	Short-crested Flycatcher	<i>Myiarchus ferox</i>	▶  2
4	Lesser Kiskadee	<i>Philohydor lictor</i>	▶  1
1	Great Kiskadee	<i>Pitangus sulphuratus</i>	▶  1
4	Boat-billed Flycatcher	<i>Megarynchus pitangua</i>	▶  3
4	Social Flycatcher	<i>Myiozetetes similis</i>	▶  3
5	Gray-capped Flycatcher	<i>Myiozetetes granadensis</i>	▶  3
3	Dusky-chested Flycatcher	<i>Myiozetetes luteiventris</i>	▶  2
4	Streaked Flycatcher	<i>Myiodynastes maculatus</i>	▶  3
1	Piratic Flycatcher	<i>Legatus leucophaeus</i>	▶  1
1	Crowned Slaty Flycatcher	<i>Empidonomus aurantioatrocristatus</i>	▶  1
4	Sulphury Flycatcher	<i>Tyrannopsis sulphurea</i>	▶  2
1	White-throated Kingbird	<i>Tyrannus albogularis</i>	▶  1
4	Tropical Kingbird	<i>Tyrannus melancholicus</i>	▶  4
1	Fork-tailed Flycatcher	<i>Tyrannus savana</i>	▶  1
8	Dusky-capped Greenlet	<i>Pachysylvia hypoxantha</i>	▶  4
1	Chivi Vireo	<i>Vireo chivi</i>	▶  1
4	Violaceous Jay	<i>Cyanocorax violaceus</i>	▶  2
5	Black-capped Donacobius	<i>Donacobius atricapilla</i>	▶  3
1	White-winged Swallow	<i>Tachycineta albiventer</i>	▶  1

10	Gray-breasted Martin	<i>Progne chalybea</i>	▶  4
11	Brown-chested Martin	<i>Progne tapera</i>	▶  3
2	Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>	▶  1
3	White-banded Swallow	<i>Atticora fasciata</i>	▶  2
100	Barn Swallow	<i>Hirundo rustica</i>	▶  1
2	Collared Gnatwren	<i>Microbates collaris</i>	▶  2
2	Scaly-breasted Wren	<i>Microcerculus marginatus</i>	▶  2
6	Thrush-like Wren	<i>Campylorhynchus turdinus</i>	▶  3
1	Coraya Wren	<i>Pheugopedius coraya</i>	▶  1
3	Buff-breasted Wren	<i>Cantorchilus leucotis</i>	▶  3
1	Musician Wren	<i>Cyphorhinus arada</i>	▶  1
4	Lawrence's Thrush	<i>Turdus lawrencii</i>	▶  2
2	Hauxwell's Thrush	<i>Turdus hauxwelli</i>	▶  1
1	Varzea Thrush	<i>Turdus sanchezorum</i>	▶  1
3	Black-billed Thrush	<i>Turdus ignobilis</i>	▶  3
4	Purple-throated Euphonia	<i>Euphonia chlorotica</i>	▶  2
1	White-vented Euphonia	<i>Euphonia minuta</i>	▶  1
2	Thick-billed Euphonia	<i>Euphonia laniirostris</i>	▶  2
4	Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>	▶  3
4	Rufous-bellied Euphonia	<i>Euphonia rufiventris</i>	▶  4
5	Yellow-browed Sparrow	<i>Ammodramus aurifrons</i>	▶  3
6	Red-breasted Meadowlark	<i>Leistes militaris</i>	▶  2
141	Russet-backed Oropendola	<i>Psarocolius angustifrons</i>	▶  11

3	Crested Oropendola	<i>Psarocolius decumanus</i>	▶  1
24	Yellow-rumped Cacique	<i>Cacicus cela</i>	▶  5
1	Band-tailed Cacique	<i>Cacicus latirostris</i>	▶  1
3	Red-rumped Cacique	<i>Cacicus haemorrhous</i>	▶  3
1	Casqued Cacique	<i>Cacicus oseryi</i>	▶  1
2	Epaulet Oriole	<i>Icterus cayanensis</i>	▶  1
1	Orange-backed Troupial	<i>Icterus croconotus</i>	▶  1
1	Shiny Cowbird	<i>Molothrus bonariensis</i>	▶  1
5	Giant Cowbird	<i>Molothrus oryzivorus</i>	▶  5
12	Velvet-fronted Grackle	<i>Lamprosar tanagrinus</i>	▶  2
3	Oriole Blackbird	<i>Gymnomystax mexicanus</i>	▶  2
1	Yellow-hooded Blackbird	<i>Chrysomus icterocephalus</i>	▶  1
3	Buff-rumped Warbler	<i>Myiothlypis fulvicauda</i>	▶  3
1	Red-crowned Ant-Tanager	<i>Habia rubica</i>	▶  1
4	Red-capped Cardinal	<i>Paroaria gularis</i>	▶  2
2	Orange-headed Tanager	<i>Thlypopsis sordida</i>	▶  1
8	Gray-headed Tanager	<i>Eucometis penicillata</i>	▶  4
1	Flame-crested Tanager	<i>Loriotus cristatus</i>	▶  1
1	Fulvous Shrike-Tanager	<i>Lanio fulvus</i>	▶  1
15	Silver-beaked Tanager	<i>Ramphocelus carbo</i>	▶  6
7	Masked Crimson Tanager	<i>Ramphocelus nigrogularis</i>	▶  4
7	Blue-gray Tanager	<i>Thraupis episcopus</i>	▶  4
3	Palm Tanager	<i>Thraupis palmarum</i>	▶  3

- 2 **Masked Tanager** *Stilpnia nigrocincta* ▶  1
- 5 **Turquoise Tanager** *Tangara mexicana* ▶  2
- 6 **Paradise Tanager** *Tangara chilensis* ▶  3
- 4 **Opal-crowned Tanager** *Tangara callophrys* ▶  3
- 2 **Green-and-gold Tanager** *Tangara schrankii* ▶  2
- 4 **Swallow Tanager** *Tersina viridis* ▶  3
- 2 **Black-faced Dacnis** *Dacnis lineata* ▶  1
- 2 **Yellow-bellied Dacnis** *Dacnis flaviventer* ▶  2
- 2 **Blue Dacnis** *Dacnis cayana* ▶  2
- 3 **Purple Honeycreeper** *Cyanerpes caeruleus* ▶  1
- 1 **Green Honeycreeper** *Chlorophanes spiza* ▶  1
- 2 **Bicolored Conebill** *Conirostrum bicolor* ▶  1
- 2 **Pearly-breasted Conebill** *Conirostrum margaritae* ▶  1
- 2 **Chestnut-bellied Seedeater** *Sporophila castaneiventris* ▶  2
- 1 **Chestnut-bellied Seed-Finch** *Sporophila angolensis* ▶  1
- 2 **Buff-throated Saltator** *Saltator maximus* ▶  2
- 3 **Slate-colored Grosbeak** *Saltator grossus* ▶  3

ADDITIONAL TAXA

- 1 **Chaetura sp.** *Chaetura sp.* ▶  1
- 2 **motmot sp.** *Momotidae sp.* ▶  1