

Trip Report — Wild Kenya: A Tented Camp Safari I 2026

July 25-August 9, 2026 with Terry Stevenson



This is why people travel to East Africa. What a beautiful scene on the Mara plains taken by guide Terry Stevenson.

As in previous years our 2026 Wild Kenya: A Tented Camp Safari took place during the latter part of July and through the first week of August. This specially arranged tour is limited to just six participants, who join Terry Stevenson and his long-time driver/guide John Ngige while visiting the famous Nairobi National Park (only 20 minutes from our first hotel), Lakes Naivasha and Elementaita – two prime spots within the Great Rift Valley, the arid northern bush country at Samburu (great for Cheetah this year), and the gorgeous Aberdare Mountains – where our lodge over-looks a floodlit waterhole and mineral lick. Perhaps most spectacular though, was our visit to the vast grasslands and riverine forests of Masai Mara where we spent three nights at the famous Kichwa Tembo Tented Camp. Joined by local driver/guide Protus, we wandered the plains in an open-sided 4X4 Landcruiser, enjoying birds that varied from huge ostrich to tiny cisticolas,

vultures on Lion kills, spurfowl, bustards, and lapwings. In the forests we found turacos, hornbills, barbets, and wattle-eyes, and at the seasonal pools, a wide variety of storks, ibis, herons and egrets. However, for many visitors it is the repeated encounters with Africa's famed big game that remain the memories of a lifetime; herds of African Savanna Elephant (with so many mothers and playful babies this year), Northern Giraffe, hundreds of Plains Zebra, watchful Tsessebe, Hippo in the rivers, Lion, and countless hundreds of thousands of Blue Wildebeest on their annual migration.



Or maybe they come for this? The big mammal show. Here we have thousands of Blue Wildebeest on the Masai Mara. Photo by participant Robert McNab.

We began our tour with a visit to Nairobi National Park where highlights in the grasslands included our first Common Ostrich, Helmeted Guineafowl, an unexpected pair of Dusky Turtle-Doves, White-bellied Go-away-bird, Gray Crowned-Crane, Long-crested Eagle, Little Bee-eater, Long-tailed Fiscal, the newly described Sentinel Lark, Northern Pied-Babbler, Superb Starling, and Purple Grenadier. At the waterholes we enjoyed a trio of birds named 'African' – a Darter, a Sacred Ibis, and a Spoonbill, together with Hamerkop (sole member of its family), Water Thick-knee, and Malachite Kingfisher. Of course, we also saw our first mammals, beginning with Wahlberg's

Epauletted Fruit Bat at the park gate, we soon moved on to Olive Baboon, Plains Zebra, a mother Black Rhino with a very small baby, Common Hippopotamus, Northern Giraffe, Hartebeest, and Impala.



What a lovely photo by participant Robert McNab of this African Pygmy Kingfisher.

‘The Park’ as it’s locally known was a great way to start the tour, but the day was not over and we returned to our hotel at Karen Country Club in time to do an afternoon forest walk. A pair of spectacular Hartlaub’s Turacos were the highlight for most of the group, with skulking Rüppell’s Robin-Chat and White-starred Robin close behind, while other notable species included Speckled Mousebird, Black-backed Puffback, Black-collared and Yellow-breasted apalises, White-eyed Slaty-Flycatcher, and Baglaffeht and Spectacled weavers. Some spectacular sunbirds, including Amethyst, Scarlet-chested and Variable rounded off a truly great first day!



A Black-chested Snake-Eagle on the wing captured by participant Robert McNab.

The following morning we headed north and stopped briefly at Manguo Swamp where African Swampphen was the highlight. We then continued further, dropped in to the Great Rift Valley and took a one hour boat trip on freshwater Lake Naivasha. What a trip it was, with great close looks at African Jacana, a variety of storks, herons and egrets, some very tame Great White and Pink-backed pelicans, African Fish-Eagle, and Giant and Pied kingfishers.

Heading further north, we soon arrived at the alkaline Lake Elementaita where sadly rain spoiled our afternoon birding. However, we certainly made up for it the next day, as we spent the morning slowly driving the northern shore; with fantastic light flooding the area, the photographers had a wonderful time, capturing many shots of both Greater and Lesser flamingos (about 8000 in total), Blue-billed and Cape teals, another spectacular mix of water-birds, with migrant shorebirds including Marsh Sandpiper, Common Greenshank, Little Stint and Ruff. Five Southern Ground-Hornbills were a major highlight in the grasslands, while in the acacia woodland we found African Harrier-Hawk, Common Scimitarbill, Northern Red-fronted Tinkerbird, Bearded, Cardinal and Mountain Gray woodpeckers, Sulphur-

breasted Bushshrike, White-bellied Tit, Red-faced Crombec, and Violet-backed Starling.

New mammals included Sykes Monkey, Cape Hare, Spotted Hyena, Common Warthog, the rare Rothchild's Giraffe (sadly now considered part of a whole complex of 'subspecies' known as Northern Giraffe), the not so common Common Eland, and Kirk's Dikdik.



All heads here as a friendly herd of Reticulated Giraffes checks out the group. Photo by participant Robert McNab.

Leaving the Rift Valley behind, we drove east (stopping at our regular spot for Cape Eagle-Owl) before continuing to Naro Moru and spending a night in the old lodge along the banks of the Naro Moru River. A walk in the grounds gave us Cinnamon-chested Bee-eater, Yellow-rumped Tinkerbird, Red-fronted Parrot, Red-faced Crombec, Yellow-whiskered Greenbul, Northern Double-collared Sunbird, and Mountain Wagtail. While new mammals included, the Southern Tree Hyrax at a day roost, and a family of striking Guereza – a gorgeous long-haired black-and-white monkey!



Mother and baby Cheetah at Samburu by guide Terry Stevenson.

We then continued around the northern side of Mt. Kenya, and dropped to the semi-arid desert land for a three night stay at Samburu. We were now with a totally different avifauna and some localized neat mammals too! With an estimated world population of less than 3000, the rarest was Grevy's Zebra – and we had great close looks at about 90! We also saw the other four 'local specials' including Desert Warthog, Reticulated Giraffe, Beisa Oryx, and Gerenuk. African Savannah Elephants were in good numbers, and one morning we had a fabulous encounter with a mother Cheetah and her kitten, and then another adult female the very same afternoon.

New and memorable birds included Somali Ostrich, Vulturine Guinea fowl, Crested Francolin, Chestnut-bellied, Black-faced and Lichtenstein's sandgrouse, Kori, White-bellied and Buff-crested bustards, a gorgeous female Greater Painted-Snipe, Goliath Heron, Secretarybird, Hooded Vulture, Bateleur, Black-chested and Brown snake-eagles, Martial Eagle, Eastern

Chanting-Goshawk, Verreaux's Eagle-Owl, Pearl-spotted Owlet, Blue-naped Mousebird, Violet Woodhoopoe, Abyssinian Scimitarbill, African Gray, Eastern Yellow-billed and Northern Red-billed hornbills, Pygmy Falcon, Pygmy Batis, Rosy-patched Bushshrike, a white morph African Paradise-Flycatcher, Taita Fiscal, Mouse-colored Penduline-Tit, Pink-breasted Lark, Spotted Morning-Thrush, Eastern Violet-backed and Hunter's sunbirds, White-headed Buffalo-Weaver, Donaldson Smith's Sparrow-Weaver, Golden Palm Weaver, and Red-billed Quelea (seasonally the world's most numerous bird).



A king of the African plains, this big maned Lion was enjoyed at Masai Mara. Thanks to guide Terry Stevenson for the shot.

Returning south towards Nairobi, we stopped along the way at The Ark, a lodge over-looking a flood-lit waterhole and mineral-lick in the Aberdare National Park. The habitat here is montane forest, so once again we had a new and different mix of birds and mammals. Unfortunately within 30

minutes of arrival we found ourselves in thick cloud with the waterhole barely visible, however the weather cleared a little around tea-time and the following morning was beautiful and clear. Giant Forest Hog is *the* special here, and we did great, with close looks at 13. We also saw at least one pair of Rusty-spotted Genet with babies, two tiny Suni, a pair of White-tailed Mongoose (one with a black tail), and our first Southern Bushbuck. New birds included African Black Duck, Scaly Spurfowl, Hunter's Cisticola, Cinnamon Bracken Warbler, African Hill Babbler, and many gorgeous Golden-winged Sunbirds.



A squabbling pair of Pygmy Falcons was captured in the heat of the moment by participant Robert McNab.

The final part of our tour took us back to Nairobi for an overnight stay, and then on a flight to the world-famous Masai Mara Game Reserve and a three night stay at Kichwa Tembo Tented Camp. We then took daily game-drives in an open-sided Landcruiser, crossing the savanna grasslands (scattered

here and there with classic-shaped *Balanites* trees), the Mara River to the east, and the wandering Olololo Escarpment – a stunning backdrop to the west.

The mammals, are of course, always a major highlight here, and we all enjoyed watching and photographing herds of elephant of all ages, a mother hyena with two babies, eighteen Lions (including three big-maned males and two females eating a freshly killed wildebeest), Black-backed Jackal, several thousand Plains Zebra, Cape Buffalo, Northern Giraffe, hippos, warthogs, and a large variety of antelopes including Common Eland, Waterbuck, Bohor Reedbuck, Tsessebe, Coke's Hartebeest, Impala, Southern Bushbuck, and Thomson's Gazelle. Most impressive though were the hundreds of thousands of Blue Wildebeest – a truly impressive sight as they spread across these seemingly endless grasslands during their annual migration from the Serengeti.

Masai Mara is not just about mammals though, and we also enjoyed many new birds; Red-necked Spurfowl, African Green-Pigeon, Black-bellied Bustard, Bare-faced Go-away-bird, Ross's and Schalow's turacos, African Openbill, African Woolly-necked Stork, Lappet-faced Vulture, Rüppell's Griffon, Western Banded Snake-Eagle, Dark Chanting-Goshawk, Black-and-white-casqued Hornbill, D'Arnaud's and Double-toothed barbets, Lesser and Greater honeyguides, Red-throated Wryneck, Meyer's Parrot, Brown-throated Wattle-eye, Black-crowned Tchagra, Rufous-chested and Mosque swallows, Sooty Chat, Swahili Sparrow, and Yellow-throated Longclaw.

With so many memories of what a Kenya safari has to offer, we left our camp behind and took the return flight to Nairobi – a comfortable way to finish our tour, with meals and rooms available before transferring for our international departures and the journey home.

Our next Wild Kenya: A Tented Camp Safari runs July 17 to August 1, 2027!

Mammals and Reptiles

Wahlberg's Epauletted Fruit Bat (*Epomophorus wahlbergi*) About 15 at the gate to Nairobi National Park.

Thick-tailed Greater Galago (*Otolemur crassicaudatus*) Two came to the bird-feeding platform at The Ark.

Blue Monkey (*Cerocopithecus mitis*) Up to 15 were seen daily at Kichwa Tembo.

Sykes (Blue) Monkey (*Cerocopithecus mitis albogularis*) A single troop of 33 were in the Acacia woodlands at Lake Elementaita.

Red-tailed Monkey (*Cerocopithecus ascanius*) We saw a few of these attractive monkeys at Kichwa Tembo.

Vervet Monkey (*Chlorocebus pygerythrus*) About 45 at Lake Elementaita, and 120+ at Samburu.

Olive Baboon (*Papio anubis*) Very common and widespread throughout the tour.

Guereza (*Colobus guereza*) More commonly known as Black-and-white Colobus, we saw 5 of these gorgeous monkeys at Naro Moru.

Cape Hare (*Lepus capensis*) One at Lake Elementaita.

Unstriped Ground Squirrel (*Xerus rutilus*) We saw a total of 15 at Samburu.

Ochre Bush Squirrel (*Paraxerus ochraceus*) One at The Residences, and 2 at The Ark.

Black-backed Jackal (*Lupulella mesomelas*) Surprisingly few, with just a single pair at Masai Mara.

Rusty-spotted Genet (*Genetta fieldiana*) Good close looks at a pair and 2 young at The Ark.

Common Slender Mongoose (*Herpestes sanguineus*) Singles at Samburu and The Ark.

Banded Mongoose (*Mungos mungo*) Two 'mobs' (yes, that's what they're called) were seen at Masai Mara.

Common Dwarf Mongoose (*Helogale parvula*) Five were on a termite hill as we were leaving Samburu.

White-tailed Mongoose (*Ichneumia albicauda*) One on the night drive at Lake Elementaita, and then 2 together (one with a black tail) at The Ark.

Spotted Hyena (*Crocuta crocuta*) Three on the night drive at Elementaita, 4 at The Ark, and then 2 adults, and a mother and 2 babies at Masai Mara.

Lion (*Panthera leo*) We saw a total of 18 at Masai Mara; these included, 3 very large-maned males, 2 females eating a freshly killed wildebeest, and a variety of different sized young ones.

Cheetah (*Acinonyx jubatus*) Wonderful close views of a mother and her youngster, and then another female, all at Samburu.

African Savanna Elephant (*Loxodonta africana*) Many great close views this tour, with large bulls, females, adolescents, and small babies; in all we saw about 550, mostly at Samburu and Masai Mara.

Southern Tree Hyrax (*Dendrohyrax arboreus*) Six at Naro Moru, and about 20 at Masai Mara; surprisingly many were in daylight.

Grevy's Zebra (*Equus grevyi*) This rare zebra (with a world population of less than 3000) was quite common at Samburu where we saw a total of about 90.

Plains Zebra (*Equus quagga*) Formerly known as Burchell's Zebra, they were very common and widespread in Nairobi NP (60), Naivasha (15), Elementaita (100+), Samburu (160), and Masai Mara (3000+).

Black Rhinoceros (*Diceros bicornis*) Great looks at a mother and very small baby at Nairobi NP.

White Rhinoceros (*Ceratotherium simum*) We saw this introduced species at Nairobi NP (6), and Solio (5).

Desert Warthog (*Phacochoerus aethiopicus*) Four at Samburu.

Common Warthog (*Phacochoerus africanus*) Five at Lake Elementaita, 6 at The Ark, and about 40 at Masai Mara.

Giant Forest Hog (*Hylochoerus meinertzhageni*) Fantastic close looks (including some huge males) at The Ark; in total we saw 13.

Common Hippopotamus (*Hippopotamus amphibius*) Forty at Nairobi NP, 1 at Naivasha, and about 75 at Masai Mara.

Northern Giraffe (*Giraffa camelopardalis*) Eleven at Nairobi NP, and 80+ at Masai Mara.

Northern (Rothschild's) Giraffe (*Giraffa camelopardalis rothschildi*) Often considered a distinct species, we saw 1 at Elementaita.

Reticulated Giraffe (*Giraffa reticulata*) We saw about 90 of these beautiful giraffes at Samburu.

Southern Bushbuck (*Tragelaphus sylvaticus*) Five at The Ark, and 2 at Masai Mara.

Greater Kudu (*Tragelaphus strepsiceros*) We saw a single female at Samburu.

Common Eland (*Tragelaphus oryx*) Two on our night drive at Elementaita, and then a single and a herd of 9 at Masai Mara.

Cape Buffalo (*Syncerus caffer*) Four at Nairobi NP, 2 at Elementaita, 18 at The Ark, and a herd of about 650 at Masai Mara.

Waterbuck (*Kobus ellipsiprymnus*) Quite common and widespread in wooded grasslands with water; in all we saw about 170.

Bohor Reedbuck (*Redunca redunca*) Three at Masai Mara.

Beisa Oryx (*Oryx beisa*) We saw a total of 38 at Samburu.

Tsessebe (*Damaliscus lunatus*) In East Africa more commonly known as Topi; we saw about 80 at Masai Mara.

Hartebeest (*Alcelaphus buselaphus cokii*) Often considered a distinct species, Coke's Hartebeest; we saw 9 at Nairobi NP, and 1 at Masai Mara.

Blue Wildebeest (*Connochaetes taurinus*) About 50 at Lake Naivasha, and then hundreds of thousands on the plains in the Mara Triangle – truly spectacular!

Suni (*Neotragus moschatus*) We saw 2 of these tiny antelopes at The Ark.

Kirk's Dik-dik (*Modoqua kirkii*) One at Elementaita, and at least 100 at Samburu.

Impala (*Aepyceros malampus*) Very common and widespread throughout the tour; in all we saw about 660.

Gerenuk (*Litocranius walleri*) We saw 17 of these delicate long-necked antelopes at Samburu.

Grant's Gazelle (*Nanger granti*) We saw a total of about 140 at Samburu.

Thomson's Gazelle (*Eudorcas thomsoni*) About 90 at Lake Elementaita, and perhaps due to the long grass only 25 at Masai Mara.

Reptiles:

Southern African Rock Python (*Python natalensis*) Some of our group saw 1 (about 10 feet long) in the grounds of Kichwa Tembo.

Red-headed Rock Agama (*Agama agama*) About 10 at Samburu.

Mwanza Flat-headed Agama (*Agama mwanzae*) We saw a striking purple and pink male at Masai Mara.

Nile Crocodile (*Crocodylus niloticus*) We saw a total of 19 (including some huge ones) at Nairobi NP.

Water Monitor (*Varanus niloticus*) Two singles at Masai Mara.

Tropical House Gecko (*Hemidactylus mabouia*) Small numbers in buildings at Elementaita and Masai Mara.

Marsh Terrapin (*Pelomedusa subrufa*) Also known as Helmeted Terrapin, we saw a few at a variety of pools at Masai Mara.

You can see my complete trip report on eBird at this link:


<https://ebird.org/tripreport/563259>

You can download a combined PDF of this page and the eBird report at this link: <https://fieldguides.com/triplists/ket26TRIPLIST.pdf>

-- Terry Stevenson (aka Honeyguide)

Field Guides Birding Tours -- WILD KENYA, 2026 (with Terry Stevenson)

24 Jul – 8 Aug 2026 (16 days) Public



Google

Map data ©2026 Google Imagery ©2026 NASA Report a map error

Kenya

Central | Eastern | Nairobi | Rift Valley

Terry Stevenson, Jesse Fagan



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...

DATA FOR: Group (all people) ▾

 **316**

Species Observed

 **34**

Checklists

Species Observed

[Show all details](#)

8	Common Ostrich	<i>Struthio camelus</i>	▶  3
7	Somali Ostrich	<i>Struthio molybdophanes</i>	▶  4
1	White-faced Whistling-Duck	<i>Dendrocygna viduata</i>	▶  1
422	Egyptian Goose	<i>Alopochen aegyptiaca</i>	▶  14
8	Blue-billed Teal	<i>Spatula hottentota</i>	▶  2
1	African Black Duck	<i>Anas sparsa</i>	▶  1
22	Yellow-billed Duck	<i>Anas undulata</i>	▶  4
8	Cape Teal	<i>Anas capensis</i>	▶  1
10	Red-billed Duck	<i>Anas erythrorhyncha</i>	▶  1
185	Helmeted Guineafowl	<i>Numida meleagris</i>	▶  3
79	Vulturine Guineafowl	<i>Acryllium vulturinum</i>	▶  3
5	Crested Francolin	<i>Ortygornis sephaena</i>	▶  2
6	Scaly Spurfowl	<i>Pternistis squamatus</i>	▶  2
42	Yellow-necked Spurfowl	<i>Pternistis leucoscepus</i>	▶  5
22	Red-necked Spurfowl	<i>Pternistis afer</i>	▶  6
35	Rock Pigeon	<i>Columba livia</i> *	▶  2
3	Speckled Pigeon	<i>Columba guinea</i>	▶  2
3	Dusky Turtle-Dove	<i>Streptopelia lugens</i>	▶  2
20	Mourning Collared-Dove	<i>Streptopelia decipiens</i>	▶  4
24	Red-eyed Dove	<i>Streptopelia semitorquata</i>	▶  8
181	Ring-necked Dove	<i>Streptopelia capicola</i>	▶  15

110	Laughing Dove	<i>Spilopelia senegalensis</i>	▶  3
3	Emerald-spotted Wood-Dove	<i>Turtur chalcospilos</i>	▶  3
104	Namaqua Dove	<i>Oena capensis</i>	▶  5
6	African Green-Pigeon	<i>Treron calvus</i>	▶  2
28	Chestnut-bellied Sandgrouse	<i>Pterocles exustus</i>	▶  2
91	Black-faced Sandgrouse	<i>Pterocles decoratus</i>	▶  3
1	Lichtenstein's Sandgrouse	<i>Pterocles lichtensteinii</i>	▶  1
1	Kori Bustard	<i>Ardeotis kori</i>	▶  1
6	White-bellied Bustard	<i>Eupodotis senegalensis</i>	▶  3
3	Buff-crested Bustard	<i>Lophotis gindiana</i>	▶  3
2	Black-bellied Bustard	<i>Lissotis melanogaster</i>	▶  2
3	Bare-faced Go-away-bird	<i>Crinifer personatus</i>	▶  1
4	White-bellied Go-away-bird	<i>Crinifer leucogaster</i>	▶  3
5	Ross's Turaco	<i>Tauraco rossae</i>	▶  3
5	Schalow's Turaco	<i>Tauraco schalowi</i>	▶  3
3	Hartlaub's Turaco	<i>Tauraco hartlaubi</i>	▶  2
5	White-browed Coucal	<i>Centropus superciliosus</i>	▶  5
2	Klaas's Cuckoo	<i>Chrysococcyx klaas</i>	▶  2
1	Red-chested Cuckoo	<i>Cuculus solitarius</i>	▶  1
2	Montane Nightjar	<i>Caprimulgus poliocephalus</i>	▶  2
3	Mottled Swift	<i>Tachymarptis aequatorialis</i>	▶  1
22	Little Swift	<i>Apus affinis</i>	▶  4
60	African Palm Swift	<i>Cypsiurus parvus</i>	▶  6
12	Eurasian Moorhen	<i>Gallinula chloropus</i>	▶  5

165	Red-knobbed Coot	<i>Fulica cristata</i>	▶  3
5	African Swampphen	<i>Porphyrio madagascariensis</i>	▶  2
7	Black Crake	<i>Zapornia flavirostra</i>	▶  4
7	Gray Crowned-Crane	<i>Balearica regulorum</i>	▶  3
3	Water Thick-knee	<i>Burhinus vermiculatus</i>	▶  2
70	Black-winged Stilt	<i>Himantopus himantopus</i>	▶  1
1	Pied Avocet	<i>Recurvirostra avosetta</i>	▶  1
10	Three-banded Plover	<i>Thinornis tricolor</i>	▶  5
9	Long-toed Lapwing	<i>Vanellus crassirostris</i>	▶  4
48	Blacksmith Lapwing	<i>Vanellus armatus</i>	▶  6
37	Spur-winged Lapwing	<i>Vanellus spinosus</i>	▶  6
1	Black-winged Lapwing	<i>Vanellus melanopterus</i>	▶  1
8	Crowned Lapwing	<i>Vanellus coronatus</i>	▶  5
16	Wattled Lapwing	<i>Vanellus senegallus</i>	▶  4
6	Kittlitz's Plover	<i>Anarhynchus pecuarius</i>	▶  2
1	Greater Painted-Snipe	<i>Rostratula benghalensis</i>	▶  1
12	African Jacana	<i>Actophilornis africanus</i>	▶  4
3	Common Sandpiper	<i>Actitis hypoleucos</i>	▶  3
2	Green Sandpiper	<i>Tringa ochropus</i>	▶  2
1	Marsh Sandpiper	<i>Tringa stagnatilis</i>	▶  1
5	Wood Sandpiper	<i>Tringa glareola</i>	▶  2
3	Common Greenshank	<i>Tringa nebularia</i>	▶  1
4	Ruff	<i>Calidris pugnax</i>	▶  1

8	Little Stint	<i>Calidris minuta</i>	▶  1
96	Gray-hooded Gull	<i>Chroicocephalus cirrocephalus</i>	▶  2
8	Gull-billed Tern	<i>Gelochelidon nilotica</i>	▶  1
10	Whiskered Tern	<i>Chlidonias hybrida</i>	▶  2
1	White-winged Tern	<i>Chlidonias leucopterus</i>	▶  1
360	Greater Flamingo	<i>Phoenicopterus roseus</i>	▶  2
7500	Lesser Flamingo	<i>Phoeniconaias minor</i>	▶  1
5	Little Grebe	<i>Tachybaptus ruficollis</i>	▶  1
2	African Openbill	<i>Anastomus lamelligerus</i>	▶  2
1	African Woolly-necked Stork	<i>Ciconia microscelis</i>	▶  1
18	Marabou Stork	<i>Leptoptilos crumenifer</i>	▶  5
68	Yellow-billed Stork	<i>Mycteria ibis</i>	▶  4
4	African Darter	<i>Anhinga rufa</i>	▶  2
8	Reed Cormorant	<i>Microcarbo africanus</i>	▶  2
90	Great Cormorant	<i>Phalacrocorax carbo</i>	▶  2
5	Glossy Ibis	<i>Plegadis falcinellus</i>	▶  1
252	African Sacred Ibis	<i>Threskiornis aethiopicus</i>	▶  9
27	Hadada Ibis	<i>Bostrychia hagedash</i>	▶  11
24	African Spoonbill	<i>Platalea alba</i>	▶  4
18	Little Egret	<i>Egretta garzetta</i>	▶  2
2	Little Heron	<i>Butorides atricapilla</i>	▶  2
6	Squacco Heron	<i>Ardeola ralloides</i>	▶  4
193	Western Cattle-Egret	<i>Ardea ibis</i>	▶  10

58	Great Egret	<i>Ardea alba</i>	▶  8
13	Yellow-billed Egret	<i>Ardea brachyrhyncha</i>	▶  5
25	Gray Heron	<i>Ardea cinerea</i>	▶  7
1	Purple Heron	<i>Ardea purpurea</i>	▶  1
82	Black-headed Heron	<i>Ardea melanocephala</i>	▶  11
1	Goliath Heron	<i>Ardea goliath</i>	▶  1
10	Hamerkop	<i>Scopus umbretta</i>	▶  6
70	Great White Pelican	<i>Pelecanus onocrotalus</i>	▶  2
4	Pink-backed Pelican	<i>Pelecanus rufescens</i>	▶  2
5	Secretarybird	<i>Sagittarius serpentarius</i>	▶  4
11	Black-winged Kite	<i>Elanus caeruleus</i>	▶  4
2	African Harrier-Hawk	<i>Polyboroides typus</i>	▶  2
6	Lappet-faced Vulture	<i>Torgos tracheliotos</i>	▶  1
1	Hooded Vulture	<i>Necrosyrtes monachus</i>	▶  1
33	White-backed Vulture	<i>Gyps africanus</i>	▶  5
10	Rüppell's Griffon	<i>Gyps rueppelli</i>	▶  1
7	Bateleur	<i>Terathopius ecaudatus</i>	▶  5
1	Western Banded Snake-Eagle	<i>Circaetus cinerascens</i>	▶  1
4	Black-chested Snake-Eagle	<i>Circaetus pectoralis</i>	▶  3
2	Brown Snake-Eagle	<i>Circaetus cinereus</i>	▶  2
5	Martial Eagle	<i>Polemaetus bellicosus</i>	▶  5
22	Long-crested Eagle	<i>Lophaetus occipitalis</i>	▶  7
7	Tawny Eagle	<i>Aquila rapax</i>	▶  6

3	Gabar Goshawk	<i>Micronisus gabar</i>	▶  3
2	Dark Chanting-Goshawk	<i>Melierax metabates</i>	▶  2
7	Eastern Chanting-Goshawk	<i>Melierax poliopterus</i>	▶  4
1	Black Goshawk	<i>Astur melanoleucus</i>	▶  1
32	Black Kite	<i>Milvus migrans</i>	▶  3
21	African Fish-Eagle	<i>Ichthyophaga vocifer</i>	▶  6
9	Augur Buzzard	<i>Buteo augur</i>	▶  7
1	Cape Eagle-Owl	<i>Bubo capensis</i>	▶  1
1	Verreaux's Eagle-Owl	<i>Ketupa lactea</i>	▶  1
4	Pearl-spotted Owlet	<i>Glaucidium perlatus</i>	▶  4
323	Speckled Mousebird	<i>Colius striatus</i>	▶  15
27	Blue-naped Mousebird	<i>Urocolius macrourus</i>	▶  3
3	Common Hoopoe	<i>Upupa epops</i>	▶  2
2	Green Woodhoopoe	<i>Phoeniculus purpureus</i>	▶  1
12	Violet Woodhoopoe	<i>Phoeniculus damarensis</i>	▶  5
3	Common Scimitarbill	<i>Rhinopomastus cyanomelas</i>	▶  2
1	Abyssinian Scimitarbill	<i>Rhinopomastus minor</i>	▶  1
5	Southern Ground-Hornbill	<i>Bucorvus leadbeateri</i>	▶  1
2	Crowned Hornbill	<i>Lophoceros alboterminatus</i>	▶  1
4	African Gray Hornbill	<i>Lophoceros nasutus</i>	▶  2
3	Eastern Yellow-billed Hornbill	<i>Tockus flavirostris</i>	▶  2
79	Northern Red-billed Hornbill	<i>Tockus erythrorhynchus</i>	▶  5
4	Black-and-white-casqued Hornbill	<i>Bycanistes subcylindricus</i>	▶  2

28	Little Bee-eater	<i>Merops pusillus</i>	▶  11
2	Cinnamon-chested Bee-eater	<i>Merops oreobates</i>	▶  2
13	White-throated Bee-eater	<i>Merops albicollis</i>	▶  3
2	Malachite Kingfisher	<i>Corythornis cristatus</i>	▶  2
1	African Pygmy Kingfisher	<i>Ispidina picta</i>	▶  1
12	Gray-headed Kingfisher	<i>Halcyon leucocephala</i>	▶  5
3	Striped Kingfisher	<i>Halcyon chelicuti</i>	▶  3
2	Giant Kingfisher	<i>Megaceryle maxima</i>	▶  1
13	Pied Kingfisher	<i>Ceryle rudis</i>	▶  4
33	Lilac-breasted Roller	<i>Coracias caudatus</i>	▶  12
5	D'Arnaud's Barbet	<i>Trachyphonus darnaudii</i>	▶  2
15	Gray-throated Barbet	<i>Gymnobucco bonapartei</i>	▶  3
1	Moustached Tinkerbird	<i>Pogoniulus leucomystax</i>	▶  1
3	Yellow-rumped Tinkerbird	<i>Pogoniulus bilineatus</i>	▶  3
1	Northern Red-fronted Tinkerbird	<i>Pogoniulus uropygialis</i>	▶  1
3	Spot-flanked Barbet	<i>Tricholaema lacrymosa</i>	▶  3
3	Black-throated Barbet	<i>Tricholaema melanocephala</i>	▶  2
1	Double-toothed Barbet	<i>Pogonornis bidentatus</i>	▶  1
1	Lesser Honeyguide	<i>Indicator minor</i>	▶  1
1	Greater Honeyguide	<i>Indicator indicator</i>	▶  1
2	Red-throated Wryneck	<i>Jynx ruficollis</i>	▶  1
2	Bearded Woodpecker	<i>Chloropicus namaquus</i>	▶  2
5	Cardinal Woodpecker	<i>Dendropicos fuscescens</i>	▶  4

10	Mountain Gray Woodpecker	<i>Dendropicos spodocephalus</i>	▶  5
3	Nubian Woodpecker	<i>Campethera nubica</i>	▶  3
2	Pygmy Falcon	<i>Polihierax semitorquatus</i>	▶  1
1	Peregrine Falcon	<i>Falco peregrinus</i>	▶  1
16	Red-fronted Parrot	<i>Poicephalus gulielmi</i>	▶  2
7	Meyer's Parrot	<i>Poicephalus meyeri</i>	▶  2
3	Black Cuckooshrike	<i>Campephaga flava</i>	▶  3
8	African Black-headed Oriole	<i>Oriolus larvatus</i>	▶  5
4	Brown-throated Wattle-eye	<i>Platysteira cyanea</i>	▶  1
6	Chinspot Batis	<i>Batis molitor</i>	▶  4
2	Pygmy Batis	<i>Batis perkeo</i>	▶  2
2	Brubru	<i>Nilaus afer</i>	▶  2
3	Northern Puffback	<i>Dryoscopus gambensis</i>	▶  3
3	Black-backed Puffback	<i>Dryoscopus cubla</i>	▶  3
3	Black-crowned Tchagra	<i>Tchagra senegalus</i>	▶  2
3	Brown-crowned Tchagra	<i>Tchagra australis</i>	▶  2
10	Tropical Boubou	<i>Laniarius major</i>	▶  7
10	Slate-colored Boubou	<i>Laniarius funebris</i>	▶  6
4	Rosy-patched Bushshrike	<i>Rhodophoneus cruentus</i>	▶  2
2	Sulphur-breasted Bushshrike	<i>Chlorophoneus sulfureopectus</i>	▶  2
50	Fork-tailed Drongo	<i>Dicrurus adsimilis</i>	▶  13
18	African Paradise-Flycatcher	<i>Terpsiphone viridis</i>	▶  8
15	Gray-backed Fiscal	<i>Lanius excubitoroides</i>	▶  5

7	Long-tailed Fiscal	<i>Lanius cabanisi</i>	▶  1
13	Taita Fiscal	<i>Lanius dorsalis</i>	▶  5
28	Northern Fiscal	<i>Lanius humeralis</i>	▶  10
13	White-rumped Shrike	<i>Eurocephalus ruppelli</i>	▶  3
8	Cape Crow	<i>Corvus capensis</i>	▶  4
72	Pied Crow	<i>Corvus albus</i>	▶  9
14	White-bellied Tit	<i>Melaniparus albiventris</i>	▶  6
3	Mouse-colored Penduline-Tit	<i>Anthoscopus musculus</i>	▶  1
12	Fischer's Sparrow-Lark	<i>Eremopterix leucopareia</i>	▶  2
31	Pink-breasted Lark	<i>Calendulauda poecilosterna</i>	▶  5
2	Fawn-colored Lark	<i>Calendulauda africanoides</i>	▶  2
7	Rufous-naped Lark	<i>Corypha africana</i>	▶  5
1	Sentinel Lark	<i>Corypha athi</i>	▶  1
4	Northern Crombec	<i>Sylvietta brachyura</i>	▶  2
4	Red-faced Crombec	<i>Sylvietta whytii</i>	▶  2
1	Moustached Grass-Warbler	<i>Melocichla mentalis</i>	▶  1
2	Yellow-bellied Eremomela	<i>Eremomela icteropygialis</i>	▶  1
2	Black-collared Apalis	<i>Oreolais pulcher</i>	▶  1
2	Gray Wren-Warbler	<i>Calamonastes simplex</i>	▶  2
22	Green-backed Camaroptera	<i>Camaroptera brachyura</i>	▶  13
1	Buff-bellied Warbler	<i>Phyllolais pulchella</i>	▶  1
18	Yellow-breasted Apalis	<i>Apalis flava</i>	▶  9
2	Gray Apalis	<i>Apalis cinerea</i>	▶  1

2	Tawny-flanked Prinia	<i>Prinia subflava</i>	▶  2
5	Pale Prinia	<i>Prinia somalica</i>	▶  2
1	Red-fronted Prinia	<i>Prinia rufifrons</i>	▶  1
2	Gray-capped Warbler	<i>Eminia lepida</i>	▶  2
3	Trilling Cisticola	<i>Cisticola woosnami</i>	▶  2
10	Hunter's Cisticola	<i>Cisticola hunteri</i>	▶  2
25	Rattling Cisticola	<i>Cisticola chiniana</i>	▶  7
1	Ashy Cisticola	<i>Cisticola cinereolus</i>	▶  1
1	Winding Cisticola	<i>Cisticola marginatus</i>	▶  1
7	Stout Cisticola	<i>Cisticola robustus</i>	▶  4
2	Cinnamon Bracken-Warbler	<i>Bradypterus cinnamomeus</i>	▶  1
22	White-headed Sawwing	<i>Psalidoprocne albiceps</i>	▶  3
37	Black Sawwing	<i>Psalidoprocne pristoptera</i>	▶  6
4	Banded Martin	<i>Neophedina cincta</i>	▶  1
44	Plain Martin	<i>Riparia paludicola</i>	▶  6
12	Red-throated Crag-Martin	<i>Ptyonoprogne rufigula</i>	▶  3
6	Barn Swallow	<i>Hirundo rustica</i>	▶  1
2	Wire-tailed Swallow	<i>Hirundo smithii</i>	▶  2
19	African Red-rumped Swallow	<i>Cecropis melanocrissus</i>	▶  5
17	Lesser Striped Swallow	<i>Cecropis abyssinica</i>	▶  3
1	Rufous-chested Swallow	<i>Cecropis semirufa</i>	▶  1
5	Mosque Swallow	<i>Cecropis senegalensis</i>	▶  3
1	Yellow-whiskered Greenbul	<i>Eurillas latirostris</i>	▶  1

1	Northern Brownbul	<i>Phyllastrephus strepitans</i>	▶  1
5	Cabanis's Greenbul	<i>Phyllastrephus cabanisi</i>	▶  3
135	Common Bulbul	<i>Pycnonotus barbatus</i>	▶  17
1	African Hill Babbler	<i>Sylvia abyssinica</i>	▶  1
1	Banded Parisoma	<i>Curruca boehmi</i>	▶  1
1	Brown Parisoma	<i>Curruca lugens</i>	▶  1
8	Northern Yellow White-eye	<i>Zosterops senegalensis</i>	▶  4
9	Rufous Chatterer	<i>Argya rubiginosa</i>	▶  2
12	Arrow-marked Babbler	<i>Turdoides jardineii</i>	▶  3
3	Black-lored Babbler	<i>Turdoides sharpei</i>	▶  1
3	Northern Pied-Babbler	<i>Turdoides hypoleuca</i>	▶  1
47	Red-billed Oxpecker	<i>Buphagus erythroryncha</i>	▶  10
87	Yellow-billed Oxpecker	<i>Buphagus africanus</i>	▶  5
26	Wattled Starling	<i>Creatophora cinerea</i>	▶  4
53	Violet-backed Starling	<i>Cinnyricinclus leucogaster</i>	▶  5
16	Rüppell's Starling	<i>Lamprotornis purpuroptera</i>	▶  5
241	Superb Starling	<i>Lamprotornis superbus</i>	▶  15
10	Greater Blue-eared Starling	<i>Lamprotornis chalybaeus</i>	▶  4
10	Abyssinian Thrush	<i>Turdus abyssinicus</i>	▶  4
4	African Thrush	<i>Turdus pelios</i>	▶  3
4	African Dusky Flycatcher	<i>Muscicapa adusta</i>	▶  3
3	African Gray Flycatcher	<i>Bradornis microrhynchus</i>	▶  3
1	Pale Flycatcher	<i>Agricola pallidus</i>	▶  1

1	Southern Black-Flycatcher	<i>Melaenornis pammelaina</i>	▶  1
27	White-eyed Slaty-Flycatcher	<i>Melaenornis fischeri</i>	▶  6
1	White-browed Scrub-Robin	<i>Cercotrichas leucophrys</i>	▶  1
32	Cape Robin-Chat	<i>Dessonornis caffer</i>	▶  3
6	Rüppell's Robin-Chat	<i>Cossypha semirufa</i>	▶  2
18	White-browed Robin-Chat	<i>Cossypha heuglini</i>	▶  11
7	Spotted Morning-Thrush	<i>Cichladusa guttata</i>	▶  4
2	White-starred Robin	<i>Pogonocichla stellata</i>	▶  1
7	Sooty Chat	<i>Myrmecocichla nigra</i>	▶  3
2	Northern Anteater-Chat	<i>Myrmecocichla aethiops</i>	▶  2
6	Eastern Violet-backed Sunbird	<i>Anthreptes orientalis</i>	▶  1
2	Collared Sunbird	<i>Hedydipna collaris</i>	▶  2
1	Green-headed Sunbird	<i>Cyanomitra verticalis</i>	▶  1
3	Amethyst Sunbird	<i>Chalcomitra amethystina</i>	▶  3
17	Scarlet-chested Sunbird	<i>Chalcomitra senegalensis</i>	▶  6
8	Hunter's Sunbird	<i>Chalcomitra hunteri</i>	▶  3
3	Tacazze Sunbird	<i>Nectarinia tacazze</i>	▶  1
5	Bronze Sunbird	<i>Nectarinia kilimensis</i>	▶  2
26	Golden-winged Sunbird	<i>Drepanorhynchus reichenowi</i>	▶  2
3	Northern Double-collared Sunbird	<i>Cinnyris reichenowi</i>	▶  2
12	Eastern Double-collared Sunbird	<i>Cinnyris mediocris</i>	▶  2
6	Marico Sunbird	<i>Cinnyris mariquensis</i>	▶  2
6	Black-bellied Sunbird	<i>Cinnyris nectarinioides</i>	▶  1

23	Variable Sunbird	<i>Cinnyris venustus</i>	▶  5
44	Red-billed Buffalo-Weaver	<i>Bubalornis niger</i>	▶  4
63	White-headed Buffalo-Weaver	<i>Dinemellia dinemelli</i>	▶  5
320	White-browed Sparrow-Weaver	<i>Plocepasser mahali</i>	▶  9
215	Donaldson Smith's Sparrow-Weaver	<i>Plocepasser donaldsoni</i>	▶  5
80	Black-capped Social-Weaver	<i>Pseudonigrita cabanisi</i>	▶  1
5	Red-headed Weaver	<i>Anaplectes rubriceps</i>	▶  4
43	Baglafaecht Weaver	<i>Ploceus baglafaecht</i>	▶  10
7	Spectacled Weaver	<i>Ploceus ocularis</i>	▶  4
4	Holub's Golden-Weaver	<i>Ploceus xanthops</i>	▶  3
12	Golden Palm Weaver	<i>Ploceus bojeri</i>	▶  2
63	Speke's Weaver	<i>Ploceus spekei</i>	▶  6
15	Village Weaver	<i>Ploceus cucullatus</i>	▶  1
1	Chestnut Weaver	<i>Ploceus rubiginosus</i>	▶  1
2250	Red-billed Quelea	<i>Quelea quelea</i>	▶  5
4	Yellow Bishop	<i>Euplectes capensis</i>	▶  1
12	Bronze Mannikin	<i>Spermestes cucullata</i>	▶  1
30	Common Waxbill	<i>Estrilda astrild</i>	▶  1
15	Purple Grenadier	<i>Granatina ianthinogaster</i>	▶  6
25	Red-cheeked Cordonbleu	<i>Uraeginthus bengalus</i>	▶  7
13	Red-billed Firefinch	<i>Lagonosticta senegala</i>	▶  4
2	Eastern Paradise-Whydah	<i>Vidua paradisaea</i>	▶  1
10	House Sparrow	<i>Passer domesticus</i> *	▶  1

9	Kenya Rufous Sparrow	<i>Passer rufocinctus</i>	▶  3
2	Northern Gray-headed Sparrow	<i>Passer griseus</i>	▶  1
53	Parrot-billed Sparrow	<i>Passer gongonensis</i>	▶  5
1	Swahili Sparrow	<i>Passer suahelicus</i>	▶  1
12	Chestnut Sparrow	<i>Passer eminibey</i>	▶  1
1	Yellow-spotted Bush Sparrow	<i>Gymnoris pyrgita</i>	▶  1
4	Cape Wagtail	<i>Motacilla capensis</i>	▶  3
6	Mountain Wagtail	<i>Motacilla clara</i>	▶  2
21	African Pied Wagtail	<i>Motacilla aguimp</i>	▶  8
9	Plain-backed Pipit	<i>Anthus leucophrys</i>	▶  5
16	Yellow-throated Longclaw	<i>Macronyx croceus</i>	▶  6
14	Yellow-fronted Canary	<i>Crithagra mozambica</i>	▶  5
6	African Citril	<i>Crithagra citrinelloides</i>	▶  2
5	Reichenow's Seedeater	<i>Crithagra reichenowi</i>	▶  1
2	Brimstone Canary	<i>Crithagra sulphurata</i>	▶  1
23	Streaky Seedeater	<i>Crithagra striolata</i>	▶  6
1	Golden-breasted Bunting	<i>Emberiza flaviventris</i>	▶  1
1	Cinnamon-breasted Bunting	<i>Emberiza tahapisi</i>	▶  1