

Trip Report — Nowhere but Northeast Brazil 2026 (with optional Fernando de Noronha pre-tour extension)

January 13-30, 2026 with Marcelo Barreiros & Bret Whitney & Daniel (Fernando de Noronha pre-tour extension) (ext. from Jan. 11)

The Field Guides 2026 Nowhere but Northeast Brazil tour was yet another rewarding birding adventure that took us through a tremendous diversity of habitats with a long list of special birds found only in this corner of Brazil. Everyone assembled in the bustling city of Recife, capital of the state of Pernambuco. Marcelo took five participants to the Fernando de Noronha archipelago of volcanic islands, some 350 km out into the tropical Atlantic Ocean. They had a great time for a couple of days, enjoying the spectacular scenery while seeing and photographing the many species of breeding seabirds, including Red-footed, Masked, and Brown boobies; White-tailed and Red-billed tropicbirds; Brown and Black noddies; Atlantic White-Tern, and, of course, the two distinctive endemic landbirds, Noronha Elaenia and Noronha Vireo. They then met up with the rest of us back in Recife, and it was “off to the races”!

Without a doubt, the most critical birding day of the tour is our first full day afield, when we visit two important reserves: Frei Caneca and Pedra D’Antas. Weather has to have been reasonably dry, as the maze of dirt roads through sugarcane fields, after just a day or two of rain, can become impassable even for the 4WD vehicles we hire for the day. Odds are in our favor in mid-late January, and (whew!) this year proved to be easy going – at least on the way in! It was a rather dark, drizzly early morning but Alagoas Tyrannulet, Golden-spangled Piculet, Red-headed Manakin, Black-cheeked Gnatcatcher, and Plain-winged Woodcreeper (highly distinctive, endemic subspecies *taunayi*) showed very nicely. Another stop was great for Orange-bellied Antwren, Rusty-winged Antwren, and the *pernambucensis* subspecies of Variable Antshrike... but then rain set in in

earnest. Lunch was fabulous, perfectly organized by the reserve staff, and a little time watching feeders as the rain abated produced fantastic views of Black Jacobin, Rufous-breasted Hermit, Black-eared Fairy, Swallow-tailed Hummingbird, Sombre Hummingbird, Blue-chinned Sapphire and, especially, the rare Long-tailed Woodnymph. Ripe bananas attracted several gorgeous Seven-colored Tanagers (Yay!), Burnished-buff Tanagers, and Violaceous Euphonias. As skies cleared, we even picked up a Black Hawk-Eagle soaring low over the forest canopy.

Later that afternoon we transferred to the coastal town of Tamandaré to move into our lovely resort hotel on the beach. It was the perfect spot for access to mangroves, where we picked up Plain-bellied Emerald and Bicolored Conebill, and nearby mixed marshlands with scattered palms for beautiful Jandaya Parakeets (good spotting, Sharon!) and, happily, rare Forbes's Blackbirds. Remnant Atlantic Forest patches surrounded by sugarcane are also important habitats, and yielded fly-over Red-shouldered Macaws and Blue-headed Parrots (endemic subspecies *reichnowi*), Southern White-fringed Antwren, Willis's Antbird, Pinto's Spinetail, Smoky-fronted Tody-Flycatcher, and Yellow-faced Siskin, but unfortunately, we got rained out of our only good chance for White-collared Kite.

The northern state of Ceará was our next destination, and we birded three distinct habitats on our north-to-south route. First was the Serra de Baturité, a small, isolated mountain range that protects a significant area of humid, evergreen (most trees never lose their leaves) woodland. Excellent sightings there included Gray-breasted Parakeet (officially known only from these mountains), Gould's Toucanet (endemic subspecies *baturitensis*), Gray-headed Spinetail, Rufous-breasted Leaf-tosser, Olivaceous Woodcreeper (distinctive subspecies *reiseri*), Ceara Woodcreeper, Black-capped Antwren, Ceara Gnateater, Buff-throated Tody-Tyrant, Band-tailed Manakin, flashy Red-necked Tanagers, and our first Red-cowled Cardinals. We were also fortunate to get good views of the unnamed Short-tailed Antthrush in the Baturité, which has a very distinctive song.

Next came the much drier, lower-elevation woodland around Quixadá. The town is set in an austere landscape of ancient (Paleoproterozoic, ~2.2 billion years old) massive metamorphic plugs. The woodland there was remarkably dry, almost entirely leafless. Although birding was generally quiet, we easily located the specialties we hoped to find there, particularly Pygmy Nightjar (adults with a half-grown chick!) and White-browed Guan (the dry conditions helped by keeping them close to the little water that was available), and we saw our first Cactus Parakeets, Spot-backed Puffbird, a Blue-crowned Trogon, Ochre-backed Woodpecker, a surprise pair of Golden-green Woodpeckers, a nice male Ochraceous Piculet, a male Great Antshrike of the fancy subspecies *stagurus*, lots of flashy White-naped Jays, several Campo Troupials – and even a group of Scarlet-throated Tanagers, which can be difficult to find anywhere on the tour route. Black-chested Buzzard-Eagles and Harris’s Hawks also graced our scopes.

The long drive south to the Chapada do Araripe paid off grandly over the next couple of days, with fine views of the recently described Northern Silvery-cheeked Antshrike, Planalto Slaty-Antshrike, the handsome Stripe-backed Antbird, Caatinga Antwren, White-browed Antpitta, Red-shouldered Spinetail, Great Xenops (Wow!), Pale-bellied Tyrant-Manakin, Gray-eyed Greenlet, Cinnamon Tanager, and the star of the show, Araripe Manakin! At our picnic dinner spot on the chapada, we pulled up a male Bearded Bellbird, which we had not even heard on the tour for a few years and also had close encounters with singing Rufous Nightjars. Continuing our way south, we birded at a couple of ephemeral ponds that concentrated lots of birds, including a bunch of Southern Pochards and a Masked Duck. A highly efficient afternoon stop in remnant caatinga woodland was fantastic for Black-bellied Antwrens, Narrow-billed Woodcreeper, Ash-throated Casiornis, White-naped Xenopsaris, and Long-billed Wren.

Based in a fine hotel in Petrolina, on the banks of the great Rio São Francisco (the largest river in eastern Brazil), we were in the heart of the *caatinga*, which is a Tupí-Guaraní Indian word for “white forest”, in reference to the appearance of the original, deciduous forest when it becomes leafless during

the dry season. Our first morning in *caatinga* scrub was really fun, as lots of species came in close around us, including Glittering-bellied Emerald, Spotted Piculet, Caatinga Cachalote, Southern Scrub-Flycatcher, Suiriri Flycatcher, Mouse-colored Tyrannulet, Common Tody-Flycatcher, Swainson's and Brown-crested flycatchers, and the endemic White-throated Seedeater. Especially good was getting back-to-back comparisons of Greater and Bahia wagtail-tyrants! We also had a great view of a Red-legged Seriema, and kicked up a couple of Least Nighthawks that performed nicely in flight. After an excellent lunch accompanied by nesting Fork-tailed Palm-Swifts and a siesta back at the hotel, we reemerged for some late-afternoon birding at a marsh where we found Rusty-backed Spinetail and Greater Thornbird, both very local species on the São Francisco, and we even spotted a couple of Comb Ducks.

Next morning we crossed the São Francisco from Petrolina to Juazeiro, in the state of Bahia, and made our way southeast to the rather remote town of Canudos. A late-afternoon outing near town was fantastic for Broad-tipped Hermit, Stripe-breasted Starthroat, Ruby Topaz Hummingbirds, Barred Antshrike (the *caatinga*-based subspecies *capistratus*, with red eyes and spot-barréd plumage) and Ultramarine Grosbeak. Canudos is the gateway to the Raso de Catarina, where the Canudos Biological Station protects the red-rock canyons that are the nesting sites of Indigo (Lear's) Macaws. Almost the entire world population, now numbering some 2300, breeds here, using crevices and cavities in these steep-walled canyons. We arrived at the main canyon at first light, and we could soon hear the first macaws waking up. What an incredibly exciting moment! The day dawned quickly, and soon we were seeing pairs and trios of macaws flying overhead, en route to their feeding grounds 20+ miles away. We then made our way down to the rim of the canyon, and settled in for 2-3 hours of spectacular viewing of these very rare macaws as they came by on all sides, entered their nest cavities in the cliffs, and perched on the canyon rim or even on columnar cacti, unconcerned with our presence. Seeing these very blue macaws against those pinkish-red cliffs, especially in bright morning sunlight, is an absolutely gorgeous, thrilling experience. Also present were multiple pairs of Blue-crowned

Parakeets and a few Turquoise-fronted Amazons, and both Black-chested Buzzard-Eagle and King Vulture were spotted in the distance.

We made our way east from Canudos on a long travel day, stopping for a fine view of increasingly rare Pectoral Antwrens and a bonus White Monjita before pulling into the town of Catú for the night. Fringe-backed Fire-eye was in our sights, and we were lucky to find a pair of these rare and local antbirds quickly this year, leaving us time for good views of Golden-capped Parakeets, Sooretama Slaty-Antshrike, Bahia Antwren, Rufous-margined Antwren, and Eared Pygmy-Tyrant -- and also time for a stop at the edge of a cattail marsh where we had unbelievably close and prolonged views of a family of five Rufous-sided Crakes and a pair of Blackish Rails! Following a hearty churrascaria lunch, we relaxed in our comfortable bus and devoted the balance of the day to the drive to Mucugê, a small, colonial town in the Chapada Diamantina. The drive is very worthwhile, as Mucugê offers access to several distinct habitats, including both types of *cerrado* savannas: *campo limpo* (essentially grassland with a low shrub layer), *campo rupestre* (savanna with rocky substrate and shrubs), and *mata-de-cipó*, which is a stunted woodland with a dense, vine-rich understory. We did very well around Mucugê, with especially good sightings of the recently described Diamantina Tapaculo (drop-dead amazing, check out the video!), Collared Crescentchest, Rufous-capped Antshrike, Southern Silvery-cheeked Antshrike, Sincora Antwren, Rusty-backed Antwren, Narrow-billed Antwren, Rufous-sided Scrub-Tyrant, Stripe-tailed and Grassland yellow-finches, and Hepatic and White-banded tanagers. Hummers were also excellent, especially a couple of close, perched male Hooded Visorbearers, Brown Violetear, and a Horned Sungem practically at our feet! One late afternoon, Pete spotted a Short-eared Owl hunting low over the *cerrado*, a rare sighting in this region. Our final birding destination was Chapada Diamantina National Park, near the old diamond-mining town of Lençóis. Weather was unusually damp and windy, but we managed excellent views of duetting Pale-throated Pampa-Finches and good comparisons of Plain-crested, Lesser, and Small-headed elaenias. Fortunately, the flight from Lençóis to Salvador operated right on time, saving us the 6-hour drive we had to do last year!


Amigos, this was my final tour of Northeast Brazil. It's been a wonderful run, as I led this trip almost every year since its inception in 1993, which marked the starting point for birding tourism in the *Nordeste* of Brazil. I retire happily, knowing that Marcelo will very ably carry it forward for many, many years to come! Thanks to all of you for joining us this year. We had a really fun time, and we look forward to seeing you again, soon.

You can see my complete trip report on eBird at this link: <https://ebird.org/tripreport/474627>

Field Guides Birding tours -- NOWHERE BUT NORTEASTH BRAZIL, 2026, with Marcelo Barreiros & Bret Whitney (Daniel as local guide for the Fernando de Noronha pre-tour extension)



9 – 30 Jan 2026 (22 days) Link-only



📍 Brazil

Bahia | Ceará | Pernambuco

👤 Marcelo Barreiros



For a Field Guides photo gallery and additional media for this trip report, visit:...

 **307**

Species Observed

 **64**

Checklists

LIFERS  11 

Species Observed

[Show all details](#)

- | | | | | | | |
|----|-------------------------------------|----------------------------------|---|---|---|---|
| 1 | White-bellied Nothura | <i>Nothura boraquira</i> |  |  |  | 1 |
| 1 | Red-winged Tinamou | <i>Rhynchotus rufescens</i> | |  |  | 1 |
| 3 | Small-billed Tinamou | <i>Crypturellus parvirostris</i> | |  |  | 2 |
| 3 | White-faced Whistling-Duck | <i>Dendrocygna viduata</i> | |  |  | 1 |
| 44 | Black-bellied Whistling-Duck | <i>Dendrocygna autumnalis</i> | |  |  | 2 |
| 2 | Comb Duck | <i>Sarkidiornis sylvicola</i> |  |  |  | 1 |
| 35 | Brazilian Teal | <i>Amazonetta brasiliensis</i> | |  |  | 3 |
| 2 | White-cheeked Pintail | <i>Anas bahamensis</i> | |  |  | 1 |
| 11 | Southern Pochard | <i>Netta erythrophthalma</i> | |  |  | 1 |
| 2 | Masked Duck | <i>Nomonyx dominicus</i> | |  |  | 2 |
| 16 | White-browed Guan | <i>Penelope jacucaca</i> | |  |  | 2 |
| 2 | Rusty-margined Guan | <i>Penelope superciliaris</i> | |  |  | 2 |
| 3 | East Brazilian Chachalaca | <i>Ortalis araucuan</i> | |  |  | 1 |
| 22 | Picazuro Pigeon | <i>Patagioenas picazuro</i> | |  |  | 7 |
| 4 | Plain-breasted Ground Dove | <i>Columbina minuta</i> | |  |  | 3 |
| 16 | Ruddy Ground Dove | <i>Columbina talpacoti</i> | |  |  | 5 |
| 25 | Scaled Dove | <i>Columbina squammata</i> | |  |  | 8 |
| 10 | Picui Ground Dove | <i>Columbina picui</i> | |  |  | 4 |
| 2 | Blue Ground Dove | <i>Claravis pretiosa</i> | |  |  | 1 |
| 9 | White-tipped Dove | <i>Leptotila verreauxi</i> | |  |  | 4 |

X	Gray-fronted Dove <i>Leptotila rufaxilla</i>	▶  2
256	Eared Dove <i>Zenaida auriculata</i>	▶  14
10	Guira Cuckoo <i>Guira guira</i>	▶  3
33	Smooth-billed Ani <i>Crotophaga ani</i>	▶  9
2	Common Squirrel-Cuckoo <i>Piaya cayana</i>	▶  2
2	Dark-billed Cuckoo <i>Coccyzus melacoryphus</i>	▶  1
3	Least Nighthawk <i>Chordeiles pusillus</i>	▶  2
4	Rufous Nightjar <i>Antrostomus rufus</i> ✓	▶  2
3	Sick's Swift <i>Chaetura meridionalis</i>	▶  2
2	Fork-tailed Palm Swift <i>Tachornis squamata</i>	▶  1
2	Broad-tipped Hermit <i>Anopetia gounellei</i>	▶  1
4	Reddish Hermit <i>Phaethornis ruber</i>	▶  4
6	Planalto Hermit <i>Phaethornis pretrei</i>	▶  5
6	Hooded Visorbearer <i>Augastes lumachella</i>	▶  2
4	White-vented Violetear <i>Colibri serrirostris</i>	▶  4
2	Brown Violetear <i>Colibri delphinae</i>	▶  1
1	Horned Sungem <i>Heliactin bilophus</i>	▶  1
1	Ruby-topaz Hummingbird <i>Chrysolampis mosquitus</i>	▶  1
1	Stripe-breasted Starthroat <i>Heliomaster squamosus</i>	▶  1
12	Glittering-bellied Emerald <i>Chlorostilbon lucidus</i>	▶  9
5	Fork-tailed Woodnymph <i>Thalurania furcata</i>	▶  2
4	Swallow-tailed Hummingbird <i>Eupetomena macroura</i>	▶  4
2	Versicolored Emerald <i>Chrysuronia versicolor</i>	▶  2

- 2 **Plain-bellied Emerald** *Chrysuronia leucogaster* ▶  1
- 2 **Glittering-throated Emerald** *Chionomesa fimbriata* ▶  2
- 2 **White-chinned Sapphire** *Chlorestes cyanus* ▶  2
- 2 **Blue-chinned Sapphire** *Chlorestes notata* ▶  2
- 2 **Blackish Rail** *Pardirallus nigricans* ▶  2
- 2 **Gray-cowled Wood-Rail** *Aramides cajaneus* ▶  2
- 77 **Common Gallinule** *Gallinula galeata* ▶  4
- 5 **Purple Gallinule** *Porphyrio martinica* ▶  3
- 9 **Rufous-sided Crake** *Laterallus melanophaius* ▶  3
- 3 **Limpkin** *Aramus guarauna* ▶  2
- 56 **Black-necked Stilt** *Himantopus mexicanus* ▶  2
- 10 **Black-bellied Plover** *Pluvialis squatarola* ▶  7
- 42 **Southern Lapwing** *Vanellus chilensis* ▶  6
- 40 **Wattled Jacana** *Jacana jacana* ▶  6
- 5 **Hudsonian Whimbrel** *Numenius hudsonicus* ▶  5
- 3 **Solitary Sandpiper** *Tringa solitaria* ▶  1
- 11 **Ruddy Turnstone** *Arenaria interpres* ▶  5
- 22 **Atlantic White-Tern** *Gygis alba* ✓ ▶  6
- 96 **Brown Noddy** *Anous stolidus* ✓ ▶  7
- 194 **Black Noddy** *Anous minutus* ✓ ▶  6
- 23 **Sooty Tern** *Onychoprion fuscatus* ✓ ▶  3
- 2 **Large-billed Tern** *Phaetusa simplex* ▶  2
- 3 **Least Grebe** *Tachybaptus dominicus* ▶  1

- 6 **Pied-billed Grebe** *Podilymbus podiceps* ▶  1
- 25 **White-tailed Tropicbird** *Phaethon lepturus* ▶  7
- 3 **Red-billed Tropicbird** *Phaethon aethereus* ▶  1
- 138 **Magnificent Frigatebird** *Fregata magnificens* ▶  11
- 165 **Red-footed Booby** *Sula sula* ▶  4
- 41 **Brown Booby** *Sula leucogaster* ▶  9
- 36 **Masked Booby** *Sula dactylatra* ✓ ▶  6
- 73 **Neotropic Cormorant** *Nannopterum brasilianum* ▶  3
- 1 **Bare-faced Ibis** *Phimosus infuscatus* ▶  1
- 1 **Rufescent Tiger-Heron** *Tigrisoma lineatum* ▶  1
- 4 **Pinnated Bittern** *Botaurus pinnatus* ▶  1
- 1 **Little Blue Heron** *Egretta caerulea* ▶  1
- 6 **Snowy Egret** *Egretta thula* ▶  3
- 7 **Striated Heron** *Butorides striata* ▶  3
- 11 **Squacco Heron** *Ardeola ralloides* ▶  6
- 162 **Western Cattle-Egret** *Ardea ibis* ▶  8
- 7 **Great Egret** *Ardea alba* ▶  5
- 1 **King Vulture** *Sarcoramphus papa* ▶  1
- 83 **Black Vulture** *Coragyps atratus* ▶  12
- 26 **Turkey Vulture** *Cathartes aura* ▶  11
- 5 **Lesser Yellow-headed Vulture** *Cathartes burrovianus* ▶  4
- 1 **Pearl Kite** *Gampsonyx swainsonii* ▶  1
- 1 **White-tailed Kite** *Elanus leucurus* ▶  1

- 1 **Sharp-shinned Hawk** *Accipiter striatus* ▶  1
- 1 **Snail Kite** *Rostrhamus sociabilis* ▶  1
- 1 **Savanna Hawk** *Buteogallus meridionalis* ▶  1
- 3 **Roadside Hawk** *Rupornis magnirostris* ▶  3
- 3 **Harris's Hawk** *Parabuteo unicinctus* ▶  3
- 2 **White-tailed Hawk** *Geranoaetus albicaudatus* ▶  2
- 6 **Black-chested Buzzard-Eagle** *Geranoaetus melanoleucus* ▶  3
- 1 **Short-tailed Hawk** *Buteo brachyurus* ▶  1
- 2 **Ferruginous Pygmy-Owl** *Glaucidium brasilianum* ▶  2
- 4 **Burrowing Owl** *Athene cunicularia* ▶  2
- 1 **Short-eared Owl** *Asio flammeus* ✓ ▶  1
- 3 **Ringed Kingfisher** *Megaceryle torquata* ▶  3
- 1 **Amazon Kingfisher** *Chloroceryle amazona* ▶  1
- 4 **Spot-backed Puffbird** *Nystalus maculatus* ▶  2
- 7 **Rufous-tailed Jacamar** *Galbula ruficauda* ▶  5
- 4 **Gould's Toucanet** *Selenidera gouldii* ▶  2
- 4 **Golden-spangled Piculet** *Picumnus exilis* ▶  2
- 1 **Spotted Piculet** *Picumnus pygmaeus* ▶  1
- 3 **Ochraceous Piculet** *Picumnus limae* ▶  2
- 1 **Little Woodpecker** *Veniliornis passerinus* ▶  1
- 3 **Lineated Woodpecker** *Dryocopus lineatus* ▶  2
- 3 **Ochre-backed Woodpecker** *Celeus ochraceus* ▶  2
- 2 **Golden-green Woodpecker** *Piculus chrysochloros* ▶  1

- 4 **Green-barred Woodpecker** *Colaptes melanochloros* ▶  3
- 2 **Red-legged Seriema** *Cariama cristata* ▶  2
- 1 **Laughing Falcon** *Herpetotheres cachinnans* ▶  1
- 12 **Crested Caracara** *Caracara plancus* ▶  6
- 2 **Yellow-headed Caracara** *Daptrius chimachima* ▶  2
- 2 **American Kestrel** *Falco sparverius* ▶  2
- 16 **Yellow-chevroned Parakeet** *Brotogeris chiriri* ▶  3
- 1 **Blue-headed Parrot** *Pionus menstruus* ▶  1
- 7 **Turquoise-fronted Amazon** *Amazona aestiva* ▶  1
- 11 **Cobalt-rumped Parrotlet** *Forpus xanthopterygius* ▶  4
- 2 **Maroon-bellied Parakeet** *Pyrrhura frontalis* ▶  1
- 19 **Gray-breasted Parakeet** *Pyrrhura griseipectus* ▶  3
- 70 **Indigo Macaw** *Anodorhynchus leari* ▶  1
- 18 **Peach-fronted Parakeet** *Eupsittula aurea* ▶  2
- 18 **Cactus Parakeet** *Eupsittula cactorum* ▶  7
- 21 **Jandaya Parakeet** *Aratinga jandaya* ▶  3
- 24 **Golden-capped Parakeet** *Aratinga auricapillus* ▶  1
- 54 **Blue-crowned Parakeet** *Thectocercus acuticaudatus* ▶  2
- 2 **Red-shouldered Macaw** *Diopsittaca nobilis* ▶  1
- 5 **Great Antshrike** *Taraba major* ▶  2
- 5 **Silvery-cheeked Antshrike** *Sakesphoroides cristatus* ▶  3
- 4 **Caatinga Antwren** *Radinopsyche sellowi* ▶  2
- 3 **Barred Antshrike** *Thamnophilus doliatus* ▶  2

- 1 **Rufous-winged Antshrike** *Thamnophilus torquatus* ▶  1
- 1 **Chestnut-backed Antshrike** *Thamnophilus palliatus* ▶  1
- 5 **Planalto Slaty-Antshrike** *Thamnophilus pelzelni* ▶  4
- 2 **Sooretama Slaty-Antshrike** *Thamnophilus ambiguus* ▶  2
- 2 **Variable Antshrike** *Thamnophilus caeruleus* ▶  1
- 1 **White-shouldered Antshrike** *Thamnophilus aethiops* ▶  1
- 6 **Stripe-backed Antbird** *Myrmorchilus strigilatus* ▶  5
- 4 **Bahia Antwren** *Herpsilochmus pileatus* ▶  2
- 9 **Black-capped Antwren** *Herpsilochmus atricapillus* ▶  3
- 2 **Pectoral Antwren** *Herpsilochmus pectoralis* ▶  1
- 1 **Rufous-margined Antwren** *Herpsilochmus rufimarginatus* ▶  1
- 2 **Narrow-billed Antwren** *Formicivora iheringi* ▶  1
- 1 **Southern White-fringed Antwren** *Formicivora grisea* ▶  1
- 3 **Black-bellied Antwren** *Formicivora melanogaster* ▶  3
- 2 **Rusty-backed Antwren** *Formicivora rufa* ▶  2
- 2 **Sincora Antwren** *Formicivora grantsaui* ▶  1
- 1 **Willis's Antbird** *Cercomacroides laeta* ▶  1
- 4 **Fringe-backed Fire-eye** *Pyriglena atra* ▶  2
- 4 **Collared Crescentchest** *Melanopareia torquata* ▶  2
- 5 **Ceara Gnatcatcher** *Conopophaga cearae* ▶  3
- 5 **White-browed Antpitta** *Hylopezus ochroleucus* ▶  3
- 2 **Diamantina Tapaculo** *Scytalopus diamantinensis* ▶  1
- 3 **Short-tailed Antthrush** *Chamaeza campanisona* ▶  1

- 1 **Rufous-breasted Leaf-tosser** *Sclerurus scansor* ▶  1
- 2 **Olivaceous Woodcreeper** *Sittasomus griseicapillus* ▶  1
- 3 **Ceara Woodcreeper** *Xiphorhynchus atlanticus* ▶  2
- 6 **Narrow-billed Woodcreeper** *Lepidocolaptes angustirostris* ▶  5
- 1 **Amazonian Plain-Xenops** *Xenops genibarbis* ▶  1
- 5 **Wing-banded Hornero** *Furnarius figulus* ▶  2
- 3 **Pale-legged Hornero** *Furnarius leucopus* ▶  2
- 4 **Rufous Hornero** *Furnarius rufus* ▶  2
- 3 **Great Xenops** *Megaxenops parnaguae* ▶  2
- 2 **Rufous-fronted Thornbird** *Phacellodomus rufifrons* ▶  1
- 2 **Greater Thornbird** *Phacellodomus ruber* ▶  1
- 2 **Rusty-backed Spinetail** *Cranioleuca vulpina* ▶  1
- 7 **Gray-headed Spinetail** *Cranioleuca semicinerea* ▶  4
- 4 **Caatinga Cacholote** *Pseudoseisura cristata* ▶  2
- 10 **Yellow-chinned Spinetail** *Certhiaxis cinnamomeus* ▶  3
- 2 **Ochre-cheeked Spinetail** *Synallaxis scutata* ▶  1
- 6 **Red-shouldered Spinetail** *Synallaxis hellmayri* ▶  2
- 1 **Pinto's Spinetail** *Synallaxis infuscata* ▶  1
- 1 **Pale-breasted Spinetail** *Synallaxis albescens* ▶  1
- 1 **Sooty-fronted Spinetail** *Synallaxis frontalis* ▶  1
- 3 **Pale-bellied Tyrant-Manakin** *Neopelma pallescens* ▶  2
- 3 **Araripe Manakin** *Chiroxiphia bokermanni* ▶  1
- 3 **Blue-backed Manakin** *Chiroxiphia pareola* ▶  2

- 6 **Band-tailed Manakin** *Pipra fasciicauda* ▶  1
- 1 **Red-headed Manakin** *Ceratopipra rubrocapilla* ▶  1
- 1 **Bearded Bellbird** *Procnias averano* ▶  1
- 2 **White-naped Xenopsaris** *Xenopsaris albinucha* ▶  2
- 1 **White-winged Becard** *Pachyramphus polychopterus* ▶  1
- 3 **Crested Becard** *Pachyramphus validus* ▶  2
- 1 **Black-tailed Flycatcher** *Myiobius atricaudus* ▶  1
- 4 **White-throated Spadebill** *Platyrinchus mystaceus* ▶  3
- 2 **Eared Pygmy-Tyrant** *Myiornis auricularis* ▶  1
- 4 **Pearly-vented Tody-Tyrant** *Hemitriccus margaritaceiventer* ▶  3
- 3 **Buff-breasted Tody-Tyrant** *Hemitriccus mirandae* ▶  1
- 2 **Smoky-fronted Tody-Flycatcher** *Poecilatriccus fumifrons* ▶  1
- 6 **Common Tody-Flycatcher** *Todirostrum cinereum* ▶  5
- 11 **Ochre-lored Flatbill** *Tolmomyias flaviventris* ▶  9
- 7 **Cliff Flycatcher** *Hirundinea ferruginea* ▶  3
- 12 **Southern Beardless-Tyrannulet** *Camptostoma obsoletum* ▶  8
- 2 **Suiriri Flycatcher** *Suiriri suiriri* ▶  1
- 6 **Mouse-colored Tyrannulet** *Nesotriccus murinus* ▶  4
- 3 **Yellow Tyrannulet** *Capsiempis flaveola* ▶  1
- 3 **Greenish Elaenia** *Myiopagis viridicata* ▶  2
- 2 **Plain-crested Elaenia** *Elaenia cristata* ▶  2
- 1 **Small-headed Elaenia** *Elaenia sordida* ▶  1
- 4 **Yellow-bellied Elaenia** *Elaenia flavogaster* ▶  3

- 4 **Large Elaenia** *Elaenia spectabilis* ▶  2
- 8 **Noronha Elaenia** *Elaenia ridleyana* ✓ ▶  3
- 5 **Lesser Elaenia** *Elaenia chiriquensis* ▶  4
- 4 **Planalto Tyrannulet** *Phyllomyias fasciatus* ▶  2
- 5 **Guianan Tyrannulet** *Zimmerius acer* ▶  4
- 2 **Fulvous-crowned Scrub-Tyrant** *Euscarthmus meloryphus* ▶  2
- 1 **Rufous-sided Scrub-Tyrant** *Euscarthmus rufomarginatus* ▶  1
- 1 **Bahia Wagtail-Tyrant** *Stigmatura bahiae* ▶  1
- 3 **Greater Wagtail-Tyrant** *Stigmatura budytoides* ▶  2
- 2 **Bran-colored Flycatcher** *Myiophobus fasciatus* ▶  2
- 2 **Euler's Flycatcher** *Lathrotriccus euleri* ▶  1
- 2 **Southern Scrub-Flycatcher** *Sublegatus modestus* ▶  1
- 1 **White Monjita** *Xolmis irupero* ▶  1
- 1 **White-headed Marsh Tyrant** *Arundinicola leucocephala* ▶  1
- 3 **Black-backed Water-Tyrant** *Fluvicola albiventer* ▶  2
- 6 **Masked Water-Tyrant** *Fluvicola nengeta* ▶  3
- 1 **Ash-throated Casiornis** *Casiornis fuscus* ▶  1
- 2 **Swainson's Flycatcher** *Myiarchus swainsoni* ▶  1
- 2 **Short-crested Flycatcher** *Myiarchus ferox* ▶  1
- 6 **Brown-crested Flycatcher** *Myiarchus tyrannulus* ▶  5
- 2 **Cattle Tyrant** *Machetornis rixosa* ▶  1
- 16 **Great Kiskadee** *Pitangus sulphuratus* ▶  12
- 3 **Boat-billed Flycatcher** *Megarynchus pitangua* ▶  3

20	Social Flycatcher <i>Myiozetetes similis</i>	▶ 12
4	Streaked Flycatcher <i>Myiodynastes maculatus</i>	▶ 2
14	Variegated Flycatcher <i>Empidonomus varius</i>	▶ 9
37	Tropical Kingbird <i>Tyrannus melancholicus</i>	▶ 17
1	Fork-tailed Flycatcher <i>Tyrannus savana</i>	▶ 1
13	Rufous-browed Peppershrike <i>Cyclarhis gujanensis</i>	▶ 9
3	Gray-eyed Greenlet <i>Hylophilus amaurocephalus</i>	▶ 3
9	Chivi Vireo <i>Vireo chivi</i>	▶ 7
28	Noronha Vireo <i>Vireo gracilirostris</i> ✓	▶ 5
22	White-naped Jay <i>Cyanocorax cyanopogon</i>	▶ 4
1	Black-capped Donacobius <i>Donacobius atricapilla</i>	▶ 1
3	White-winged Swallow <i>Tachycineta albiventer</i>	▶ 2
25	Gray-breasted Martin <i>Progne chalybea</i>	▶ 3
1	Brown-chested Martin <i>Progne tapera</i>	▶ 1
3	Southern Rough-winged Swallow <i>Stelgidopteryx ruficollis</i>	▶ 2
1	Blue-and-white Swallow <i>Pygochelidon cyanoleuca</i>	▶ 1
2	Barn Swallow <i>Hirundo rustica</i>	▶ 1
1	Long-billed Gnatwren <i>Ramphocaenus melanurus</i>	▶ 1
9	Tropical Gnatcatcher <i>Polioptila plumbea</i>	▶ 5
4	Southern House Wren <i>Troglodytes musculus</i>	▶ 4
3	Moustached Wren <i>Pheugopedius genibarbis</i>	▶ 2
6	Long-billed Wren <i>Cantorchilus longirostris</i>	▶ 4
6	Chalk-browed Mockingbird <i>Mimus saturninus</i>	▶ 3

- 1 **Tropical Mockingbird** *Mimus gilvus* ▶  1
- 12 **Pale-breasted Thrush** *Turdus leucomelas* ▶  8
- 8 **Rufous-bellied Thrush** *Turdus rufiventris* ▶  4
- 53 **Common Waxbill** *Estrilda astrild* * ▶  5
- 34 **House Sparrow** *Passer domesticus* * ▶  8
- 1 **Yellowish Pipit** *Anthus chii* ▶  1
- 16 **Purple-throated Euphonia** *Euphonia chlorotica* ▶  5
- 7 **Violaceous Euphonia** *Euphonia violacea* ▶  4
- 1 **Yellow-faced Siskin** *Spinus yarrellii* Sensitive ▶  1
- 5 **Pectoral Sparrow** *Arremon taciturnus* ▶  2
- 17 **Rufous-collared Sparrow** *Zonotrichia capensis* ▶  8
- 5 **Variable Oriole** *Icterus pyrrhopterus* ▶  3
- 8 **Campo Troupial** *Icterus jamacaii* ▶  3
- 19 **Shiny Cowbird** *Molothrus bonariensis* ▶  3
- 1 **Forbes's Blackbird** *Anumara forbesi* ▶  1
- 6 **Chopi Blackbird** *Gnorimopsar chopi* ▶  3
- 55 **Chestnut-capped Blackbird** *Chrysomus ruficapillus* ▶  2
- 1 **Southern Yellowthroat** *Geothlypis velata* ▶  1
- 3 **Tropical Parula** *Setophaga pitiaiyumi* ▶  2
- 3 **Golden-crowned Warbler** *Basileuterus culicivorus* ▶  1
- 3 **Flavescent Warbler** *Myiothlypis flaveola* ▶  3
- 2 **Hepatic Tanager** *Piranga flava* ▶  1
- 5 **Ultramarine Grosbeak** *Cyanoloxia brissonii* ▶  4

- 16 **Red-cowled Cardinal** *Paroaria dominicana* ▶  9
- 3 **Cinnamon Tanager** *Schistochlamys ruficapillus* ▶  2
- 6 **White-banded Tanager** *Neothraupis fasciata* ▶  3
- 9 **Scarlet-throated Tanager** *Compsothraupis loricata* ▶  2
- 4 **Hooded Tanager** *Nemosia pileata* ▶  1
- 2 **Orange-headed Tanager** *Thlypopsis sordida* ▶  2
- 2 **Flame-crested Tanager** *Loriotus cristatus* ▶  1
- 7 **White-lined Tanager** *Tachyphonus rufus* ▶  6
- 1 **Brazilian Tanager** *Ramphocelus bresilius* ▶  1
- 19 **Sayaca Tanager** *Thraupis sayaca* ▶  12
- 29 **Palm Tanager** *Thraupis palmarum* ▶  10
- 16 **Burnished-buff Tanager** *Stilpnia cayana* ▶  9
- 8 **Red-necked Tanager** *Tangara cyanocephala* ▶  3
- 17 **Blue Dacnis** *Dacnis cayana* ▶  6
- 4 **Red-legged Honeycreeper** *Cyanerpes cyaneus* ▶  3
- 2 **Green Honeycreeper** *Chlorophanes spiza* ▶  2
- 3 **Guira Tanager** *Hemithraupis guira* ▶  2
- 3 **Bicolored Conebill** *Conirostrum bicolor* ▶  1
- 1 **Blue Finch** *Rhopospina caerulea* ▶  1
- 2 **Stripe-tailed Yellow-Finch** *Sicalis citrina* ▶  1
- 2 **Orange-fronted Yellow-Finch** *Sicalis columbiana* ▶  1
- 1 **Saffron Finch** *Sicalis flaveola* ▶  1
- 2 **Grassland Yellow-Finch** *Sicalis luteola* ▶  2

- 3 **Wedge-tailed Grass-Finch** *Emberizoides herbicola* ▶  1
- 2 **Pale-throated Pampa-Finch** *Embernagra longicauda* ▶  1
- 9 **Blue-black Grassquit** *Volatinia jacarina* ▶  6
- 2 **White-bellied Seedeater** *Sporophila leucoptera* ▶  1
- 4 **Yellow-bellied Seedeater** *Sporophila nigricollis* ▶  3
- 14 **White-throated Seedeater** *Sporophila albogularis* ▶  7
- 7 **Pileated Finch** *Coryphospingus pileatus* ▶  4
- 15 **Bananaquit** *Coereba flaveola* ▶  9
- 2 **Black-throated Saltator** *Saltatricula atricollis* ▶  2
- 1 **Buff-throated Saltator** *Saltator maximus* ▶  1
- 1 **Green-winged Saltator** *Saltator similis* ▶  1

ADDITIONAL TAXA

- 80 **Brown/Black Noddy** *Anous stolidus/minusus* ▶  1
- 1 **xenops sp.** *Xenops sp.* ▶  1