

Trip Report — Brazil Nutshell: Intervalles, Iguazu Falls & the Pantanal 2025

March 8-22, 2025 with Marcelo Padua



Birding at Iguazu Falls is an unforgettable experience, as the birds are great and the scenery needs no comments. Photo by participant Allen Chartier.

Brazil is a massive country; it's larger than the lower 48 states in the US, so choosing a first tour to this country is always a challenging thing to do. But this tour visits 3 distinctive areas of the country and offers a broad sample of two major habitats, the Atlantic forest, and the Pantanal, making it a perfect introduction to birding in Brazil.

We start the tour with four nights at Intervalles State Park in the state of Sao Paulo, one of the best places to bird in Brazil and a place where we were immersed in pristine habitat from the moment we woke up to the moment we went to bed. We explored the trails and found a profusion of Foliage-gleaners, Tanagers, Manakins, Antbirds and several extremely hard to see birds that our local guide Betinho had staked out for us, such as Red-and-

white Crake, Solitary Tinamou, Spot-winged Wood-Quail, Pavonine Cuckoo and Rusty-barred Owl, just to name a few of the birds that very few people ever get to see that Betinho had on a string for us.



Helmeted Woodpecker is one of the rarest woodpeckers in Brazil and we had not seen one on this tour in years, so we were very happy to connect with this one and have Allen even take a picture of it. Photo by participant Allen Chartier.

We also worked hard and got lucky with a few others that are never guaranteed, and we had incredible looks at Helmeted Woodpecker, Black-fronted Piping-guan, Long-tufted and Black-capped Screech-owls, and even Variegated Antpitta just to name a few.

We then transferred to Iguazu Falls, where the birding is spectacular, but the falls take the center stage. We spent two nights on the Argentine side of the Falls and two nights on the Brazilian side, allowing us to experience the falls from every angle and to bird at a leisurely pace, taking time to enjoy the colors of birds such as Plush-crested Jays, Toco Toucans, Green-headed

Tanagers, Yellow-fronted Woodpeckers, Rufous-capped Motmot and Cobalt-rumped Parrotlet. We also found some rare and more discreet birds, such as Buff-bellied Puffbirds, Black-and-white Hawk Eagle and Southern Bristle-tyrant.



Sometimes it's better to be lucky than good. This Black-and-white Hawk-Eagle perched close to us at Iguazu, and we had great looks at it. A rare sighting in the area. Photo by participant Allen Chartier.

Birding in Iguazu also allowed us take advantage of the joys of watching a feeder and getting incredible views of 7 species of hummingbirds, and visiting the falls at dusk to witness the spectacle of thousands of Great Dusky Swifts coming to roost behind the falls. What a memorable experience!

It would seem like a shame to leave Iguazu if it wasn't for the fact that our next destination was the Pantanal, one of the best places for birding and general wildlife viewing in the world!

Four nights in the Pantanal proved to be a delight, with Hyacinth Macaws, Jabirus, Limpkins, Bare-faced Curassows and many others easy to see, but we also saw some great mammals like Capybara, Azara's Night Monkey, Crab-eating Fox and even an Ocelot (not to mention a Jaguar that Allen got to see lurking around our lodge at night).



This Red-and-white Crake is one of many nearly impossible birds to see that Betinho had on a string for us at Intervalles. Photo by participant Allen Chartier.

Besides the obvious beasts and birds of the Pantanal we managed to see some very secretive birds, like the discreet Zigzag Heron, Mato Grosso Antbird, White-lored Spinetail, Helmeted Manakin, Black-bellied Antwren and Pale Legged Hornero.

Our trip was a blast, our group wonderful, and I would do it all again in a heart beat.

Thank you for spending your time with me and letting me introduce you to the fabulous birding of Brazil and I hope we can do it again somewhere else.

And thank you Allen, for all the wonderful photos that illustrated this trip report.



Ocelots are extremely hard to see but we had great looks at one during a night drive in the Pantanal. Photo by participant Allen Chartier.

Our list included some incredible mammal highlights:

- Black-tailed Marmoset (*Mico melanurus*)
- Black-and-gold Howler (*Alouatta caraya*)
- Brown Capuchin (*Sapajus apella*)
- Azara's Night Monkey (*Aotus azarae*)
- Common Tapeti (*Sylvilagus brasiliensis*)
- Guianan Squirrel (*Sciurus aestuans*)
- Greater Capybara (*Hydrochoerus hydrochaeris*)

Azara's Agouti (*Dasyprocta azarae*)
Crab-eating Raccoon (*Procyon cancrivorus*)
South American Coati (*Nasua nasua*)
Lowland Tapir (*Tapirus terrestris*)
Marsh Deer (*Blastocerus dichotomus*)
Pampas Deer (*Ozotoceros bezoarticus*)
Common Red Brocket (*Mazama americana*)
Ocelot (*Leopardus pardalis*)
Jaguar (*Panthera onca*)


You can see my complete trip report on eBird at this
link: <https://ebird.org/tripreport/437794>

You can download a combined PDF of this page and the eBird report at this
link: <https://fieldguides.com/triplists/nut25TRIPLIST.pdf>

-- Marcelo Padua

Field Guides Birding Tours -- Brazil Nutshell: Intervalles, Iguazu Falls & the Pantanal 2025

8 – 22 Mar 2025 (15 days) Link-only



Argentina | Brazil Subregions

Marcelo Padua



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...

 380

 58













































Species Observed

Checklists
























LIFERS  11 

Species Observed
























[Show all details](#)
























| | | | |
|-----|-------------------------------------|---|--|
| 15 | Greater Rhea | <i>Rhea americana</i> |   4 |
| 2 | Spotted Nothura | <i>Nothura maculosa</i> |   1 |
| 1 | Solitary Tinamou | <i>Tinamus solitarius</i>  |   1 |
| 2 | Brown Tinamou | <i>Crypturellus obsoletus</i> |   2 |
| 3 | Undulated Tinamou | <i>Crypturellus undulatus</i> |   3 |
| 7 | Southern Screamer | <i>Chauna torquata</i> |   2 |
| 10 | White-faced Whistling-Duck | <i>Dendrocygna viduata</i> |   4 |
| 128 | Black-bellied Whistling-Duck | <i>Dendrocygna autumnalis</i> |   7 |
| 5 | Muscovy Duck | <i>Cairina moschata</i> |   2 |
| 4 | Brazilian Teal | <i>Amazonetta brasiliensis</i> |   2 |
| 1 | Black-fronted Piping-Guan | <i>Pipile jacutinga</i> |   1 |
| 12 | White-throated Piping-Guan | <i>Pipile grayi</i> |   4 |
| 1 | Dusky-legged Guan | <i>Penelope obscura</i> |   1 |
| 13 | Chestnut-bellied Guan | <i>Penelope ochrogaster</i> |   3 |
| 17 | Bare-faced Curassow | <i>Crax fasciolata</i> |   4 |
| 74 | Chaco Chachalaca | <i>Ortalis canicollis</i> |   7 |
| 8 | Spot-winged Wood-Quail | <i>Odontophorus capueira</i> |   3 |
| 1 | Rock Pigeon | <i>Columba livia</i>  |   1 |
| 7 | Pale-vented Pigeon | <i>Patagioenas cayennensis</i> |   3 |
| 22 | Picazuro Pigeon | <i>Patagioenas picazuro</i> |   11 |
| 58 | Ruddy Ground Dove | <i>Columbina talpacoti</i> |   7 |
























| | | | |
|-----|----------------------------------|-----------------------------------|---|
| 10 | Scaled Dove | <i>Columbina squammata</i> | ▶  6 |
| 3 | Long-tailed Ground Dove | <i>Uropelia campestris</i> | ▶  3 |
| 1 | Ruddy Quail-Dove | <i>Geotrygon montana</i> ✓ | ▶  1 |
| 2 | White-tipped Dove | <i>Leptotila verreauxi</i> | ▶  2 |
| 44 | Eared Dove | <i>Zenaida auriculata</i> | ▶  8 |
| 8 | Guira Cuckoo | <i>Guira guira</i> | ▶  4 |
| 66 | Greater Ani | <i>Crotophaga major</i> | ▶  5 |
| 23 | Smooth-billed Ani | <i>Crotophaga ani</i> | ▶  11 |
| 1 | Pavonine Cuckoo | <i>Dromococcyx pavoninus</i> | ▶  1 |
| 3 | Common Squirrel-Cuckoo | <i>Piaya cayana</i> | ▶  3 |
| 1 | Dark-billed Cuckoo | <i>Coccyzus melacoryphus</i> | ▶  1 |
| 1 | Short-tailed Nighthawk | <i>Lurocalis semitorquatus</i> | ▶  1 |
| 50 | Band-tailed Nighthawk | <i>Nyctiprogne leucopyga</i> | ▶  1 |
| 2 | Common Pauraque | <i>Nyctidromus albicollis</i> | ▶  1 |
| 2 | Great Dusky Swift | <i>Cypseloides senex</i> | ▶  2 |
| 110 | White-collared Swift | <i>Streptoprocne zonaris</i> | ▶  2 |
| 1 | Sick's Swift | <i>Chaetura meridionalis</i> | ▶  1 |
| 9 | Black Jacobin | <i>Florisuga fusca</i> | ▶  5 |
| 6 | Dusky-throated Hermit | <i>Phaethornis squalidus</i> ✓ | ▶  4 |
| 13 | Scale-throated Hermit | <i>Phaethornis eurynome</i> | ▶  4 |
| 2 | White-tailed Goldenthrout | <i>Polytmus guainumbi</i> | ▶  2 |
| 12 | Black-throated Mango | <i>Anthracothonax nigricollis</i> | ▶  7 |
| 3 | Festive Coquette | <i>Lophornis chalybeus</i> ✓ | ▶  2 |
| 1 | Brazilian Ruby | <i>Heliodoxa rubricauda</i> | ▶  1 |
























| | | | |
|----|------------------------------------|--------------------------------|--|
| 3 | Glittering-bellied Emerald | <i>Chlorostilbon lucidus</i> | ▶  2 |
| 17 | Violet-capped Woodnymph | <i>Thalurania glaucopis</i> | ▶  5 |
| 3 | Swallow-tailed Hummingbird | <i>Eupetomena macroura</i> | ▶  1 |
| 29 | Versicolored Emerald | <i>Chrysuronia versicolor</i> | ▶  6 |
| 6 | White-throated Hummingbird | <i>Leucochloris albicollis</i> | ▶  6 |
| 2 | Glittering-throated Emerald | <i>Chionomesa fimbriata</i> | ▶  2 |
| 1 | Sapphire-spangled Emerald | <i>Chionomesa lactea</i> | ▶  1 |
| 8 | Gilded Hummingbird | <i>Hylocharis chrysura</i> | ▶  3 |
| 6 | Blackish Rail | <i>Pardirallus nigricans</i> | ▶  2 |
| 1 | Gray-cowled Wood-Rail | <i>Aramides cajaneus</i> | ▶  1 |
| 10 | Slaty-breasted Wood-Rail | <i>Aramides saracura</i> | ▶  7 |
| 31 | Common Gallinule | <i>Gallinula galeata</i> | ▶  2 |
| 11 | Purple Gallinule | <i>Porphyrio martinica</i> | ▶  5 |
| 2 | Red-and-white Crake | <i>Rufirallus leucopyrrhus</i> | ▶  1 |
| 5 | Limpkin | <i>Aramus guarauna</i> | ▶  5 |
| 12 | Black-necked Stilt | <i>Himantopus mexicanus</i> | ▶  2 |
| 15 | Pied Plover | <i>Hoploxypterus cayanus</i> | ▶  2 |
| 96 | Southern Lapwing | <i>Vanellus chilensis</i> | ▶  17 |
| 11 | Wattled Jacana | <i>Jacana jacana</i> | ▶  5 |
| 49 | Lesser Yellowlegs | <i>Tringa flavipes</i> | ▶  3 |
| 20 | Pectoral Sandpiper | <i>Calidris melanotos</i> | ▶  1 |
| 41 | Large-billed Tern | <i>Phaetusa simplex</i> | ▶  5 |
| 15 | Jabiru | <i>Jabiru mycteria</i> | ▶  6 |
























| | | | |
|-----|-------------------------------------|----------------------------------|--|
| 6 | Wood Stork | <i>Mycteria americana</i> | ▶  3 |
| 2 | Anhinga | <i>Anhinga anhinga</i> | ▶  2 |
| 10 | Neotropic Cormorant | <i>Nannopterum brasilianum</i> | ▶  5 |
| 2 | Green Ibis | <i>Mesembrinibis cayennensis</i> | ▶  2 |
| 114 | Bare-faced Ibis | <i>Phimosus infuscatus</i> | ▶  5 |
| 6 | Plumbeous Ibis | <i>Theristicus caerulescens</i> | ▶  5 |
| 53 | Buff-necked Ibis | <i>Theristicus caudatus</i> | ▶  9 |
| 4 | Roseate Spoonbill | <i>Platalea ajaja</i> | ▶  2 |
| 7 | Rufescent Tiger-Heron | <i>Tigrisoma lineatum</i> | ▶  3 |
| 2 | Zigzag Heron | <i>Zebrilus undulatus</i> | ▶  1 |
| 5 | Least Bittern | <i>Botaurus exilis</i> | ▶  2 |
| 21 | Black-crowned Night Heron | <i>Nycticorax nycticorax</i> | ▶  2 |
| 1 | Capped Heron | <i>Pilherodius pileatus</i> | ▶  1 |
| 1 | Whistling Heron | <i>Syrigma sibilatrix</i> | ▶  1 |
| 2 | Little Blue Heron | <i>Egretta caerulea</i> | ▶  2 |
| 27 | Snowy Egret | <i>Egretta thula</i> | ▶  4 |
| 32 | Striated Heron | <i>Butorides striata</i> | ▶  5 |
| 47 | Western Cattle-Egret | <i>Ardea ibis</i> | ▶  4 |
| 81 | Great Egret | <i>Ardea alba</i> | ▶  11 |
| 9 | Cocoi Heron | <i>Ardea cocoi</i> | ▶  7 |
| 105 | Black Vulture | <i>Coragyps atratus</i> | ▶  13 |
| 7 | Turkey Vulture | <i>Cathartes aura</i> | ▶  6 |
| 2 | Lesser Yellow-headed Vulture | <i>Cathartes burrovianus</i> | ▶  2 |
























| | | | |
|----|---------------------------------------|-----------------------------------|---|
| 3 | Osprey | <i>Pandion haliaetus</i> | ▶  3 |
| 1 | Black Hawk-Eagle | <i>Spizaetus tyrannus</i> | ▶  1 |
| 2 | Black-and-white Hawk-Eagle | <i>Spizaetus melanoleucus</i> | ▶  2 |
| 1 | Rufous-thighed Kite | <i>Harpagus diodon</i> | ▶  1 |
| 1 | Crane Hawk | <i>Geranospiza caerulescens</i> | ▶  1 |
| 7 | Black-collared Hawk | <i>Busarellus nigricollis</i> | ▶  6 |
| 58 | Snail Kite | <i>Rostrhamus sociabilis</i> | ▶  8 |
| 9 | Savanna Hawk | <i>Buteogallus meridionalis</i> | ▶  6 |
| 4 | Great Black Hawk | <i>Buteogallus urubitinga</i> | ▶  1 |
| 5 | Roadside Hawk | <i>Rupornis magnirostris</i> | ▶  4 |
| 1 | White-tailed Hawk | <i>Geranoaetus albicaudatus</i> | ▶  1 |
| 1 | Tropical Screech-Owl | <i>Megascops choliba</i> | ▶  1 |
| 3 | Long-tufted Screech-Owl | <i>Megascops sanctaecatarinae</i> | ▶  2 |
| 1 | Black-capped Screech-Owl | <i>Megascops atricapilla</i> | ▶  1 |
| 4 | Great Horned Owl | <i>Bubo virginianus</i> | ▶  1 |
| 1 | Least Pygmy-Owl | <i>Glaucidium minutissimum</i> ✓ | ▶  1 |
| 6 | Ferruginous Pygmy-Owl | <i>Glaucidium brasilianum</i> | ▶  5 |
| 1 | Burrowing Owl | <i>Athene cunicularia</i> | ▶  1 |
| 1 | Rusty-barred Owl | <i>Strix hylophila</i> | ▶  1 |
| 6 | Surucua Trogon | <i>Trogon surrucura</i> | ▶  4 |
| 3 | Atlantic Black-throated Trogon | <i>Trogon chrysochloros</i> | ▶  3 |
| 2 | Rufous-capped Motmot | <i>Baryphthengus ruficapillus</i> | ▶  1 |
| 25 | Ringed Kingfisher | <i>Megaceryle torquata</i> | ▶  5 |
























| | | | |
|----|----------------------------------|---------------------------------|---|
| 3 | Amazon Kingfisher | <i>Chloroceryle amazona</i> | ▶  3 |
| 3 | Green Kingfisher | <i>Chloroceryle americana</i> | ▶  1 |
| 2 | Buff-bellied Puffbird | <i>Notharchus swainsoni</i> ✓ | ▶  1 |
| 5 | White-eared Puffbird | <i>Nystalus chacuru</i> | ▶  2 |
| 6 | Black-fronted Nunbird | <i>Monasa nigrifrons</i> | ▶  1 |
| 1 | Rufous-tailed Jacamar | <i>Galbula ruficauda</i> | ▶  1 |
| 1 | Saffron Toucanet | <i>Pteroglossus bailloni</i> | ▶  1 |
| 5 | Chestnut-eared Aracari | <i>Pteroglossus castanotis</i> | ▶  1 |
| 1 | Spot-billed Toucanet | <i>Selenidera maculirostris</i> | ▶  1 |
| 18 | Toco Toucan | <i>Ramphastos toco</i> | ▶  8 |
| 7 | Red-breasted Toucan | <i>Ramphastos dicolorus</i> | ▶  3 |
| 7 | Ochre-collared Piculet | <i>Picumnus temminckii</i> | ▶  4 |
| 2 | White-wedged Piculet | <i>Picumnus albosquamatus</i> | ▶  2 |
| 3 | White Woodpecker | <i>Melanerpes candidus</i> | ▶  2 |
| 3 | Yellow-fronted Woodpecker | <i>Melanerpes flavifrons</i> | ▶  1 |
| 2 | White-spotted Woodpecker | <i>Veniliornis spilogaster</i> | ▶  2 |
| 1 | Little Woodpecker | <i>Veniliornis passerinus</i> | ▶  1 |
| 3 | Robust Woodpecker | <i>Campephilus robustus</i> | ▶  2 |
| 3 | Lineated Woodpecker | <i>Dryocopus lineatus</i> | ▶  3 |
| 1 | Helmeted Woodpecker | <i>Celeus galeatus</i> ✓ | ▶  1 |
| 2 | Pale-crested Woodpecker | <i>Celeus lugubris</i> | ▶  1 |
| 1 | Blond-crested Woodpecker | <i>Celeus flavescens</i> | ▶  1 |
| 1 | Green-barred Woodpecker | <i>Colaptes melanochloros</i> | ▶  1 |
























| | | | |
|----|----------------------------------|-----------------------------------|---|
| 3 | Campo Flicker | <i>Colaptes campestris</i> | ▶  3 |
| 6 | Red-legged Seriema | <i>Cariama cristata</i> | ▶  3 |
| 1 | Laughing Falcon | <i>Herpetotheres cachinnans</i> | ▶  1 |
| 2 | Collared Forest-Falcon | <i>Micrastur semitorquatus</i> | ▶  2 |
| 27 | Crested Caracara | <i>Caracara plancus</i> | ▶  11 |
| 4 | Yellow-headed Caracara | <i>Daptrius chimachima</i> | ▶  4 |
| 3 | Aplomado Falcon | <i>Falco femoralis</i> | ▶  2 |
| 2 | Bat Falcon | <i>Falco ruficularis</i> | ▶  2 |
| 44 | Monk Parakeet | <i>Myiopsitta monachus</i> | ▶  5 |
| 7 | Plain Parakeet | <i>Brotogeris tirica</i> | ▶  3 |
| 49 | Yellow-chevroned Parakeet | <i>Brotogeris chiriri</i> | ▶  5 |
| 6 | Pileated Parrot | <i>Pionopsitta pileata</i> ✓ | ▶  1 |
| 2 | Blue-bellied Parrot | <i>Triclaria malachitacea</i> | ▶  1 |
| 25 | Scaly-headed Parrot | <i>Pionus maximiliani</i> | ▶  8 |
| 22 | Turquoise-fronted Amazon | <i>Amazona aestiva</i> | ▶  5 |
| 2 | Orange-winged Amazon | <i>Amazona amazonica</i> | ▶  1 |
| 5 | Cobalt-rumped Parrotlet | <i>Forpus xanthopterygius</i> | ▶  1 |
| 9 | Maroon-bellied Parakeet | <i>Pyrrhura frontalis</i> | ▶  4 |
| 6 | Hyacinth Macaw | <i>Anodorhynchus hyacinthinus</i> | ▶  2 |
| 35 | Nanday Parakeet | <i>Aratinga nenday</i> | ▶  4 |
| 4 | Red-bellied Macaw | <i>Orthopsittaca manilatus</i> | ▶  1 |
| 11 | Yellow-collared Macaw | <i>Primolius auricollis</i> | ▶  3 |
| 11 | Blue-crowned Parakeet | <i>Thectocercus acuticaudatus</i> | ▶  2 |
























| | | | |
|----|----------------------------------|-------------------------------------|---|
| 5 | Red-shouldered Macaw | <i>Diopsittaca nobilis</i> | ▶  1 |
| 14 | White-eyed Parakeet | <i>Psittacara leucophthalmus</i> | ▶  3 |
| 2 | Spot-backed Antshrike | <i>Hypoedaleus guttatus</i> | ▶  2 |
| 3 | Giant Antshrike | <i>Batara cinerea</i> | ▶  2 |
| 4 | Tufted Antshrike | <i>Mackenziaena severa</i> | ▶  3 |
| 5 | Great Antshrike | <i>Taraba major</i> | ▶  3 |
| 2 | White-bearded Antshrike | <i>Biatas nigropectus</i> | ▶  2 |
| 3 | Barred Antshrike | <i>Thamnophilus doliatus</i> | ▶  2 |
| 1 | Rufous-winged Antshrike | <i>Thamnophilus torquatus</i> | ▶  1 |
| 3 | Planalto Slaty-Antshrike | <i>Thamnophilus pelzelni</i> | ▶  1 |
| 5 | Variable Antshrike | <i>Thamnophilus caerulescens</i> | ▶  3 |
| 7 | Star-throated Antwren | <i>Rhopias gularis</i> | ▶  4 |
| 3 | Spot-breasted Antvireo | <i>Dysithamnus stictothorax</i> | ▶  1 |
| 2 | Large-billed Antwren | <i>Herpsilochmus longirostris</i> | ▶  1 |
| 3 | Rufous-margined Antwren | <i>Herpsilochmus rufimarginatus</i> | ▶  3 |
| 1 | Black-bellied Antwren | <i>Formicivora melanogaster</i> | ▶  1 |
| 3 | Rusty-backed Antwren | <i>Formicivora rufa</i> | ▶  2 |
| 2 | Ferruginous Antbird | <i>Dryophila ferruginea</i> | ▶  1 |
| 3 | Dusky-tailed Antbird | <i>Dryophila malura</i> | ▶  2 |
| 1 | Scaled Antbird | <i>Dryophila squamata</i> | ▶  1 |
| 1 | Streak-capped Antwren | <i>Terenura maculata</i> | ▶  1 |
| 6 | Mato Grosso Antbird | <i>Cercomacra melanaria</i> | ▶  4 |
| 3 | White-shouldered Fire-eye | <i>Pyriglena leucoptera</i> | ▶  2 |
























| | | | |
|----|------------------------------------|--|---|
| 3 | Squamate Antbird | <i>Myrmoderus squamosus</i> | ▶  2 |
| 1 | Black-cheeked Gnateater | <i>Conopophaga melanops</i> | ▶  1 |
| 7 | Rufous Gnateater | <i>Conopophaga lineata</i> | ▶  3 |
| 5 | Variegated Antpitta | <i>Grallaria varia</i> | ▶  4 |
| 1 | Spotted Bamboowren | <i>Psilorhamphus guttatus</i> | ▶  1 |
| 3 | Slaty Bristlefront | <i>Merulaxis ater</i> | ▶  2 |
| 3 | White-breasted Tapaculo | <i>Eleoscytalopus indigoticus</i> | ▶  2 |
| 1 | Mouse-colored Tapaculo | <i>Scytalopus speluncae</i> | ▶  1 |
| 2 | Rufous-capped Antthrush | <i>Formicarius colma</i> | ▶  2 |
| 6 | Short-tailed Antthrush | <i>Chamaeza campanisona</i> | ▶  3 |
| 2 | Rufous-breasted Leaftosser | <i>Sclerurus scansor</i> | ▶  1 |
| 14 | Olivaceous Woodcreeper | <i>Sittasomus griseicapillus</i> | ▶  7 |
| 2 | Plain-winged Woodcreeper | <i>Dendrocincla turdina</i> | ▶  1 |
| 1 | Planalto Woodcreeper | <i>Dendrocolaptes platyrostris</i> | ▶  1 |
| 4 | White-throated Woodcreeper | <i>Xiphocolaptes albicollis</i> | ▶  2 |
| 2 | Great Rufous Woodcreeper | <i>Xiphocolaptes major</i> | ▶  1 |
| 4 | Lesser Woodcreeper | <i>Xiphorhynchus fuscus</i> | ▶  2 |
| 2 | Straight-billed Woodcreeper | <i>Dendroplex picus</i> | ▶  2 |
| 5 | Red-billed Scythebill | <i>Campylorhamphus trochilirostris</i> | ▶  3 |
| 1 | Narrow-billed Woodcreeper | <i>Lepidocolaptes angustirostris</i> | ▶  1 |
| 1 | Scaled Woodcreeper | <i>Lepidocolaptes squamatus</i> | ▶  1 |
| 1 | Scalloped Woodcreeper | <i>Lepidocolaptes falcinellus</i> | ▶  1 |
| 1 | Streaked Xenops | <i>Xenops rutilans</i> | ▶  1 |
























| | | | |
|----|---------------------------------------|--------------------------------------|---|
| 3 | Pale-legged Hornero | <i>Furnarius leucopus</i> | ▶  3 |
| 33 | Rufous Hornero | <i>Furnarius rufus</i> | ▶  15 |
| 3 | White-collared Foliage-gleaner | <i>Anabazenops fuscus</i> | ▶  2 |
| 2 | Sharp-billed Treehunter | <i>Heliobletus contaminatus</i> | ▶  1 |
| 2 | Black-capped Foliage-gleaner | <i>Philydor atricapillus</i> | ▶  2 |
| 1 | White-browed Foliage-gleaner | <i>Anabacerthia amaurotis</i> | ▶  1 |
| 1 | Ochre-breasted Foliage-gleaner | <i>Anabacerthia lichtensteini</i> | ▶  1 |
| 7 | White-eyed Foliage-gleaner | <i>Automolus leucophthalmus</i> | ▶  5 |
| 2 | Araucaria Tit-Spinetail | <i>Leptasthenura setaria</i> ✓ | ▶  1 |
| 3 | Rufous-fronted Thornbird | <i>Phacellodomus rufifrons</i> | ▶  1 |
| 3 | Greater Thornbird | <i>Phacellodomus ruber</i> | ▶  2 |
| 1 | Orange-breasted Thornbird | <i>Phacellodomus ferrugineigula</i> | ▶  1 |
| 3 | Rusty-backed Spinetail | <i>Cranioleuca vulpina</i> | ▶  2 |
| 2 | Pallid Spinetail | <i>Cranioleuca pallida</i> | ▶  1 |
| 2 | Rufous Cacholote | <i>Pseudoseisura unirufa</i> | ▶  1 |
| 5 | Yellow-chinned Spinetail | <i>Certhiaxis cinnamomeus</i> | ▶  5 |
| 1 | Chotoy Spinetail | <i>Schoeniophylax phryganophilus</i> | ▶  1 |
| 1 | Gray-bellied Spinetail | <i>Synallaxis cinerascens</i> | ▶  1 |
| 9 | White-lored Spinetail | <i>Synallaxis albilora</i> | ▶  3 |
| 4 | Rufous-capped Spinetail | <i>Synallaxis ruficapilla</i> | ▶  3 |
| 2 | Spix's Spinetail | <i>Synallaxis spixi</i> | ▶  1 |
| 2 | Helmeted Manakin | <i>Chiroxiphia galeata</i> | ▶  1 |
| 16 | Swallow-tailed Manakin | <i>Chiroxiphia caudata</i> | ▶  5 |
























| | | | |
|---|----------------------------------|-----------------------------------|---|
| 1 | Pin-tailed Manakin | <i>Ilicura militaris</i> | ▶  1 |
| 2 | Band-tailed Manakin | <i>Pipra fasciicauda</i> | ▶  1 |
| 6 | Hooded Berryeater | <i>Carpornis cucullata</i> | ▶  4 |
| 1 | Cinnamon-vented Piha | <i>Lipaugus lanioides</i> | ▶  1 |
| 1 | Bare-throated Bellbird | <i>Procnias nudicollis</i> | ▶  1 |
| 2 | Black-tailed Tityra | <i>Tityra cayana</i> | ▶  1 |
| 9 | Greenish Schiffornis | <i>Schiffornis virescens</i> | ▶  6 |
| 2 | Chestnut-crowned Becard | <i>Pachyramphus castaneus</i> | ▶  1 |
| 3 | White-winged Becard | <i>Pachyramphus polychopterus</i> | ▶  3 |
| 2 | Crested Becard | <i>Pachyramphus validus</i> | ▶  2 |
| 1 | Sharpbill | <i>Oxyruncus cristatus</i> | ▶  1 |
| 1 | Atlantic Royal Flycatcher | <i>Onychorhynchus swainsoni</i> ✓ | ▶  1 |
| 1 | Wing-barred Piprites | <i>Piprites chloris</i> | ▶  1 |
| 5 | White-throated Spadebill | <i>Platyrinchus mystaceus</i> | ▶  3 |
| 3 | Gray-hooded Flycatcher | <i>Mionectes rufiventris</i> | ▶  2 |
| 1 | Sepia-capped Flycatcher | <i>Leptopogon amaurocephalus</i> | ▶  1 |
| 1 | Southern Bristle-Tyrant | <i>Pogonotriccus eximius</i> | ▶  1 |
| 5 | Sao Paulo Bristle-Tyrant | <i>Pogonotriccus paulista</i> | ▶  3 |
| 4 | Oustalet's Tyrannulet | <i>Phylloscartes oustaleti</i> | ▶  1 |
| 2 | Mottle-cheeked Tyrannulet | <i>Phylloscartes ventralis</i> | ▶  1 |
| 1 | Bay-ringed Tyrannulet | <i>Phylloscartes sylviolus</i> | ▶  1 |
| 1 | Southern Antpipit | <i>Corythopis delalandi</i> | ▶  1 |
| 8 | Eared Pygmy-Tyrant | <i>Myiornis auricularis</i> | ▶  5 |















| | | | |
|---|--------------------------------------|---------------------------------------|---|
| 1 | Drab-breasted Pygmy-Tyrant | <i>Hemitriccus diops</i> | ▶  1 |
| 1 | Eye-ringed Tody-Tyrant | <i>Hemitriccus orbitatus</i> | ▶  1 |
| 1 | Hangnest Tody-Tyrant | <i>Hemitriccus nidipendulus</i> | ▶  1 |
| 2 | Pearly-vented Tody-Tyrant | <i>Hemitriccus margaritaceiventer</i> | ▶  2 |
| 1 | Ochre-faced Tody-Flycatcher | <i>Poecilotriccus plumbeiceps</i> | ▶  1 |
| 1 | Rusty-fronted Tody-Flycatcher | <i>Poecilotriccus latirostris</i> | ▶  1 |
| 5 | Gray-headed Tody-Flycatcher | <i>Todirostrum poliocephalum</i> | ▶  2 |
| 1 | Common Tody-Flycatcher | <i>Todirostrum cinereum</i> | ▶  1 |
| 2 | Yellow-olive Flatbill | <i>Tolmomyias sulphurescens</i> | ▶  2 |
| 5 | Cliff Flycatcher | <i>Hirundinea ferruginea</i> | ▶  4 |
| 5 | Southern Beardless-Tyrannulet | <i>Camptostoma obsoletum</i> | ▶  5 |
| 2 | Suiriri Flycatcher | <i>Suiriri suiriri</i> | ▶  1 |
| 2 | Yellow Tyrannulet | <i>Capsiempis flaveola</i> | ▶  1 |
| 3 | Forest Elaenia | <i>Myiopagis gaimardii</i> | ▶  2 |
| 1 | Greenish Elaenia | <i>Myiopagis viridicata</i> | ▶  1 |
| 2 | Plain-crested Elaenia | <i>Elaenia cristata</i> | ▶  1 |
| 2 | Yellow-bellied Elaenia | <i>Elaenia flavogaster</i> | ▶  1 |
| 4 | Small-billed Elaenia | <i>Elaenia parvirostris</i> | ▶  3 |
| 1 | White-crested Tyrannulet | <i>Serpophaga subcristata</i> | ▶  1 |
| 1 | Planalto Tyrannulet | <i>Phyllomyias fasciatus</i> | ▶  1 |
| 1 | Rough-legged Tyrannulet | <i>Acrochordopus burmeisteri</i> | ▶  1 |
| 5 | Euler's Flycatcher | <i>Lathrotriccus euleri</i> | ▶  3 |
| 1 | Fuscou Flycatcher | <i>Cnemotriccus fuscatus</i> | ▶  1 |

| | | | |
|----|-----------------------------------|----------------------------------|--|
| 1 | Yellow-browed Tyrant | <i>Satrapa icterophrys</i> | ▶  1 |
| 3 | White-rumped Monjita | <i>Xolmis velatus</i> | ▶  2 |
| 1 | White-headed Marsh Tyrant | <i>Arundinicola leucocephala</i> | ▶  1 |
| 11 | Masked Water-Tyrant | <i>Fluvicola nengeta</i> | ▶  5 |
| 2 | Streamer-tailed Tyrant | <i>Gubernetes yetapa</i> | ▶  1 |
| 1 | Large-headed Flatbill | <i>Ramphotrigon megacephalum</i> | ▶  1 |
| 3 | Rufous-tailed Attila | <i>Attila phoenicurus</i> | ▶  2 |
| 2 | Gray-hooded Attila | <i>Attila rufus</i> | ▶  2 |
| 4 | Sibilant Sirystes | <i>Sirystes sibilator</i> | ▶  4 |
| 1 | Rufous Casiornis | <i>Casiornis rufus</i> | ▶  1 |
| 1 | Swainson's Flycatcher | <i>Myiarchus swainsoni</i> | ▶  1 |
| 5 | Short-crested Flycatcher | <i>Myiarchus ferox</i> | ▶  4 |
| 2 | Brown-crested Flycatcher | <i>Myiarchus tyrannulus</i> | ▶  2 |
| 13 | Cattle Tyrant | <i>Machetornis rixosa</i> | ▶  8 |
| 1 | Lesser Kiskadee | <i>Philohydor lictor</i> | ▶  1 |
| 28 | Great Kiskadee | <i>Pitangus sulphuratus</i> | ▶  15 |
| 8 | Boat-billed Flycatcher | <i>Megarynchus pitangua</i> | ▶  5 |
| 1 | Rusty-margined Flycatcher | <i>Myiozetetes cayanensis</i> | ▶  1 |
| 5 | Social Flycatcher | <i>Myiozetetes similis</i> | ▶  3 |
| 8 | Streaked Flycatcher | <i>Myiodynastes maculatus</i> | ▶  3 |
| 1 | Piratic Flycatcher | <i>Legatus leucophaeus</i> | ▶  1 |
| 28 | Tropical Kingbird | <i>Tyrannus melancholicus</i> | ▶  12 |
| 4 | Rufous-browed Peppershrike | <i>Cyclarhis gujanensis</i> | ▶  3 |

| | | | |
|----|--------------------------------------|----------------------------------|---|
| 4 | Rufous-crowned Greenlet | <i>Hylophilus poicilotis</i> | ▶  3 |
| 4 | Chivi Vireo | <i>Vireo chivi</i> | ▶  3 |
| 7 | Purplish Jay | <i>Cyanocorax cyanomelas</i> | ▶  3 |
| 2 | Curl-crested Jay | <i>Cyanocorax cristatellus</i> | ▶  1 |
| 37 | Plush-crested Jay | <i>Cyanocorax chrysops</i> | ▶  5 |
| 4 | White-winged Swallow | <i>Tachycineta albiventer</i> | ▶  2 |
| 46 | Gray-breasted Martin | <i>Progne chalybea</i> | ▶  3 |
| 3 | Brown-chested Martin | <i>Progne tapera</i> | ▶  2 |
| 4 | Southern Rough-winged Swallow | <i>Stelgidopteryx ruficollis</i> | ▶  2 |
| 20 | Blue-and-white Swallow | <i>Pygochelidon cyanoleuca</i> | ▶  3 |
| 5 | Masked Gnatcatcher | <i>Polioptila dumicola</i> | ▶  3 |
| 1 | Creamy-bellied Gnatcatcher | <i>Polioptila lactea</i> | ▶  1 |
| 12 | Southern House Wren | <i>Troglodytes musculus</i> | ▶  8 |
| 11 | Thrush-like Wren | <i>Campylorhynchus turdinus</i> | ▶  7 |
| 7 | Buff-breasted Wren | <i>Cantorchilus leucotis</i> | ▶  2 |
| 7 | Chalk-browed Mockingbird | <i>Mimus saturninus</i> | ▶  4 |
| 1 | Creamy-bellied Thrush | <i>Turdus amaurochalinus</i> | ▶  1 |
| 4 | White-necked Thrush | <i>Turdus albicollis</i> | ▶  4 |
| 12 | Pale-breasted Thrush | <i>Turdus leucomelas</i> | ▶  5 |
| 3 | Rufous-bellied Thrush | <i>Turdus rufiventris</i> | ▶  3 |
| 1 | Golden-rumped Euphonia | <i>Chlorophonia cyanocephala</i> | ▶  1 |
| 1 | Blue-naped Chlorophonia | <i>Chlorophonia cyanea</i> | ▶  1 |
| 5 | Purple-throated Euphonia | <i>Euphonia chlorotica</i> | ▶  4 |

| | | | | |
|----|----------------------------------|----------------------------------|---|---|
| 2 | Green-throated Euphonia | <i>Euphonia chalybea</i> | ✔ | ▶  2 |
| 8 | Violaceous Euphonia | <i>Euphonia violacea</i> | | ▶  1 |
| 4 | Chestnut-bellied Euphonia | <i>Euphonia pectoralis</i> | | ▶  3 |
| 2 | Hooded Siskin | <i>Spinus magellanicus</i> | | ▶  1 |
| 1 | Half-collared Sparrow | <i>Arremon semitorquatus</i> | | ▶  1 |
| 1 | Saffron-billed Sparrow | <i>Arremon flavirostris</i> | | ▶  1 |
| 3 | Rufous-collared Sparrow | <i>Zonotrichia capensis</i> | | ▶  2 |
| 6 | Crested Oropendola | <i>Psarocolius decumanus</i> | | ▶  2 |
| 7 | Solitary Black Cacique | <i>Cacicus solitarius</i> | | ▶  5 |
| 5 | Golden-winged Cacique | <i>Cacicus chrysopterus</i> | | ▶  2 |
| 10 | Yellow-rumped Cacique | <i>Cacicus cela</i> | | ▶  1 |
| 3 | Red-rumped Cacique | <i>Cacicus haemorrhous</i> | | ▶  3 |
| 12 | Variable Oriole | <i>Icterus pyrrhopterus</i> | | ▶  6 |
| 2 | Orange-backed Troupial | <i>Icterus croconotus</i> | | ▶  1 |
| 60 | Shiny Cowbird | <i>Molothrus bonariensis</i> | | ▶  1 |
| 2 | Chopi Blackbird | <i>Gnorimopsar chopi</i> | | ▶  1 |
| 19 | Grayish Baywing | <i>Agelaioides badius</i> | | ▶  3 |
| 2 | Unicolored Blackbird | <i>Agelasticus cyanopus</i> | | ▶  2 |
| 6 | Southern Yellowthroat | <i>Geothlypis velata</i> | | ▶  4 |
| 10 | Tropical Parula | <i>Setophaga pitaiayumi</i> | | ▶  6 |
| 15 | Golden-crowned Warbler | <i>Basileuterus culicivorus</i> | | ▶  8 |
| 1 | Flavescent Warbler | <i>Myiothlypis flaveola</i> | | ▶  1 |
| 6 | White-browed Warbler | <i>Myiothlypis leucoblephara</i> | | ▶  5 |

| | | | |
|----|-------------------------------------|----------------------------------|---|
| 1 | Riverbank Warbler | <i>Myiothlypis rivularis</i> | ▶  1 |
| 3 | Red-crowned Ant-Tanager | <i>Habia rubica</i> | ▶  2 |
| 6 | Red-crested Cardinal | <i>Paroaria coronata</i> | ▶  3 |
| 22 | Yellow-billed Cardinal | <i>Paroaria capitata</i> | ▶  6 |
| 1 | Black-faced Tanager | <i>Schistochlamys melanopis</i> | ▶  1 |
| 1 | Gray-throated Warbling Finch | <i>Microspingus cabanisi</i> | ▶  1 |
| 6 | Black-goggled Tanager | <i>Trichothraupis melanops</i> | ▶  4 |
| 4 | Ruby-crowned Tanager | <i>Tachyphonus coronatus</i> | ▶  3 |
| 3 | White-lined Tanager | <i>Tachyphonus rufus</i> | ▶  1 |
| 1 | Brazilian Tanager | <i>Ramphocelus bresilius</i> | ▶  1 |
| 5 | Silver-beaked Tanager | <i>Ramphocelus carbo</i> | ▶  1 |
| 1 | Diademed Tanager | <i>Stephanophorus diadematus</i> | ▶  1 |
| 8 | Sayaca Tanager | <i>Thraupis sayaca</i> | ▶  6 |
| 1 | Azure-shouldered Tanager | <i>Thraupis cyanopectera</i> | ▶  1 |
| 2 | Golden-chevroned Tanager | <i>Thraupis ornata</i> | ▶  1 |
| 1 | Palm Tanager | <i>Thraupis palmarum</i> | ▶  1 |
| 7 | Green-headed Tanager | <i>Tangara seledon</i> | ▶  2 |
| 2 | Swallow Tanager | <i>Tersina viridis</i> | ▶  2 |
| 5 | Blue Dacnis | <i>Dacnis cayana</i> | ▶  2 |
| 2 | Guira Tanager | <i>Hemithraupis guira</i> | ▶  1 |
| 2 | Rufous-headed Tanager | <i>Hemithraupis ruficapilla</i> | ▶  1 |
| 4 | Chestnut-vented Conebill | <i>Conirostrum speciosum</i> | ▶  2 |
| 2 | Uniform Finch | <i>Haplospiza unicolor</i> | ▶  2 |

| | | | |
|-----------------|-----------------------------------|-----------------------------------|---|
| 4 | White-rumped Tanager | <i>Cypsnagra hirundinacea</i> | ▶  1 |
| 46 | Saffron Finch | <i>Sicalis flaveola</i> | ▶  8 |
| 11 | Blue-black Grassquit | <i>Volatinia jacarina</i> | ▶  4 |
| 7 | Lined Seedeater | <i>Sporophila lineola</i> | ▶  5 |
| 1 | Chestnut-bellied Seedeater | <i>Sporophila castaneiventris</i> | ▶  1 |
| 9 | Double-collared Seedeater | <i>Sporophila caerulea</i> | ▶  6 |
| 5 | Plumbeous Seedeater | <i>Sporophila plumbea</i> | ▶  1 |
| 2 | Rusty-collared Seedeater | <i>Sporophila collaris</i> | ▶  1 |
| 8 | Red-crested Finch | <i>Coryphospingus cucullatus</i> | ▶  2 |
| 35 | Bananaquit | <i>Coereba flaveola</i> | ▶  8 |
| 2 | Black-throated Saltator | <i>Saltatricula atricollis</i> | ▶  2 |
| 6 | Bluish-gray Saltator | <i>Saltator coerulescens</i> | ▶  3 |
| 3 | Green-winged Saltator | <i>Saltator similis</i> | ▶  3 |
| ADDITIONAL TAXA | | | |
| 1 | Myiarchus sp. | <i>Myiarchus sp.</i> | ▶  1 |