

## Trip Report — Panama's Canopy Camp: Lowland Darien I 2025

December 27, 2025-January 4, 2026 with John Coons & Eliecer Rodriguez



This huge female Harpy Eagle was keeping an eye on her three month old chick in the nest in a tall cuipo tree. Photo by Sue Bryer.

Our group enjoyed a great week of birding in eastern Panama, one of the most specialty-rich areas for birds in all of Central America. Before the Canopy Camp opened there were very few places to stay in Darien province, and birding here was in its infancy. Only a few decades ago, travel in Darien was mostly by boats and the multitude of rivers. Now the “tent camping” is

pretty luxurious and gives relatively easy access to birding sites. We got together at the airport hotel just east of Panama City and went over our plans. The following morning, we headed off with Eliecer, driving east on the Pan-American Highway. We paused for a couple of birds along the way before making our initial birding stop at Lake Bayano. Among the widespread and common species we found in the second growth habitat, we had nice views of Black-headed Tody-Flycatcher, Red-rumped Woodpecker, a singing Rusty-winged Antwren, a fly-by Limpkin, a distant Bare-throated Tiger-Heron, and the first time I had seen Northern Yellow Warbler since the split. We carried on to Tortí for lunch, where we ate with one eye on the hummingbird feeders and bananas. Scaly-breasted and Snowy-bellied hummingbirds were here, along with many Black-throated Mangos and a few others we would also encounter at the Canopy Camp. After lunch we checked out the nearby river. Both Amazon and Green kingfishers were scoped as was a perched Pearl Kite. A local specialty, a female Black Antshrike, made its first appearance for us, and we had views of the tiny Pacific Antwren, Yellow Tyrannulet, Streak-headed Woodcreeper, Masked Tityra, the colorful Red-breasted Meadowlark, and the always popular Fork-tailed Flycatcher. We carried on to the Canopy Camp, located a couple of kilometers off the highway, arriving in the late-afternoon. The hummingbird feeders and flowers at the camp were busy. Here we had nice views of several Black-throated Mangos, White-naped Jacobins, Long-billed Starthroat, White-vented Plumeleteer, Sapphire-throated Hummingbird, and Blue-chested Hummingbird. We got settled in our “tents” before enjoying the first of several wonderful dinners at the Camp.



Double-banded Graytail is a very local bird throughout its range. We had marvelous views on our first morning at the Canopy Camp. Photo by Sue Bryer.

The following morning we met before breakfast and walked to the new feeding station, where a pair of normally quite shy Great Curassows eventually came in to pick at some rice and fruit. It was a spectacular view of these beautiful birds. After breakfast, we birded the grounds and trails at the Camp, with a great close view of Double-banded Graytail, a roosting Great Potoo, Pied Puffbird, Black-tailed Flycatcher, Sooty-headed Tyrannulet, Common Potoo, Great Jacamar, Russet-winged Schiffornis, and Golden-headed Manakin. That afternoon we made stops along the Pan-American Highway and ended up at the Yaviza Wetlands. The afternoon was highlighted by Striped Cuckoo, Spot-breasted Woodpecker, a perched Laughing Falcon, Crane Hawk, Black-capped Donacobius, Blue-and-yellow Macaw, White-headed Wren, and five singing Willow Flycatchers.





Here we are boarding our dugouts on the Rio Chucunaque and heading off for the morning birding. Photo by John Coons.

With New Years Eve and New Years Day looming, we decided to make the trip to visit a Harpy Eagle nest the following day (30 December) to avoid issues with celebrations. We drove to Yaviza at the end of the Pan American Highway, boarded a panga for a 30 minute run to El Real on the Rio Chucunaque and Rio Tuira, got in the backs of trucks and drove 20 minutes to a farm. From there it was 1.2 km walk through forest to a large cuipo tree, where we saw a three month old Harpy Eagle chick sitting high in the nest. The guys soon found the adult female nearby, and we enjoyed fantastic views of this massive bird for about an hour as it checked on the chick and stood guard. We had a great male Bare-crowned Antbird sit still for awhile, and a few Red-throated Caracaras on the way back, along with the very local Black Oropendola and Gray-cheeked Nunlet. We got back to the farm for a much appreciated lunch then and reversed our way to Yaviza.



Rarely seen this close, the colors on a King Vulture's head are remarkable. And this bird dwarfed the Black Vulture on the same perch. Photo by Bob Greenleaf.

We stayed closer to the Camp the next day, birding the El Salto Road which has pretty good forest for 7 kms with plantations of teak trees along the way. One of the highlights here was a perched Collared Forest-Falcon that we scoped as it was perched back in the forest. We walked sections of the road and caught up with many species that we had previously only heard. After lunch at the Camp, we visited the vulture feeding area where there were at least five King Vultures, including one adult, a few quite young birds, and an unusually plumaged individual that was nearly an adult but still had black flecking on the wings and back. Later in the afternoon we visited the La Peñita Road, where we had nice views of a few Chestnut-fronted Macaws, White-necked Puffbird, Black-bellied Wren, and White-eared Conebill. The staff decorated the dining area for New Years Eve and prepared a great dinner.





Red-throated Caracara is another specialty that we encountered on our walk back from the Harpy Eagle nest. They are usually easier to hear than see when in the forest. Photo by Sue Bryer.

On the first day of 2026 we headed back east, checking a site where we called in a pair of tiny Spectacled Parrotlets. We hit the Yaviza Wetlands again, hoping for something good. We had a nice visit with some Wood Storks, had soaring Short-tailed and Zone-tailed hawks, a few Lesser Yellow-headed Vultures, but only heard some distant Great Green Macaws way back behind trees. A couple of wintering Mourning Warblers put on a nice show. An after dinner owling trip yielded a handful of Pauraques, good views of Tropical Screech-Owl, Mottled Owl, and both Common and Great potoos.



Our dugout trip to look for the rare Dusky-backed Jacamar was successful. We found this bird just before a burst of rain would have dampened our spirits. Photo by Sue Bryer.

On our last full day at the Camp, we drove the road to the village of La Peñita where we met our boatmen and took long dugouts up the Rio Chucunaque for a ways before turning up the Rio Tuquesa. Along the way we passed Ringed and Amazon kingfishers, Anhinga, Cocoi Herons, Mangrove Swallows, and perched aracarís and toucans. We went ashore at a nondescript landing and followed a trail where we found a Dusky-backed Jacamar, one of the Darien specialties, just before a rain dump caught us along the trail where we had to stand under trees for 45 minutes. When the rain abated we took our dugouts to the village of Nuevo Vigía. We did lunch in the thatched-roofed “visitor’s center” where the local Embera set up tables with their nicely made baskets, masks, and plates for sale. We walked through town and onto a trail heading to a lagoon in a light rain, seeing Great



Antshrike and our first Lesser Kiskadee along the way. Just after seeing Boat-billed Heron, the rain got heavy again and we hightailed it back to the thatched-roofed eating and market area in town. We waited out the remainder of the rain before heading back by dugouts to La Peñita. Back at camp we dried out and learned it had hardly rained at all there.



Another specialty of Darien is the tiny Spectacled Parrotlet. We had great views of a pair that were vocalizing at a roadside stop along the Pan-American Highway, and Sue Bryer captured it well.

We packed up and got away at dawn on our final morning to bird San Francisco Reserve, about half way back to Panama City. The forest here is taller than anything else we visited and it is a shame it is so far from the Camp. There were a number of new birds here, with nice views of Graceful Black-throated Trogon, Scaly-breasted Wren, Bay Wren, White-breasted



Wood-Wren, male Blue Cotinga, and Northern Tropical Pewee, but the highlight was getting a Black-crowned Antpitta going and finally getting a terrific look at it across a small ravine. We headed back to Tortí for lunch and the hummingbirds again before making the drive to Panama City. A perched Gray-headed Kite on the drive back was our last new bird of the trip. Eliecer had to head off but the rest of us gathered for dinner and our final bird list.

It was great birding with all of you in a remote area of Panama. I hope to see you again soon.



This colorful Golden-hooded Tanager was gathering nesting material near the dining area at the Camp. Photo by Sue Bryer.

Mammals encountered on our forays:

Geoffroy's Tamarin (*Saguinus geoffroyi*)

Mantled Howler Monkey (*Alouatta palliata*)

White-faced Capuchin (*Cebus capucinus*)

Hoffmann's Two-toed Sloth (*Choloepus hoffmanni*)

Red-tailed Squirrel (*Sciurus granatensis*)

White-nosed Coati (*Nasua narica*)

You can see my complete trip report on eBird at this

link: <https://ebird.org/tripreport/456050>

You can download a combined PDF of this page and the eBird report at this

link: <https://fieldguides.com/triplists/pcc25TRIPLIST.pdf>


-- John Coons



## Field Guides Birding Tours--Panama's Canopy Camp: Lowland Darien



28 Dec 2025 – 4 Jan 2026 (8 days) Link-only



 **Panama**

[Darién](#) | [Emberá](#) | [Panamá](#)

 **John Coons**



For a narrative summary of this tour, including a Field Guides photo gallery and additional...

 **238**

Species Observed

 **37**





















Checklists





















## Species Observed

[Show all details](#)





















- |    |                                     |                                |  |
|----|-------------------------------------|--------------------------------|--|
| 10 | <b>Little Tinamou</b>               | <i>Crypturellus soui</i>       | ▶  8  |
| 17 | <b>Black-bellied Whistling-Duck</b> | <i>Dendrocygna autumnalis</i>  | ▶  2  |
| 2  | <b>Muscovy Duck</b>                 | <i>Cairina moschata</i>        | ▶  2  |
| 2  | <b>Great Curassow</b>               | <i>Crax rubra</i>              | ▶  1  |
| 2  | <b>Gray-headed Chachalaca</b>       | <i>Ortalis cinereiceps</i>     | ▶  1  |
| 1  | <b>Rock Pigeon</b>                  | <i>Columba livia</i> *         | ▶  1  |
| 16 | <b>Pale-vented Pigeon</b>           | <i>Patagioenas cayennensis</i> | ▶  5  |
| 1  | <b>Scaled Pigeon</b>                | <i>Patagioenas speciosa</i>    | ▶  1  |
| 30 | <b>Ruddy Ground Dove</b>            | <i>Columbina talpacoti</i>     | ▶  12 |
| 17 | <b>White-tipped Dove</b>            | <i>Leptotila verreauxi</i>     | ▶  8  |























26	<b>Greater Ani</b>	<i>Crotophaga major</i>	▶  5
24	<b>Smooth-billed Ani</b>	<i>Crotophaga ani</i>	▶  4
2	<b>Striped Cuckoo</b>	<i>Tapera naevia</i>	▶  1
4	<b>Common Squirrel-Cuckoo</b>	<i>Piaya cayana</i>	▶  2
7	<b>Common Pauraque</b>	<i>Nyctidromus albicollis</i>	▶  1
2	<b>Great Potoo</b>	<i>Nyctibius grandis</i>	▶  2
2	<b>Common Potoo</b>	<i>Nyctibius griseus</i>	▶  2
3	<b>Band-rumped Swift</b>	<i>Chaetura spinicaudus</i>	▶  2
6	<b>Short-tailed Swift</b>	<i>Chaetura brachyura</i>	▶  3
6	<b>White-necked Jacobin</b>	<i>Florisuga mellivora</i>	▶  3
1	<b>Rufous-breasted Hermit</b>	<i>Glaucis hirsutus</i>	▶  1
4	<b>Pale-bellied Hermit</b>	<i>Phaethornis anthophilus</i>	▶  3
1	<b>Purple-crowned Fairy</b>	<i>Heliothryx barroti</i>	▶  1
18	<b>Black-throated Mango</b>	<i>Anthracothorax nigricollis</i>	▶  9
4	<b>Long-billed Starthroat</b>	<i>Heliomaster longirostris</i>	▶  4
2	<b>White-vented Plumeleteer</b>	<i>Chalybura buffonii</i>	▶  2
5	<b>Scaly-breasted Hummingbird</b>	<i>Phaeochroa cuvierii</i>	▶  3
3	<b>Snowy-bellied Hummingbird</b>	<i>Saucerottia edward</i>	▶  3
4	<b>Rufous-tailed Hummingbird</b>	<i>Amazilia tzacatl</i>	▶  3
6	<b>Sapphire-throated Hummingbird</b>	<i>Chrysuronia coeruleogularis</i>	▶  4





















12	<b>Blue-chested Hummingbird</b>	<i>Polyerata amabilis</i>	▶  6
1	<b>Blue-throated Goldentail</b>	<i>Chlorestes eliciae</i>	▶  1
2	<b>Violet-bellied Hummingbird</b>	<i>Chlorestes julie</i>	▶  2
1	<b>Gray-cowled Wood-Rail</b>	<i>Aramides cajaneus</i>	▶  1
59	<b>Purple Gallinule</b>	<i>Porphyrio martinica</i>	▶  2
1	<b>White-throated Crake</b>	<i>Laterallus albigularis</i>	▶  1
3	<b>Gray-breasted Crake</b>	<i>Laterallus exilis</i>	▶  2
2	<b>Limpkin</b>	<i>Aramus guarauna</i>	▶  2
11	<b>Southern Lapwing</b>	<i>Vanellus chilensis</i>	▶  4
4	<b>Wattled Jacana</b>	<i>Jacana jacana</i>	▶  3
6	<b>Spotted Sandpiper</b>	<i>Actitis macularius</i>	▶  4
18	<b>Wood Stork</b>	<i>Mycteria americana</i>	▶  4
2	<b>Magnificent Frigatebird</b>	<i>Fregata magnificens</i>	▶  1
1	<b>Anhinga</b>	<i>Anhinga anhinga</i>	▶  1
26	<b>Neotropic Cormorant</b>	<i>Nannopterum brasilianum</i>	▶  3
5	<b>White Ibis</b>	<i>Eudocimus albus</i>	▶  1
1	<b>Rufescent Tiger-Heron</b>	<i>Tigrisoma lineatum</i>	▶  1
1	<b>Bare-throated Tiger-Heron</b>	<i>Tigrisoma mexicanum</i>	▶  1
1	<b>Boat-billed Heron</b>	<i>Cochlearius cochlearius</i>	▶  1
2	<b>Yellow-crowned Night Heron</b>	<i>Nyctanassa violacea</i>	▶  1











































6	<b>Capped Heron</b>	<i>Pilherodius pileatus</i>	▶  3
17	<b>Little Blue Heron</b>	<i>Egretta caerulea</i>	▶  4
9	<b>Snowy Egret</b>	<i>Egretta thula</i>	▶  5
2	<b>Striated Heron</b>	<i>Butorides striata</i>	▶  2
2	<b>Green Heron</b>	<i>Butorides virescens</i>	▶  2
85	<b>Western Cattle-Egret</b>	<i>Ardea ibis</i>	▶  5
10	<b>Great Egret</b>	<i>Ardea alba</i>	▶  5
1	<b>Great Blue Heron</b>	<i>Ardea herodias</i>	▶  1
4	<b>Cocoi Heron</b>	<i>Ardea cocoi</i>	▶  2
8	<b>King Vulture</b>	<i>Sarcoramphus papa</i>	▶  3
76	<b>Black Vulture</b>	<i>Coragyps atratus</i>	▶  13
20	<b>Turkey Vulture</b>	<i>Cathartes aura</i>	▶  8
4	<b>Lesser Yellow-headed Vulture</b>	<i>Cathartes burrovianus</i>	▶  2
1	<b>Osprey</b>	<i>Pandion haliaetus</i>	▶  1
1	<b>Pearl Kite</b>	<i>Gampsonyx swainsonii</i>	▶  1
2	<b>Hook-billed Kite</b>	<i>Chondrohierax uncinatus</i>	▶  2
1	<b>Gray-headed Kite</b>	<i>Leptodon cayanensis</i>	▶  1
1	<b>Black Hawk-Eagle</b>	<i>Spizaetus tyrannus</i>	▶  1
2	<b>Harpy Eagle</b>	<i>Harpia harpyja</i>	▶  1
3	<b>Crane Hawk</b>	<i>Geranospiza caerulescens</i>	▶  2

1	<b>Common Black Hawk</b>	<i>Buteogallus anthracinus</i>	▶  1
1	<b>Savanna Hawk</b>	<i>Buteogallus meridionalis</i>	▶  1
9	<b>Roadside Hawk</b>	<i>Rupornis magnirostris</i>	▶  6
2	<b>Gray-lined Hawk</b>	<i>Buteo nitidus</i>	▶  2
1	<b>Zone-tailed Hawk</b>	<i>Buteo albonotatus</i>	▶  1
2	<b>Short-tailed Hawk</b>	<i>Buteo brachyurus</i>	▶  1
1	<b>Tropical Screech-Owl</b>	<i>Megascops choliba</i>	▶  1
1	<b>Crested Owl</b>	<i>Lophotrix cristata</i>	▶  1
2	<b>Mottled Owl</b>	<i>Strix virgata</i>	▶  1
3	<b>Black-tailed Trogon</b>	<i>Trogon melanurus</i>	▶  3
2	<b>White-tailed Trogon</b>	<i>Trogon chionurus</i>	▶  1
2	<b>Gartered Violaceous Trogon</b>	<i>Trogon caligatus</i>	▶  2
1	<b>Graceful Black-throated Trogon</b>	<i>Trogon tenellus</i>	▶  1
6	<b>Whooping Motmot</b>	<i>Momotus subrufescens</i>	▶  3
2	<b>Ringed Kingfisher</b>	<i>Megasceryle torquata</i>	▶  1
6	<b>Amazon Kingfisher</b>	<i>Chloroceryle amazona</i>	▶  2
1	<b>Green Kingfisher</b>	<i>Chloroceryle americana</i>	▶  1
2	<b>White-necked Puffbird</b>	<i>Notharchus hyperrhynchus</i>	▶  2
1	<b>Pied Puffbird</b>	<i>Notharchus tectus</i>	▶  1
1	<b>Barred Puffbird</b>	<i>Nystalus radiatus</i>	▶  1











































1	<b>White-whiskered Puffbird</b>	<i>Malacoptila panamensis</i>	▶  1
1	<b>Gray-cheeked Nunlet</b>	<i>Nonnula frontalis</i>	▶  1
1	<b>Dusky-backed Jacamar</b>	<i>Brachygalba salmoni</i>	▶  1
4	<b>Rufous-tailed Jacamar</b>	<i>Galbula ruficauda</i>	▶  4
2	<b>Great Jacamar</b>	<i>Jacamerops aureus</i>	▶  2
2	<b>Spot-crowned Barbet</b>	<i>Capito maculicoronatus</i>	▶  1
15	<b>Collared Aracari</b>	<i>Pteroglossus torquatus</i>	▶  4
2	<b>Yellow-throated Toucan</b>	<i>Ramphastos ambiguus</i>	▶  1
9	<b>Keel-billed Toucan</b>	<i>Ramphastos sulfuratus</i>	▶  4
1	<b>Olivaceous Piculet</b>	<i>Picumnus olivaceus</i>	▶  1
5	<b>Black-cheeked Woodpecker</b>	<i>Melanerpes pucherani</i>	▶  4
11	<b>Red-crowned Woodpecker</b>	<i>Melanerpes rubricapillus</i>	▶  9
2	<b>Red-rumped Woodpecker</b>	<i>Veniliornis kirkii</i>	▶  2
5	<b>Crimson-crested Woodpecker</b>	<i>Campephilus melanoleucos</i>	▶  4
13	<b>Lineated Woodpecker</b>	<i>Dryocopus lineatus</i>	▶  7
4	<b>Cinnamon Woodpecker</b>	<i>Celeus loricatus</i>	▶  4
1	<b>Spot-breasted Woodpecker</b>	<i>Colaptes punctigula</i>	▶  1
4	<b>Laughing Falcon</b>	<i>Herpetotheres cachinnans</i>	▶  3
2	<b>Collared Forest-Falcon</b>	<i>Micrastur semitorquatus</i>	▶  2
4	<b>Crested Caracara</b>	<i>Caracara plancus</i>	▶  2





















2	<b>Red-throated Caracara</b>	<i>Ibycter americanus</i>	▶  1
10	<b>Yellow-headed Caracara</b>	<i>Daptrius chimachima</i>	▶  5
2	<b>American Kestrel</b>	<i>Falco sparverius</i>	▶  2
42	<b>Orange-chinned Parakeet</b>	<i>Brotogeris jugularis</i>	▶  10
23	<b>Blue-headed Parrot</b>	<i>Pionus menstruus</i>	▶  7
35	<b>Red-lored Amazon</b>	<i>Amazona autumnalis</i>	▶  8
1	<b>Yellow-crowned Amazon</b>	<i>Amazona ochrocephala</i>	▶  1
9	<b>Mealy Amazon</b>	<i>Amazona farinosa</i>	▶  2
2	<b>Spectacled Parrotlet</b>	<i>Forpus conspicillatus</i>	▶  1
2	<b>Blue-and-yellow Macaw</b>	<i>Ara ararauna</i>	▶  1
14	<b>Chestnut-fronted Macaw</b>	<i>Ara severus</i>	▶  3
2	<b>Great Green Macaw</b>	<i>Ara ambiguus</i> Sensitive	▶  1
2	<b>Great Antshrike</b>	<i>Taraba major</i>	▶  2
1	<b>Barred Antshrike</b>	<i>Thamnophilus doliatus</i>	▶  1
4	<b>Black-crowned Antshrike</b>	<i>Thamnophilus atrinucha</i>	▶  3
3	<b>Black Antshrike</b>	<i>Thamnophilus nigriceps</i>	▶  2
1	<b>Checker-throated Stipplethroat</b>	<i>Epinecrophylla fulviventris</i>	▶  1
2	<b>Pacific Antwren</b>	<i>Myrmotherula pacifica</i>	▶  2
2	<b>White-flanked Antwren</b>	<i>Myrmotherula axillaris</i>	▶  1
1	<b>Rusty-winged Antwren</b>	<i>Herpsilochmus frater</i>	▶  1

1	<b>Dot-winged Antwren</b>	<i>Microhopias quixensis</i>	▶  1
1	<b>Dusky Antbird</b>	<i>Cercomacroides tyrannina</i>	▶  1
1	<b>Jet Antbird</b>	<i>Cercomacra nigricans</i>	▶  1
1	<b>Bare-crowned Antbird</b>	<i>Gymnocichla nudiceps</i>	▶  1
6	<b>White-bellied Antbird</b>	<i>Myrmeciza longipes</i>	▶  4
13	<b>Chestnut-backed Antbird</b>	<i>Poliocrania exsul</i>	▶  4
5	<b>Spotted Antbird</b>	<i>Hylophylax naevioides</i>	▶  1
1	<b>Black-crowned Antpitta</b>	<i>Pittasoma michleri</i>	▶  1
1	<b>Streak-chested Antpitta</b>	<i>Hylopezus perspicillatus</i>	▶  1
1	<b>Plain-brown Woodcreeper</b>	<i>Dendrocincla fuliginosa</i>	▶  1
6	<b>Cocoa Woodcreeper</b>	<i>Xiphorhynchus susurrans</i>	▶  3
3	<b>Streak-headed Woodcreeper</b>	<i>Lepidocolaptes souleyetii</i>	▶  3
1	<b>Northern Plain-Xenops</b>	<i>Xenops mexicanus</i>	▶  1
3	<b>Double-banded Graytail</b>	<i>Xenerpestes minlosi</i>	▶  3
13	<b>Golden-collared Manakin</b>	<i>Manacus vitellinus</i>	▶  5
1	<b>Golden-headed Manakin</b>	<i>Ceratopipra erythrocephala</i>	▶  1
5	<b>Purple-throated Fruitcrow</b>	<i>Querula purpurata</i>	▶  3
2	<b>Blue Cotinga</b>	<i>Cotinga nattererii</i>	▶  2
3	<b>Black-crowned Tityra</b>	<i>Tityra inquisitor</i>	▶  1
8	<b>Masked Tityra</b>	<i>Tityra semifasciata</i>	▶  4























1	<b>Russet-winged Schiffornis</b>	<i>Schiffornis stenorhyncha</i>	▶  1
4	<b>Cinnamon Becard</b>	<i>Pachyramphus cinnamomeus</i>	▶  3
1	<b>Ruddy-tailed Flycatcher</b>	<i>Terenotriccus erythrurus</i>	▶  1
1	<b>Black-tailed Flycatcher</b>	<i>Myiobius atricaudus</i>	▶  1
2	<b>Southern Bentbill</b>	<i>Oncostoma olivaceum</i>	▶  1
3	<b>Common Tody-Flycatcher</b>	<i>Todirostrum cinereum</i>	▶  3
3	<b>Black-headed Tody-Flycatcher</b>	<i>Todirostrum nigriceps</i>	▶  3
2	<b>Western Olivaceous Flatbill</b>	<i>Rhynchocyclus aequinoctialis</i>	▶  1
1	<b>Yellow-winged Flatbill</b>	<i>Tolmomyias flavotectus</i>	▶  1
2	<b>Ochre-lored Flatbill</b>	<i>Tolmomyias flaviventris</i>	▶  2
4	<b>Brown-capped Tyrannulet</b>	<i>Ornithion brunneicapillus</i>	▶  4
1	<b>Yellow Tyrannulet</b>	<i>Capsiempis flaveola</i>	▶  1
10	<b>Yellow-crowned Tyrannulet</b>	<i>Tyrannulus elatus</i>	▶  7
15	<b>Forest Elaenia</b>	<i>Myiopagis gaimardii</i>	▶  8
5	<b>Yellow-bellied Elaenia</b>	<i>Elaenia flavogaster</i>	▶  4
2	<b>Sooty-headed Tyrannulet</b>	<i>Phyllomyias griseiceps</i>	▶  2
2	<b>Northern Tropical Pewee</b>	<i>Contopus bogotensis</i>	▶  1
3	<b>Acadian Flycatcher</b>	<i>Empidonax virescens</i>	▶  3
9	<b>Willow Flycatcher</b>	<i>Empidonax traillii</i>	▶  2
1	<b>Pied Water-Tyrant</b>	<i>Fluvicola pica</i>	▶  1

3	<b>Bright-rumped Attila</b>	<i>Attila spadiceus</i>	▶  3
1	<b>Choco Sirystes</b>	<i>Sirystes albogriseus</i>	▶  1
1	<b>Dusky-capped Flycatcher</b>	<i>Myiarchus tuberculifer</i>	▶  1
14	<b>Great Crested Flycatcher</b>	<i>Myiarchus crinitus</i>	▶  9
2	<b>Cattle Tyrant</b>	<i>Machetornis rixosa</i>	▶  1
1	<b>Lesser Kiskadee</b>	<i>Philohydor lictor</i>	▶  1
8	<b>Great Kiskadee</b>	<i>Pitangus sulphuratus</i>	▶  4
6	<b>Boat-billed Flycatcher</b>	<i>Megarynchus pitangua</i>	▶  3
10	<b>Rusty-margined Flycatcher</b>	<i>Myiozetetes cayanensis</i>	▶  8
9	<b>Streaked Flycatcher</b>	<i>Myiodynastes maculatus</i>	▶  5
15	<b>Tropical Kingbird</b>	<i>Tyrannus melancholicus</i>	▶  6
2	<b>Fork-tailed Flycatcher</b>	<i>Tyrannus savana</i>	▶  2
1	<b>Scrub Greenlet</b>	<i>Hylophilus flavipes</i>	▶  1
3	<b>Lesser Greenlet</b>	<i>Pachysylvia decurtata</i>	▶  3
17	<b>Black-chested Jay</b>	<i>Cyanocorax affinis</i>	▶  4
3	<b>Black-capped Donacobius</b>	<i>Donacobius atricapilla</i>	▶  2
16	<b>Mangrove Swallow</b>	<i>Tachycineta albilinea</i>	▶  2
5	<b>Gray-breasted Martin</b>	<i>Progne chalybea</i>	▶  1
11	<b>Southern Rough-winged Swallow</b>	<i>Stelgidopteryx ruficollis</i>	▶  3
1	<b>Barn Swallow</b>	<i>Hirundo rustica</i>	▶  1

1	<b>White-browed Gnatcatcher</b>	<i>Polioptila bilineata</i>	▶  1
2	<b>Scaly-breasted Wren</b>	<i>Microcerculus marginatus</i>	▶  1
11	<b>Southern House Wren</b>	<i>Troglodytes musculus</i>	▶  10
2	<b>White-headed Wren</b>	<i>Campylorhynchus albobrunneus</i>	▶  1
6	<b>Black-bellied Wren</b>	<i>Pheugopedius fasciatoventris</i>	▶  3
1	<b>Bay Wren</b>	<i>Cantorchilus nigricapillus</i>	▶  1
13	<b>Buff-breasted Wren</b>	<i>Cantorchilus leucotis</i>	▶  8
1	<b>White-breasted Wood-Wren</b>	<i>Henicorhina leucosticta</i>	▶  1
1	<b>Song Wren</b>	<i>Cyphorhinus phaeocephalus</i>	▶  1
2	<b>Tropical Mockingbird</b>	<i>Mimus gilvus</i> *	▶  2
8	<b>Clay-colored Thrush</b>	<i>Turdus grayi</i>	▶  7
6	<b>House Sparrow</b>	<i>Passer domesticus</i> *	▶  2
2	<b>Yellow-crowned Euphonia</b>	<i>Euphonia luteicapilla</i>	▶  2
4	<b>Thick-billed Euphonia</b>	<i>Euphonia laniirostris</i>	▶  3
5	<b>Red-breasted Meadowlark</b>	<i>Leistes militaris</i>	▶  3
5	<b>Crested Oropendola</b>	<i>Psarocolius decumanus</i>	▶  2
6	<b>Chestnut-headed Oropendola</b>	<i>Psarocolius wagleri</i>	▶  2
2	<b>Black Oropendola</b>	<i>Psarocolius guatimozinus</i>	▶  1
6	<b>Yellow-rumped Cacique</b>	<i>Cacicus cela</i>	▶  1
1	<b>Orchard Oriole</b>	<i>Icterus spurius</i>	▶  1



1	<b>Yellow-backed Oriole</b>	<i>Icterus chrysater</i>	▶  1
14	<b>Shiny Cowbird</b>	<i>Molothrus bonariensis</i>	▶  3
15	<b>Giant Cowbird</b>	<i>Molothrus oryzivorus</i>	▶  2
61	<b>Great-tailed Grackle</b>	<i>Quiscalus mexicanus</i>	▶  7
22	<b>Carib Grackle</b>	<i>Quiscalus lugubris</i>	▶  3
6	<b>Northern Waterthrush</b>	<i>Parkesia noveboracensis</i>	▶  2
2	<b>Prothonotary Warbler</b>	<i>Protonotaria citrea</i>	▶  2
2	<b>Mourning Warbler</b>	<i>Geothlypis philadelphia</i>	▶  1
14	<b>Bay-breasted Warbler</b>	<i>Setophaga castanea</i>	▶  6
14	<b>Northern Yellow Warbler</b>	<i>Setophaga aestiva</i>	▶  6
3	<b>Summer Tanager</b>	<i>Piranga rubra</i>	▶  3
1	<b>Indigo Bunting</b>	<i>Passerina cyanea</i>	▶  1
1	<b>Gray-headed Tanager</b>	<i>Eucometis penicillata</i>	▶  1
1	<b>White-shouldered Tanager</b>	<i>Loriotus luctuosus</i>	▶  1
3	<b>Crimson-backed Tanager</b>	<i>Ramphocelus dimidiatus</i>	▶  2
30	<b>Blue-gray Tanager</b>	<i>Thraupis episcopus</i>	▶  6
12	<b>Palm Tanager</b>	<i>Thraupis palmarum</i>	▶  8
4	<b>Golden-hooded Tanager</b>	<i>Stelpnia larvata</i>	▶  2
7	<b>Plain-colored Tanager</b>	<i>Tangara inornata</i>	▶  5
2	<b>Blue Dacnis</b>	<i>Dacnis cayana</i>	▶  2

- 9 **Red-legged Honeycreeper** *Cyanerpes cyaneus* ▶  3
- 4 **White-eared Conebill** *Conirostrum leucogenys* ▶  3
- 9 **Blue-black Grassquit** *Volatinia jacarina* ▶  4
- 7 **Ruddy-breasted Seedeater** *Sporophila minuta* ▶  3
- 18 **Variable Seedeater** *Sporophila corvina* ▶  8
- 17 **Bananaquit** *Coereba flaveola* ▶  7
- 1 **Olive-gray Saltator** *Saltator olivascens* ▶  1
- 1 **Streaked Saltator** *Saltator striatipectus* ▶  1