

Trip Report — Panama's Canopy Tower & Lodge II 2026

March 6-14, 2026 with John Coons & Alex Sanchez & Danilo Rodriguez



We had spectacularly close views of this Black-crowned Antpitta, a normally shy skulker, while birding on La Mesa. Photo by Kris Parnell.

We enjoyed a week of great birding in central Panama, covering two quite different habitats in our excursions from the Canopy Tower and Canopy Lodge. We all gathered up and got acquainted at dinner on Friday, but dinner was interrupted when a Derby's Woolly Possum and then a Kinkajou came into a tree just outside one of the dining room windows. We met Alex Sanchez who would be with us for our time at the Tower. We saw a few birds late that afternoon but really started hitting it hard the next morning, where we met on top of the Tower for sunrise. The highlights of our first real birding included Red-capped and Velvety manakins gleaning fruit from a tree

below us, while a few species of tanagers, honeycreepers, and euphonias joined them. Alex spotted our first male Blue Cotinga in a distant tree and we ended up getting great views of a singing Green Shrike-Vireo and a few perched Keel-billed Toucans. A perched Short-tailed Hawk was scoped, as was a Brown-throated Three-toed Sloth, before we headed down one floor to breakfast. Afterwards we walked the road on Semaphore Hill. Along the way it seemed there was always something to look at; Broad-billed and Rufous motmots, Black-chested and White-whiskered puffbirds, Cinnamon Woodpecker, Golden-crowned Spadebill, and a Purple-crowned Fairy were right next to the road. With more hummingbirds, flycatchers, antwrens, and woodcreepers under our belt, we caught a ride back up for lunch and a siesta for the hot part of the day. In the afternoon we drove down the hill and along the Panama Canal to the town of Gamboa where we spent a little time watching the feeders and the surrounding gardens. We got great views of a number of fruit-eating birds, including Red-legged Honeycreepers, Crimson-backed Tanager, Thick-billed Euphonias, and Clay-colored Thrush, among others. We drove to nearby Ammo Pond and had just started viewing a number of open country and water birds when Alex got a call from Jorge who was looking at an army antswarm only five minutes away. We hustled over and found the ants and the many species of birds that were there to snatch up the insects and spiders which the ants were flushing from the leaf litter. A few of these species are rarely encountered when they are not following the army ants. Here, we had wonderfully close views of uncommon Ocellated Antbirds showing their blue facial skin, several Bicolored Antbirds, close Northern Barred and Plain-brown woodcreepers, Gray-headed Tanager, Buff-throated Saltator, Fasciated Antshrike, Whooping Motmot, and Slaty-tailed Trogon, among others. It is such a treat to encounter this tropical phenomenon. We headed back to the Tower for a wonderful dinner and recap of the day's events.



Lisa Pera caught this quite artistic image of a Silver-throated Tanager in the cloud forest above the Canopy Lodge.

We left the Tower the next two mornings, one quite early, to bird the famous Pipeline Road, a stretch of nicely preserved lowland forest. Passing through Gamboa, Alex spotted a Bat Falcon high atop a crane plucking the feathers from a captured swallow. On our first visit, we spent a chunk of the day birding, with a picnic lunch in the field. On our second morning, we birded the road but also the Discovery Center and its 100 ft tall tower that looks over the forest. On both days, we had scope views of loudly singing Pheasant Cuckoos, a quite large species that usually becomes more conspicuous as the wet season approaches and it starts to vocalize. We watched a Scarlet-rumped Cacique building a nest on a palm frond overhanging the road. A lot of tropical forest birding is about finding mixed-species flocks. One can walk for a spell not seeing any birds, then suddenly run into many. We did this a few times, encountering Checker-throated Stipplethroats, White-flanked

Antwren, Spotted and Bicolored antbirds, Black-striped Woodcreeper, Ruddy-tailed Flycatcher and Southern Bentbill, and five species of trogons, Graceful Black-throated, White-tailed, Slaty-tailed, Gartered Violaceous, and Black-tailed. One of the highlights here was getting a pretty good view of the ping-pong-ball-sized Moustached Antwren, the smallest of the antbirds. Along the walks, we finally saw a group of Mantled Howler Monkeys as well as the more agile Geoffrey's Tamarin moving through the trees. We spent about two hours atop the Discovery Center Tower scanning the near and far treetops and the flowering trees close to the tower. The rather colorful and conspicuous Scaled Pigeons put on a good show, and we had a nice comparison of Yellow-throated and Keel-billed Toucans. We saw a perched Crane Hawk and Alex somehow spotted another male Blue Cotinga. Golden-hooded, Plain-colored, and White-shouldered Tanagers made close appearances and a pair of large Crimson-crested Woodpeckers hammered away on a tree trunk as both Blue-headed Parrot and Red-lored Amazons passed by on occasion. On our longer day in the forest, we stopped again at Ammo Pond and caught up with a Rufescent Tiger-Heron on a nest, several Wattled Jacanas, Southern Lapwings, Green and Cocoli herons, Panama Flycatcher, Buff-breasted Wren, perched Black-throated Mango, and Purple Gallinules were crowd pleasers. On our other afternoon, we visited Summit Pond, which is located on the continental divide of the Panama Canal. We spent some time birding the dry scrub where a Barred Antshrike put on a nice show and we finally got some views of the much less common Jet Antbird. A surprise was finding a Gray-cowled Wood-Rail perched high in a tree! A nest stealing Piratic Flycatcher was calling incessantly, a group of Yellow-bellied Seedeaters suddenly flew in, we saw our first Black-chested Jays, Common Squirrel-Cuckoo, and at the pond we found two pairs of the unusual Boat-billed Herons. We had a slightly earlier outdoor BBQ dinner and afterwards did a night drive down Semaphore Hill in hopes of spotlighting some mammals as well as birds. We spotted our only Hoffman's Two-toed Sloth and another Kinkajou, and a bit further down we found a Great Potoo on a perch that proved to be a nest that we would see again in the daytime. We tried in vain to call out a Choco Screech-Owl that would not budge from its forest perch.



This Graceful Black-throated Trogon was one of six trogon species we encountered. Photo by Lisa Pera.

On the day we transferred to the Canopy Lodge, we had an early breakfast and packed up our bags. We drove about 20 minutes to the Camino de Cruces section of the National Park. The park commemorates the foot / horse trail that people traveling by ship during the California Gold Rush had to take across Panama to go from the east coast to the west coast of the U.S. before the canal was constructed. This area preserves a nice area of drier forest that has a different assemblage of birds than the Pipeline Road area. Just as we started birding, Alex spotted a perched Common Black Hawk near the parking lot. We spent a couple of hours here on the trails, which were highlighted by a perched Rosy Thrush-Tanager that we managed to scope through the vegetation. We also had a mixed-species flock that crossed the trail and gave us good views of Greenish Elaenia, Ruddy-tailed Flycatcher, and the very special Yellow-green Tyrannulet, a bird found only in central

Panama. We also came upon a group of singing Slate-colored Seedeaters, Slate-colored Grosbeaks, Rufous-and-white Wren, Red-throated Ant-Tanagers, and we flushed a couple of Common Pauragues, with one landing on the ground that we could get in the telescope.

After saying good-bye to Alex, we hopped in the van with Lorenzo and took the Centennial Bridge over the Panama Canal and drove on to the small city of El Valle de Anton, the home of the Canopy Lodge. Here we met Danilo, our guide for our time here, and the senior member of the Lodge guide staff. We went straight to lunch but were easily distracted by the birds coming to the fruit and rice feeder. Gray-headed Chachalacas, Chestnut-headed Oropendolas, Thick-billed Euphonias, and Crimson-backed and Blue-gray Tanagers were really going after their own lunch. After a break to get settled in our quite nice rooms, we walked from the Lodge grounds up the road toward the Canopy Adventure. We stopped along the road to see Tawny-capped Euphonia, Giant Cowbirds, Bay-headed Tanager, Purple-crowned Fairy, Spot-crowned Barbet, and a tiny, but exquisitely plumaged Rufous-crested Coquette. In hopes of seeing another antswarm with the possibility of a Rufous-vented Ground-Cuckoo, we ventured in on the trails of the Canopy Adventure. We saw White-breasted Wood-Wren, and an all too brief Barred Forest-Falcon, Dusky-faced Tanagers and army ants going to their nest for the night but no sign of a ground-cuckoo. We enjoyed a nice dinner under cooler temperatures at this comfortable elevation.



This is a wonderful capture by Kris Parnell of a tiny Scale-crested Pygmy-Tyrant that was very cooperative along the road at Altos del Maria.

It is hard to get away from the Lodge after breakfast on the first morning, as the birds at the feeder keep drawing you back. Some of us did see our first Bay Wrens and Buff-rumped Warbler as we crossed the foot bridge. We drove up the road to La Mesa and walked the Candelario Trail that starts at a series of vegetable gardens before entering the forest. One of my favorite Central American birds, the Black-crowned Antpitta, has been seen here off and on for a few years, and we learned the Canopy folks had recently brought in an antpitta whisperer from Colombia who has trained other antpitta species to come in to worms. With this in mind, we quietly walked along the trail with Danilo whistling the antpitta's song. While waiting, we spotted a White-tipped Sicklebill that flew in and perched just above the ground and stayed for a few minutes while we got great views and a few got close photos. A stunning Emerald Tanager appeared with some Bay-headed and Silver-throated tanagers, a male and female Golden-winged Warbler and a very nice orange-bellied race of Collared Trogon, our sixth trogon

species. As it was looking bleak, we finally heard the Black-crowned Antpitta call from way down the slope but in a couple of minutes it was quite close to us and made several quick dashes out of the vegetation to grab worms before feeling confident and staying for a spell. Yip! Yip! During this time a mixed species flock moved through and we got views of Chestnut-backed Antbird, Russet Antshrike, Slaty-Antwren, Spotted Woodcreeper, Sepia-capped Flycatcher, Tawny-faced Gnatwren, and Red-crowned Ant-Tanager. On the way back to the Lodge for lunch, we stopped at a newly erected feeding station where Danilo also showed us a couple of Tropical Screech-Owls hiding in the vegetation. A few new hummingbirds were here, including Bronze-tailed Plumeleteer, Crowned Woodnymph, and Stripe-throated Hermit. A rarely seen Tiny Hawk flew in and landed nearby. After lunch we enjoyed another siesta before heading out to Las Mozas, where we walked trails in a preserve and found a family of superb Spectacled Owls. Afterwards, we returned to the new feeding station and saw an incredible Uniform Crake, a very difficult to see forest rail that was coming to a compost pile of fruit to pick at the insects.



White-tipped Sicklebill is a strange hummingbird adapted for feeding on heliconia flowers. We saw this unusual species at the Canopy Lodge and again along the trail on La Mesa. Photo by Lisa Pera.

The following morning we saw a beautiful Orange-billed Sparrow and a group of Dusky-faced Tanagers at breakfast before we loaded in to three SUVs to head into the hills for some cloud forest birding. Our first stop along the road gave us views of the quite local Dull-mantled Antbird, as well as a group of Northern Emerald Toucanets and Common Chlorospingus. This morning, we would drive a bit and get out and bird a section of the road before continuing on. During the morning, we encountered Spot-crowned Antwreio, a wonderful Rufous-browed Tyrannulet, a long-perched Scale-crested Pygmy-Tyrant, an Ochraceous Wren on a moss-covered tree trunk, White-ruffed Manakin, a few Tufted Flycatchers, sharply-marked Black-and-yellow Tanagers, Black-faced Grosbeaks, and a rather uncommon group of White-vented Euphonias, among others. We had lunch at a man-made lake where a gorgeous Swallow-tailed Kite circled and made a few dips at the

lake for a drink. We returned in the mid-afternoon to the Lodge for a relaxing time and a few folks spotted a quite rare Black-cowled Oriole coming to the fruit feeder. The first time the guys had seen it here in 20 years!



We had a couple of extended views of Pheasant Cuckoo along Pipeline Road. Photo by Kris Parnell.

On our final day of birding, we viewed the feeder for one last time then loaded up the van to head to the Pacific lowlands. We drove up the rather steep slope of the caldera and stopped in the grassland near the rim in a high wind. It took a bit, but we coaxed a couple of Crested Bobwhites out of the vegetation for a pretty good look. We made a couple of stops along the road and had nice views of several new and also familiar species. An Isthmian Wren showed well, as did our first Plumbeous Kite, Crested Oropendola, Yellow-crowned Tyrannulet, and Yellow-green Vireo. We had nice views of the local Brown-throated Parakeets, a Ferruginous Owl made an appearance, and a Yellow-faced Grassquit perched on the door of the van as it had issue with its own reflection in the mirror. After a pit stop, we headed into some

drier gallery forest where Danilo showed us a roost with Tropical Screech-Owls. A pair of the endemic Veraguan Mangos came to a flowering tree, and Groove-billed Ani, Rufous-browed Peppershrike, Mouse-colored Tyrannulet, and Northern Scrub-Flycatcher made appearances. We then made our way to the nearby Juan Hombron area, where there were ponds mixed in with the agricultural areas. The highlight here was an Aplomado Falcon at its nest, but a perched Pearl Kite, Savanna Hawk, Lesser Yellow-headed Vulture, Barred Antshrike, Straight-billed Woodcreeper, and Lance-tailed Manakin also drew our attention. Late in the morning, we made our way to Santa Clara where we had lunch at Canopy owner Raul Arias's beach house as we watched Royal and Sandwich terns on the beach, a large group of Magnificent Frigatebirds soaring about, and a handful of Cocos Boobys on the cement structure a ways off shore. We then said goodbye to Danilo and took off in the van with Luis to our hotel near the airport at the edge of Panama City. We settled into our rooms before our final dinner together and recap of the week.

It was wonderful adventuring with all of you and we certainly enjoyed some great birds during our time together. I hope to see you again on another adventure soon.



Golden-hooded Tanager was a dazzler that we saw most days of our trip. This one was posed quite well for Lisa Pera on the Discovery Center Tower.

Mammals encountered during our trip included:

- Derby's Woolly Opossum (*Caluromys derbianus*)
- Lesser Sac-winged Bat (*Saccopteryx leptura*)
- Geoffroy's Tamarin (*Saguinus geoffroyi*)
- Mantled Howler Monkey (*Alouatta palliata*)
- Hoffmann's Two-toed Sloth (*Choloepus hoffmanni*)
- Brown-throated Three-toed Sloth (*Bradypus variegatus*)
- Red-tailed Squirrel (*Sciurus granatensis*)
- Central American Agouti (*Dasyprocta punctata*)
- White-nosed Coati (*Nasua narica*)
- Kinkajou (*Potos flavus*)

You can see my complete trip report on eBird at this link: <https://ebird.org/tripreport/489799>


You can download a combined PDF of this page and the eBird report at this link: <https://fieldguides.com/triplists/ptl26bTRIPLIST.pdf>

-- John Coons

Field Guides Birding Tours--Panama's Canopy Tower & Lodge II, 2026 (with John Coons, Alex Sanchez, and Danilo Rodriguez)



7 – 13 Mar 2026 (7 days) Link-only



Panama

Coclé | Colón | Panamá

John Coons























For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...


































 **281**
 **34**
LIFERS  1 
























Species Observed
























[Show all details](#)
























- | | | |
|----|--|---|
| 1 | Great Tinamou <i>Tinamus major</i> | ▶  1 |
| 1 | Little Tinamou <i>Crypturellus soui</i> | ▶  1 |
| 18 | Gray-headed Chachalaca <i>Ortalis cinereiceps</i> | ▶  5 |
| 2 | Crested Bobwhite <i>Colinus cristatus</i> | ▶  1 |
| 7 | Pale-vented Pigeon <i>Patagioenas cayennensis</i> | ▶  4 |
| 9 | Scaled Pigeon <i>Patagioenas speciosa</i> | ▶  2 |
| 2 | Short-billed Pigeon <i>Patagioenas nigrirostris</i> | ▶  1 |
| 1 | Plain-breasted Ground Dove <i>Columbina minuta</i> | ▶  1 |
| 10 | Ruddy Ground Dove <i>Columbina talpacoti</i> | ▶  2 |
| 4 | White-tipped Dove <i>Leptotila verreauxi</i> | ▶  3 |
| 1 | Gray-chested Dove <i>Leptotila cassinii</i> | ▶  1 |
| 1 | Smooth-billed Ani <i>Crotophaga ani</i> | ▶  1 |
| 7 | Groove-billed Ani <i>Crotophaga sulcirostris</i> | ▶  2 |
| 2 | Pheasant Cuckoo <i>Dromococcyx phasianellus</i> | ▶  2 |
| 3 | Common Squirrel-Cuckoo <i>Piaya cayana</i> | ▶  3 |
| 3 | Common Pauraque <i>Nyctidromus albicollis</i> | ▶  2 |
| 1 | Great Potoo <i>Nyctibius grandis</i> | ▶  1 |
| 1 | Band-rumped Swift <i>Chaetura spinicaudus</i> | ▶  1 |
| 2 | Short-tailed Swift <i>Chaetura brachyura</i> | ▶  1 |
| 11 | White-necked Jacobin <i>Florisuga mellivora</i> | ▶  5 |
























- 2 **White-tipped Sicklebill** *Eutoxeres aquila* ▶  2
- 1 **Long-billed Hermit** *Phaethornis longirostris* ▶  1
- 3 **Stripe-throated Hermit** *Phaethornis striigularis* ▶  2
- 3 **Purple-crowned Fairy** *Heliodytes barroti* ▶  2
- 3 **Black-throated Mango** *Anthracothorax nigricollis* ▶  3
- 2 **Veraguan Mango** *Anthracothorax veraguensis* ▶  1
- 1 **Rufous-crested Coquette** *Lophornis delattrei* ▶  1
- 3 **Garden Emerald** *Chlorostilbon assimilis* ▶  2
- 1 **Violet-headed Hummingbird** *Klais guimeti* ▶  1
- 3 **Bronze-tailed Plumeleteer** *Chalybura urochrysa* ▶  3
- 2 **White-vented Plumeleteer** *Chalybura buffonii* ▶  2
- 4 **Crowned Woodnymph** *Thalurania colombica* ▶  2
- 2 **Scaly-breasted Hummingbird** *Phaeochroa cuvierii* ▶  1
- 2 **Snowy-bellied Hummingbird** *Saucerottia edward* ▶  2
- 9 **Rufous-tailed Hummingbird** *Amazilia tzacatl* ▶  6
- 4 **Sapphire-throated Hummingbird** *Chrysuronia coeruleogularis* ▶  2
- 7 **Blue-chested Hummingbird** *Polyerata amabilis* ▶  4
- 1 **Violet-bellied Hummingbird** *Chlorestes julie* ▶  1
- 1 **Uniform Crake** *Amaurolimnas concolor*  ▶  1
- 2 **Gray-cowled Wood-Rail** *Aramides cajaneus* ▶  2
- 6 **Purple Gallinule** *Porphyrio martinica* ▶  2
- 23 **Southern Lapwing** *Vanellus chilensis* ▶  3
- 11 **Wattled Jacana** *Jacana jacana* ▶  3
- 1 **Hudsonian Whimbrel** *Numenius hudsonicus* ▶  1
























1	Spotted Sandpiper	<i>Actitis macularius</i>	▶  1
1	Solitary Sandpiper	<i>Tringa solitaria</i>	▶  1
2	Willet	<i>Tringa semipalmata</i>	▶  1
20	Laughing Gull	<i>Leucophaeus atricilla</i>	▶  1
4	Sandwich Tern	<i>Thalasseus sandvicensis</i>	▶  1
17	Royal Tern	<i>Thalasseus maximus</i>	▶  1
1	Wood Stork	<i>Mycteria americana</i>	▶  1
33	Magnificent Frigatebird	<i>Fregata magnificens</i>	▶  4
8	Cocos Booby	<i>Sula brewsteri</i>	▶  1
1	Anhinga	<i>Anhinga anhinga</i>	▶  1
3	White Ibis	<i>Eudocimus albus</i>	▶  1
3	Rufescent Tiger-Heron	<i>Tigrisoma lineatum</i>	▶  1
4	Boat-billed Heron	<i>Cochlearius cochlearius</i>	▶  1
4	Little Blue Heron	<i>Egretta caerulea</i>	▶  1
2	Green Heron	<i>Butorides virescens</i>	▶  2
19	Western Cattle-Egret	<i>Ardea ibis</i>	▶  2
37	Great Egret	<i>Ardea alba</i>	▶  4
1	Cocoi Heron	<i>Ardea cocoi</i>	▶  1
62	Brown Pelican	<i>Pelecanus occidentalis</i>	▶  2
26	Black Vulture	<i>Coragyps atratus</i>	▶  7
681	Turkey Vulture	<i>Cathartes aura</i>	▶  11
3	Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>	▶  2
1	Osprey	<i>Pandion haliaetus</i>	▶  1
























1	Pearl Kite <i>Gampsonyx swainsonii</i>	▶  1
6	Swallow-tailed Kite <i>Elanoides forficatus</i>	▶  1
1	Black Hawk-Eagle <i>Spizaetus tyrannus</i>	▶  1
1	Tiny Hawk <i>Microspizias superciliosus</i>	▶  1
1	Plumbeous Kite <i>Ictinia plumbea</i>	▶  1
2	Crane Hawk <i>Geranospiza caerulescens</i>	▶  2
1	Common Black Hawk <i>Buteogallus anthracinus</i>	▶  1
1	Savanna Hawk <i>Buteogallus meridionalis</i>	▶  1
3	Gray-lined Hawk <i>Buteo nitidus</i>	▶  3
37	Broad-winged Hawk <i>Buteo platypterus</i>	▶  4
1	Zone-tailed Hawk <i>Buteo albonotatus</i>	▶  1
1	Short-tailed Hawk <i>Buteo brachyurus</i>	▶  1
1	Swainson's Hawk <i>Buteo swainsoni</i>	▶  1
4	Tropical Screech-Owl <i>Megascops choliba</i>	▶  2
1	Choco Screech-Owl <i>Megascops centralis</i>	▶  1
4	Spectacled Owl <i>Pulsatrix perspicillata</i>	▶  1
1	Ferruginous Pygmy-Owl <i>Glaucidium brasilianum</i>	▶  1
7	Slaty-tailed Trogon <i>Trogon massena</i>	▶  4
3	Black-tailed Trogon <i>Trogon melanurus</i>	▶  2
2	White-tailed Trogon <i>Trogon chionurus</i>	▶  1
3	Gartered Violaceous Trogon <i>Trogon caligatus</i>	▶  1
1	Graceful Black-throated Trogon <i>Trogon tenellus</i>	▶  1
4	Collared Trogon <i>Trogon collaris</i>	▶  2
























- 2 **Whooping Motmot** *Momotus subrufescens* ▶  1
- 6 **Rufous Motmot** *Baryphthengus martii* ▶  5
- 1 **Broad-billed Motmot** *Electron platyrhynchum* ▶  1
- 3 **Ringed Kingfisher** *Megaceryle torquata* ▶  2
- 2 **Green Kingfisher** *Chloroceryle americana* ▶  1
- 1 **White-necked Puffbird** *Notharchus hyperrhynchus* ▶  1
- 3 **Black-breasted Puffbird** *Notharchus pectoralis* ▶  2
- 3 **White-whiskered Puffbird** *Malacoptila panamensis* ▶  2
- 1 **Spot-crowned Barbet** *Capito maculicoronatus* ▶  1
- 8 **Northern Emerald-Toucanet** *Aulacorhynchus prasinus* ▶  1
- 5 **Collared Aracari** *Pteroglossus torquatus* ▶  1
- 8 **Yellow-throated Toucan** *Ramphastos ambiguus* ▶  3
- 24 **Keel-billed Toucan** *Ramphastos sulfuratus* ▶  6
- 5 **Black-cheeked Woodpecker** *Melanerpes pucherani* ▶  4
- 9 **Red-crowned Woodpecker** *Melanerpes rubricapillus* ▶  8
- 2 **Crimson-crested Woodpecker** *Campephilus melanoleucos* ▶  1
- 4 **Lineated Woodpecker** *Dryocopus lineatus* ▶  3
- 9 **Cinnamon Woodpecker** *Celeus loricatus* ▶  4
- 1 **Barred Forest-Falcon** *Micrastur ruficollis* ▶  1
- 1 **Crested Caracara** *Caracara plancus* ▶  1
- 6 **Yellow-headed Caracara** *Daptrius chimachima* ▶  4
- 1 **Aplomado Falcon** *Falco femoralis* ▶  1
- 2 **Bat Falcon** *Falco ruficularis* ▶  2
























26	Orange-chinned Parakeet <i>Brotogeris jugularis</i>	▶  6
17	Blue-headed Parrot <i>Pionus menstruus</i>	▶  5
10	Red-lored Amazon <i>Amazona autumnalis</i>	▶  3
8	Brown-throated Parakeet <i>Eupsittula pertinax</i>	▶  3
5	Fasciated Antshrike <i>Cymbilaimus lineatus</i>	▶  3
4	Barred Antshrike <i>Thamnophilus doliatus</i>	▶  3
3	Black-crowned Antshrike <i>Thamnophilus atrinucha</i>	▶  2
1	Russet Antshrike <i>Thamnistes anabatinus</i>	▶  1
2	Spot-crowned Antwren <i>Dysithamnus puncticeps</i>	▶  1
6	Checker-throated Stipplethroat <i>Epinecrophylla fulviventris</i>	▶  2
1	Moustached Antwren <i>Myrmotherula ignota</i>	▶  1
4	White-flanked Antwren <i>Myrmotherula axillaris</i>	▶  3
1	Slaty Antwren <i>Myrmotherula schisticolor</i>	▶  1
6	Dot-winged Antwren <i>Microrhophias quixensis</i>	▶  2
5	Dusky Antbird <i>Cercomacroides tyrannina</i>	▶  2
1	Jet Antbird <i>Cercomacra nigricans</i>	▶  1
1	White-bellied Antbird <i>Myrmeciza longipes</i>	▶  1
2	Chestnut-backed Antbird <i>Poliocrania exsul</i>	▶  1
2	Dull-mantled Antbird <i>Sipia laemosticta</i>	▶  1
7	Bicolored Antbird <i>Gymnopithys bicolor</i>	▶  2
3	Spotted Antbird <i>Hylophylax naevioides</i>	▶  1
3	Ocellated Antbird <i>Phaenostictus mcleannani</i>	▶  1
1	Black-crowned Antpitta <i>Pittasoma michleri</i>	▶  1
























- 1 **Streak-chested Antpitta** *Hylopezus perspicillatus* ▶  1
- 1 **Black-faced Antthrush** *Formicarius analis* ▶  1
- 5 **Plain-brown Woodcreeper** *Dendrocincla fuliginosa* ▶  2
- 1 **Wedge-billed Woodcreeper** *Glyphorhynchus spirurus* ▶  1
- 1 **Northern Barred-Woodcreeper** *Dendrocolaptes sanctithomae* ▶  1
- 6 **Cocoa Woodcreeper** *Xiphorhynchus susurrans* ▶  5
- 1 **Black-striped Woodcreeper** *Xiphorhynchus lachrymosus* ▶  1
- 1 **Spotted Woodcreeper** *Xiphorhynchus erythropygius* ▶  1
- 1 **Straight-billed Woodcreeper** *Dendroplex picus* ▶  1
- 2 **Northern Plain-Xenops** *Xenops mexicanus* ▶  1
- 1 **Lance-tailed Manakin** *Chiroxiphia lanceolata* ▶  1
- 1 **White-ruffed Manakin** *Corapipo altera* ▶  1
- 1 **Velvety Manakin** *Lepidothrix velutina* ▶  1
- 1 **Golden-collared Manakin** *Manacus vitellinus* ▶  1
- 8 **Red-capped Manakin** *Ceratopipra mentalis* ▶  3
- 6 **Purple-throated Fruitcrow** *Querula purpurata* ▶  2
- 3 **Blue Cotinga** *Cotinga nattererii* ▶  3
- 1 **Masked Tityra** *Tityra semifasciata* ▶  1
- 4 **Ruddy-tailed Flycatcher** *Terentriccus erythrurus* ▶  3
- 1 **Sulphur-rumped Flycatcher** *Myiobius sulphureipygius* ▶  1
- 1 **Black-tailed Flycatcher** *Myiobius atricaudus* ▶  1
- 2 **Golden-crowned Spadebill** *Platyrinchus coronatus* ▶  1
- 1 **Olive-striped Flycatcher** *Mionectes galbinus* ▶  1








- 1 **Sepia-capped Flycatcher** *Leptopogon amaurocephalus* ▶  1
- 2 **Yellow-green Tyrannulet** *Phylloscartes flavovirens* ▶  1
- 1 **Rufous-browed Tyrannulet** *Phylloscartes superciliaris* ▶  1
- 5 **Scale-crested Pygmy-Tyrant** *Lophotriccus pileatus* ▶  1
- 4 **Southern Bentbill** *Oncostoma olivaceum* ▶  3
- 1 **Yellow-olive Flatbill** *Tolmomyias sulphurescens* ▶  1
- 2 **Yellow-winged Flatbill** *Tolmomyias flavotectus* ▶  2
- 5 **Brown-capped Tyrannulet** *Ornithion brunneicapillus* ▶  4
- 2 **Mouse-colored Tyrannulet** *Nesotriccus murinus* ▶  1
- 2 **Yellow-crowned Tyrannulet** *Tyrannulus elatus* ▶  2
- 4 **Forest Elaenia** *Myiopagis gaimardii* ▶  3
- 1 **Greenish Elaenia** *Myiopagis viridicata* ▶  1
- 3 **Yellow-bellied Elaenia** *Elaenia flavogaster* ▶  2
- 1 **Lesser Elaenia** *Elaenia chiriquensis* ▶  1
- 1 **Mistletoe Tyrannulet** *Zimmerius parvus* ▶  1
- 2 **Tufted Flycatcher** *Mitrephanes phaeocercus* ▶  1
- 1 **Acadian Flycatcher** *Empidonax virescens* ▶  1
- 1 **Northern Scrub-Flycatcher** *Sublegatus arenarum* ▶  1
- 6 **Bright-rumped Attila** *Attila spadiceus* ▶  4
- 9 **Dusky-capped Flycatcher** *Myiarchus tuberculifer* ▶  5
- 5 **Panama Flycatcher** *Myiarchus panamensis* ▶  3
- 2 **Great Crested Flycatcher** *Myiarchus crinitus* ▶  1
- 3 **Lesser Kiskadee** *Philohydor lictor* ▶  2

9	Great Kiskadee <i>Pitangus sulphuratus</i>	▶  5
2	Boat-billed Flycatcher <i>Megarynchus pitangua</i>	▶  2
1	Rusty-margined Flycatcher <i>Myiozetetes cayanensis</i>	▶  1
5	Social Flycatcher <i>Myiozetetes similis</i>	▶  2
1	Streaked Flycatcher <i>Myiodynastes maculatus</i>	▶  1
3	Piratic Flycatcher <i>Legatus leucophaeus</i>	▶  3
14	Tropical Kingbird <i>Tyrannus melancholicus</i>	▶  10
1	Rufous-browed Peppershrike <i>Cyclarhis gujanensis</i>	▶  1
1	Scrub Greenlet <i>Hylophilus flavipes</i>	▶  1
9	Green Shrike-Vireo <i>Vireolanius pulchellus</i>	▶  6
9	Lesser Greenlet <i>Pachysylvia decurtata</i>	▶  4
6	Golden-fronted Greenlet <i>Pachysylvia aurantiifrons</i>	▶  2
5	Yellow-green Vireo <i>Vireo flavoviridis</i>	▶  3
12	Black-chested Jay <i>Cyanocorax affinis</i>	▶  5
1	Mangrove Swallow <i>Tachycineta albilinea</i>	▶  1
6	Gray-breasted Martin <i>Progne chalybea</i>	▶  2
8	Southern Rough-winged Swallow <i>Stelgidopteryx ruficollis</i>	▶  4
4	Barn Swallow <i>Hirundo rustica</i>	▶  1
1	Cliff Swallow <i>Petrochelidon pyrrhonota</i>	▶  1
2	Tawny-faced Gnatwren <i>Microbates cinereiventris</i>	▶  2
1	Long-billed Gnatwren <i>Ramphocaenus melanurus</i>	▶  1
2	White-browed Gnatcatcher <i>Polioptila bilineata</i>	▶  2
1	Scaly-breasted Wren <i>Microcerculus marginatus</i>	▶  1

7	Southern House Wren <i>Troglodytes musculus</i>	▶  6
3	Ochraceous Wren <i>Troglodytes ochraceus</i>	▶  1
3	Black-bellied Wren <i>Pheugopedius fasciatoventris</i>	▶  1
4	Rufous-breasted Wren <i>Pheugopedius rutilus</i>	▶  3
2	Rufous-and-white Wren <i>Thryophilus rufalbus</i>	▶  1
1	Isthmian Wren <i>Cantorchilus elutus</i>	▶  1
4	Bay Wren <i>Cantorchilus nigricapillus</i>	▶  2
1	Buff-breasted Wren <i>Cantorchilus leucotis</i>	▶  1
2	White-breasted Wood-Wren <i>Henicorhina leucosticta</i>	▶  2
8	Song Wren <i>Cyphorhinus phaeocephalus</i>	▶  2
2	Tropical Mockingbird <i>Mimus gilvus</i> *	▶  2
38	Clay-colored Thrush <i>Turdus grayi</i>	▶  9
1	House Sparrow <i>Passer domesticus</i> *	▶  1
4	Yellow-crowned Euphonia <i>Euphonia luteicapilla</i>	▶  2
3	White-vented Euphonia <i>Euphonia minuta</i>	▶  1
26	Thick-billed Euphonia <i>Euphonia laniirostris</i>	▶  8
2	Fulvous-vented Euphonia <i>Euphonia fulvicrissa</i>	▶  2
5	Tawny-capped Euphonia <i>Euphonia anae</i>	▶  4
3	Lesser Goldfinch <i>Spinus psaltria</i>	▶  1
1	Rosy Thrush-Tanager <i>Rhodinocichla rosea</i>	▶  1
9	Common Chlorospingus <i>Chlorospingus flavopectus</i>	▶  1
1	Black-striped Sparrow <i>Arremonops conirostris</i>	▶  1
1	Orange-billed Sparrow <i>Arremon aurantirostris</i>	▶  1

2	Eastern Meadowlark	<i>Sturnella magna</i>	▶  1
2	Crested Oropendola	<i>Psarocolius decumanus</i>	▶  1
31	Chestnut-headed Oropendola	<i>Psarocolius wagleri</i>	▶  6
17	Scarlet-rumped Cacique	<i>Cacicus uropygialis</i>	▶  4
12	Yellow-rumped Cacique	<i>Cacicus cela</i>	▶  3
1	Black-cowled Oriole	<i>Icterus prothemelas</i>	▶  1
2	Baltimore Oriole	<i>Icterus galbula</i>	▶  2
10	Shiny Cowbird	<i>Molothrus bonariensis</i>	▶  2
4	Giant Cowbird	<i>Molothrus oryzivorus</i>	▶  2
27	Great-tailed Grackle	<i>Quiscalus mexicanus</i>	▶  6
3	Louisiana Waterthrush	<i>Parkesia motacilla</i>	▶  3
3	Northern Waterthrush	<i>Parkesia noveboracensis</i>	▶  2
3	Golden-winged Warbler	<i>Vermivora chrysoptera</i>	▶  2
1	Mourning Warbler	<i>Geothlypis philadelphia</i>	▶  1
12	Bay-breasted Warbler	<i>Setophaga castanea</i>	▶  7
1	Northern Yellow Warbler	<i>Setophaga aestiva</i>	▶  1
4	Chestnut-sided Warbler	<i>Setophaga pensylvanica</i>	▶  3
4	Chestnut-capped Warbler	<i>Basileuterus delatirii</i>	▶  3
3	Buff-rumped Warbler	<i>Myiothlypis fulvicauda</i>	▶  2
8	Dusky-faced Tanager	<i>Mitrospingus cassinii</i>	▶  2
2	Hepatic Tanager	<i>Piranga flava</i>	▶  1
3	Summer Tanager	<i>Piranga rubra</i>	▶  2
5	Red-crowned Ant-Tanager	<i>Habia rubica</i>	▶  3

2	Red-throated Ant-Tanager <i>Driophlox fuscicauda</i>	▶  1
11	Black-faced Grosbeak <i>Caryothraustes poliogaster</i>	▶  1
1	Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	▶  1
1	Blue-black Grosbeak <i>Cyanoloxia cyanoides</i>	▶  1
4	Gray-headed Tanager <i>Eucometis penicillata</i>	▶  2
7	White-shouldered Tanager <i>Loriotus luctuosus</i>	▶  4
17	Tawny-crested Tanager <i>Tachyphonus delatrii</i>	▶  2
17	Crimson-backed Tanager <i>Ramphocelus dimidiatus</i>	▶  7
15	Blue-gray Tanager <i>Thraupis episcopus</i>	▶  7
15	Palm Tanager <i>Thraupis palmarum</i>	▶  6
7	Golden-hooded Tanager <i>Stilpnia larvata</i>	▶  5
12	Plain-colored Tanager <i>Tangara inornata</i>	▶  5
4	Bay-headed Tanager <i>Tangara gyrola</i>	▶  3
1	Emerald Tanager <i>Tangara florida</i>	▶  1
6	Silver-throated Tanager <i>Tangara icterocephala</i>	▶  2
1	Scarlet-thighed Dacnis <i>Dacnis venusta</i>	▶  1
11	Blue Dacnis <i>Dacnis cayana</i>	▶  3
1	Shining Honeycreeper <i>Cyanerpes lucidus</i>	▶  1
8	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	▶  3
1	Green Honeycreeper <i>Chlorophanes spiza</i>	▶  1
6	Black-and-yellow Tanager <i>Chrysothlypis chrysomelas</i>	▶  1
1	Blue-black Grassquit <i>Volatinia jacarina</i>	▶  1
2	Thick-billed Seed-Finch <i>Sporophila funerea</i>	▶  1

- 6 **Variable Seedeater** *Sporophila corvina* ▶  4
 - 15 **Yellow-bellied Seedeater** *Sporophila nigricollis* ▶  1
 - 6 **Slate-colored Seedeater** *Sporophila schistacea* ▶  1
 - 3 **Bananaquit** *Coereba flaveola* ▶  3
 - 6 **Yellow-faced Grassquit** *Tiaris olivaceus* ▶  2
 - 4 **Buff-throated Saltator** *Saltator maximus* ▶  4
 - 2 **Slate-colored Grosbeak** *Saltator grossus* ▶  1
-