

Trip Report — South Africa 2025

October 4-26, 2025 with Tarry Butcher & Jesse Fagan

(See the on-line version for a video of trip highlights by guide Jesse Fagan)

South Africa, at the southern tip of Africa stands out above the rest with an amazing variety of birds, mammals and also incredible flora. This year was no different. We started our journey with a trip around False Bay to Rooi Els, a small seaside village, where after a short walk we found 2 pairs of Cape Rockjumpers and a single Ground Woodpecker amongst the coastal Proteas. Further down the road at Betty's Bay, we had really good views of Great, Bank, Crowned and Cape Cormorants as well as African Oystercatcher and Rock Hyrax basking in the sun. We cannot forget the delightful African Penguins around our feet. Lunch was enjoyed at the Botanical Gardens and we took some time to do a short walk, finding a surprising female Black Cuckooshrike and good views of Swee Waxbill, African Dusky Flycatcher and White-necked Raven.

The next day we made our way north from Cape Town over the Cape Fold Mountains, that provided stunning landscapes as we climbed in elevation. Our first bathroom stop revealed another surprise, finding a non-breeding Knob-billed Duck, well out of its normal range. The same pond produced Levillant's Cisticola and gorgeous looks at Red Bishop. Our next stop produced a super responsive Victorin's Warbler which gave us unbelievable views, as well as a delightful Cape Grassbird, a good start for the day. The afternoon was spent exploring the southern section of the Karoo habitat along the infamous R355 road. We found our targets, which included Rufous-eared Warbler, Karoo Chat, Dusky Sunbird and Grey Tit, as well as Cinnamon-breasted Warbler, Mountain Chat and Karoo Scrub Robin.

The next day, we moved further north into the drier Karoo and another fortuitous bathroom stop revealed two massive targets of Protea Canary and Cape Sugarbird, with a bonus fly-by Booted Eagle. We continued the journey

further north into the very dry, arid northern section of the Karoo biome, and birding around Brandvlei. This spot produced good views of Namaqua Sandgrouse, Lark-like Bunting, Red Lark, Large-billed Lark, Black-eared Sparrow-Lark, Karoo Long-billed Lark, Karoo Lark, Scaly Weaver, Tractrac Chat and brief views of Sclater's Lark and White-quilled Bustard. Before heading to the West Coast, we wrapped up the Karoo targets, getting good views of Karoo and Ludwig's bustard as well as a singing Namaqua Warbler.



Cape Rockjumper by guide Tarry Butcher.

After the hot days in the Karoo, we made our way to the cooler West Coast, staying at Lambert's Bay. The drive is mixture of spectacular scenery - especially the view from the edge of the Escarpment over the valley below as we descend down Van Rhyn's Pass. Lunch revealed a good look at Klipspringer and Fairy Flycatcher, while with some road-side birding we managed to find a lonely Secretary Bird before arriving in Lambert's Bay. The afternoon was time well-spent admiring the stunning sight of 35,000 Cape Gannets at their breeding colony on Bird Island. The well-built hide gives

unprecedented views of these gracious birds. We also had time to bird along the Lambert's Bay lagoon, finding Spotted Thick-knee, Purple Heron and a brief view of Little Bittern, as well as White-fronted, Kittlitz's and Common Ringed Plover.

The next day started well, birding the coastal dunes south of Lambert's Bay and finding the endemic Cape Clapper Lark doing its "trampoline display", fittingly described by someone while watching it bounce up and down in the sky. We also had some views of Bokmakierie, Rock Kestrel and Sanderlings. The surprise sighting of the morning was a Common Quail flushed by a very excited German Shepherd who was birding with us. Road side sightings before reaching the West Coast National Park included the "Bird of the year", Black Harrier, Great White Pelican and African Spoonbill. This year we made an additional stop in Velddrift, birding the small sections of salt pans with a local guide. We had awesome views of Chestnut-banded Plover and Red-necked Phalarope, as well as a roosting Western Barn Owl and Spotted Eagle-Owl. We did well on the terns amongst the salt pans, with Caspian, Common, Sandwich, Great Crested and Whiskered Tern. A short but eventful stop, but it was time to get to our main target for the day, the West Coast National Park. The highlight of the park was a very co-operative Black Bustard, as well as Cape Long-billed Lark and Ostrich with babies. We also got our first looks at Bontebok, a South African endemic mammal. A quick stop at the bird hide gave us nice views of Greater and Lesser Flamingo, while lunch was accompanied by friendly Cape Spurfowl as entertainment.

Our final destination in the Cape Region was a day spent in the famous Kirstenbosch Botanical Gardens, with its excellent network of paths leading through endemic flora. Jesse's sharp eyes found us a Lemon Dove quietly feeding in a recently turned bed. Other specials included Cape Batis, Brown-backed Honeybird, Forest Canary, Rameron Pigeon and Black Goshawk. A great ending to the first leg of the tour.



Cape Sugarbird, by participant Robert McNab.

After a short flight to Durban, our next destination was Underberg in preparation for our ascent up the Sani Pass into Lesotho. The excitement was evident and with an early start we bagged a few good garden birds, Malachite Sunbird and Cape White-eyes, before climbing into 4x4 vehicles for the day trip. A group of Grey-crowned Cranes and Long-crested Eagles were the attractions before our first roadside stop in the lower valley of the pass. Birding along the road was excellent, and we had good views of Bush Blackcap, Olive Woodpecker, Drakensberg Prinia, Red-throated Wryneck, Diederik and Klaas's cuckoo, as well as African Yellow Warbler and African Paradise-Flycatcher, all sighted before our breakfast stop. Things didn't slow down after breakfast, and with the weather clearing we made our way up towards the South African border post, getting Buff-streaked Chat, Ground Woodpecker, Brimstone Canary and Gurney's Sugarbird. The border procedure was smooth and without issues under the watchful eyes of a Sentinel Rock Thrush and Slogget's Ice Rat. so it was on past the fountain of youth and up to the steeper slopes of the pass. After quite some effort we were finally rewarded with great views of Barratt's Warbler and just before the summit, a pair of beautiful Drakensberg Rockjumpers. Making our way further into Lesotho, we reached our target destination at 10,600 ft, the

highest point reached on tour, with breath-taking views over the valleys below. The elevation paid off with great views of a Bearded Vulture, Mountain Pipit and cute Drakensberg Siskin. At a quick afternoon stop along a wetland, we had really good views of displaying Long-tailed Widowbirds and Orange-throated Longclaw - a fitting end to a great day.



Views from the top of Sani Pass, by guide Jesse Fagan.

Over the next few days we made numerous small stops, making our way along the scenic KwaZulu Natal coastline, including Marutswa Forest, Umlalazi Nature Reserve, and Dlinza Forest. Birding over lunch at St. Lucia, overlooking the Indian Ocean, and also at Mkuze Game Reserve, gradually added to the list. The highly-endangered Cape Parrot was one of the main highlights, seen initially in heavy mist but luckily second looks were seen later once the mist cleared. Spotted Ground-Thrush, Narina Trogon, Eastern Bronze-naped Pigeon were also sighted. In a small farm dam, we found two pairs of African Pygmy Goose, Yellow-throated Longclaw and Palmnut

Vulture. St. Lucia was short but exciting, with great birds on offer, but even better were hippos grazing in the streets at night on our way back from dinner. We were able to watch these huge beasts placidly grazing in the headlights. Birds were equally good, with singing Brown Scrub-Robin, Rudd's Apalis, Crested Guineafowl, Livingstone's Turaco and a surprising Mangrove Kingfisher. Mkuze Game Reserve was great again this year with Purple-Crested Turaco, Striped Pipit and Violet-backed Starlings being the highlights. It was also the first sightings of big mammals, with fantastic views of Burchell's Zebra, Common Giraffe, Impala, Warthog, Hippo, Nyala, Kudu and a surprising White Rhino wallowing in the muddy waterhole, staying cool.



Group selfie on the St. Lucia Beach overlooking the Indian Ocean.

After a short, rainy stop along the Eswatini border, we made our way to Wakkerstroom, an area of high grasslands and home to a number of important endemics. Unfortunately, again the weather was not playing ball,

producing a cold wind with a light drizzle for most of the day, but we made the best of the birding between showers. We started south of Wakkerstroom with good views of Yellow-breasted Pipit, Secretary Bird, and Eastern Long-billed Lark, before continuing east of town to find a displaying Denham's Bustard, Buffy Pipit, Black-bellied Bustard and a breeding colony of South African Swallows. A surprise find in the late afternoon was a distant view of Wattled Crane, breeding Southern Bald Ibis and a beautifully-perched Lanner Falcon. On route back to town, we finally connected with Blue Bustard, as well as Eastern Clapper Lark, Spike-heeled Lark, a large number of Blue and Grey-crowned cranes and a small covey of Grey-winged Francolins to wrap up a successful day, despite the less than favourable conditions. The next morning we visited the Wakkerstroom Wetland Reserve just outside town. We were lucky to get good views of Cape Clawless Otter and some nice birds as well. African Marsh Harrier flying over the expanse of reedbeds, Purple, Grey and Squacco herons around the wetland itself, and from deep in the reeds the calls of hidden Black Crake, Red-Chested Flufftail and African Rail who appeared briefly.



Yellow-billed Hornbills, by participant Robert McNab.

Then it was off to Kruger National Park, certainly one of the most anticipated sections of the tour, and it certainly didn't disappoint. Birding and mammal sightings are excellent from the start. We ticked off Giant Kingfisher, Saddle-billed Stork and African Pied Wagtail, as well as Common Waterbuck, Impala and Nile Crocodile from the bridge entering the park. The short drive to our first camp was just as exciting, with Lilac-breasted Roller, a herd of African Elephant, with a tiny new born, right next to the road, and a very lucky sighting of African Wild Dog, an animal not often seen. Birding around Berg-n-Dal camp the next morning was very productive, with us finally spotting Eastern Nicator, a battle that played out over a number of days. We also had good views of Retz's Helmetshrike, Southern Yellow-billed Hornbill and Kurrichane Thrush, but birding was disturbed by a stampede of Helmeted Guineafowl heading down the road in a hurry and we weren't standing in their way. Throughout the day as we made our way north

through the park, we had numerous great sightings, beginning with a pride of lions crossing the road in front of us soon after leaving the camp. In addition, Wild Dogs were playing in a dry river bed, a Leopard relaxed next to a tree, and a Spotted Hyena was feeding her young pup in the late afternoon. It was really a super day for mammal sightings. Birding was equally awesome, with an amazing view of Martial Eagle, Hammerkop, and Lesser Spotted Eagle. Our lunch stop at Lower Sabie was not only stunning overlooking the river, but very productive with Collared Pratincole, Senegal Lapwing, Lesser Honeyguide and a co-operative Red-faced Cisticola. Arguably the sighting of the day was a Verreaux's Eagle-Owl perched on a dead tree just before we reached Satara camp. Satara, surrounded by open grass fields, was home to a very different selection of birds. Our morning walk produced African Mourning Dove and a tree full of colourful Marico Sunbirds. Our time in Kruger was short but very entertaining and definitely a highlight for most of the participants.



Verreaux's Eagle-Owl, by participant Paul Beerman.

The final two nights of the tour were spent exploring the scenic Afromontane forests around Magoebaskloof and open acacia bushveld of the Polokwane Game Reserve. A morning walk through the forest revealed some forest specials such as Black-fronted and Olive Bushshrikes, Knysna Turaco, White-starred Robin and Yellow-streaked Greenbul, but the main target bird for the area made us work really hard, finally getting views of Orange Ground-Thrush perched in a tree. Satisfied with the forest birds, we made our way to Polokwane Game Reserve where Crimson-breasted Gonolock, Golden-breasted Bunting, Violet-eared and Black-faced waxbills stole the show.

Overall, It was a fantastic trip covering the highlights of South Africa, scenery, birds and mammals. Jesse and I would both like to thank everyone involved in making the tour such a success and we are looking forward to seeing you on the trail soon.



Young Lion walking across the road in Kruger, by guide Tarry Butcher.

MAMMALS ON THE TOUR

Wahlberg's Epauletted Fruit Bat (*Epomophorus wahlbergi*)
Thick-tailed Greater Galago (*Otolemur crassicaudatus*)
Grivet Monkey (*Chlorocebus aethiops*)
Chacma Baboon (*Papio ursinus*)
Scrub Hare (*Lepus saxatilis*)
Cape Hare (*Lepus capensis*)
Cape Porcupine (*Hystrix africaeaustralis*)
Red Bush Squirrel (*Paraxerus palliatus*)
Smith's Bush Squirrel (*Paraxerus cepapi*)
Xeric Four-striped Grass Rat (*Rhabdomys pumilio*)
Sloggett's Vlei Rat (*Otomys sloggetti*)
Black-backed Jackal (*Lupulella mesomelas*)
African Wild Dog (*Lycaon pictus*)
African Clawless Otter (*Lutra capensis*)
Common Genet (*Genetta genetta*)
Rusty-spotted Genet (*Genetta fieldiana*)
Egyptian Mongoose (*Herpestes ichneumon*)
Cape Gray Mongoose (*Herpestes pulverulentus*)
Common Slender Mongoose (*Herpestes sanguineus*)
Banded Mongoose (*Mungos mungo*)
Common Dwarf Mongoose (*Helogale parvula*)
Yellow Mongoose (*Cynictis penicillata*)
Meerkat (*Suricata suricatta*)
Spotted Hyena (*Crocuta crocuta*)
Leopard (*Panthera pardus*)
Lion (*Panthera leo*)
Afro-Australian Fur Seal (*Arctocephalus pusillus*)
African Savanna Elephant (*Loxodonta africana*)
Rock Hyrax (*Procavia capensis*)
Plains Zebra (*Equus quagga*)
White Rhinoceros (*Ceratotherium simum*)
Desert Warthog (*Phacochoerus aethiopicus*)
Common Hippopotamus (*Hippopotamus amphibius*)

Southern Giraffe (*Giraffa giraffa*)
Nyala (*Tragelaphus angasi*)
Northern Bushbuck (*Tragelaphus scriptus*)
Greater Kudu (*Tragelaphus strepsiceros*)
Cape Buffalo (*Syncerus caffer*)
Natal Red Duiker (*Cephalophus natalensis*)
Bush Duiker (*Sylvicapra grimmia*)
Blue Duiker (*Philantomba monticola*)
Waterbuck (*Kobus ellipsiprymnus*)
Southern Reedbuck (*Redunca arundinum*)
Rhebok (*Pelea capreolus*)
Bontebok (*Damaliscus pygargus pygargus*)
Black Wildebeest (*Connochaetes gnou*)
Blue Wildebeest (*Connochaetes taurinus*)
Klipspringer (*Oreotragus oreotragus*)
Steenbok (*Raphicercus campestris*)
Impala (*Aepyceros malampus*)
Springbok (*Antidorcas marsupialis*)

You can see my complete trip report on eBird at this link: <https://ebird.org/tripreport/421468>

You can see my iNaturalist report of non-avian taxa at this link: <https://www.inaturalist.org/projects/south-africa-2025-06d062ef-d01b-4c1b-9959-0b0b3c74a8e0>

You can download a combined PDF of this page and the eBird report at this link: <https://fieldguides.com/triplists/saf25TRIPLIST.pdf>

-- Tarry Butcher

Field Guides Birding Tours--SOUTH AFRICA, 2025 (with Tarry Butcher & Jesse Fagan)

6 – 25 Oct 2025 (20 days) Public




 Eswatini | Lesotho | South Africa [Subregions](#)

 Tarry Butcher, Jesse Fagan



For a narrative summary of this tour, including a Field Guides photo gallery and additional...

DATA FOR: **Group (all people)** ▾













**459**
Species Observed






























**86**
Checklists



























**163**
Species with Photos























Species Observed































[Show all details](#)





























22	Common Ostrich	<i>Struthio camelus</i>	▶  6
34	White-faced Whistling-Duck	<i>Dendrocygna viduata</i>	▶  4
2	Fulvous Whistling-Duck	<i>Dendrocygna bicolor</i>	▶  1
93	White-backed Duck	<i>Thalassornis leuconotus</i>	▶  3
2	Knob-billed Duck	<i>Sarkidiornis melanotos</i>	▶  3  1
146	Egyptian Goose	<i>Alopochen aegyptiaca</i>	▶  3  29
64	South African Shelduck	<i>Tadorna cana</i>	▶  6
67	Spur-winged Goose	<i>Plectropterus gambensis</i>	▶  11
4	African Pygmy-Goose	<i>Nettapus auritus</i>	▶  1  1





























171	Cape Shoveler	<i>Spatula smithii</i>	▶  1  7
123	Yellow-billed Duck	<i>Anas undulata</i>	▶  1  11
166	Cape Teal	<i>Anas capensis</i>	▶  7
48	Red-billed Duck	<i>Anas erythrorhyncha</i>	▶  1  7
61	Southern Pochard	<i>Netta erythrophthalma</i>	▶  2
19	Maccoa Duck	<i>Oxyura maccoa</i>	▶  1  2
132	Helmeted Guineafowl	<i>Numida meleagris</i>	▶  18
43	Southern Crested Guineafowl	<i>Guttera edouardi</i>	▶  1  7
19	Crested Francolin	<i>Ortygornis sephaena</i>	▶  8
6	Gray-winged Francolin	<i>Scleroptila afra</i>	▶  2  1
6	Common Quail	<i>Coturnix coturnix</i>	▶  2
22	Cape Spurrow	<i>Pternistis capensis</i>	▶  6
14	Natal Spurrow	<i>Pternistis natalensis</i>	▶  5
22	Swainson's Spurrow	<i>Pternistis swainsonii</i>	▶  9
2	Red-necked Spurrow	<i>Pternistis afer</i>	▶  1
22	Rock Pigeon	<i>Columba livia</i> *	▶  7
86	Speckled Pigeon	<i>Columba guinea</i>	▶  1  21
9	Rameron Pigeon	<i>Columba arquatrix</i>	▶  3
2	Eastern Bronze-naped Pigeon	<i>Columba delegorguei</i>	▶  2  1
2	Lemon Dove	<i>Aplopelia larvata</i>	▶  2  2





























3	Mourning Collared-Dove	<i>Streptopelia decipiens</i>	▶  2
63	Red-eyed Dove	<i>Streptopelia semitorquata</i>	▶  31
67	Ring-necked Dove	<i>Streptopelia capicola</i>	▶  26
40	Laughing Dove	<i>Spilopelia senegalensis</i>	▶  21
55	Emerald-spotted Wood-Dove	<i>Turtur chalcospilos</i>	▶  1  12
35	Namaqua Sandgrouse	<i>Pterocles namaqua</i>	▶  1
4	Ludwig's Bustard	<i>Neotis ludwigii</i>	▶  2
1	Denham's Bustard	<i>Neotis denhami</i>	▶  1  1
5	Blue Bustard	<i>Eupodotis caerulescens</i>	▶  1
3	Karoo Bustard	<i>Heterotetrax vigorsii</i>	▶  1
3	Red-crested Bustard	<i>Lophotis ruficrista</i>	▶  1  3
2	Black Bustard	<i>Afrotis afra</i>	▶  1  1
2	White-quilled Bustard	<i>Afrotis afraoides</i>	▶  2
2	Black-bellied Bustard	<i>Lissotis melanogaster</i>	▶  3  2
37	Gray Go-away-bird	<i>Crinifer concolor</i>	▶  11
11	Purple-crested Turaco	<i>Gallirex porphyreolophus</i>	▶  7
4	Livingstone's Turaco	<i>Tauraco livingstonii</i>	▶  3
8	Knysna Turaco	<i>Tauraco corythaix</i>	▶  2  3
9	Burchell's Coucal	<i>Centropus burchellii</i>	▶  7
4	Green Malkoha	<i>Ceuthmochares australis</i>	▶  2










1	Pied Cuckoo	<i>Clamator jacobinus</i>	▶  1  1
4	Dideric Cuckoo	<i>Chrysococcyx caprius</i>	▶  4
2	Klaas's Cuckoo	<i>Chrysococcyx klaas</i>	▶  2
4	African Emerald Cuckoo	<i>Chrysococcyx cupreus</i>	▶  3
1	Black Cuckoo	<i>Cuculus clamosus</i>	▶  1
11	Red-chested Cuckoo	<i>Cuculus solitarius</i>	▶  10
30	Alpine Swift	<i>Tachymarptis melba</i>	▶  3
5	African Swift	<i>Apus barbatus</i>	▶  1
384	Little Swift	<i>Apus affinis</i>	▶  33
85	White-rumped Swift	<i>Apus caffer</i>	▶  16
56	African Palm Swift	<i>Cypsiurus parvus</i>	▶  17
1	Buff-spotted Flufftail	<i>Sarothrura elegans</i>	▶  1
3	Red-chested Flufftail	<i>Sarothrura rufa</i>	▶  2
2	African Rail	<i>Rallus caerulescens</i>	▶  1
31	Eurasian Moorhen	<i>Gallinula chloropus</i>	▶  7
133	Red-knobbed Coot	<i>Fulica cristata</i>	▶  10
9	African Swamphe	<i>Porphyrio madagascariensis</i>	▶  4
7	Black Crane	<i>Zapornia flavirostra</i>	▶  3
44	Gray Crowned-Crane	<i>Balearica regulorum</i>	▶  1  3
1	Wattled Crane	<i>Grus carunculatus</i>	▶  1






























93	Blue Crane	<i>Grus paradiseus</i>	▶  1  6
12	Spotted Thick-knee	<i>Burhinus capensis</i>	▶  6
10	Water Thick-knee	<i>Burhinus vermiculatus</i>	▶  6
238	Black-winged Stilt	<i>Himantopus himantopus</i>	▶  2  13
70	Pied Avocet	<i>Recurvirostra avosetta</i>	▶  1  7
11	African Oystercatcher	<i>Haematopus moquini</i>	▶  6
27	Black-bellied Plover	<i>Pluvialis squatarola</i>	▶  3
5	Common Ringed Plover	<i>Charadrius hiaticula</i>	▶  1  3
11	Three-banded Plover	<i>Thinornis tricolor</i>	▶  2  10
48	Blacksmith Lapwing	<i>Vanellus armatus</i>	▶  1  20
2	White-crowned Lapwing	<i>Vanellus albiceps</i>	▶  2
8	Senegal Lapwing	<i>Vanellus lugubris</i>	▶  3  3
28	Crowned Lapwing	<i>Vanellus coronatus</i>	▶  11
10	Wattled Lapwing	<i>Vanellus senegallus</i>	▶  6
11	Kittlitz's Plover	<i>Anarhynchus peculiaris</i>	▶  1  4
30	Chestnut-banded Plover	<i>Anarhynchus pallidus</i>	▶  2  1
17	White-fronted Plover	<i>Anarhynchus marginatus</i>	▶  3  6
11	African Jacana	<i>Actophilornis africanus</i>	▶  5
29	Eurasian Whimbrel	<i>Numenius phaeopus</i>	▶  4
1	African Snipe	<i>Gallinago nigripennis</i>	▶  1




























3	Red-necked Phalarope <i>Phalaropus lobatus</i>	▶  2  1
4	Common Sandpiper <i>Actitis hypoleucos</i>	▶  4
3	Marsh Sandpiper <i>Tringa stagnatilis</i>	▶  2
7	Wood Sandpiper <i>Tringa glareola</i>	▶  3
51	Common Greenshank <i>Tringa nebularia</i>	▶  6
5	Ruddy Turnstone <i>Arenaria interpres</i>	▶  1
7	Curlew Sandpiper <i>Calidris ferruginea</i>	▶  2
13	Sanderling <i>Calidris alba</i>	▶  1  3
30	Little Stint <i>Calidris minuta</i>	▶  1  5
31	Collared Pratincole <i>Glareola pratincola</i>	▶  3  2
5	Gray-hooded Gull <i>Chroicocephalus cirrocephalus</i>	▶  2
375	Hartlaub's Gull <i>Chroicocephalus hartlaubii</i>	▶  2  9
300	Kelp Gull <i>Larus dominicanus</i>	▶  2  9
17	Caspian Tern <i>Hydroprogne caspia</i>	▶  1  6
31	Whiskered Tern <i>Chlidonias hybrida</i>	▶  3
27	Common Tern <i>Sterna hirundo</i>	▶  2  3
1	Sandwich Tern <i>Thalasseus sandvicensis</i>	▶  1
27	Great Crested Tern <i>Thalasseus bergii</i>	▶  3
651	Greater Flamingo <i>Phoenicopterus roseus</i>	▶  8
149	Lesser Flamingo <i>Phoeniconaias minor</i>	▶  3





























26	Little Grebe	<i>Tachybaptus ruficollis</i>	▶  9
4	Great Crested Grebe	<i>Podiceps cristatus</i>	▶  1  2
36	Eared Grebe	<i>Podiceps nigricollis</i>	▶  3
200	African Penguin	<i>Spheniscus demersus</i>	▶  1  1
16	African Openbill	<i>Anastomus lamelligerus</i>	▶  4
1	Black Stork	<i>Ciconia nigra</i>	▶  1
9	African Woolly-necked Stork	<i>Ciconia microscelis</i>	▶  1  5
4	Saddle-billed Stork	<i>Ephippiorhynchus senegalensis</i>	▶  3
5	Marabou Stork	<i>Leptoptilos crumenifer</i>	▶  2
3	Yellow-billed Stork	<i>Mycteria ibis</i>	▶  2
75,000	Cape Gannet	<i>Morus capensis</i>	▶  1  2
8	African Darter	<i>Anhinga rufa</i>	▶  7
32	Reed Cormorant	<i>Microcarbo africanus</i>	▶  15
43	Crowned Cormorant	<i>Microcarbo coronatus</i>	▶  1  4
15	Bank Cormorant	<i>Phalacrocorax neglectus</i>	▶  1  1
165	Cape Cormorant	<i>Phalacrocorax capensis</i>	▶  1  3
81	Great Cormorant	<i>Phalacrocorax carbo</i>	▶  1  10
23	Glossy Ibis	<i>Plegadis falcinellus</i>	▶  11
1151	African Sacred Ibis	<i>Threskiornis aethiopicus</i>	▶  21
13	Southern Bald Ibis	<i>Geronticus calvus</i>	▶  4
























114	Hadada Ibis	<i>Bostrychia hagedash</i>	▶  1  40
13	African Spoonbill	<i>Platalea alba</i>	▶  8
1	Little Bittern	<i>Botaurus minutus</i>	▶  1
7	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	▶  1  5
28	Little Egret	<i>Egretta garzetta</i>	▶  12
2	Little Heron	<i>Butorides atricapilla</i>	▶  2
2	Squacco Heron	<i>Ardeola ralloides</i>	▶  1
64	Western Cattle-Egret	<i>Ardea ibis</i>	▶  16
6	Great Egret	<i>Ardea alba</i>	▶  5
2	Yellow-billed Egret	<i>Ardea brachyrhyncha</i>	▶  1  1
19	Gray Heron	<i>Ardea cinerea</i>	▶  14
2	Purple Heron	<i>Ardea purpurea</i>	▶  2  2
18	Black-headed Heron	<i>Ardea melanocephala</i>	▶  14
5	Goliath Heron	<i>Ardea goliath</i>	▶  1  5
6	Hamerkop	<i>Scopus umbretta</i>	▶  5
4	Great White Pelican	<i>Pelecanus onocrotalus</i>	▶  1
4	Secretarybird	<i>Sagittarius serpentarius</i>	▶  1  3
5	Black-winged Kite	<i>Elanus caeruleus</i>	▶  5
2	African Harrier-Hawk	<i>Polyboroides typus</i>	▶  1  2
4	Palm-nut Vulture	<i>Gypohierax angolensis</i>	▶  1  2






























1	Bearded Vulture <i>Gypaetus barbatus</i>	▶  3  1
2	Hooded Vulture <i>Necrosyrtes monachus</i>	▶  1
22	White-backed Vulture <i>Gyps africanus</i>	▶  7
7	Cape Griffon <i>Gyps coprotheres</i>	▶  1  6
14	Bateleur <i>Terathopius ecaudatus</i>	▶  10
4	Black-chested Snake-Eagle <i>Circaetus pectoralis</i>	▶  1  4
3	Brown Snake-Eagle <i>Circaetus cinereus</i>	▶  3
3	Martial Eagle <i>Polemaetus bellicosus</i>	▶  3  3
4	Long-crested Eagle <i>Lophaetus occipitalis</i>	▶  1  4
1	Lesser Spotted Eagle <i>Clanga pomarina</i>	▶  1  1
8	Wahlberg's Eagle <i>Hieraaetus wahlbergi</i>	▶  8
4	Booted Eagle <i>Hieraaetus pennatus</i>	▶  1  4
5	Tawny Eagle <i>Aquila rapax</i>	▶  4
1	Verreaux's Eagle <i>Aquila verreauxii</i>	▶  1
2	African Hawk-Eagle <i>Aquila spilogaster</i>	▶  1
7	Pale Chanting-Goshawk <i>Melierax canorus</i>	▶  6
3	Little Sparrowhawk <i>Tachyspiza minulla</i>	▶  3
3	Black Goshawk <i>Astur melanoleucus</i>	▶  1  3
4	African Marsh Harrier <i>Circus ranivorus</i>	▶  1  4
4	Black Harrier <i>Circus maurus</i>	▶  3





























45	Black Kite <i>Milvus migrans</i>	▶  18
15	African Fish-Eagle <i>Ichthyophaga vocifer</i>	▶  12
17	Jackal Buzzard <i>Buteo rufofuscus</i>	▶  1  14
8	Common Buzzard <i>Buteo buteo</i>	▶  2  7
3	Western Barn Owl <i>Tyto alba</i>	▶  3  2
3	Spotted Eagle-Owl <i>Bubo africanus</i>	▶  3  2
1	Verreaux's Eagle-Owl <i>Ketupa lactea</i>	▶  2  1
3	Pearl-spotted Owlet <i>Glaucidium perlatum</i>	▶  3
1	African Barred Owlet <i>Glaucidium capense</i>	▶  1
2	African Wood-Owl <i>Strix woodfordii</i>	▶  1
24	Speckled Mousebird <i>Colius striatus</i>	▶  1  9
26	White-backed Mousebird <i>Colius colius</i>	▶  6
26	Red-faced Mousebird <i>Urocolius indicus</i>	▶  7
8	Narina Trogon <i>Apaloderma narina</i>	▶  2  4
16	Common Hoopoe <i>Upupa epops</i>	▶  10
10	Green Woodhoopoe <i>Phoeniculus purpureus</i>	▶  2
4	Crowned Hornbill <i>Lophoceros alboterminatus</i>	▶  3  2
10	Southern Yellow-billed Hornbill <i>Tockus leucomelas</i>	▶  6
12	Southern Red-billed Hornbill <i>Tockus rufirostris</i>	▶  8
15	Trumpeter Hornbill <i>Bycanistes bucinator</i>	▶  2  5

























11	White-fronted Bee-eater	<i>Merops bullockoides</i>	▶  6
4	Little Bee-eater	<i>Merops pusillus</i>	▶  3
55	European Bee-eater	<i>Merops apiaster</i>	▶  2  8
2	Malachite Kingfisher	<i>Corythornis cristatus</i>	▶  2
1	Mangrove Kingfisher	<i>Halcyon senegaloides</i>	▶  2  1
7	Brown-hooded Kingfisher	<i>Halcyon albiventris</i>	▶  1  6
1	Striped Kingfisher	<i>Halcyon chelicuti</i>	▶  1  1
5	Giant Kingfisher	<i>Megaceryle maxima</i>	▶  1  5
10	Pied Kingfisher	<i>Ceryle rudis</i>	▶  3
18	Lilac-breasted Roller	<i>Coracias caudatus</i>	▶  6
1	Purple Roller	<i>Coracias naevius</i>	▶  1
9	Crested Barbet	<i>Trachyphonus vaillantii</i>	▶  1  8
21	White-eared Barbet	<i>Stactolaema leucotis</i>	▶  4
6	Yellow-rumped Tinkerbird	<i>Pogoniulus bilineatus</i>	▶  2  4
2	Yellow-fronted Tinkerbird	<i>Pogoniulus chrysoconus</i>	▶  1
4	Pied Barbet	<i>Tricholaema leucomelas</i>	▶  3
11	Black-collared Barbet	<i>Lybius torquatus</i>	▶  9
6	Brown-backed Honeybird	<i>Prodotiscus regulus</i>	▶  2
2	Lesser Honeyguide	<i>Indicator minor</i>	▶  2
2	Scaly-throated Honeyguide	<i>Indicator variegatus</i>	▶  2




























3	Greater Honeyguide <i>Indicator indicator</i>	▶  1  2
3	Red-throated Wryneck <i>Jynx ruficollis</i>	▶  2
3	Bearded Woodpecker <i>Chloropicus namaquus</i>	▶  2
6	Cardinal Woodpecker <i>Dendropicos fuscescens</i>	▶  6
10	Olive Woodpecker <i>Dendropicos griseocephalus</i>	▶  1  5
5	Ground Woodpecker <i>Geocolaptes olivaceus</i>	▶  8  3
2	Bennett's Woodpecker <i>Campethera bennettii</i>	▶  1
15	Golden-tailed Woodpecker <i>Campethera abingoni</i>	▶  1  12
5	Rock Kestrel <i>Falco rupicolus</i>	▶  4
8	Greater Kestrel <i>Falco rupicoloides</i>	▶  3
5	Lanner Falcon <i>Falco biarmicus</i>	▶  4
2	Peregrine Falcon <i>Falco peregrinus</i>	▶  1  1
6	Cape Parrot <i>Poicephalus robustus</i>	▶  2
27	Brown-headed Parrot <i>Poicephalus cryptoxanthus</i>	▶  2  4
3	Gray Cuckooshrike <i>Cebilepyris caesius</i>	▶  2  3
1	Black Cuckooshrike <i>Campephaga flava</i>	▶  2  1
4	African Black-headed Oriole <i>Oriolus larvatus</i>	▶  3
14	Cape Batis <i>Batis capensis</i>	▶  3
2	Woodwards' Batis <i>Batis fratum</i>	▶  1
24	Chinspot Batis <i>Batis molitor</i>	▶  9

























11	White-crested Helmetshrike	<i>Prionops plumatus</i>	▶  2
5	Retz's Helmetshrike	<i>Prionops retzii</i>	▶  1
2	Brubru	<i>Nilaus afer</i>	▶  2  2
30	Black-backed Puffback	<i>Dryoscopus cubla</i>	▶  16
3	Black-crowned Tchagra	<i>Tchagra senegalus</i>	▶  3
3	Brown-crowned Tchagra	<i>Tchagra australis</i>	▶  3
5	Southern Boubou	<i>Laniarius ferrugineus</i>	▶  5
2	Crimson-breasted Gonolek	<i>Laniarius atrococcineus</i>	▶  1
10	Bokmakierie	<i>Telophorus zeylonus</i>	▶  1  7
3	Four-colored Bushshrike	<i>Telophorus viridis</i>	▶  2
4	Sulphur-breasted Bushshrike	<i>Chlorophoneus sulfureopectus</i>	▶  4
2	Olive Bushshrike	<i>Chlorophoneus olivaceus</i>	▶  2
2	Black-fronted Bushshrike	<i>Chlorophoneus nigrifrons</i>	▶  2  2
13	Square-tailed Drongo	<i>Dicrurus ludwigii</i>	▶  7
39	Fork-tailed Drongo	<i>Dicrurus adsimilis</i>	▶  17
10	African Paradise-Flycatcher	<i>Terpsiphone viridis</i>	▶  6
37	Magpie Shrike	<i>Urolestes melanoleucus</i>	▶  7
31	Southern Fiscal	<i>Lanius collaris</i>	▶  21
9	White-crowned Shrike	<i>Eurocephalus anguitimens</i>	▶  2
1	House Crow	<i>Corvus splendens</i> *	▶  1



























26	Cape Crow	<i>Corvus capensis</i>	▶  11
69	Pied Crow	<i>Corvus albus</i>	▶  25
19	White-necked Raven	<i>Corvus albicollis</i>	▶  2  8
5	Cape Rockjumper	<i>Chaetops frenatus</i>	▶  3  1
2	Drakensberg Rockjumper	<i>Chaetops aurantius</i>	▶  4  1
3	Fairy Flycatcher	<i>Stenostira scita</i>	▶  2
9	Southern Black-Tit	<i>Melaniparus niger</i>	▶  4
1	Ashy Tit	<i>Melaniparus cinerascens</i>	▶  1
4	Gray Tit	<i>Melaniparus afer</i>	▶  1  3
2	African Penduline-Tit	<i>Anthoscopus caroli</i>	▶  1
8	Spike-heeled Lark	<i>Chersomanes albofasciata</i>	▶  2  1
3	Karoo Long-billed Lark	<i>Certhilauda subcoronata</i>	▶  2  2
2	Eastern Long-billed Lark	<i>Certhilauda semitorquata</i>	▶  1
2	Cape Long-billed Lark	<i>Certhilauda curvirostris</i>	▶  1  2
10	Black-eared Sparrow-Lark	<i>Eremopterix australis</i>	▶  1
5	Gray-backed Sparrow-Lark	<i>Eremopterix verticalis</i>	▶  3
9	Sabota Lark	<i>Calendulauda sabota</i>	▶  1  6
3	Karoo Lark	<i>Calendulauda albescens</i>	▶  2
2	Red Lark	<i>Calendulauda burra</i>	▶  2  1
2	Cape Clapper Lark	<i>Corypha apiata</i>	▶  1



























1	Eastern Clapper Lark <i>Corypha fasciolata</i>	▶  2  1
12	Rufous-naped Lark <i>Corypha africana</i>	▶  2  4
2	Pink-billed Lark <i>Spizocorys conirostris</i>	▶  1
1	Sclater's Lark <i>Spizocorys sclateri</i>	▶  1
4	Large-billed Lark <i>Galerida magnirostris</i>	▶  2  3
18	Red-capped Lark <i>Calandrella cinerea</i>	▶  6
4	Eastern Nicator <i>Nicator gularis</i>	▶  4
26	Long-billed Crombec <i>Sylvietta rufescens</i>	▶  11
14	Cape Grassbird <i>Sphenoeacus afer</i>	▶  2  11
2	Victorin's Warbler <i>Cryptillas victorini</i>	▶  3  2
1	Yellow-bellied Eremomela <i>Eremomela icteropygialis</i>	▶  1
9	Burnt-neck Eremomela <i>Eremomela usticollis</i>	▶  3
1	Namaqua Warbler <i>Phragmacia substriata</i>	▶  1  1
1	Barred Wren-Warbler <i>Calamonastes fasciolatus</i>	▶  1
13	Green-backed Camaroptera <i>Camaroptera brachyura</i>	▶  8
10	Bar-throated Apalis <i>Apalis thoracica</i>	▶  1  4
6	Yellow-breasted Apalis <i>Apalis flavida</i>	▶  4
6	Rudd's Apalis <i>Apalis ruddi</i>	▶  1  2
10	Tawny-flanked Prinia <i>Prinia subflava</i>	▶  5
1	Black-chested Prinia <i>Prinia flavicans</i>	▶  1




























30	Karoo Prinia	<i>Prinia maculosa</i>	▶  14
2	Drakensberg Prinia	<i>Prinia hypoxantha</i>	▶  1
2	Cinnamon-breasted Warbler	<i>Euryptila subcinnamomea</i>	▶  3  1
6	Rufous-eared Warbler	<i>Malcorus pectoralis</i>	▶  3
1	Red-faced Cisticola	<i>Cisticola erythrops</i>	▶  1
1	Rock-loving Cisticola	<i>Cisticola aberrans</i>	▶  1
29	Rattling Cisticola	<i>Cisticola chiniana</i>	▶  14
16	Gray-backed Cisticola	<i>Cisticola subruficapilla</i>	▶  7
1	Wailing Cisticola	<i>Cisticola lais</i>	▶  1
24	Levaillant's Cisticola	<i>Cisticola tinniens</i>	▶  1  11
9	Piping Cisticola	<i>Cisticola fulvicapilla</i>	▶  6
6	Desert Cisticola	<i>Cisticola aridulus</i>	▶  1
1	Pale-crowned Cisticola	<i>Cisticola cinnamomeus</i>	▶  1  1
19	Wing-snapping Cisticola	<i>Cisticola ayresii</i>	▶  3
3	African Yellow-Warbler	<i>Iduna natalensis</i>	▶  2
7	Common Reed Warbler	<i>Acrocephalus scirpaceus</i>	▶  4
3	Lesser Swamp Warbler	<i>Acrocephalus gracilirostris</i>	▶  3
9	Barratt's Warbler	<i>Bradypterus barratti</i>	▶  1  3
8	Little Rush Warbler	<i>Bradypterus baboecala</i>	▶  6
25	Black Sawwing	<i>Psalidoprocne pristoptera</i>	▶  8




























9	Banded Martin	<i>Neophedina cincta</i>	▶  3
28	Plain Martin	<i>Riparia paludicola</i>	▶  10
31	Southern Crag-Martin	<i>Ptyonoprogne fuligula</i>	▶  15
2	Pearl-breasted Swallow	<i>Hirundo dimidiata</i>	▶  1
71	Barn Swallow	<i>Hirundo rustica</i>	▶  17
25	White-throated Swallow	<i>Hirundo albigularis</i>	▶  1  14
8	Wire-tailed Swallow	<i>Hirundo smithii</i>	▶  5
3	Western House-Martin	<i>Delichon urbicum</i>	▶  2
34	Greater Striped Swallow	<i>Cecropis cucullata</i>	▶  13
48	Lesser Striped Swallow	<i>Cecropis abyssinica</i>	▶  12
3	Rufous-chested Swallow	<i>Cecropis semirufa</i>	▶  2  2
134	South African Swallow	<i>Petrochelidon spilodera</i>	▶  4
15	Sombre Greenbul	<i>Andropadus importunus</i>	▶  1  10
15	Yellow-bellied Greenbul	<i>Chlorocichla flaviventris</i>	▶  1  7
5	Yellow-streaked Greenbul	<i>Phyllastrephus flavostriatus</i>	▶  2
8	Terrestrial Brownbul	<i>Phyllastrephus terrestris</i>	▶  3
96	Common Bulbul	<i>Pycnonotus barbatus</i>	▶  1  29
22	Cape Bulbul	<i>Pycnonotus capensis</i>	▶  2  8
2	Yellow-throated Woodland-Warbler	<i>Phylloscopus ruficapilla</i>	▶  1
1	Bush Blackcap	<i>Sylvia nigricapillus</i>	▶  1  1



1	Layard's Warbler	<i>Curruca layardi</i>	▶  1
7	Chestnut-vented Warbler	<i>Curruca subcoerulea</i>	▶  2
87	Cape White-eye	<i>Zosterops virens</i>	▶  16
2	Southern Yellow White-eye	<i>Zosterops anderssoni</i>	▶  1
29	Arrow-marked Babbler	<i>Turdoides jardineii</i>	▶  6
62	Red-billed Oxpecker	<i>Buphagus erythroryncha</i>	▶  1  10
1	Yellow-billed Oxpecker	<i>Buphagus africanus</i>	▶  1
40	European Starling	<i>Sturnus vulgaris</i> *	▶  10
43	Wattled Starling	<i>Creatophora cinerea</i>	▶  4
18	Common Myna	<i>Acridotheres tristis</i> *	▶  1  9
23	Violet-backed Starling	<i>Cinnyricinclus leucogaster</i>	▶  9
55	Red-winged Starling	<i>Onychognathus morio</i>	▶  13
10	Black-bellied Starling	<i>Notopholia corusca</i>	▶  3  3
21	Burchell's Starling	<i>Lamprotornis australis</i>	▶  5
62	African Pied Starling	<i>Lamprotornis bicolor</i>	▶  14
66	Greater Blue-eared Starling	<i>Lamprotornis chalybaeus</i>	▶  8
85	Cape Starling	<i>Lamprotornis nitens</i>	▶  1  11
2	Spotted Ground-Thrush	<i>Geokichla guttata</i>	▶  1
3	Orange Ground-Thrush	<i>Geokichla gurneyi</i>	▶  2
1	Groundscraper Thrush	<i>Turdus litsitsirupa</i>	▶  1
















7	Kurrichane Thrush	<i>Turdus libonyana</i>	▶  6
12	Olive Thrush	<i>Turdus olivaceus</i>	▶  7
1	Karoo Thrush	<i>Turdus smithi</i>	▶  1
8	African Dusky Flycatcher	<i>Muscicapa adusta</i>	▶  1  3
5	Marico Flycatcher	<i>Bradornis mariquensis</i>	▶  2
4	Chat Flycatcher	<i>Agricola infuscatus</i>	▶  1
2	Gray Tit-Flycatcher	<i>Fraseria plumbea</i>	▶  1  2
5	Ashy Flycatcher	<i>Fraseria caerulescens</i>	▶  5
6	Fiscal Flycatcher	<i>Sigelus silens</i>	▶  5
8	Southern Black-Flycatcher	<i>Melaenornis pammelaina</i>	▶  6
12	Karoo Scrub-Robin	<i>Tychaedon coryphoeus</i>	▶  1  6
1	Brown Scrub-Robin	<i>Tychaedon signata</i>	▶  1  1
4	Bearded Scrub-Robin	<i>Tychaedon quadrivirgata</i>	▶  2
1	Kalahari Scrub-Robin	<i>Cercotrichas paena</i>	▶  1
4	White-browed Scrub-Robin	<i>Cercotrichas leucophrys</i>	▶  1  3
25	Cape Robin-Chat	<i>Dessonornis caffer</i>	▶  1  13
1	White-throated Robin-Chat	<i>Dessonornis humeralis</i>	▶  1
2	White-browed Robin-Chat	<i>Cossypha heuglini</i>	▶  1
9	Red-capped Robin-Chat	<i>Cossypha natalensis</i>	▶  4
2	Chorister Robin-Chat	<i>Cossypha dichroa</i>	▶  1

6	White-starred Robin	<i>Pogonocichla stellata</i>	▶  1  2
2	Sentinel Rock-Thrush	<i>Monticola explorator</i>	▶  2
3	Cape Rock-Thrush	<i>Monticola rupestris</i>	▶  2
33	African Stonechat	<i>Saxicola torquatus</i>	▶  11
3	Buff-streaked Chat	<i>Campicoloides bifasciatus</i>	▶  2  1
8	Sickle-winged Chat	<i>Emarginata sinuata</i>	▶  4
3	Karoo Chat	<i>Emarginata schlegelii</i>	▶  2
1	Tractrac Chat	<i>Emarginata tractrac</i>	▶  1
2	Mocking Cliff-Chat	<i>Thamnolaea cinnamomeiventris</i>	▶  2  1
40	Southern Anteater-Chat	<i>Myrmecocichla formicivora</i>	▶  4
9	Mountain Chat	<i>Myrmecocichla monticola</i>	▶  5
7	Capped Wheatear	<i>Oenanthe pileata</i>	▶  4
13	Familiar Chat	<i>Oenanthe familiaris</i>	▶  1  10
2	Gurney's Sugarbird	<i>Promerops gurneyi</i>	▶  1  1
24	Cape Sugarbird	<i>Promerops cafer</i>	▶  3
14	Collared Sunbird	<i>Hedydipna collaris</i>	▶  7
10	Orange-breasted Sunbird	<i>Anthobaphes violacea</i>	▶  1  4
6	Olive Sunbird	<i>Cyanomitra olivacea</i>	▶  2
2	Mouse-colored Sunbird	<i>Cyanomitra veroxii</i>	▶  2
11	Amethyst Sunbird	<i>Chalcomitra amethystina</i>	▶  4

4	Scarlet-chested Sunbird	<i>Chalcomitra senegalensis</i>	▶  4
23	Malachite Sunbird	<i>Nectarinia famosa</i>	▶  2  10
40	Southern Double-collared Sunbird	<i>Cinnyris chalybeus</i>	▶  1  6
14	Greater Double-collared Sunbird	<i>Cinnyris afer</i>	▶  5
13	Marico Sunbird	<i>Cinnyris mariquensis</i>	▶  2  2
13	Purple-banded Sunbird	<i>Cinnyris bifasciatus</i>	▶  10
17	White-bellied Sunbird	<i>Cinnyris talatala</i>	▶  9
5	Dusky Sunbird	<i>Cinnyris fuscus</i>	▶  3
6	Red-billed Buffalo-Weaver	<i>Bubalornis niger</i>	▶  1
6	Scaly Weaver	<i>Sporopipes squamifrons</i>	▶  1  2
15	White-browed Sparrow-Weaver	<i>Plocepasser mahali</i>	▶  4
1	Red-headed Weaver	<i>Anaplectes rubriceps</i>	▶  1
13	Spectacled Weaver	<i>Ploceus ocularis</i>	▶  7
47	Cape Weaver	<i>Ploceus capensis</i>	▶  11
16	African Golden-Weaver	<i>Ploceus subaureus</i>	▶  4
22	Southern Brown-throated Weaver	<i>Ploceus xanthopterus</i>	▶  1  2
37	Lesser Masked-Weaver	<i>Ploceus intermedius</i>	▶  1  9
74	Southern Masked-Weaver	<i>Ploceus velatus</i>	▶  2  17
27	Village Weaver	<i>Ploceus cucullatus</i>	▶  5
9	Dark-backed Weaver	<i>Ploceus bicolor</i>	▶  4

51	Red-billed Quelea	<i>Quelea quelea</i>	▶  7
90	Southern Red Bishop	<i>Euplectes orix</i>	▶  2  8
7	Yellow Bishop	<i>Euplectes capensis</i>	▶  4
23	Fan-tailed Widowbird	<i>Euplectes axillaris</i>	▶  5
73	Long-tailed Widowbird	<i>Euplectes progne</i>	▶  8
11	Grosbeak Weaver	<i>Amblyospiza albifrons</i>	▶  4
6	Bronze Mannikin	<i>Spermestes cucullata</i>	▶  2
19	Swee Waxbill	<i>Coccothraupis melanotis</i>	▶  2  4
8	Black-faced Waxbill	<i>Brunhilda erythronotos</i>	▶  3  1
10	Black-tailed Waxbill	<i>Glaucostreptis perreini</i>	▶  2  2
33	Common Waxbill	<i>Estrilda astrild</i>	▶  12
2	Red-headed Finch	<i>Amadina erythrocephala</i>	▶  1
5	Violet-eared Waxbill	<i>Granatina granatina</i>	▶  1
45	Southern Cordonbleu	<i>Uraeginthus angolensis</i>	▶  10
9	Green-winged Pytilia	<i>Pytilia melba</i>	▶  4
2	Red-billed Firefinch	<i>Lagonosticta senegala</i>	▶  1  1
8	African Firefinch	<i>Lagonosticta rubricata</i>	▶  4  2
4	Jameson's Firefinch	<i>Lagonosticta rhodopareia</i>	▶  2
9	Pin-tailed Whydah	<i>Vidua macroura</i>	▶  1  6
9	Eastern Paradise-Whydah	<i>Vidua paradisaea</i>	▶  1



34	House Sparrow	<i>Passer domesticus</i>	*	▶  13
1	Great Rufous Sparrow	<i>Passer motitensis</i>		▶  1
40	Cape Sparrow	<i>Passer melanurus</i>		▶  11
33	Southern Gray-headed Sparrow	<i>Passer diffusus</i>		▶  14
17	Yellow-throated Bush Sparrow	<i>Gymnoris superciliaris</i>		▶  1  5
50	Cape Wagtail	<i>Motacilla capensis</i>		▶  19
16	African Pied Wagtail	<i>Motacilla aguimp</i>		▶  8
57	African Pipit	<i>Anthus cinnamomeus</i>		▶  3  11
2	Mountain Pipit	<i>Anthus hoeschi</i>		▶  2  1
1	Buffy Pipit	<i>Anthus vaalensis</i>		▶  1
1	Striped Pipit	<i>Anthus lineiventris</i>		▶  1
1	Yellow-tufted Pipit	<i>Anthus crenatus</i>		▶  1
2	Yellow-breasted Pipit	<i>Hemimacronyx chloris</i>		▶  2  1
27	Orange-throated Longclaw	<i>Macronyx capensis</i>		▶  1  4
6	Yellow-throated Longclaw	<i>Macronyx croceus</i>		▶  2  3
58	Yellow-fronted Canary	<i>Crithagra mozambica</i>		▶  1  6
7	Forest Canary	<i>Crithagra scotops</i>		▶  1  2
3	Black-throated Canary	<i>Crithagra atrogularis</i>		▶  1
8	Brimstone Canary	<i>Crithagra sulphurata</i>		▶  1  3
33	Yellow Canary	<i>Crithagra flaviventris</i>		▶  6

- 16 **White-throated Canary** *Crithagra albogularis* ▶  5
- 4 **Protea Canary** *Crithagra leucoptera* ▶  3  1
- 5 **Streaky-headed Seedeater** *Crithagra gularis* ▶  1  2
- 1 **Cape Siskin** *Crithagra totta* ▶  1
- 17 **Drakensberg Siskin** *Crithagra symonsi* ▶  2  2
- 62 **Cape Canary** *Serinus canicollis* ▶  11
- 33 **Black-headed Canary** *Serinus alario* ▶  3
- 11 **Golden-breasted Bunting** *Emberiza flaviventris* ▶  7
- 11 **Cape Bunting** *Emberiza capensis* ▶  1  7
- 35 **Lark-like Bunting** *Emberiza impetuani* ▶  2  1

EXOTIC: ESCAPEE

- 3 **Mallard** *Anas platyrhynchos* * ▶  1

UNDESCRIBED SPECIES

- 1 Elgin Buzzard (undescribed form) *Buteo [undescribed form]* ▶  1  1

ADDITIONAL TAXA

- 2 indigobird sp. *Vidua sp. (indigobird sp.)* ▶  1