

Trip Report — SE Brazil: North of the Tropic 2024

October 11-28, 2024 with Bret Whitney & Marcelo Barreiros

See the online trip report for a great video compilation by guide Bret Whitney about our first week.

The tour got off to an auspicious start, everyone arriving just fine and with all their luggage.

For our first birding outing (12 October), we met in the lobby at 10:30 to drive about an hour north to a property called Sítio Ouro Velho where we had a spectacular, Minas Gerais style, wood-fired lunch. Habitat was open country with easy access to a slope of ancient, volcanic rock where we had superb views of Pygmy Nightjars, Picui Ground-Doves, Picazuro Pigeons, Greater Ani, Guira Cuckoos, Swallow-tailed Hummingbird, Whistling Heron, Lesser Yellow-headed Vulture, White-tailed Hawk, Peach-fronted Parakeet, White-rumped Monjita, Campo Troupial, and Red-cowled Cardinal. Particularly entertaining was a nest of Red-legged Seriemas. We also found two species we had never before seen on Part 1 of our Southeast Brazil tour: a group of three Maguari Storks and a pair of White Monjitas. Many of the above birds have colonized southern Espírito Santo and beyond from the seasonally drier habitats of Northeast Brazil following widespread clearance of forest that began in earnest with government incentives starting at least as far back as the 1960s. An afternoon stop along the border of an extensive stand of mangroves quickly produced Bicolored Conebills, Straight-billed Woodcreeper (disjunct, local subspecies *bahiae*), and a handsome Blond-crested Woodpecker.

Next morning, birding got underway with a stroll across the street to scope shorebirds and some gulls and terns, mostly species we wouldn't see elsewhere on the itinerary. We then continued to a block of middle-elevation montane forest an hour or so away. Fortunately, the roads in there were high and dry (if wet, they can be too slippery and mucky to do with our vans) and we enjoyed great views of Minute Hermits on an active lek, Rufous-throated Sapphire, Rufous-tailed Jacamar, Yellow-eared and White-browed woodpeckers, Sooretama Slaty-Antshrike, Scaled Antbird, Streaked Xenops, Swallow-tailed Manakin, and Flame-crested, White-bellied, and Yellow-backed tanagers. But the biggest crowd-pleasers were a fabulous pair of Crescent-chested Puffbirds and at least two Kinglet Manakins (a recent split from

Striped Manakin of western Amazonia) that allowed everyone nice scope views. A strategic lunch stop with feeders added several more flashy birds, especially Gilt-edged and Green-headed tanagers, Violaceous and Chestnut-bellied euphonias, and a colorful couple of Blue-naped Chlorophonias that came in as we were having our own lunch at nearby picnic tables. A good rain overnight boded well for seeing Cherry-throated Tanager in the morning, we were told...



A fantastic male Long-trained Nightjar. Photo by participant Tristan Jobin

The mountains of southern Espírito Santo are the last refuge for the ultra-rare Cherry-throated Tanager. Only about 20 individuals, in three groups, are known to survive, most of them at the Kaetés Reserve. We dedicated two days to getting a view of at least one Cherry-throated Tanager, but it simply was not to be this time around. Although the local researchers monitoring the tanagers every day had been able to show them to other birders just a couple of days before our arrival, the best we could do was to hear them, twice, on our first afternoon at the reserve. The large mixed-species flock the tanagers travel with was present, and we saw everything else in the flock, but they just were not foraging with these other birds. The local researchers felt it likely the tanagers were busy building a new nest to replace their previous, failed nest, stimulated especially by last night's rain, which had been the first for quite some

time. Let's hope that was indeed what was keeping the tanagers we heard busy, and that the researchers at the reserve will be able to locate and monitor a second nesting effort. (As of 1 December, they are seeing the tanagers regularly but the birds have not yet settled into construction of a new nest.) Among the highlights in and around Kaetés were Rufous-thighed Kite, our first Surucua Trogons, Atlantic Black-throated Trogon, Saffron Toucanet, Channel-billed Toucan, huge Robust Woodpeckers, Star-throated Antwren, Spot-breasted Antvireo, White-bibbed Antbird, Scaled Woodcreeper, Ochre-breasted and Buff-fronted foliage-gleaners, Pallid Spinetail, Hooded Berryeater, Bare-throated Bellbirds bonging away, Cinnamon-vented Piha, Greenish Schiffornis, Oustalet's Tyrannulet, Rough-legged and Greenish tyrannulets, Blue-billed Black-Tyrant, Gray-hooded Attila, Rufous-crowned Greenlet, Fawn-breasted, Azure-shouldered, and Golden-chevroned tanagers, and very low, close Rufous-headed Tanagers. That was quite a haul, to be sure, but truly outstanding were excellent, repeated views of a singing White-breasted Tapaculo, an adult male Pin-tailed Manakin that flew up to us at point-blank range, and three nests of Swallow-tailed Cotingas(!!!) – and then, after dark, spectacular experiences with Giant Snipe and a male Long-trained Nightjar, both of which posed perfectly. Check out the videos! (See the online tour report)

Out of Santa Teresa, Espírito Santo, we visited the fantastic hummingbird feeders at Pousada Vita Verde, where 15 species were in attendance! Several Filled Coquettes and Amethyst Woodstars were probably the headliners, with three species of hermits punctuating the action (and we picked up the fourth hermit, a Dusky-throated, the next afternoon at the feeders at Mello Leitão in Santa Teresa). We enjoyed more forest birding at the nearby Augusto Ruschi Biological Reserve, where we found Buff-bellied Puffbird (nice spotting, Tom Evans!), Spot-billed Toucanet, Spot-backed Antshrike, Salvadori's Antwren (great views!), Black-capped Foliage-gleaner, Wied's Tyrant-Manakin, Sharpbill, and Black-goggled Tanager. We also had an awesome evening afield at Augusto Ruschi during which we threw the spotlights on, in quick succession, a Long-tailed Potoo (of the seldom-seen, nominate, Atlantic Forest subspecies), Mottled Owl, and Tawny-browed Owl. East Brazilian Chachalaca and Buffy-headed Marmosets were also seen in the area. Lowland birding at the Linhares Reserve produced the ardently hoped-for Red-billed Curassow, Least Pygmy-Owl, Collared Trogon (rare in the Atlantic Forest), a seldom-seen Golden-green Woodpecker (Atlantic Forest endemic subspecies *polyzonus*), Maroon-faced and Ochre-marked parakeets, Red-browed Parrot, Blue-winged Macaw, Ringed Woodpecker (distinctive subspecies *tinnunculus*, endemic to the Atlantic Forest), and a Black-headed Berryeater that certainly kept us in a state of suspense before behaving perfectly! We

also enjoyed good views of Geoffroy's Tufted-ear Marmoset, Brown Capuchin, Masked Titi Monkey, a Nine-banded Armadillo, and South American Coati in Espírito Santo.

Our good friend Ricardo Barbosa, who takes care of most of the logistical details on our Brazil tours and is a fantastic birder, joined us for a few days of the Rio de Janeiro portion of the tour. Unfortunately, our first full day of birding in Rio, on Pico de Caledônia, was pretty much of a washout. We did manage to get a few species that came in low and close for excellent views despite the fog and drizzle, such as Large-tailed (aka "Starry-night") Antshrike, Rufous-tailed Antbird, Bay-chested Warbling-Finch, and for some of us, also Rufous Gnateater and Thick-billed Saltator, but heavier rain soon set in and the hoped-for Gray-winged Cotinga was utterly, thoroughly, weathered out. That happens on occasion (although it's been only twice in 10+ years now). A post-lunch stop in remnant semideciduous woodland produced a pair of Serra Antwrens, Chestnut-backed Antshrike, Hangnest Tody-Tyrant (with its hanging nest!), Rufous-capped Spinetail, and, to our united delight, some Three-toed Jacamars! En route to Itatiaia National Park, we efficiently scooped up White-throated Woodcreeper, Dusky-tailed Antbird, Planalto Tyrannulet, Blackish-blue Seedeater (nice!), Chestnut-headed Tanager, Half-collared Sparrow, a passel of Brassy-breasted Tanagers (below eye-level!), and even a Black-and-gold Cotinga!



One of the Atlantic Forest most precious jewels. Male Frilled Coquette by participant Becky Hansen.

Itatiaia National Park was, as always, a fabulous birding venue. We started in the “high country”, in fact, along the highest-elevation road in all of Brazil which straddles the Rio de Janeiro / Minas Gerais state boundary. It covers a wonderful gradient of humid forest habitats from about 5300 feet elevation to above natural treeline at around 7800 feet. Weather started off perfectly with high overcast and light wind, and mixed-species flocks were good. The very first bird to show well was a beautiful Sharp-billed Treehunter, followed by Buff-throated Warbling-Finches, Thick-billed Saltator, a very cooperative Serra do Mar Bristle-Tyrant, Gray-capped Tyrannulet, White-spotted Woodpecker, Rufous-backed Antwreio, Pallid Spinetail, Scaled Woodcreeper, an excellent comparison of Greenish and Mottle-cheeked tyrannulets, Yellow-legged Thrush, Hooded Siskin, Diademed Tanager and several other species of tanagers seen well earlier in the tour. During the flock action, a male Green-crowned Plovercrest came in to feed at some flowers then sat to look at us for a moment. That was very fortunate, as everyone got to see it, some even in the scope, before it took off – and it was the only one we saw; the two leks higher up the road, where we usually

find at least one singing male, were silent that morning, after light rain set in. Several other species we saw very nicely in the morning included a singing White-browed Warbler, a pair of Araucaria Tit-Spinetails, Shear-tailed Gray-Tyrant, and two Mouse-colored Tapaculos that behaved themselves remarkably well. Unfortunately, the same cannot be said for a singing Rufous-tailed Antthrush that, despite coming in quite close, was spotted by only to a couple of us. Foggy, drizzly conditions above treeline cleared somewhat after our picnic lunch near the guard station, allowing us to find Velvety Black-Tyrant, Gray-backed Tachuri and the highly range-restricted Itatiaia Spinetail right away. On the way back down the mountain, another mixed-species flock produced good views of the much-wanted Black-capped Piprites, and we lucked out bigtime with a White-rumped Hawk that cruised low over the road, showing off its contrasty white wing linings and banded tail. A stop at lower elevations in open country produced good views of a pair of Crested Black-Tyrants, which made for all three species of black-tyrants that day! The feeders at our lovely hotel in the national park were hopping with hummers, tanagers, and other birds right up to dusk and dinnertime. Several male and female Brazilian Rubys and Frilled Coquettes, and great views of Red-breasted Toucans, were especially appreciated. Although not really unexpected (as it has been expanding eastward into deforested terrain for decades now), a Curl-crested Jay at the feeders was a first for me in Itatiaia National Park.

Trail birding at lower elevations in Itatiaia was also excellent for Ferruginous and Ochre-rumped antbirds, White-shouldered Fire-eye, Planalto Woodcreeper, a pair of Black-billed Scythebills, a fantastic scope study of a White-browed Foliage-gleaner, Gray-hooded Flycatcher, Fork-tailed Pygmy-Tyrant, Swainson's Flycatcher, Uniform Finch, and both Olive-green and Brown tanagers, two highly distinctive genera endemic to the Atlantic Forest biome of Brazil. Especially rewarding, I think, were great views of two species difficult to glimpse in the montane forest understory, one right after the other: Slaty Bristlefront and Such's Antthrush.

The Ubatuba area truly is a birding paradise! Our first morning there, at famous Fazenda Angelim, was very birdy. New for us there were Spotted Bamboowren (although it took a while!), Cobalt-rumped Parrotlet, Rufous-margined Antwren, White-bearded Manakin, a pair of Buff-throated Purpletufts apparently in the initial stages of nest construction, Lemon-chested Greenlet (the disjunct, nominate population restricted to coastal southeast Brazil), and Temminck's Seedeater (another seeding bamboo nomad). After a well-appointed lunch complete with a sushi bar, and a rejuvenating siesta (as we did on many days of the tour), we went straight to one of the best hummingbird venues anywhere, Sítio Folha Seca, the property of our longtime friend, Jonas. We racked up 11 species of hummers there, including who-knows-how-

many Saw-billed Hermits, multiple Festive Coquettes, and several Black-throated Mangos that were firsts for us. At the same time, brilliant Brazilian Tanagers and a couple of flashy Red-necked Tanagers came in close at the fruit feeders. We also picked up White-necked Hawk (good spotting, Tristan!), Gray-cowled Wood-Rail (good spotting, Tom Fiore!), Tufted Antshrike, Squamate Antbird, a surprise Red-ruffed Fruitcrow, Sao Paulo Bristle-Tyrant, Eye-ringed Tody-Tyrant, Gray-headed Elaenia, Long-billed Wren, White-bellied Seedeater, Chestnut-bellied Seed-Finch, and Sooty Grassquit around Ubatuba.

The final day of *North of the Tropic* saw us ascending the coast range toward the megalopolis of São Paulo. It was a rather rainy day, but we managed to find some great birds along the way, including Rufous-breasted Leaf-tosser, a Rufous-tailed Attila recently arrived from its Amazonian wintering quarters, Olivaceous Elaenia, and a pair of Green-throated Euphonias busily building a nest. Our final mega-target for the tour was Marsh Antwren. We would need to visit a specific corner of a tucked-away marsh, where we had had great success with seeing the bird on past tours. Sure enough, within 30 minutes of our arrival, we spotted a male Marsh Antwren sneaking in from well out in the extraordinarily dry “marsh” (largely overgrown with thick grass) to eventually come right up to the edge of the road – fabulous! We took advantage of a little extra time to see Rufous-sided Crake, Orange-breasted Thornbird, and Black-capped Donacobius there as well before making our way to our hotel near the São Paulo airport. Once there, a couple of members of our group had ample time to clean up, repack, and take the shuttle to the airport for flights home. The balance of us met a couple of new folks coming in for Part 2, *South of the Capricorn*, for dinner. 10 of the 12 participants on each part of the tour did the whole, Spectacular thing!

You can see my complete trip report on eBird at this link:

<https://ebird.org/tripreport/310118>

Bret Whitney and Marcelo Barreiros

Some of the other critters we saw included:


- 1) Brown Capuchin
- 2) Nine-banded Armadillo
- 3) South American Coati
- 4) Lesser Grison
- 5) Buffy-headed Marmoset

- 6) White-faced Marmoset
- 7) Masked Titi-Monkey
- 8) Cavi
- 9) Capybara
- 10) Tegu Lizard
- 11) *Melanophryniscus moreirae* (Itatiaia frog)
- 12) Yellow Cururu Toad

Field Guides Birding tours -- SPECTACULAR SOUTHEAST BRAZIL - PART 1 (NORTH OF THE TROPIC), 2024 (with Bret Whitney and Marcelo Barreiros)



9 – 27 Oct 2024 (19 days) Link-only



Map data ©2025 Google Imagery ©2025 NASA, TerraMetrics

📍 Brazil

Espírito Santo | Minas Gerais | Rio de Janeiro | São Paulo Subregions

👤 Marcelo Barreiros




For a Field Guides photo gallery and additional media for this trip report, visit:...







































 **430**
 **74**
LIFERS  69 





















Species Observed

[Show all details](#)
























- 6 **Solitary Tinamou** *Tinamus solitarius*    4
- 2 **Little Tinamou** *Crypturellus soui*   2
- 17 **Brown Tinamou** *Crypturellus obsoletus*   9
- 10 **White-faced Whistling-Duck** *Dendrocygna viduata*   2
- 2 **Muscovy Duck** *Cairina moschata*   1
- 5 **Brazilian Teal** *Amazonetta brasiliensis*   3
- 3 **East Brazilian Chachalaca** *Ortalis araucuan*   1
- 3 **Rusty-margined Guan** *Penelope superciliaris*   2
- 47 **Dusky-legged Guan** *Penelope obscura*   16
- 3 **Red-billed Curassow** *Crax blumenbachii*    2
- 15 **Spot-winged Wood-Quail** *Odontophorus capueira*   7
- 9 **Rock Pigeon** *Columba livia* *   3
- 59 **Picazuro Pigeon** *Patagioenas picazuro*   23
- 5 **Plumbeous Pigeon** *Patagioenas plumbea*   5
- 19 **Ruddy Ground Dove** *Columbina talpacoti*   9
- 2 **Picui Ground Dove** *Columbina picui*   1
- 2 **Ruddy Quail-Dove** *Geotrygon montana*   2
- 2 **White-tipped Dove** *Leptotila verreauxi*   2
- 3 **Gray-fronted Dove** *Leptotila rufaxilla*   2
- 7 **Eared Dove** *Zenaida auriculata*   5
























- 5 **Guira Cuckoo** *Guira guira* ▶  2
- 3 **Greater Ani** *Crotophaga major* ▶  1
- 29 **Smooth-billed Ani** *Crotophaga ani* ▶  11
- 4 **Striped Cuckoo** *Tapera naevia* ▶  4
- 7 **Squirrel Cuckoo** *Piaya cayana* ▶  7
- 5 **Short-tailed Nighthawk** *Lurocalis semitorquatus* ▶  4
- 2 **Pygmy Nightjar** *Nyctipolus hirundinaceus* ▶  1
- 13 **Common Pauraque** *Nyctidromus albicollis* ▶  3
- 1 **Long-trained Nightjar** *Macropsalis forcipata* ▶  1
- 1 **Long-tailed Potoo** *Nyctibius aethereus* ▶  1
- 135 **White-collared Swift** *Streptoprocne zonaris* ▶  6
- 14 **Gray-rumped Swift** *Chaetura cinereiventris* ▶  4
- 11 **Sick's Swift** *Chaetura meridionalis* ▶  5
- 41 **Black Jacobin** *Florisuga fusca* ▶  15
- 6 **Saw-billed Hermit** *Ramphodon naevius* ▶  4
- 2 **Rufous-breasted Hermit** *Glaucis hirsutus* ▶  2
- 1 **Dusky-throated Hermit** *Phaethornis squalidus* ✓ ▶  1
- 4 **Minute Hermit** *Phaethornis idaliae* ✓ ▶  1
- 1 **Planalto Hermit** *Phaethornis pretrei* ▶  1
- 9 **Scale-throated Hermit** *Phaethornis eurynome* ▶  7
- 4 **White-vented Violetear** *Colibri serrirostris* ▶  1
- 3 **Black-throated Mango** *Anthracothorax nigricollis* ▶  1
- 9 **Frilled Coquette** *Lophornis magnificus* ✓ ▶  3
- 8 **Festive Coquette** *Lophornis chalybeus* ▶  2
























- 20 **Brazilian Ruby** *Heliodoxa rubricauda* ▶  5
- 4 **Amethyst Woodstar** *Calliphlox amethystina* ▶  3
- 1 **Glittering-bellied Emerald** *Chlorostilbon lucidus* ▶  1
- 2 **Green-crowned Plovercrest** *Stephanoxis lalandi* ✓ ▶  2
- 26 **Violet-capped Woodnymph** *Thalurania glaucopis* ▶  12
- 6 **Swallow-tailed Hummingbird** *Eupetomena macroura* ▶  5
- 11 **Sombre Hummingbird** *Eupetomena cirrochloris* ▶  7
- 24 **Versicolored Emerald** *Chrysuronia versicolor* ▶  7
- 17 **White-throated Hummingbird** *Leucochloris albicollis* ▶  7
- 2 **Glittering-throated Emerald** *Chionomesa fimbriata* ▶  2
- 1 **Sapphire-spangled Emerald** *Chionomesa lactea* ▶  1
- 3 **Rufous-throated Sapphire** *Hylocharis sapphirina* ▶  2
- 3 **White-chinned Sapphire** *Chlorestes cyanus* ▶  3
- 2 **Blue-chinned Sapphire** *Chlorestes notata* ▶  1
- 2 **Blackish Rail** *Pardirallus nigricans* ▶  1
- 1 **Gray-cowled Wood-Rail** *Aramides cajaneus* ▶  1
- 11 **Slaty-breasted Wood-Rail** *Aramides saracura* ▶  6
- 1 **Purple Gallinule** *Porphyrio martinica* ▶  1
- 2 **Rufous-sided Crake** *Laterallus melanophaius* ▶  2
- 46 **American Oystercatcher** *Haematopus palliatus* ✓ ▶  2
- 2 **American Golden-Plover** *Pluvialis dominica* ✓ ▶  1
- 12 **Semipalmated Plover** *Charadrius semipalmatus* ▶  3
- 35 **Southern Lapwing** *Vanellus chilensis* ▶  15

- 4 **Wattled Jacana** *Jacana jacana* ▶  2
- 1 **Giant Snipe** *Gallinago undulata* ▶  1
- 2 **Spotted Sandpiper** *Actitis macularius* ▶  1
- 1 **Solitary Sandpiper** *Tringa solitaria* ▶  1
- 5 **Ruddy Turnstone** *Arenaria interpres* ▶  1
- 1 **Semipalmated Sandpiper** *Calidris pusilla* ✓ ▶  1
- 6 **Kelp Gull** *Larus dominicanus* ✓ ▶  2
- 16 **Sandwich Tern** *Thalasseus sandvicensis* ✓ ▶  3
- 6 **Royal Tern** *Thalasseus maximus* ▶  2
- 3 **Maguari Stork** *Ciconia maguari* ▶  1
- 165 **Magnificent Frigatebird** *Fregata magnificens* ▶  5
- 7 **Brown Booby** *Sula leucogaster* ✓ ▶  3
- 9 **Neotropic Cormorant** *Nannopterum brasilianum* ▶  3
- 5 **Green Ibis** *Mesembrinibis cayennensis* ▶  3
- 27 **Bare-faced Ibis** *Phimosus infuscatus* ▶  1
- 2 **Rufescent Tiger-Heron** *Tigrisoma lineatum* ▶  2
- 4 **Black-crowned Night Heron** *Nycticorax nycticorax* ▶  2
- 1 **Capped Heron** *Pilherodius pileatus* ▶  1
- 5 **Whistling Heron** *Syrigma sibilatrix* ▶  3
- 11 **Little Blue Heron** *Egretta caerulea* ▶  4
- 6 **Snowy Egret** *Egretta thula* ▶  4
- 6 **Striated Heron** *Butorides striata* ▶  4
- 7 **Western Cattle-Egret** *Ardea ibis* ▶  2
























- 11 **Great Egret** *Ardea alba* ▶ 📄 7
- 2 **Cocoi Heron** *Ardea cocoi* ▶ 📄 2
- 75 **Black Vulture** *Coragyps atratus* ▶ 📄 21
- 21 **Turkey Vulture** *Cathartes aura* ▶ 📄 16
- 5 **Lesser Yellow-headed Vulture** *Cathartes burrovianus* ▶ 📄 3
- 1 **Gray-headed Kite** *Leptodon cayanensis* ▶ 📄 1
- 8 **Swallow-tailed Kite** *Elanoides forficatus* ▶ 📄 4
- 2 **Black Hawk-Eagle** *Spizaetus tyrannus* ▶ 📄 2
- 1 **Sharp-shinned Hawk** *Accipiter striatus* ▶ 📄 1
- 7 **Rufous-thighed Kite** *Harpagus diodon* ✓ ▶ 📄 5
- 2 **Plumbeous Kite** *Ictinia plumbea* ▶ 📄 1
- 1 **Black-collared Hawk** *Busarellus nigricollis* ▶ 📄 1
- 1 **Snail Kite** *Rostrhamus sociabilis* ▶ 📄 1
- 3 **Savanna Hawk** *Buteogallus meridionalis* ▶ 📄 2
- 3 **White-necked Hawk** *Buteogallus lacernulatus* ✓ ▶ 📄 1
- 10 **Roadside Hawk** *Rupornis magnirostris* ▶ 📄 8
- 1 **White-rumped Hawk** *Parabuteo leucorrhous* ✓ ▶ 📄 1
- 9 **White-tailed Hawk** *Geranoaetus albicaudatus* ▶ 📄 6
- 1 **Zone-tailed Hawk** *Buteo albonotatus* ▶ 📄 1
- 2 **Short-tailed Hawk** *Buteo brachyurus* ▶ 📄 2
- 3 **Black-capped Screech-Owl** *Megascops atricapilla* ▶ 📄 2
- 5 **Tawny-browed Owl** *Pulsatrix koeniswaldiana* ✓ ▶ 📄 4
- 4 **Least Pygmy-Owl** *Glaucidium minutissimum* ✓ ▶ 📄 3

- 2 **Mottled Owl** *Strix virgata* ▶  1
- 5 **Green-backed Trogon** *Trogon viridis* ▶  4
- 20 **Surucua Trogon** *Trogon surrucura* ▶  11
- 4 **Atlantic Black-throated Trogon** *Trogon chrysochloros* ▶  3
- 3 **Collared Trogon** *Trogon collaris* ▶  1
- 6 **Rufous-capped Motmot** *Baryphthengus ruficapillus* ▶  4
- 2 **Ringed Kingfisher** *Megaceryle torquata* ▶  2
- 1 **Green Kingfisher** *Chloroceryle americana* ▶  1
- 2 **Buff-bellied Puffbird** *Notharchus swainsoni* ✓ ▶  2
- 2 **Crescent-chested Puffbird** *Malacoptila striata* ▶  1
- 7 **Swallow-winged Puffbird** *Chelidoptera tenebrosa* ▶  3
- 3 **Three-toed Jacamar** *Jacamaralcyon tridactyla* ✓ ▶  1
- 1 **Rufous-tailed Jacamar** *Galbula ruficauda* ▶  1
- 2 **Saffron Toucanet** *Pteroglossus bailloni* ✓ ▶  1
- 8 **Black-necked Aracari** *Pteroglossus aracari* ▶  2
- 3 **Spot-billed Toucanet** *Selenidera maculirostris* ✓ ▶  2
- 4 **Toco Toucan** *Ramphastos toco* ▶  4
- 10 **Channel-billed Toucan** *Ramphastos vitellinus* ▶  8
- 13 **Red-breasted Toucan** *Ramphastos dicolorus* ▶  7
- 10 **White-barred Piculet** *Picumnus cirratus* ▶  10
- 2 **Yellow-fronted Woodpecker** *Melanerpes flavifrons* ▶  1
- 3 **White-spotted Woodpecker** *Dryobates spilogaster* ▶  2
- 4 **Red-stained Woodpecker** *Dryobates affinis* ▶  2

- 4 **Yellow-eared Woodpecker** *Dryobates maculifrons* ▶  4
- 3 **Robust Woodpecker** *Campephilus robustus* ▶  2
- 4 **Lineated Woodpecker** *Dryocopus lineatus* ▶  3
- 2 **Ringed Woodpecker** *Celeus torquatus* ▶  1
- 7 **Blond-crested Woodpecker** *Celeus flavescens* ▶  6
- 1 **Yellow-throated Woodpecker** *Piculus flavigula* ▶  1
- 1 **Golden-green Woodpecker** *Piculus chrysochloros* ▶  1
- 6 **White-browed Woodpecker** *Piculus aurulentus* ✓ ▶  3
- 2 **Green-barred Woodpecker** *Colaptes melanochloros* ▶  1
- 8 **Campo Flicker** *Colaptes campestris* ▶  4
- 6 **Red-legged Seriema** *Cariama cristata* ▶  4
- 6 **Laughing Falcon** *Herpetotheres cachinnans* ▶  4
- 29 **Crested Caracara** *Caracara plancus* ▶  13
- 18 **Yellow-headed Caracara** *Daptrius chimachima* ▶  9
- 1 **American Kestrel** *Falco sparverius* ▶  1
- 1 **Aplomado Falcon** *Falco femoralis* ▶  1
- 10 **Golden-tailed Parrotlet** *Touit surdus* ▶  2
- 13 **Plain Parakeet** *Brotogeris tirica* ▶  6
- 5 **Pileated Parrot** *Pionopsitta pileata* ▶  2
- 30 **Scaly-headed Parrot** *Pionus maximiliani* ▶  10
- 3 **Blue-headed Parrot** *Pionus menstruus* ▶  1
- 8 **Red-browed Amazon** *Amazona rhodocorytha* ▶  2
- 8 **Mealy Amazon** *Amazona farinosa* ▶  2

- 8 **Orange-winged Amazon** *Amazona amazonica* ▶  2
- 5 **Cobalt-rumped Parrotlet** *Forpus xanthopterygius* ▶  2
- 7 **Ochre-marked Parakeet** *Pyrrhura cruentata* ▶  2
- 73 **Maroon-bellied Parakeet** *Pyrrhura frontalis* ▶  13
- 10 **Maroon-faced Parakeet** *Pyrrhura leucotis* ▶  3
- 13 **Peach-fronted Parakeet** *Eupsittula aurea* ▶  4
- 16 **Blue-winged Macaw** *Primolius maracana* ▶  6
- 45 **White-eyed Parakeet** *Psittacara leucophthalmus* ▶  9
- 4 **Spot-backed Antshrike** *Hypoedaleus guttatus* ▶  3
- 1 **Giant Antshrike** *Batara cinerea* ▶  1
- 1 **Large-tailed Antshrike** *Mackenziaena leachii* ✓ ▶  1
- 3 **Tufted Antshrike** *Mackenziaena severa* ▶  3
- 1 **Rufous-capped Antshrike** *Thamnophilus ruficapillus* ✓ ▶  1
- 2 **Chestnut-backed Antshrike** *Thamnophilus palliatus* ▶  1
- 4 **Sooretama Slaty-Antshrike** *Thamnophilus ambiguus* ▶  2
- 8 **Variable Antshrike** *Thamnophilus caerulescens* ▶  5
- 8 **Star-throated Antwren** *Rhopias gularis* ▶  4
- 8 **Spot-breasted Antvireo** *Dysithamnus stictothorax* ▶  4
- 11 **Plain Antvireo** *Dysithamnus mentalis* ▶  7
- 2 **Rufous-backed Antvireo** *Dysithamnus xanthopterus* ✓ ▶  1
- 4 **White-flanked Antwren** *Myrmotherula axillaris* ▶  2
- 2 **Salvadori's Antwren** *Myrmotherula minor* ✓ ▶  1
- 5 **Unicolored Antwren** *Myrmotherula unicolor* ▶  2
























- 7 **Rufous-margined Antwren** *Herpsilochmus rufimarginatus* ▶ 📄 3
- 4 **Southern White-fringed Antwren** *Formicivora grisea* ▶ 📄 1
- 4 **Serra Antwren** *Formicivora serrana* ✓ ▶ 📄 1
- 1 **Marsh Antwren** *Formicivora acutirostris* ✓ ▶ 📄 1
- 7 **Ferruginous Antbird** *Drymophila ferruginea* ▶ 📄 4
- 4 **Rufous-tailed Antbird** *Drymophila genei* ✓ ▶ 📄 2
- 3 **Ochre-rumped Antbird** *Drymophila ochropyga* ▶ 📄 2
- 2 **Dusky-tailed Antbird** *Drymophila malura* ✓ ▶ 📄 1
- 7 **Scaled Antbird** *Drymophila squamata* ▶ 📄 4
- 22 **Streak-capped Antwren** *Terenura maculata* ▶ 📄 11
- 8 **White-shouldered Fire-eye** *Pyriglena leucoptera* ▶ 📄 4
- 6 **White-bibbed Antbird** *Myrmoderus loricatus* ✓ ▶ 📄 3
- 3 **Squamate Antbird** *Myrmoderus squamosus* ▶ 📄 2
- 3 **Black-cheeked Gnateater** *Conopophaga melanops* ▶ 📄 2
- 3 **Rufous Gnateater** *Conopophaga lineata* ▶ 📄 3
- 3 **Variegated Antpitta** *Grallaria varia* ▶ 📄 3
- 1 **Spotted Bamboowren** *Psilorhamphus guttatus* ▶ 📄 1
- 1 **Slaty Bristlefront** *Merulaxis ater* ▶ 📄 1
- 1 **White-breasted Tapaculo** *Eleoscytalopus indigoticus* ▶ 📄 1
- 4 **Mouse-colored Tapaculo** *Scytalopus speluncae* ✓ ▶ 📄 4
- 3 **Rufous-capped Antthrush** *Formicarius colma* ▶ 📄 2
- 3 **Short-tailed Antthrush** *Chamaeza campanisona* ▶ 📄 2
- 9 **Such's Antthrush** *Chamaeza meruloides* ▶ 📄 5
























- 5 **Rufous-tailed Antthrush** *Chamaeza ruficauda* ▶  3
- 13 **Olivaceous Woodcreeper** *Sittasomus griseicapillus* ▶  9
- 8 **Plain-winged Woodcreeper** *Dendrocincla turdina* ▶  5
- 1 **Planalto Woodcreeper** *Dendrocolaptes platyrostris* ▶  1
- 6 **White-throated Woodcreeper** *Xiphocolaptes albicollis* ✓ ▶  4
- 7 **Lesser Woodcreeper** *Xiphorhynchus fuscus* ▶  5
- 3 **Buff-throated Woodcreeper** *Xiphorhynchus guttatus* ▶  2
- 1 **Straight-billed Woodcreeper** *Dendroplex picus* ▶  1
- 4 **Black-billed Scythebill** *Campylorhamphus falcularius* ▶  3
- 4 **Scaled Woodcreeper** *Lepidocolaptes squamatus* ✓ ▶  2
- 4 **Scalloped Woodcreeper** *Lepidocolaptes falcinellus* ✓ ▶  3
- 2 **Atlantic Plain-Xenops** *Xenops minutus* ▶  2
- 6 **Streaked Xenops** *Xenops rutilans* ▶  5
- 9 **Wing-banded Hornero** *Furnarius figulus* ▶  5
- 8 **Rufous Hornero** *Furnarius rufus* ▶  5
- 2 **Sharp-tailed Streamcreeper** *Lochmias nematura* ▶  1
- 6 **White-collared Foliage-gleaner** *Anabazenops fuscus* ▶  4
- 2 **Sharp-billed Treehunter** *Heliobletus contaminatus* ✓ ▶  1
- 2 **Black-capped Foliage-gleaner** *Philydor atricapillus* ▶  1
- 3 **White-browed Foliage-gleaner** *Anabacerthia amaurotis* ✓ ▶  1
- 6 **Ochre-breasted Foliage-gleaner** *Anabacerthia lichtensteini* ✓ ▶  3
- 4 **Buff-browed Foliage-gleaner** *Syndactyla rufosuperciliata* ✓ ▶  3
- 9 **Buff-fronted Foliage-gleaner** *Dendroma rufa* ▶  5

- 6 **White-eyed Foliage-gleaner** *Automolus leucophthalmus* ▶ 5
- 2 **Araucaria Tit-Spinetail** *Leptasthenura setaria* ✓ ▶ 1
- 3 **Rufous-fronted Thornbird** *Phacellodomus rufifrons* ▶ 1
- 4 **Orange-eyed Thornbird** *Phacellodomus erythrophthalmus* ▶ 2
- 2 **Orange-breasted Thornbird** *Phacellodomus ferrugineigula* ▶ 1
- 2 **Itatiaia Spinetail** *Asthenes moreirae* ✓ ▶ 1
- 16 **Pallid Spinetail** *Cranioleuca pallida* ▶ 9
- 5 **Yellow-chinned Spinetail** *Certhiaxis cinnamomeus* ▶ 3
- 10 **Rufous-capped Spinetail** *Synallaxis ruficapilla* ▶ 7
- 1 **Spix's Spinetail** *Synallaxis spixi* ▶ 1
- 3 **Wied's Tyrant-Manakin** *Neopelma aurifrons* ✓ ▶ 3
- 1 **Serra do Mar Tyrant-Manakin** *Neopelma chrysolophum* ▶ 1
- 21 **Swallow-tailed Manakin** *Chiroxiphia caudata* ▶ 10
- 8 **Pin-tailed Manakin** *Ilicura militaris* ▶ 5
- 9 **White-bearded Manakin** *Manacus manacus* ▶ 3
- 1 **Kinglet Manakin** *Machaeropterus regulus* ✓ ▶ 1
- 1 **White-crowned Manakin** *Pseudopipra pipra* ▶ 1
- 3 **Red-headed Manakin** *Ceratopipra rubrocapilla* ▶ 2
- 3 **Hooded Berryeater** *Carpornis cucullata* ▶ 2
- 4 **Black-headed Berryeater** *Carpornis melanocephala* ▶ 2
- 6 **Swallow-tailed Cotinga** *Phibalura flavirostris* ✓ ▶ 3
- 4 **Red-ruffed Fruitcrow** *Pyroderus scutatus* ▶ 3
- 2 **Screaming Piha** *Lipaugus vociferans* ▶ 1

- 1 **Cinnamon-vented Piha** *Lipaugus lanioides* ✓ ▶ 1
- 4 **Black-and-gold Cotinga** *Lipaugus ater* ✓ ▶ 3
- 18 **Bare-throated Bellbird** *Procnias nudicollis* ▶ 7
- 4 **Black-tailed Tityra** *Tityra cayana* ▶ 3
- 2 **Brown-winged Schiffornis** *Schiffornis turdina* ▶ 2
- 3 **Greenish Schiffornis** *Schiffornis virescens* ▶ 2
- 3 **Buff-throated Purpletuft** *Iodopleura pipra* ▶ 2
- 5 **Green-backed Becard** *Pachyramphus viridis* ▶ 4
- 14 **Chestnut-crowned Becard** *Pachyramphus castaneus* ▶ 9
- 2 **White-winged Becard** *Pachyramphus polychopterus* ▶ 2
- 8 **Crested Becard** *Pachyramphus validus* ▶ 5
- 6 **Sharpbill** *Oxyruncus cristatus* ✓ ▶ 6
- 2 **Whiskered Flycatcher** *Myiobius barbatus* ▶ 2
- 1 **Wing-barred Piprites** *Piprites chloris* ▶ 1
- 2 **Black-capped Piprites** *Piprites pileata* ✓ ▶ 1
- 5 **White-throated Spadebill** *Platyrrinchus mystaceus* ▶ 5
- 1 **Gray-hooded Flycatcher** *Mionectes rufiventris* ▶ 1
- 12 **Sepia-capped Flycatcher** *Leptopogon amaurocephalus* ▶ 7
- 4 **Serra do Mar Bristle-Tyrant** *Pogonotriccus difficilis* ▶ 2
- 2 **Sao Paulo Bristle-Tyrant** *Pogonotriccus paulista* ▶ 1
- 4 **Oustalet's Tyrannulet** *Phylloscartes oustaleti* ✓ ▶ 2
- 5 **Mottle-cheeked Tyrannulet** *Phylloscartes ventralis* ✓ ▶ 3
- 8 **Eared Pygmy-Tyrant** *Myiornis auricularis* ▶ 6
























- 5 **Drab-breasted Pygmy-Tyrant** *Hemitriccus diops* ▶ 📄 4
- 1 **Brown-breasted Pygmy-Tyrant** *Hemitriccus obsoletus* ✓ ▶ 📄 1
- 2 **Eye-ringed Tody-Tyrant** *Hemitriccus orbitatus* ▶ 📄 1
- 1 **Hangnest Tody-Tyrant** *Hemitriccus nidipendulus* ▶ 📄 1
- 3 **Fork-tailed Pygmy-Tyrant** *Hemitriccus furcatus* ▶ 📄 2
- 1 **Ochre-faced Tody-Flycatcher** *Poecilotriccus plumbeiceps* ▶ 📄 1
- 13 **Gray-headed Tody-Flycatcher** *Todirostrum poliocephalum* ▶ 📄 9
- 10 **Yellow-olive Flatbill** *Tolmomyias sulphurescens* ▶ 📄 8
- 2 **Gray-crowned Flatbill** *Tolmomyias poliocephalus* ▶ 📄 1
- 1 **Ochre-ored Flatbill** *Tolmomyias flaviventris* ▶ 📄 1
- 12 **Cliff Flycatcher** *Hirundinea ferruginea* ▶ 📄 6
- 6 **Southern Beardless-Tyrannulet** *Camptostoma obsoletum* ▶ 📄 4
- 1 **Gray-backed Tachuri** *Polystictus superciliaris* ▶ 📄 1
- 1 **Gray-headed Elaenia** *Myiopagis caniceps* ▶ 📄 1
- 1 **Small-headed Elaenia** *Elaenia sordida* ▶ 📄 1
- 6 **Yellow-bellied Elaenia** *Elaenia flavogaster* ▶ 📄 3
- 1 **Small-billed Elaenia** *Elaenia parvirostris* ▶ 📄 1
- 1 **Olivaceous Elaenia** *Elaenia mesoleuca* ▶ 📄 1
- 4 **Greenish Tyrannulet** *Phyllomyias virescens* ▶ 📄 2
- 5 **Planalto Tyrannulet** *Phyllomyias fasciatus* ▶ 📄 5
- 5 **Gray-capped Tyrannulet** *Phyllomyias griseocapilla* ▶ 📄 3
- 5 **Rough-legged Tyrannulet** *Acrochordopus burmeisteri* ▶ 📄 4
- 2 **Bran-colored Flycatcher** *Myiophobus fasciatus* ▶ 📄 2



















- 15 **Euler's Flycatcher** *Lathrotriccus euleri* ▶  9
- 1 **Southern Tropical Pewee** *Contopus cinereus* ▶  1
- 2 **Crested Black-Tyrant** *Knipolegus lophotes* ✓ ▶  1
- 2 **Velvety Black-Tyrant** *Knipolegus nigerrimus* ▶  1
- 10 **Blue-billed Black-Tyrant** *Knipolegus cyanirostris* ✓ ▶  6
- 3 **Yellow-browed Tyrant** *Satrapa icterophrys* ✓ ▶  3
- 6 **White-rumped Monjita** *Xolmis velatus* ▶  3
- 2 **White Monjita** *Xolmis irupero* ✓ ▶  1
- 25 **Masked Water-Tyrant** *Fluvicola nengeta* ▶  13
- 3 **Shear-tailed Gray Tyrant** *Muscipipra vetula* ✓ ▶  2
- 14 **Long-tailed Tyrant** *Colonia colonus* ▶  9
- 2 **Rufous-tailed Attila** *Attila phoenicurus* ▶  1
- 10 **Gray-hooded Attila** *Attila rufus* ▶  8
- 15 **Sibilant Sirystes** *Sirystes sibilator* ▶  7
- 7 **Grayish Mourner** *Rhytipterna simplex* ▶  4
- 2 **Dusky-capped Flycatcher** *Myiarchus tuberculifer* ▶  1
- 1 **Swainson's Flycatcher** *Myiarchus swainsoni* ▶  1
- 3 **Short-crested Flycatcher** *Myiarchus ferox* ▶  2
- 2 **Brown-crested Flycatcher** *Myiarchus tyrannulus* ▶  1
- 7 **Cattle Tyrant** *Machetornis rixosa* ▶  4
- 36 **Great Kiskadee** *Pitangus sulphuratus* ▶  18
- 10 **Boat-billed Flycatcher** *Megarynchus pitangua* ▶  6
- 3 **Rusty-margined Flycatcher** *Myiozetetes cayanensis* ▶  2

- 11 **Social Flycatcher** *Myiozetetes similis* ▶  6
- 16 **Streaked Flycatcher** *Myiodynastes maculatus* ▶  13
- 9 **Piratic Flycatcher** *Legatus leucophaeus* ▶  5
- 4 **Variegated Flycatcher** *Empidonomus varius* ▶  3
- 21 **Tropical Kingbird** *Tyrannus melancholicus* ▶  13
- 12 **Fork-tailed Flycatcher** *Tyrannus savana* ▶  9
- 14 **Rufous-browed Peppershrike** *Cyclarhis gujanensis* ▶  9
- 6 **Rufous-crowned Greenlet** *Hylophilus poicilotis* ▶  5
- 2 **Lemon-chested Greenlet** *Hylophilus thoracicus* ▶  1
- 11 **Chivi Vireo** *Vireo chivi* ▶  7
- 1 **Curl-crested Jay** *Cyanocorax cristatellus* ▶  1
- 4 **Black-capped Donacobius** *Donacobius atricapilla* ▶  2
- 3 **White-winged Swallow** *Tachycineta albiventer* ▶  1
- 17 **White-rumped Swallow** *Tachycineta leucorrhoa* ▶  5
- 33 **Gray-breasted Martin** *Progne chalybea* ▶  11
- 20 **Southern Rough-winged Swallow** *Stelgidopteryx ruficollis* ▶  8
- 24 **Blue-and-white Swallow** *Pygochelidon cyanoleuca* ▶  5
- 1 **Northern House Wren** *Troglodytes aedon* ▶  1
- 17 **Southern House Wren** *Troglodytes musculus* ▶  11
- 2 **Thrush-like Wren** *Campylorhynchus turdinus* ▶  1
- 1 **Moustached Wren** *Pheugopedius genibarbis* ▶  1
- 1 **Long-billed Wren** *Cantorchilus longirostris* ▶  1
- 13 **Chalk-browed Mockingbird** *Mimus saturninus* ▶  7

2	Tropical Mockingbird <i>Mimus gilvus</i>	▶ 1
8	Yellow-legged Thrush <i>Turdus flavipes</i>	▶ 5
8	Pale-breasted Thrush <i>Turdus leucomelas</i>	▶ 7
1	Cocoa Thrush <i>Turdus fumigatus</i>	▶ 1
6	White-necked Thrush <i>Turdus albicollis</i>	▶ 5
33	Rufous-bellied Thrush <i>Turdus rufiventris</i>	▶ 19
5	Creamy-bellied Thrush <i>Turdus amaurochalinus</i>	▶ 5
25	House Sparrow <i>Passer domesticus</i> *	▶ 10
1	Yellowish Pipit <i>Anthus chii</i>	▶ 1
4	Blue-naped Chlorophonia <i>Chlorophonia cyanea</i>	▶ 3
2	Purple-throated Euphonia <i>Euphonia chlorotica</i>	▶ 1
2	Green-throated Euphonia <i>Euphonia chalybea</i> ✓	▶ 1
10	Violaceous Euphonia <i>Euphonia violacea</i>	▶ 4
15	Chestnut-bellied Euphonia <i>Euphonia pectoralis</i>	▶ 9
4	Hooded Siskin <i>Spinus magellanicus</i>	▶ 3
1	Grassland Sparrow <i>Ammodramus humeralis</i>	▶ 1
4	Half-collared Sparrow <i>Arremon semitorquatus</i>	▶ 3
24	Rufous-collared Sparrow <i>Zonotrichia capensis</i>	▶ 14
16	Crested Oropendola <i>Psarocolius decumanus</i>	▶ 9
2	Golden-winged Cacique <i>Cacicus chrysopterus</i> ✓	▶ 1
22	Red-rumped Cacique <i>Cacicus haemorrhous</i>	▶ 7
6	Campo Troupial <i>Icterus jamacaii</i>	▶ 3
34	Shiny Cowbird <i>Molothrus bonariensis</i>	▶ 13

- 21 **Giant Cowbird** *Molothrus oryzivorus* ▶ 📄 3
- 10 **Chopi Blackbird** *Gnorimopsar chopi* ▶ 📄 3
- 1 **Chestnut-capped Blackbird** *Chrysomus ruficapillus* ▶ 📄 1
- 3 **Southern Yellowthroat** *Geothlypis velata* ▶ 📄 3
- 6 **Tropical Parula** *Setophaga pitaiayumi* ▶ 📄 4
- 14 **Golden-crowned Warbler** *Basileuterus culicivorus* ▶ 📄 8
- 2 **White-browed Warbler** *Myiothlypis leucoblephara* ▶ 📄 2
- 1 **Riverbank Warbler** *Myiothlypis rivularis* ▶ 📄 1
- 5 **Olive-green Tanager** *Orthogonys chloricterus* ▶ 📄 2
- 2 **Hepatic Tanager** *Piranga flava* ▶ 📄 1
- 7 **Red-crowned Ant-Tanager** *Habia rubica* ▶ 📄 3
- 4 **Yellow-green Grosbeak** *Caryothraustes canadensis* ▶ 📄 3
- 2 **Blackish-blue Seedeater** *Amaurospiza moesta* ✓ ▶ 📄 1
- 3 **Brown Tanager** *Orchesticus abeillei* ✓ ▶ 📄 1
- 2 **Red-cowled Cardinal** *Paroaria dominicana* ▶ 📄 1
- 2 **Cinnamon Tanager** *Schistochlamys ruficapillus* ▶ 📄 1
- 3 **Magpie Tanager** *Cissopis leverianus* ✓ ▶ 📄 1
- 2 **Hooded Tanager** *Nemosia pileata* ▶ 📄 1
- 1 **Cherry-throated Tanager** *Nemosia rourei* ✓ ▶ 📄 1
- 3 **Chestnut-headed Tanager** *Thlypopsis pyrrhocomma* ✓ ▶ 📄 2
- 2 **Buff-throated Warbling Finch** *Microspingus lateralis* ✓ ▶ 📄 1
- 9 **Black-goggled Tanager** *Trichothraupis melanops* ▶ 📄 5
- 9 **Flame-crested Tanager** *Loriotus cristatus* ▶ 📄 4

- 27 **Ruby-crowned Tanager** *Tachyphonus coronatus* ▶  12
- 11 **Brazilian Tanager** *Ramphocelus bresilius* ▶  4
- 1 **Silver-beaked Tanager** *Ramphocelus carbo* ▶  1
- 2 **Diademed Tanager** *Stephanophorus diadematus* ✓ ▶  1
- 4 **Fawn-breasted Tanager** *Pipraeidea melanonota* ▶  4
- 22 **Sayaca Tanager** *Thraupis sayaca* ▶  10
- 10 **Azure-shouldered Tanager** *Thraupis cyanoptera* ✓ ▶  5
- 18 **Golden-chevroned Tanager** *Thraupis ornata* ▶  9
- 25 **Palm Tanager** *Thraupis palmarum* ▶  9
- 7 **Burnished-buff Tanager** *Stilpnia cayana* ▶  4
- 9 **White-bellied Tanager** *Tangara brasiliensis* ▶  3
- 12 **Green-headed Tanager** *Tangara seledon* ▶  6
- 2 **Red-necked Tanager** *Tangara cyanocephala* ▶  2
- 25 **Brassy-breasted Tanager** *Tangara desmaresti* ▶  6
- 2 **Gilt-edged Tanager** *Tangara cyanoventris* ▶  1
- 6 **Swallow Tanager** *Tersina viridis* ▶  2
- 28 **Blue Dacnis** *Dacnis cayana* ▶  15
- 2 **Red-legged Honeycreeper** *Cyanerpes cyaneus* ▶  2
- 2 **Green Honeycreeper** *Chlorophanes spiza* ▶  2
- 8 **Rufous-headed Tanager** *Hemithraupis ruficapilla* ▶  3
- 3 **Yellow-backed Tanager** *Hemithraupis flavicollis* ▶  2
- 4 **Bicolored Conebill** *Conirostrum bicolor* ▶  1
- 2 **Chestnut-vented Conebill** *Conirostrum speciosum* ▶  1

- 5 **Uniform Finch** *Haplospiza unicolor* ▶  3
- 5 **Bay-chested Warbling Finch** *Castanozoster thoracicus* ✓ ▶  3
- 64 **Saffron Finch** *Sicalis flaveola* ▶  19
- 1 **Wedge-tailed Grass-Finch** *Emberizoides herbicola* ▶  1
- 1 **Great Pampa-Finch** *Embernagra platensis* ✓ ▶  1
- 6 **Blue-black Grassquit** *Volatinia jacarina* ▶  4
- 1 **White-bellied Seedeater** *Sporophila leucoptera* ▶  1
- 2 **Chestnut-bellied Seed-Finch** *Sporophila angolensis* ▶  1
- 13 **Double-collared Seedeater** *Sporophila caerulescens* ▶  6
- 4 **Temminck's Seedeater** *Sporophila falcirostris* ▶  1
- 6 **Buffy-fronted Seedeater** *Sporophila frontalis* ▶  3
- 2 **Pileated Finch** *Coryphospingus pileatus* ▶  1
- 33 **Bananaquit** *Coereba flaveola* ▶  12
- 3 **Sooty Grassquit** *Asemospiza fuliginosa* ▶  1
- 5 **Buff-throated Saltator** *Saltator maximus* ▶  3
- 16 **Green-winged Saltator** *Saltator similis* ▶  11
- 3 **Thick-billed Saltator** *Saltator maxillosus* ✓ ▶  2
- 8 **Black-throated Grosbeak** *Saltator fuliginosus* ▶  5