

Trip Report — Succinct Suriname: Cotingas & Trumpeters 2025

January 4-15, 2025 with Micah Riegner & local guide



We were heading back to lunch at Fredberg when we encountered this Harpy Eagle sitting majestically along the side of the road! We all piled out of the bus and watched it for a precious minute before it sailed across the road and disappeared in the dense forest. Photo by tour participant Judy Harackiewicz.

It's hard to believe that this was already my fifth tour with Sean in Suriname, a rich and wonderfully pristine country with welcoming people, great birds and fantastic food. Day one we hit the ground running with Blood-colored Woodpeckers, Arrowhead Piculets and Crimson-hooded Manakins at the Paramaribo Botanical Gardens. Access to Peperpot was closed this year because of a marathon across the bridge to Meerzorg, but we ended up seeing the same set of birds at the botanical gardens. After a delicious Roti lunch in town, we made our way to Weg Naar Zee on the coast where we saw three Rufous Crab-Hawks, Pale-tipped Tyrannulets, Bicolored Conebill, Yellow Oriole and a pair of Cinereous Becards at a nest. We heard a migrant Northern

Waterthrush, but it didn't come into view. From the coast we drove to Colakreek and had Moksi Alesi, a Creole dish, prepared by Mell.

Before leaving for Brownsberg, we spent a morning birding the white-sand forest near Colakreek where we found Pale-bellied Mourner, Rufous-crowned Elaenias, Bronzy Jacamars, Saffron-crested Tyrant Manakins and some skulking Black Manakins. Then, after lunch we took off to Brownsberg with Buru the driver and Camero the cook. The road up was horrendous as usual, but Buru got us there with no problems. He's one of the best Brownsberg drivers there is. Upon our arrival we flushed a small flock of Black Curassows, which we saw better later on.

Our first morning at Brownsberg we explored along the Mazaroni Overlook trail, where we found a pair of Collared Puffbirds, a male Black-throated Antshrike and a small group of Gray-winged Trumpeters. We tried for Wing-banded Antbird but got no response this time around. We spent the rest of the morning birding along the main road and had good looks at Guianan Toucanet, Ferruginous-backed Antbird and a troop of White-faced Sakis. In the afternoon we went farther out the Mazaroni Overlook trail and saw Marail Guans, Chestnut-rumped Woodcreeper, Northern Slaty Antshrikes, Golden-sided Euphonia and Green Aracaris. Our second day at Brownsberg we birded the Mazaroni Road, getting great looks at a cooperative Musician Wren, some Spot-backed Antbirds, fly-by Lilac-tailed Parrotlets, and a canopy flock with Blue-backed Tanagers and a migrant Black-whiskered Vireo, a bird rarely seen in Suriname. That afternoon we found a pair of Red-billed Woodcreepers, one of my personal favorites. Camero prepared us a nice casava soup dinner, then we went owling and saw Foothill Screech-Owl and Spectacled Owl right outside the lodge clearing.

See the online triplist, which includes a tour highlights video that Micah filmed and edited, walks you through some of the great moments we had in Suriname. It includes some live music we enjoyed by Sean and the staff at Fredberg.

From Brownsberg, we descended into the lowlands, reaching Fredberg Lodge in the late afternoon, just in time to watch the Short-tailed Nighthawks circling overhead. The lodge had expanded since the last time I was there—now there are some brand-new rooms and a fabulous new dining area surrounded by Lantana flowers attracting Tufted Coquettes and Racket-tipped Thorntails.

Much of the birding we do at Fredberg is along the main road, getting in and out of the bus and walking stretches to find feeding flocks. Our first morning we came across a

handsome Guianan Red Cotinga (my first for Suriname!), Ruddy Spinetail, and a busy feeding flock with Yellow-margined Flatbill, Eastern Olivaceous Flatbill and Guianan Woodcreepers. After lunch we took off to see the Guianan Cock-of-the-rock lek. We drove to the trailhead and walked about 45 minutes up a rather steep hill to get to the spot. Five males were displaying in the low vine tangles. It was spectacular! From the lek we walked up onto an inselberg, a granitic dome protruding from the forest, where we had great looks at Red-fan Parrots glowing in the afternoon light. We got back to the bus and waited until dusk to try our luck at Long-tailed Potoo. The bird called back and we found it way up in the tree. We watched it through the scope, then it took off into the forest. On our way back down to the bus, we saw it again, this time right off the trail. We all snuck up on it, getting within 5 feet as it sat there motionless. We were so close we could see the venation in its pupil. That was certainly the closest I've ever been to Long-tailed Potoo! On our way back for dinner we saw a Great Potoo and several Blackish Nightjars along the side of the road.



Fredberg Lodge continues to get better and better each year. This year we ate at their brand-new dining area. Group photo by guide Micah Riegner.

The next morning it rained, so we had breakfast and waited until it cleared before we went out. With limited time before lunch, we decided to bird the main road again. We made a few stops and saw Pompadour Cotingas, Yellow-throated Woodpecker and Yellow-backed Tanagers at a termite hatch. There was an army ant swarm off the road with White-plumed Antbird and Rufous-throated Antbird; however, they were difficult to see well. We tried for Band-tailed Antshrike at a spot where Fred had seen one recently, and sure enough the birds called back. While we waited for them to approach, a cloud of winged termites descended upon us, literally covering everyone in the group. They weren't biting, but they were annoying as heck, so we ended up abandoning the antshrikes for another time, even though they were close. On our way back to the lodge we found a feeding flock with some Glossy-backed Becards right before we stumbled upon a Harpy Eagle sitting majestically on the side of the road. We all piled out of the bus and watched it for about a minute before it sailed across, disappearing into the dense forest. That afternoon we drove out to the Capuchinbird lek. Along the way we saw a male Purple-breasted Cotinga, but it didn't stick around for long, unfortunately. There were several fallen trees across the road, so Buru the driver had to get out and cut them. Good thing we had a chainsaw! We reached the Capuchinbird lek just in time and saw several males displaying up in the trees.

Boat-billed Tody-tyrant is another specialty of this tour. For this, we walked several kilometers through the forest to a territory where we've seen the bird in the past. The bird, which is the size of a kinglet, likes dense vine tangles that grows on granite boulders. On our way we heard Tiny Tyrant-manakin and saw a Rufous-capped Antthrush, Fulvous Shrike-Tanager and a troop of Guianan Bearded Sakis, another first for me in Suriname. Sadly, the Tody-tyrant wasn't home; however, on our way back we managed to find Yellow-billed Jacamar, White-chested Puffbird, a Whistling Woodcreeper (a recent split from Long-tailed) and, most astonishingly, Sean got us on a pair of Red-and-black Grosbeaks! I had lost all hope in seeing them after leaving Brownsberg, so it was great to catch up with such a spectacular regional specialty! In the afternoon we went up to the Rusty Tinamou territory and waited for it to show. It called back, so I set up the Bluetooth speaker to get it to cross the road. Meanwhile, two male Crimson Fruitcrows landed in the tree right above us. The tinamou crossed several times in front of us, so we had to choose between watching the tinamou and watching the fruitcrows!



Another great photo by tour participant Judy Harackiewicz! This Rufous Crab Hawk we saw at Weg Naar Zee during our first day of birding.

Before leaving Fredberg we tried for Zigzag Heron along the Little Saramaca River. The bird came in, and after lots of effort, Sean and I managed to scope it through the dense, dimly lit vegetation. Nearby we saw Cocoa Thrush and White-browed Antbird, two more riverine species. After lunch and saying goodbye to the staff at Fred's, we drove to Colakreek. Before reaching Colakreek we stopped at the bridge over Babunkriki where we saw a handsome male Rose-breasted Chat. Mell prepared a nice peanut soup for us when we arrived, and after dinner we went for a final night of owling. Along the main road we saw Common Potoos and a close male White-tailed Nightjar, and then back at Colakreek we found a Tawny-bellied Screech-Owl and a pair of Black-banded Owls to add to our impressive list of nightbirds for the tour.

For our final day of the tour we birded several white-sand sites around Colakreek, first finding Point-tailed Palmcreeper in a stand of Mauritia Palms, before driving out to the Hannover Savanna. Here, we saw the nest of Yellow-crowned Tyrannulet and amazingly it was made of dried-up mistletoe seeds! Way cool. We heard a Smoky-fronted Tody-flycatcher that didn't exactly show itself and saw several Red-

shouldered Tanagers. We then moseyed on over to the O.P. Savanna and found Campina Thrush in no time at all. The bird sat up in a bush and we all enjoyed it through the scope. Next stop was the Zanderij Airport. We drove out to a spot where Sean has seen Green-tailed Goldenthrout recently and, after some searching, the bird showed up! After lunch we drove to the Vier Kinderen Road, which leads through some taller forest. Here, we caught up with Yellow-crowned Elaenia, a close Spotted Puffbird, a pair of Finsch's Euphonias and a small flock of Red-bellied Macaws before we headed back for dinner and to pack for flights the next morning.

There are several people I'd like to thank for making this tour a success. First, I'd like to thank Karen in our office for setting everything up for us, my colleague Sean for yet another great trip together, Camero and Mell for some fabulous meals, the staff at Fredberg Lodge for taking such good care of us, and Buru, our driver, for taking us down roads few bus drivers can drive. Lastly, I'd like to thank you all for joining us in Suriname and I look forward to seeing you again in the field!



The young male Guianan Red Cotinga we saw at Fredberg. This was actually my first time seeing it in Suriname!
Photo by guide Micah Riegner.

Mammals

Proboscis Bat (*Rhynchonycteris naso*) These were under a log near the river at Fredberg.

Greater Sac-winged Bat (*Saccopteryx bilineata*) We saw a few under a shack at Brownsberg.

Golden-handed Tamarin (*Saguinus midas*) Seen a couple times at Fredberg.

Guianan Squirrel Monkey (*Saimiri sciureus*) Seen our first day at the Paramaribo Botanical Gardens.

Red Howler (*Alouatta seniculus*) These were often around the lodge clearing at Brownsberg.

White-faced Saki (*Pithecia pithecia*) Brownsberg is one of the best places in the world to see this striking primate.

Guianan Bearded Saki (*Chiropotes satanas*) We saw this uncommon primate along the trail at Fredberg.

Red-faced Black Spider Monkey (*Ateles paniscus*) Heard regularly from the Brownsberg overlook.

Linnaeus's Two-toed Sloth (*Choloepus didactylus*) We had amazing views of one at night at Brownsberg.

Pale-throated Three-toed Sloth (*Bradypus tridactylus*) Seen at the Paramaribo Botanical Gardens.

Guianan Squirrel (*Sciurus aestuans*) We saw one at Brownsberg thanks to Sean's heatscope.

Neotropical Pygmy Squirrel (*Sciurillus pusillus*) Heard a couple times at Brownsberg. We never actually saw it, unfortunately.

Common Red-rumped Agouti (*Dasyprocta leporina*) Seen at Brownsberg.

Tayra (*Eira barbara*) We saw a leucistic individual cross the road at Fredberg. It looked like a miniature polar bear.

Jaguar (*Panthera onca*) Tracks on the road at Fredberg.

Common Red Brocket (*Mazama americana*) We saw one at the clearing at Brownsberg.

Amphibians

Anomaloglossus baeobatrachus The smaller brown poison dart frogs at Brownsberg.

Ameerega trivitatta This gorgeous poison dart frog with green stripes had tadpoles on his back at Brownsberg.

Leptodactylus pentadactylus Seen on our night outings at Brownsberg.

Rhaebo guttatus The big toads we saw at Brownsberg.

Rhinella margaritifera The camouflaged toad we saw on our forest hike at Fredberg.

Cane Toad (*Rhinella marina*)

Rhinella merianae The toads we saw around the lodge at Fredberg.

Physalaemus ehippifer These were in the pools along the road at Brownsberg.

Reptiles

Thecadactylus rapicauda The geckos inhabiting the lodge at Brownsberg.

South American Spotted Skink (*Copeoglossum nigropunctatum*) The skinks we saw at Brownsberg.

Green Iguana (*Iguana iguana*) We saw a few around Paramaribo.

Plica plica We saw one on a log at Fredberg.

Amaeua amaeva The big whiptails at Brownsberg and Fredberg.

Cnemidophorus lemniscatus The smaller whiptails at Brownsberg.

Kentropyx calcarata

Golden Tegu (*Tupinambis teguixin*) These enormous lizards we saw at the Paramaribo Botanical Gardens and at Colakreek.

Chironius sp. The snake we saw on the road below Brownsberg.

You can see my complete trip report on eBird at this link:


<https://ebird.org/tripreport/321230>

Micah

Field Guides Birding Tours--SUCCINCT SURINAME: COTINGAS AND TRUMPETERS, 2025 (with Micah Riegner and local guide Sean Dilrosun)



5 – 14 Jan 2025 (10 days) Link-only



Google

Map data ©2025 Google Imagery ©2025 TerraMetrics Report a map error

📍 **Suriname**
Brokopondo | Paramaribo | Para | Sipaliwini

👤 Micah Riegner



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...



 **348**
 **29**
 **18**
LIFERS  4  11 

Species Observed

[Show all details](#)
























- 3 **Great Tinamou** *Tinamus major*  3
- 3 **Variiegated Tinamou** *Crypturellus variegatus*  3
- 1 **Rusty Tinamou** *Crypturellus brevirostris*  1
- 3 **Variable Chachalaca** *Ortalis motmot*  1
- 2 **Marail Guan** *Penelope marail*  1
- 7 **Black Curassow** *Crax alector*  3
- 1 **Marbled Wood-Quail** *Odontophorus gujanensis*  1
- 8 **Scaled Pigeon** *Patagioenas speciosa*  3
- 2 **Plumbeous Pigeon** *Patagioenas plumbea*  2
- 6 **Ruddy Pigeon** *Patagioenas subvinacea*  4
- 1 **Common Ground Dove** *Columbina passerina*  1
- 37 **Ruddy Ground Dove** *Columbina talpacoti*  6
- 2 **Ruddy Quail-Dove** *Geotrygon montana*  1
- 1 **White-tipped Dove** *Leptotila verreauxi*  1
- 8 **Gray-fronted Dove** *Leptotila rufaxilla*  6
- 12 **Smooth-billed Ani** *Crotophaga ani*  3
- 1 **Little Cuckoo** *Coccyua minuta*  1
- 7 **Squirrel Cuckoo** *Piaya cayana*  7
- 2 **Black-bellied Cuckoo** *Piaya melanogaster*  2
- 15 **Lesser Nighthawk** *Chordeiles acutipennis*  1
























- 7 **Short-tailed Nighthawk** *Lurocalis semitorquatus* ▶  2
- 8 **Blackish Nightjar** *Nyctipolus nigrescens* ▶  3
- 7 **Common Pauraque** *Nyctidromus albicollis* ▶  2
- 2 **White-tailed Nightjar** *Hydropsalis cayennensis* ▶  1
- 1 **Great Potoo** *Nyctibius grandis* ▶  1
- 1 **Long-tailed Potoo** *Nyctibius aethereus*  ▶  2  1
- 2 **Common Potoo** *Nyctibius griseus* ▶  1
- 16 **Band-rumped Swift** *Chaetura spinicaudus* ▶  5
- 11 **Short-tailed Swift** *Chaetura brachyura* ▶  1
- 18 **Fork-tailed Palm Swift** *Tachornis squamata* ▶  4
- 1 **Crimson Topaz** *Topaza pella* ▶  1
- 6 **Straight-billed Hermit** *Phaethornis bourcieri* ▶  5
- 1 **Reddish Hermit** *Phaethornis ruber* ▶  1
- 3 **Black-eared Fairy** *Heliodytes auritus* ▶  3
- 1 **Green-tailed Goldenthrout** *Polytmus theresiae* ▶  1
- 2 **Racket-tipped Thorntail** *Discosura longicaudus*  ▶  4  1
- 5 **Tufted Coquette** *Lophornis ornatus* ▶  3
- 5 **Gray-breasted Sabrewing** *Campylopterus largipennis* ▶  5
- 24 **Fork-tailed Woodnymph** *Thalurania furcata* ▶  8
- 2 **Plain-bellied Emerald** *Chrysuronia leucogaster* ▶  1
- 2 **Glittering-throated Emerald** *Chionomesa fimbriata* ▶  2
- 13 **White-chinned Sapphire** *Chlorestes cyanus* ▶  4
- 1 **Russet-crowned Crake** *Rufirallus viridis* ▶  1
- 1 **Limpkin** *Aramus guarauna* ▶  1

- 4 **Gray-winged Trumpeter** *Psophia crepitans* ▶ 📄 1
- 5 **Semipalmated Plover** *Charadrius semipalmatus* ▶ 📄 1
- 4 **Wattled Jacana** *Jacana jacana* ▶ 📄 1
- 1 **Solitary Sandpiper** *Tringa solitaria* ▶ 📄 1
- 2 **Lesser Yellowlegs** *Tringa flavipes* ▶ 📄 1
- 5 **Magnificent Frigatebird** *Fregata magnificens* ▶ 📄 1
- 3 **Zigzag Heron** *Zebrilus undulatus* ▶ 📄 2
- 2 **Little Blue Heron** *Egretta caerulea* ▶ 📄 1
- 1 **Snowy Egret** *Egretta thula* ▶ 📄 1
- 1 **Striated Heron** *Butorides striata* ▶ 📄 1
- 1 **Western Cattle-Egret** *Ardea ibis* ▶ 📄 1
- 1 **Great Egret** *Ardea alba* ▶ 📄 1
- 5 **King Vulture** *Sarcoramphus papa* ▶ 📄 3
- 29 **Black Vulture** *Coragyps atratus* ▶ 📄 6
- 13 **Turkey Vulture** *Cathartes aura* ▶ 📄 3
- 10 **Lesser Yellow-headed Vulture** *Cathartes burrovianus* ▶ 📄 3
- 8 **Greater Yellow-headed Vulture** *Cathartes melambrotus* ▶ 📄 5
- 1 **Osprey** *Pandion haliaetus* ▶ 📄 1
- 1 **Hook-billed Kite** *Chondrohierax uncinatus* ▶ 📄 1
- 2 **Gray-headed Kite** *Leptodon cayanensis* ▶ 📄 2
- 17 **Swallow-tailed Kite** *Elanoides forficatus* ▶ 📄 4
- 1 **Harpy Eagle** *Harpia harpyja* 🗺️ ▶ 📄 3 📄 1
- 2 **Double-toothed Kite** *Harpagus bidentatus* ▶ 📄 2

- 26 **Plumbeous Kite** *Ictinia plumbea* ▶ 📄 7
- 23 **Snail Kite** *Rostrhamus sociabilis* ▶ 📄 2
- 1 **Slender-billed Kite** *Helicolestes hamatus* ▶ 📄 1
- 3 **Rufous Crab Hawk** *Buteogallus aequinoctialis* ▶ 📄 1 📄 1
- 1 **Savanna Hawk** *Buteogallus meridionalis* ▶ 📄 1
- 1 **Great Black Hawk** *Buteogallus urubitinga* ▶ 📄 1
- 3 **Roadside Hawk** *Rupornis magnirostris* ▶ 📄 3
- 2 **White-tailed Hawk** *Geranoaetus albicaudatus* ▶ 📄 1
- 4 **Gray-lined Hawk** *Buteo nitidus* ▶ 📄 4
- 1 **Broad-winged Hawk** *Buteo platypterus* ▶ 📄 1
- 1 **Zone-tailed Hawk** *Buteo albonotatus* ▶ 📄 1
- 4 **Tropical Screech-Owl** *Megascops choliba* ▶ 📄 2
- 2 **Foothill Screech-Owl** *Megascops roraimae* ▶ 📄 1 📄 2
- 1 **Tawny-bellied Screech-Owl** *Megascops watsonii* 📄 ▶ 📄 1 📄 1
- 1 **Crested Owl** *Lophotrix cristata* ▶ 📄 1
- 2 **Spectacled Owl** *Pulsatrix perspicillata* 📄 ▶ 📄 1 📄 2
- 4 **Amazonian Pygmy-Owl** *Glaucidium hardyi* ▶ 📄 3
- 1 **Burrowing Owl** *Athene cunicularia* ▶ 📄 1
- 2 **Black-banded Owl** *Strix huhula* ▶ 📄 1 📄 1
- 3 **Black-tailed Trogon** *Trogon melanurus* ▶ 📄 3
- 7 **Green-backed Trogon** *Trogon viridis* ▶ 📄 6
- 5 **Guianan Trogon** *Trogon violaceus* ▶ 📄 1 📄 3
- 1 **Collared Trogon** *Trogon collaris* ▶ 📄 1

- 3 **Amazonian Motmot** *Momotus momota* ▶ 📄 2
- 1 **Ringed Kingfisher** *Megaceryle torquata* ▶ 📄 1
- 1 **Amazon Kingfisher** *Chloroceryle amazona* ▶ 📄 1
- 1 **Green Kingfisher** *Chloroceryle americana* ▶ 📄 1
- 1 **Green-and-rufous Kingfisher** *Chloroceryle inda* ▶ 📄 1
- 7 **Pied Puffbird** *Notharchus tectus* ▶ 📄 2
- 1 **Spotted Puffbird** *Bucco tamatia* ▶ 📄 1
- 2 **Collared Puffbird** *Bucco capensis* ▶ 📄 1
- 1 **White-chested Puffbird** *Malacoptila fusca* 📄 ▶ 📄 2 📄 1
- 16 **Black Nunbird** *Monasa atra* ▶ 📄 3
- 15 **Swallow-winged Puffbird** *Chelidoptera tenebrosa* ▶ 📄 2
- 6 **Brown Jacamar** *Brachygalba lugubris* ▶ 📄 4
- 4 **Yellow-billed Jacamar** *Galbula albirostris* ▶ 📄 3
- 3 **Green-tailed Jacamar** *Galbula galbula* ▶ 📄 2
- 2 **Bronzy Jacamar** *Galbula leucogastra* ▶ 📄 1
- 13 **Paradise Jacamar** *Galbula dea* ▶ 📄 3
- 2 **Great Jacamar** *Jacamerops aureus* ▶ 📄 1
- 7 **Black-spotted Barbet** *Capito niger* ▶ 📄 5
- 6 **Green Aracari** *Pteroglossus viridis* ▶ 📄 5
- 12 **Black-necked Aracari** *Pteroglossus aracari* ▶ 📄 4
- 2 **Guianan Toucanet** *Selenidera piperivora* ▶ 📄 1
- 7 **White-throated Toucan** *Ramphastos tucanus* ▶ 📄 6
- 10 **Channel-billed Toucan** *Ramphastos vitellinus* ▶ 📄 7

- 5 **Arrowhead Piculet** *Picumnus minutissimus* ▶  1
- 3 **Yellow-tufted Woodpecker** *Melanerpes cruentatus* ▶  3
- 2 **Golden-collared Woodpecker** *Dryobates cassini* ▶  2
- 3 **Blood-colored Woodpecker** *Dryobates sanguineus* ▶  2
- 16 **Red-necked Woodpecker** *Campephilus rubricollis* ▶  6
- 1 **Crimson-crested Woodpecker** *Campephilus melanoleucos* ▶  1
- 5 **Lineated Woodpecker** *Dryocopus lineatus* ▶  4
- 4 **Waved Woodpecker** *Celeus undatus* ▶  3
- 1 **Cream-colored Woodpecker** *Celeus flavus* ▶  1
- 2 **Chestnut Woodpecker** *Celeus elegans* ▶  2
- 1 **Yellow-throated Woodpecker** *Piculus flavigula* ▶  1
- 3 **Golden-olive Woodpecker** *Colaptes rubiginosus* ▶  3
- 1 **Laughing Falcon** *Herpethotes cachinnans* ▶  1
- 1 **Collared Forest-Falcon** *Micrastur semitorquatus* ▶  1
- 1 **Lined Forest-Falcon** *Micrastur gilvicollis* ▶  1
- 5 **Red-throated Caracara** *Ibycter americanus* ▶  3
- 1 **Yellow-headed Caracara** *Daptrius chimachima* ▶  1
- 1 **Bat Falcon** *Falco ruficularis* ▶  1
- 2 **Peregrine Falcon** *Falco peregrinus* ▶  1
- 7 **Lilac-tailed Parrotlet** *Touit batavicus* ▶  2
- 2 **Sapphire-rumped Parrotlet** *Touit purpuratus* ▶  2
- 4 **Golden-winged Parakeet** *Brotogeris chrysoptera* ▶  1
- 10 **Caica Parrot** *Pyrilia caica* ▶  3

- 11 **Dusky Parrot** *Pionus fuscus* ▶  3
- 24 **Blue-headed Parrot** *Pionus menstruus* ▶  8
- 7 **Mealy Amazon** *Amazona farinosa* ▶  2
- 17 **Orange-winged Amazon** *Amazona amazonica* ▶  7
- 2 **Green-rumped Parrotlet** *Forpus passerinus* ▶  1
- 11 **Black-headed Parrot** *Pionites melanocephalus* ▶  3
- 12 **Red-fan Parrot** *Deropterus accipitrinus* ▶  5
- 24 **Painted Parakeet** *Pyrrhura picta* ▶  5
- 8 **Brown-throated Parakeet** *Eupsittula pertinax* ▶  1
- 11 **Red-bellied Macaw** *Orthopsittaca manilatus* ▶  1
- 7 **Scarlet Macaw** *Ara macao* ▶  3
- 4 **Red-and-green Macaw** *Ara chloropterus* ▶  1
- 22 **Red-shouldered Macaw** *Diopsittaca nobilis* ▶  2
- 2 **Fasciated Antshrike** *Cymbilaimus lineatus* ▶  2
- 1 **Black-throated Antshrike** *Frederickena viridis* ▶  1
- 1 **Great Antshrike** *Taraba major* ▶  1
- 2 **Black-crested Antshrike** *Sakesphorus canadensis* ▶  1
- 1 **Barred Antshrike** *Thamnophilus doliatus* ▶  1
- 7 **Mouse-colored Antshrike** *Thamnophilus murinus* ▶  4
- 5 **Northern Slaty-Antshrike** *Thamnophilus punctatus* ▶  4
- 3 **Band-tailed Antshrike** *Thamnophilus melanothorax* ▶  2
- 3 **Amazonian Antshrike** *Thamnophilus amazonicus* ▶  2
- 1 **Dusky-throated Antshrike** *Thamnomanes ardesiacus* ▶  1

- 7 **Cinereous Antshrike** *Thamnomanes caesius* ▶ 📄 4
- 5 **Brown-bellied Stipplethroat** *Epinecrophylla gutturalis* ▶ 📄 3
- 1 **Pygmy Antwren** *Myrmotherula brachyura* ▶ 📄 1
- 4 **Guianan Streaked-Antwren** *Myrmotherula surinamensis* 📄 ▶ 📄 1 📄 2
- 5 **White-flanked Antwren** *Myrmotherula axillaris* ▶ 📄 3
- 4 **Gray Antwren** *Myrmotherula menetriesii* ▶ 📄 3
- 3 **Spot-tailed Antwren** *Herpsilochmus sticturus* ▶ 📄 2
- 8 **Todd's Antwren** *Herpsilochmus stictocephalus* ▶ 📄 5
- 2 **Dot-winged Antwren** *Microrhopias quixensis* ▶ 📄 1
- 3 **Southern White-fringed Antwren** *Formicivora grisea* ▶ 📄 1
- 7 **Guianan Warbling-Antbird** *Hypocnemis cantator* ▶ 📄 6
- 5 **Dusky Antbird** *Cercomacroides tyrannina* ▶ 📄 3
- 3 **Blackish Antbird** *Cercomacroides nigrescens* ▶ 📄 1
- 7 **Gray Antbird** *Cercomacra cinerascens* ▶ 📄 4
- 1 **White-browed Antbird** *Myrmoborus leucophrys* ▶ 📄 1
- 1 **Silvered Antbird** *Sclateria naevia* ▶ 📄 1
- 3 **Black-headed Antbird** *Percnostola rufifrons* ▶ 📄 2
- 7 **Ferruginous-backed Antbird** *Myrmoderus ferrugineus* ▶ 📄 6
- 2 **Black-throated Antbird** *Myrmophylax atrothorax* ▶ 📄 2
- 2 **White-plumed Antbird** *Pithys albifrons* ▶ 📄 2
- 3 **Rufous-throated Antbird** *Gymnopithys rufigula* ▶ 📄 2
- 1 **Spot-backed Antbird** *Hylophylax naevius* ▶ 📄 1
- 3 **Spotted Antpitta** *Hylopezus macularius* ▶ 📄 3

- 5 **Thrush-like Antpitta** *Myrmothera campanisona* ▶ 📄 5
- 1 **Rufous-capped Antthrush** *Formicarius colma* ▶ 📄 1
- 4 **Black-faced Antthrush** *Formicarius analis* ▶ 📄 4
- 1 **Whistling Woodcreeper** *Deconychura longicauda* ✓ 📄 ▶ 📄 1 📄 1
- 3 **Wedge-billed Woodcreeper** *Glyphorhynchus spirurus* ▶ 📄 3
- 1 **Amazonian Barred-Woodcreeper** *Dendrocolaptes certhia* ▶ 📄 1
- 1 **Black-banded Woodcreeper** *Dendrocolaptes picumnus* ▶ 📄 1
- 2 **Red-billed Woodcreeper** *Hylexetastes perrotii* ▶ 📄 1
- 4 **Chestnut-rumped Woodcreeper** *Xiphorhynchus pardalotus* ▶ 📄 4
- 2 **Buff-throated Woodcreeper** *Xiphorhynchus guttatus* ▶ 📄 2
- 3 **Straight-billed Woodcreeper** *Dendroplex picus* ▶ 📄 3
- 5 **Guianan Woodcreeper** *Lepidocolaptes albolineatus* ▶ 📄 4
- 1 **Amazonian Plain-Xenops** *Xenops genibarbis* ▶ 📄 1
- 1 **Point-tailed Palmcreeper** *Berlepschia rikeri* ▶ 📄 1
- 1 **Yellow-chinned Spinetail** *Certhiaxis cinnamomeus* ▶ 📄 1
- 1 **Plain-crowned Spinetail** *Synallaxis gujanensis* ▶ 📄 1
- 2 **McConnell's Spinetail** *Synallaxis macconnelli* ▶ 📄 1
- 2 **Pale-breasted Spinetail** *Synallaxis albescens* ▶ 📄 1
- 1 **Ruddy Spinetail** *Synallaxis rutilans* ▶ 📄 1
- 1 **Tiny Tyrant-Manakin** *Tyranneutes virescens* ▶ 📄 1
- 4 **Saffron-crested Tyrant-Manakin** *Neopelma chrysocephalum* ▶ 📄 2
- 5 **White-throated Manakin** *Corapipo gutturalis* ▶ 📄 3
- 4 **Black Manakin** *Xenopipo atronitens* ▶ 📄 1
























- 9 **White-fronted Manakin** *Lepidothrix serena* ▶ 📄 3
- 5 **White-bearded Manakin** *Manacus manacus* ▶ 📄 3
- 4 **Crimson-hooded Manakin** *Pipra aureola* ▶ 📄 2
- 2 **White-crowned Manakin** *Pseudopipra pipra* ▶ 📄 2
- 4 **Golden-headed Manakin** *Ceratopipra erythrocephala* ▶ 📄 2
- 1 **Guianan Red-Cotinga** *Phoenicircus carnifex* 🇬🇧 ▶ 📄 2 📄 1
- 5 **Guianan Cock-of-the-rock** *Rupicola rupicola* ▶ 📄 1 📄 1
- 2 **Crimson Fruitcrow** *Haematoderus militaris* ▶ 📄 2 📄 1
- 9 **Purple-throated Fruitcrow** *Querula purpurata* ▶ 📄 3
- 7 **Capuchinbird** *Perissocephalus tricolor* ▶ 📄 2
- 1 **Purple-breasted Cotinga** *Cotinga cotinga* ▶ 📄 1
- 12 **Screaming Piha** *Lipaugus vociferans* ▶ 📄 5
- 6 **Pompadour Cotinga** *Xipholena punicea* ▶ 📄 3
- 11 **Black-tailed Tityra** *Tityra cayana* ▶ 📄 6
- 1 **Olivaceous Schiffornis** *Schiffornis olivacea* ▶ 📄 1
- 2 **Cinereous Mourner** *Laniocera hypopyrra* ▶ 📄 2
- 1 **Cinereous Becard** *Pachyramphus rufus* ▶ 📄 1
- 2 **White-winged Becard** *Pachyramphus polychopterus* ▶ 📄 1
- 1 **Black-capped Becard** *Pachyramphus marginatus* ▶ 📄 1
- 4 **Glossy-backed Becard** *Pachyramphus surinamus* ▶ 📄 2
- 2 **Pink-throated Becard** *Pachyramphus minor* ▶ 📄 1
- 2 **Wing-barred Piprites** *Piprites chloris* ▶ 📄 2
- 2 **McConnell's Flycatcher** *Mionectes macconnelli* ▶ 📄 2






- 2 **Sepia-capped Flycatcher** *Leptopogon amaurocephalus* ▶ 📄 2
- 4 **Short-tailed Pygmy-Tyrant** *Myiornis ecaudatus* ▶ 📄 3
- 2 **Double-banded Pygmy-Tyrant** *Lophotriccus vitiosus* ▶ 📄 2
- 3 **Helmeted Pygmy-Tyrant** *Lophotriccus galeatus* ▶ 📄 3
- 1 **White-eyed Tody-Tyrant** *Hemitriccus zosterops* ✓ ▶ 📄 1
- 1 **Smoky-fronted Tody-Flycatcher** *Poecilotriccus fumifrons* ▶ 📄 1
- 1 **Spotted Tody-Flycatcher** *Todirostrum maculatum* ▶ 📄 1
- 2 **Common Tody-Flycatcher** *Todirostrum cinereum* ▶ 📄 1
- 3 **Painted Tody-Flycatcher** *Todirostrum pictum* ▶ 📄 3
- 1 **Eastern Olivaceous Flatbill** *Rhynchocyclus olivaceus* ▶ 📄 1
- 1 **Yellow-olive Flatbill** *Tolmomyias sulphurescens* ▶ 📄 1
- 2 **Yellow-margined Flatbill** *Tolmomyias assimilis* ▶ 📄 2
- 1 **Gray-crowned Flatbill** *Tolmomyias poliocephalus* ▶ 📄 1
- 2 **Ochre-lored Flatbill** *Tolmomyias flaviventris* ▶ 📄 1
- 3 **White-lored Tyrannulet** *Ornithion inermis* ▶ 📄 3
- 1 **Southern Beardless-Tyrannulet** *Camptostoma obsoletum* ▶ 📄 1
- 2 **Mouse-colored Tyrannulet** *Nesotriccus murinus* ▶ 📄 1
- 2 **Yellow-crowned Tyrannulet** *Tyrannulus elatus* ▶ 📄 2
- 5 **Forest Elaenia** *Myiopagis gaimardii* ▶ 📄 3
- 2 **Yellow-crowned Elaenia** *Myiopagis flavivertex* ▶ 📄 2
- 3 **Plain-crested Elaenia** *Elaenia cristata* ▶ 📄 2
- 7 **Rufous-crowned Elaenia** *Elaenia ruficeps* ▶ 📄 2
- 3 **Yellow-bellied Elaenia** *Elaenia flavogaster* ▶ 📄 1

- 2 **Pale-tipped Tyrannulet** *Inezia caudata* ▶ 📄 1
- 2 **White-headed Marsh Tyrant** *Arundinicola leucocephala* ▶ 📄 1
- 2 **Pied Water-Tyrant** *Fluvicola pica* ▶ 📄 1
- 4 **Long-tailed Tyrant** *Colonia colonus* ▶ 📄 3
- 1 **Rufous-tailed Flatbill** *Ramphotricon ruficauda* ▶ 📄 1
- 1 **Cinnamon Attila** *Attila cinnamomeus* ▶ 📄 1
- 1 **Bright-rumped Attila** *Attila spadiceus* ▶ 📄 1
- 1 **Todd's Sirystes** *Sirystes subcanescens* ▶ 📄 1
- 1 **Grayish Mourner** *Rhytipterna simplex* ▶ 📄 1
- 1 **Pale-bellied Mourner** *Rhytipterna immunda* ▶ 📄 1
- 3 **Dusky-capped Flycatcher** *Myiarchus tuberculifer* ▶ 📄 2
- 1 **Short-crested Flycatcher** *Myiarchus ferox* ▶ 📄 1
- 1 **Lesser Kiskadee** *Philohydor lictor* ▶ 📄 1
- 12 **Great Kiskadee** *Pitangus sulphuratus* ▶ 📄 5
- 4 **Boat-billed Flycatcher** *Megarynchus pitangua* ▶ 📄 2
- 19 **Rusty-margined Flycatcher** *Myiozetetes cayanensis* ▶ 📄 9
- 8 **Yellow-throated Flycatcher** *Conopias parvus* ▶ 📄 3
- 3 **Piratic Flycatcher** *Legatus leucophaeus* ▶ 📄 3
- 4 **Variegated Flycatcher** *Empidonomus varius* ▶ 📄 1
- 4 **Sulphury Flycatcher** *Tyrannopsis sulphurea* ▶ 📄 2
- 10 **Tropical Kingbird** *Tyrannus melancholicus* ▶ 📄 4
- 1 **Gray Kingbird** *Tyrannus dominicensis* ▶ 📄 1
- 3 **Rufous-browed Peppershrike** *Cyclarhis gujanensis* ▶ 📄 3

- 1 **Ashy-headed Greenlet** *Hylophilus pectoralis* ▶ 🗑️ 1
- 1 **Lemon-chested Greenlet** *Hylophilus thoracicus* ▶ 🗑️ 1
- 2 **Tawny-crowned Greenlet** *Tunchiornis ochraceiceps* ▶ 🗑️ 2
- 2 **Buff-cheeked Greenlet** *Pachysylvia muscicapina* ▶ 🗑️ 2
- 1 **Chivi Vireo** *Vireo chivi* ▶ 🗑️ 1
- 1 **Black-whiskered Vireo** *Vireo altiloquus* ✓ 🗑️ ▶ 📷 2 🗑️ 1
- 9 **Cayenne Jay** *Cyanocorax cayanus* ▶ 🗑️ 2
- 2 **Black-capped Donacobius** *Donacobius atricapilla* ▶ 🗑️ 1
- 2 **White-winged Swallow** *Tachycineta albiventer* ▶ 🗑️ 2
- 20 **Gray-breasted Martin** *Progne chalybea* ▶ 🗑️ 6
- 5 **White-banded Swallow** *Atticora fasciata* ▶ 🗑️ 2
- 1 **Barn Swallow** *Hirundo rustica* ▶ 🗑️ 1
- 2 **Long-billed Gnatwren** *Ramphocaenus melanurus* ▶ 🗑️ 2
- 3 **Tropical Gnatcatcher** *Polioptila plumbea* ▶ 🗑️ 2
- 1 **Southern House Wren** *Troglodytes musculus* ▶ 🗑️ 1
- 4 **Coraya Wren** *Pheugopedius coraya* ▶ 🗑️ 2
- 2 **Buff-breasted Wren** *Cantorchilus leucotis* ▶ 🗑️ 2
- 1 **White-breasted Wood-Wren** *Henicorhina leucosticta* ▶ 🗑️ 1
- 2 **Musician Wren** *Cyphorhinus arada* ▶ 🗑️ 2
- 11 **Tropical Mockingbird** *Mimus gilvus* ▶ 🗑️ 3
- 8 **Pale-breasted Thrush** *Turdus leucomelas* ▶ 🗑️ 1
- 1 **Cocoa Thrush** *Turdus fumigatus* ▶ 🗑️ 1
- 2 **White-necked Thrush** *Turdus albicollis* ▶ 🗑️ 2

- 2 **Spectacled Thrush** *Turdus nudigenis* ▶ 🗑️ 1
- 2 **Campina Thrush** *Turdus arthuri* ▶ 🗑️ 1
- 4 **House Sparrow** *Passer domesticus* * ▶ 🗑️ 1
- 2 **Finsch's Euphonia** *Euphonia finschi* ▶ 🗑️ 1
- 3 **Violaceous Euphonia** *Euphonia violacea* ▶ 🗑️ 3
- 4 **Golden-sided Euphonia** *Euphonia cayennensis* ▶ 🗑️ 4
- 4 **Grassland Sparrow** *Ammodramus humeralis* ▶ 🗑️ 2
- 2 **Eastern Meadowlark** *Sturnella magna* ▶ 🗑️ 1
- 8 **Red-breasted Meadowlark** *Leistes militaris* ▶ 🗑️ 3
- 23 **Green Oropendola** *Psarocolius viridis* ▶ 🗑️ 7
- 6 **Crested Oropendola** *Psarocolius decumanus* ▶ 🗑️ 2
- 1 **Yellow-rumped Cacique** *Cacicus cela* ▶ 🗑️ 1
- 10 **Red-rumped Cacique** *Cacicus haemorrhous* ▶ 🗑️ 3
- 3 **Epaulet Oriole** *Icterus cayanensis* ▶ 🗑️ 3
- 1 **Yellow Oriole** *Icterus nigrogularis* ✓ ▶ 🗑️ 1
- 1 **Shiny Cowbird** *Molothrus bonariensis* ▶ 🗑️ 1
- 1 **Northern Waterthrush** *Parkesia noveboracensis* ▶ 🗑️ 1
- 1 **Tropical Parula** *Setophaga pitayumi* ▶ 🗑️ 1
- 3 **Yellow Warbler** *Setophaga petechia* ▶ 🗑️ 1
- 10 **Red-billed Pied Tanager** *Lamprospiza melanoleuca* ▶ 🗑️ 3
- 2 **Red-and-black Grosbeak** *Periporphyrus erythromelas* ▶ 🗑️ 1
- 11 **Yellow-green Grosbeak** *Caryothraustes canadensis* ▶ 🗑️ 3
- 1 **Rose-breasted Chat** *Granatellus pelzelni* ▶ 🗑️ 1

- 1 **Amazonian Grosbeak** *Cyanoloxia rothschildii* ▶  1
- 2 **Black-faced Tanager** *Schistochlamys melanopis* ▶  2
- 1 **Flame-crested Tanager** *Loriotus cristatus* ▶  1
- 1 **White-lined Tanager** *Tachyphonus rufus* ▶  1
- 4 **Red-shouldered Tanager** *Tachyphonus phoenicius* ▶  2
- 1 **Fulvous Shrike-Tanager** *Lanio fulvus* ▶  1
- 16 **Silver-beaked Tanager** *Ramphocelus carbo* ▶  5
- 3 **Blue-backed Tanager** *Cyanicterus cyanicterus* ▶  1
- 13 **Blue-gray Tanager** *Thraupis episcopus* ▶  4
- 14 **Palm Tanager** *Thraupis palmarum* ▶  5
- 3 **Burnished-buff Tanager** *Stilpnia cayana* ▶  2
- 2 **Turquoise Tanager** *Tangara mexicana* ▶  1
- 2 **Opal-rumped Tanager** *Tangara velia* ▶  1
- 1 **Bay-headed Tanager** *Tangara gyrola* ▶  1
- 1 **Black-faced Dacnis** *Dacnis lineata* ▶  1
- 3 **Blue Dacnis** *Dacnis cayana* ▶  3
- 18 **Purple Honeycreeper** *Cyanerpes caeruleus* ▶  7
- 20 **Red-legged Honeycreeper** *Cyanerpes cyaneus* ▶  6
- 7 **Green Honeycreeper** *Chlorophanes spiza* ▶  3
- 2 **Yellow-backed Tanager** *Hemithraupis flavicollis* ▶  1
- 1 **Bicolored Conebill** *Conirostrum bicolor* ▶  1
- 1 **Blue-black Grassquit** *Volatinia jacarina* ▶  1
- 3 **Ruddy-breasted Seedeater** *Sporophila minuta* ▶  1

- 10 **Wing-barred Seedeater** *Sporophila americana* ▶  2
 - 7 **Bananaquit** *Coereba flaveola* ▶  5
 - 1 **Buff-throated Saltator** *Saltator maximus* ▶  1
 - 2 **Olive-gray Saltator** *Saltator olivascens* ▶  1
 - 1 **Slate-colored Grosbeak** *Saltator grossus* ▶  1
-