

## Trip Report — Brazil: Atlantic Forest Getaway 2024

October 24-November 3, 2024 with Marcelo Padua



Green-headed Tanagers are always a highlight of any birding outing. Photo by participant Judy Harackiewicz.

The Atlantic forest is one of the most exciting places to bird in the world and this tour allows us to explore a variety of habitats and elevation ranges without ever needing to change base.

We started things off at the Rio de Janeiro International Airport amongst hundreds of Magnificent Frigatebirds and quickly made our way up to Mariza Lodge, our base for the next several days, and the quite productive birding site where we found the likes of Orange-eyed Thornbird, Swallow-tailed Cotinga, Common Potoo, White-collared Foliage-Gleaner and Rusty-barred

Owl, just to name a few. Our comfortable and charming home away from home was very birdy indeed, but we also enjoyed wonderful home cooked meals each night, and even took advantage of the comfortable temperatures to do our checklist around the fireplace each night.



Seeing colorful tanagers, toucans and motmots is wonderful, but there is a unique beauty that only antbirds have. This Large-tailed Antshrike, photographed by tour participant Cliff Thurber, was quite the show stopper.

We ventured away from our lodge each day in search of different habitats, different altitudes, different climates, and ultimately, different birds. From the lowlands of REGUA, where we found species such as White-flanked and Unicolored Antwrens, Rufous-sided Crake, Blond-crested Woodpecker, Chestnut-backed Antshrike, Ochre-bellied Flycatcher and lots of waterfowl, passing through the gorgeous CEDAE trail and Tres Picos State Park, where bromeliad-clad trees sheltered colorful tanagers such as Brassy-breasted and Red-necked and unique birds like the Pale-browed



Treehunter that specializes in foraging in bromeliads high up in the canopy, to the upper reaches of Pico Caledonia where Blue-billed Black-tyrants, Rufous-tailed Antbirds, Large-tailed Antshrikes, Serra do Mar Bristle-Tyrants and Itatiaia Spinetails spend much of their time immersed in cloud cover.



The birding right around the lodge is quite productive. We enjoyed daily views of this Swallow-tailed Cotinga just outside our rooms. Photo by participant Judy Harackiewicz.

We also ventured further inland to bird in drier habitats and found the unique Three-toed Jacamar (the only bird in its genus) and coaxed out the shy Ash-throated Crake and Crescent-chested Puffbirds in the patches of forest between pasture land that harbored a plethora of widespread, yet wonderful birds such as Toco Toucans, Campo Flickers, Red-rumped Caciques and too many more to list here.

When the weather turned on us we took time to enjoy the feeders at Sitio Virtuoso and fully appreciate the beauty of Brassy-breasted Tanagers, Burnished-buff Tanagers, Golden-chevroned Tanagers, Black Jacobins, Violet-capped Woodnymphs, Rufous-capped Motmots and Rufous-bellied Euphonias visiting the feeders as we watched comfortably seated.



This tour is great for many reasons, and one of them is the wonderful home cooked meals prepared by the staff at Mariza Lodge. Photo by guide Marcelo Padua.

This was indeed a wonderful tour and we were fortunate to have pleasant temperatures, wonderful food and a fantastic group of people to share the experience together. I thoroughly enjoyed it and I hope that all of you enjoyed it as much as I did.

You can see my complete trip report on eBird at this link: <https://ebird.org/tripreport/289374>


You can download a combined PDF of this page and the eBird report at this link: <https://fieldguides.com/triplists/tuc24TRIPLIST.pdf>

-- Marcelo Padua



## Trip Report -- Brazil: Atlantic Forest Getaway 2024

21 Oct – 2 Nov 2024 (13 days) Link-only



### Rio de Janeiro, Brazil

Bom Jardim | Cachoeiras de Macacu | Duas Barras | Guapimirim | Nova Friburgo |  
Rio de Janeiro | Sumidouro

 Marcelo Padua, Bob Greenleaf, Clifford Thurber, Michel Cavigelli, judith harackiewicz



For a narrative summary of this tour, including a Field Guides photo gallery and additional...

DATA FOR: **Group (all people)** ▾

 **267**  
Species Observed















 **40**  
Checklists
































 **161**  
Species with Photos

 **12**  
Species with Audio

































## Species Observed



































[Show all details](#)







































- |    |   |   |
|----|---|---|
| 3  | <b>Brown Tinamou</b> <i>Crypturellus obsoletus</i>                | ▶  3   |
| 6  | <b>Black-bellied Whistling-Duck</b> <i>Dendrocygna autumnalis</i> | ▶  3  1 |
| 4  | <b>Brazilian Teal</b> <i>Amazonetta brasiliensis</i>              | ▶  2  2 |
| 15 | <b>Dusky-legged Guan</b> <i>Penelope obscura</i>                  | ▶  1  8 |
| 2  | <b>Spot-winged Wood-Quail</b> <i>Odontophorus capueira</i>        | ▶  2   |
| 4  | <b>Rock Pigeon</b> <i>Columba livia</i> *                         | ▶  2   |
| 19 | <b>Picazuro Pigeon</b> <i>Patagioenas picazuro</i>                | ▶  1  8 |
| 6  | <b>Plumbeous Pigeon</b> <i>Patagioenas plumbea</i>                | ▶  3   |
| 14 | <b>Ruddy Ground Dove</b> <i>Columbina talpacoti</i>               | ▶  2  8 |

1	<b>Blue Ground Dove</b>	<i>Claravis pretiosa</i>	▶  1
5	<b>White-tipped Dove</b>	<i>Leptotila verreauxi</i>	▶  1  5
2	<b>Gray-fronted Dove</b>	<i>Leptotila rufaxilla</i>	▶  1  2
3	<b>Guira Cuckoo</b>	<i>Guira guira</i>	▶  3  2
3	<b>Greater Ani</b>	<i>Crotophaga major</i>	▶  1
12	<b>Smooth-billed Ani</b>	<i>Crotophaga ani</i>	▶  2
1	<b>Striped Cuckoo</b>	<i>Tapera naevia</i>	▶  1
6	<b>Common Squirrel-Cuckoo</b>	<i>Piaya cayana</i>	▶  2  6
2	<b>Short-tailed Nighthawk</b>	<i>Lurocalis semitorquatus</i>	▶  1  1
1	<b>Common Potoo</b>	<i>Nyctibius griseus</i>	▶  1
40	<b>White-collared Swift</b>	<i>Streptoprocne zonaris</i>	▶  1  4
1	<b>Gray-rumped Swift</b>	<i>Chaetura cinereiventris</i>	▶  1
8	<b>Sick's Swift</b>	<i>Chaetura meridionalis</i>	▶  3
8	<b>Black Jacobin</b>	<i>Florisuga fusca</i>	▶  7  3
3	<b>Saw-billed Hermit</b>	<i>Ramphodon naevius</i>	▶  1
2	<b>Reddish Hermit</b>	<i>Phaethornis ruber</i>	▶  1
1	<b>Scale-throated Hermit</b>	<i>Phaethornis eurynome</i>	▶  3  1
5	<b>Brazilian Ruby</b>	<i>Heliodoxa rubricauda</i>	▶  2  3
2	<b>Glittering-bellied Emerald</b>	<i>Chlorostilbon lucidus</i>	▶  3  2
4	<b>Green-crowned Plovercrest</b>	<i>Stephanoxis lalandi</i>	▶  5  2






























































15	<b>Violet-capped Woodnymph</b>	<i>Thalurania glaucopis</i>	▶  4  9
3	<b>Swallow-tailed Hummingbird</b>	<i>Eupetomena macroura</i>	▶  5  3
3	<b>Sombre Hummingbird</b>	<i>Eupetomena cirrochloris</i>	▶  4  2
1	<b>Versicolored Emerald</b>	<i>Chrysuronia versicolor</i>	▶  1
9	<b>White-throated Hummingbird</b>	<i>Leucochloris albicollis</i>	▶  7  5
2	<b>Blackish Rail</b>	<i>Pardirallus nigricans</i>	▶  3  2
9	<b>Slaty-breasted Wood-Rail</b>	<i>Aramides saracura</i>	▶  1  6
4	<b>Common Gallinule</b>	<i>Gallinula galeata</i>	▶  2  1
2	<b>Rufous-sided Crake</b>	<i>Laterallus melanophaius</i>	▶  4  1
1	<b>Limpkin</b>	<i>Aramus guarauna</i>	▶  1
30	<b>Southern Lapwing</b>	<i>Vanellus chilensis</i>	▶  4  9
3	<b>Wattled Jacana</b>	<i>Jacana jacana</i>	▶  2  2
301	<b>Magnificent Frigatebird</b>	<i>Fregata magnificens</i>	▶  3
1	<b>Anhinga</b>	<i>Anhinga anhinga</i>	▶  1  1
15	<b>Neotropic Cormorant</b>	<i>Nannopterum brasilianum</i>	▶  1
1	<b>Rufescent Tiger-Heron</b>	<i>Tigrisoma lineatum</i>	▶  1
1	<b>Snowy Egret</b>	<i>Egretta thula</i>	▶  1
111	<b>Western Cattle-Egret</b>	<i>Ardea ibis</i>	▶  2  3
13	<b>Great Egret</b>	<i>Ardea alba</i>	▶  3
1	<b>Cocoi Heron</b>	<i>Ardea cocoi</i>	▶  1



































68	<b>Black Vulture</b>	<i>Coragyps atratus</i>	▶  1  14
5	<b>Turkey Vulture</b>	<i>Cathartes aura</i>	▶  2  3
3	<b>Lesser Yellow-headed Vulture</b>	<i>Cathartes burrovianus</i>	▶  2
2	<b>Swallow-tailed Kite</b>	<i>Elanoides forficatus</i>	▶  2  1
2	<b>Sharp-shinned Hawk</b>	<i>Accipiter striatus</i>	▶  2
2	<b>Rufous-thighed Kite</b>	<i>Harpagus diodon</i>	▶  1  2
1	<b>Snail Kite</b>	<i>Rostrhamus sociabilis</i>	▶  1
3	<b>Savanna Hawk</b>	<i>Buteogallus meridionalis</i>	▶  2  3
1	<b>White-necked Hawk</b>	<i>Buteogallus lacernulatus</i>	▶  1
1	<b>Great Black Hawk</b>	<i>Buteogallus urubitinga</i>	▶  1
1	<b>Roadside Hawk</b>	<i>Rupornis magnirostris</i>	▶  1  1
1	<b>White-rumped Hawk</b>	<i>Parabuteo leucorrhous</i>	▶  2  1
1	<b>White-tailed Hawk</b>	<i>Geranoaetus albicaudatus</i>	▶  2  1
6	<b>Tropical Screech-Owl</b>	<i>Megascops choliba</i>	▶  5  3
2	<b>Ferruginous Pygmy-Owl</b>	<i>Glaucidium brasilianum</i>	▶  4  2
1	<b>Rusty-barred Owl</b>	<i>Strix hylophila</i>	▶  2  1
11	<b>Surucua Trogon</b>	<i>Trogon surrucura</i>	▶  8  7
1	<b>Atlantic Black-throated Trogon</b>	<i>Trogon chrysochloros</i>	▶  1
10	<b>Rufous-capped Motmot</b>	<i>Baryphthengus ruficapillus</i>	▶  2  7
2	<b>White-eared Puffbird</b>	<i>Nystalus chacuru</i>	▶  2  1

1	<b>Crescent-chested Puffbird</b> <i>Malacoptila striata</i>	▶  2  1
2	<b>Three-toed Jacamar</b> <i>Jacamaralcyon tridactyla</i>	▶  4  1
2	<b>Rufous-tailed Jacamar</b> <i>Galbula ruficauda</i>	▶  4  2
4	<b>Saffron Toucanet</b> <i>Pteroglossus bailloni</i>	▶  2  2
6	<b>Black-necked Aracari</b> <i>Pteroglossus aracari</i>	▶  3  1
5	<b>Spot-billed Toucanet</b> <i>Selenidera maculirostris</i>	▶  4  4
4	<b>Toco Toucan</b> <i>Ramphastos toco</i>	▶  1  4
6	<b>Channel-billed Toucan</b> <i>Ramphastos vitellinus</i>	▶  1  4
9	<b>White-barred Piculet</b> <i>Picumnus cirratus</i>	▶  2  5
3	<b>Yellow-eared Woodpecker</b> <i>Veniliornis maculifrons</i>	▶  2  2
1	<b>Robust Woodpecker</b> <i>Campephilus robustus</i>	▶  2  1
3	<b>Blond-crested Woodpecker</b> <i>Celeus flavescens</i>	▶  6  3
4	<b>White-browed Woodpecker</b> <i>Piculus aurulentus</i>	▶  6  3
3	<b>Green-barred Woodpecker</b> <i>Colaptes melanochloros</i>	▶  1  2
6	<b>Campo Flicker</b> <i>Colaptes campestris</i>	▶  5  4
2	<b>Barred Forest-Falcon</b> <i>Micrastur ruficollis</i>	▶  2
4	<b>Crested Caracara</b> <i>Caracara plancus</i>	▶  1  3
2	<b>Yellow-headed Caracara</b> <i>Daptrius chimachima</i>	▶  2  2
22	<b>Plain Parakeet</b> <i>Brotogeris tirica</i>	▶  2  5
33	<b>Scaly-headed Parrot</b> <i>Pionus maximiliani</i>	▶  6































































3	<b>Cobalt-rumped Parrotlet</b>	<i>Forpus xanthopterygius</i>	▶  2
28	<b>Maroon-bellied Parakeet</b>	<i>Pyrrhura frontalis</i>	▶  6  6
37	<b>White-eyed Parakeet</b>	<i>Psittacara leucophthalmus</i>	▶  11  10
1	<b>Spot-backed Antshrike</b>	<i>Hypodaleus guttatus</i>	▶  1
7	<b>Giant Antshrike</b>	<i>Batara cinerea</i>	▶  2  5
2	<b>Large-tailed Antshrike</b>	<i>Mackenziaena leachii</i>	▶  5  1
2	<b>Rufous-capped Antshrike</b>	<i>Thamnophilus ruficapillus</i>	▶  3  2
2	<b>Chestnut-backed Antshrike</b>	<i>Thamnophilus palliatus</i>	▶  2  2
3	<b>Variable Antshrike</b>	<i>Thamnophilus caerulescens</i>	▶  2
10	<b>Star-throated Antwren</b>	<i>Rhopias gularis</i>	▶  4
4	<b>Spot-breasted Antvireo</b>	<i>Dysithamnus stictothorax</i>	▶  3  3
3	<b>Plain Antvireo</b>	<i>Dysithamnus mentalis</i>	▶  1
7	<b>Rufous-backed Antvireo</b>	<i>Dysithamnus xanthopterus</i>	▶  2
2	<b>White-flanked Antwren</b>	<i>Myrmotherula axillaris</i>	▶  2  1
1	<b>Unicolored Antwren</b>	<i>Myrmotherula unicolor</i>	▶  2  1
1	<b>Rufous-margined Antwren</b>	<i>Herpsilochmus rufimarginatus</i>	▶  1
1	<b>Serra Antwren</b>	<i>Formicivora serrana</i>	▶  1
2	<b>Ferruginous Antbird</b>	<i>Drymophila ferruginea</i>	▶  1  1
2	<b>Bertoni's Antbird</b>	<i>Drymophila rubricollis</i>	▶  2  1
8	<b>Rufous-tailed Antbird</b>	<i>Drymophila genei</i>	▶  1

































2	<b>Ochre-rumped Antbird</b>	<i>Dryophila ochropyga</i>	▶  1
3	<b>Dusky-tailed Antbird</b>	<i>Dryophila malura</i>	▶  1
1	<b>Scaled Antbird</b>	<i>Dryophila squamata</i>	▶  1
4	<b>Streak-capped Antwren</b>	<i>Terenura maculata</i>	▶  2
3	<b>White-shouldered Fire-eye</b>	<i>Pyriglena leucoptera</i>	▶  1  2
2	<b>White-bibbed Antbird</b>	<i>Myrmoderus loricatus</i>	▶  1
2	<b>Black-cheeked Gnateater</b>	<i>Conopophaga melanops</i>	▶  2  1
3	<b>Rufous Gnateater</b>	<i>Conopophaga lineata</i>	▶  3  1
4	<b>Variegated Antpitta</b>	<i>Grallaria varia</i>	▶  3
5	<b>Mouse-colored Tapaculo</b>	<i>Scytalopus speluncae</i>	▶  2
1	<b>Short-tailed Antthrush</b>	<i>Chamaeza campanisona</i>	▶  1
2	<b>Such's Antthrush</b>	<i>Chamaeza meruloides</i>	▶  2  2
4	<b>Rufous-tailed Antthrush</b>	<i>Chamaeza ruficauda</i>	▶  2
8	<b>Rufous-breasted Leaftosser</b>	<i>Sclerurus scansor</i>	▶  5
19	<b>Olivaceous Woodcreeper</b>	<i>Sittasomus griseicapillus</i>	▶  1  8
3	<b>Plain-winged Woodcreeper</b>	<i>Dendrocincla turdina</i>	▶  2  3
3	<b>Planalto Woodcreeper</b>	<i>Dendrocolaptes platyrostris</i>	▶  3
5	<b>White-throated Woodcreeper</b>	<i>Xiphocolaptes albicollis</i>	▶  2  3
4	<b>Lesser Woodcreeper</b>	<i>Xiphorhynchus fuscus</i>	▶  1  4
2	<b>Black-billed Scythebill</b>	<i>Campylorhamphus falcularius</i>	▶  1

2	<b>Scaled Woodcreeper</b>	<i>Lepidocolaptes squamatus</i>	▶  6  2
2	<b>Atlantic Plain-Xenops</b>	<i>Xenops minutus</i>	▶  2
2	<b>Streaked Xenops</b>	<i>Xenops rutilans</i>	▶  3  1
4	<b>Wing-banded Hornero</b>	<i>Furnarius figulus</i>	▶  5  2
10	<b>Rufous Hornero</b>	<i>Furnarius rufus</i>	▶  5  5
1	<b>Sharp-tailed Streamcreeper</b>	<i>Lochmias nematura</i>	▶  1
5	<b>White-collared Foliage-gleaner</b>	<i>Anabazenops fuscus</i>	▶  1  4
3	<b>Pale-browed Treehunter</b>	<i>Cichlocolaptes leucophrus</i>	▶  2  3
2	<b>Black-capped Foliage-gleaner</b>	<i>Philydor atricapillus</i>	▶  2
1	<b>White-browed Foliage-gleaner</b>	<i>Anabacerthia amaurotis</i>	▶  1  1
1	<b>Ochre-breasted Foliage-gleaner</b>	<i>Anabacerthia lichtensteini</i>	▶  4  1
2	<b>Buff-browed Foliage-gleaner</b>	<i>Syndactyla rufosuperciliata</i>	▶  2
4	<b>Buff-fronted Foliage-gleaner</b>	<i>Dendroma rufa</i>	▶  2  4
2	<b>White-eyed Foliage-gleaner</b>	<i>Automolus leucophthalmus</i>	▶  2  1
8	<b>Rufous-fronted Thornbird</b>	<i>Phacellodomus rufifrons</i>	▶  1  5
5	<b>Orange-eyed Thornbird</b>	<i>Phacellodomus erythrophthalmus</i>	▶  3  3
2	<b>Firewood-gatherer</b>	<i>Anumbius annumbi</i>	▶  4  1
3	<b>Itatiaia Spinetail</b>	<i>Asthenes moreirae</i>	▶  1
12	<b>Pallid Spinetail</b>	<i>Cranioleuca pallida</i>	▶  4
4	<b>Yellow-chinned Spinetail</b>	<i>Certhiaxis cinnamomeus</i>	▶  4  2





































































3	<b>Rufous-capped Spinetail</b>	<i>Synallaxis ruficapilla</i>	▶  1  2
7	<b>Spix's Spinetail</b>	<i>Synallaxis spixi</i>	▶  5
2	<b>Serra do Mar Tyrant-Manakin</b>	<i>Protopelma chrysolophum</i>	▶  1
26	<b>Swallow-tailed Manakin</b>	<i>Chiroxiphia caudata</i>	▶  7  10
7	<b>Pin-tailed Manakin</b>	<i>Ilicura militaris</i>	▶  2  2
3	<b>White-bearded Manakin</b>	<i>Manacus manacus</i>	▶  2
1	<b>Hooded Berryeater</b>	<i>Carpornis cucullata</i>	▶  2  1
13	<b>Swallow-tailed Cotinga</b>	<i>Phibalura flavirostris</i>	▶  8  8
6	<b>Black-and-gold Cotinga</b>	<i>Lipaugus ater</i>	▶  7  3
1	<b>Gray-winged Cotinga</b>	<i>Lipaugus conditus</i>	▶  1
20	<b>Bare-throated Bellbird</b>	<i>Procnias nudicollis</i>	▶  4  6
2	<b>Greenish Schiffornis</b>	<i>Schiffornis virescens</i>	▶  2
2	<b>Green-backed Becard</b>	<i>Pachyramphus viridis</i>	▶  1  2
3	<b>Chestnut-crowned Becard</b>	<i>Pachyramphus castaneus</i>	▶  3  3
5	<b>Crested Becard</b>	<i>Pachyramphus validus</i>	▶  3
2	<b>White-throated Spadebill</b>	<i>Platyrinchus mystaceus</i>	▶  2
3	<b>Ochre-bellied Flycatcher</b>	<i>Mionectes oleagineus</i>	▶  1  1
3	<b>Gray-hooded Flycatcher</b>	<i>Mionectes rufiventris</i>	▶  3
2	<b>Sepia-capped Flycatcher</b>	<i>Leptopogon amaurocephalus</i>	▶  2
2	<b>Serra do Mar Bristle-Tyrant</b>	<i>Pogonotriccus difficilis</i>	▶  1

































5	<b>Mottle-cheeked Tyrannulet</b> <i>Phylloscartes ventralis</i>	▶  2  2
1	<b>Southern Antpipit</b> <i>Corythopsis delalandi</i>	▶  1
2	<b>Eared Pygmy-Tyrant</b> <i>Myiornis auricularis</i>	▶  2  2
2	<b>Drab-breasted Pygmy-Tyrant</b> <i>Hemitriccus diops</i>	▶  2  1
1	<b>Hangnest Tody-Tyrant</b> <i>Hemitriccus nidipendulus</i>	▶  1
4	<b>Ochre-faced Tody-Flycatcher</b> <i>Poecilotriccus plumbeiceps</i>	▶  2
7	<b>Gray-headed Tody-Flycatcher</b> <i>Todirostrum poliocephalum</i>	▶  3  6
5	<b>Yellow-olive Flatbill</b> <i>Tolmomyias sulphureus</i>	▶  5
3	<b>Cliff Flycatcher</b> <i>Hirundinea ferruginea</i>	▶  2  1
3	<b>Southern Beardless-Tyrannulet</b> <i>Camptostoma obsoletum</i>	▶  3
5	<b>Yellow-bellied Elaenia</b> <i>Elaenia flavogaster</i>	▶  1  3
1	<b>Olivaceous Elaenia</b> <i>Elaenia mesoleuca</i>	▶  3  1
2	<b>White-crested Tyrannulet</b> <i>Serpophaga subcristata</i>	▶  2  2
5	<b>Planalto Tyrannulet</b> <i>Phyllomyias fasciatus</i>	▶  3
2	<b>Gray-capped Tyrannulet</b> <i>Phyllomyias griseocapilla</i>	▶  2
1	<b>Rough-legged Tyrannulet</b> <i>Acrochordopus burmeisteri</i>	▶  1
4	<b>Bran-colored Flycatcher</b> <i>Myiophobus fasciatus</i>	▶  2
2	<b>Euler's Flycatcher</b> <i>Lathrotriccus euleri</i>	▶  2
2	<b>Southern Tropical Pewee</b> <i>Contopus cinereus</i>	▶  1  1
4	<b>Blue-billed Black-Tyrant</b> <i>Knipolegus cyanirostris</i>	▶  3  1

1	<b>Yellow-browed Tyrant</b>	<i>Satrapa icterophrys</i>	▶  1
2	<b>White-headed Marsh Tyrant</b>	<i>Arundinicola leucocephala</i>	▶  3  2
9	<b>Masked Water-Tyrant</b>	<i>Fluvicola nengeta</i>	▶  1  5
5	<b>Streamer-tailed Tyrant</b>	<i>Gubernetes yetapa</i>	▶  11  2
7	<b>Long-tailed Tyrant</b>	<i>Colonia colonus</i>	▶  6  7
3	<b>Gray-hooded Attila</b>	<i>Attila rufus</i>	▶  3  3
3	<b>Swainson's Flycatcher</b>	<i>Myiarchus swainsoni</i>	▶  3
4	<b>Short-crested Flycatcher</b>	<i>Myiarchus ferox</i>	▶  1  4
5	<b>Cattle Tyrant</b>	<i>Machetornis rixosa</i>	▶  3  2
37	<b>Great Kiskadee</b>	<i>Pitangus sulphuratus</i>	▶  15
2	<b>Boat-billed Flycatcher</b>	<i>Megarynchus pitangua</i>	▶  2
18	<b>Social Flycatcher</b>	<i>Myiozetetes similis</i>	▶  5
10	<b>Streaked Flycatcher</b>	<i>Myiodynastes maculatus</i>	▶  3  7
2	<b>Piratic Flycatcher</b>	<i>Legatus leucophaeus</i>	▶  2
3	<b>Variegated Flycatcher</b>	<i>Empidonomus varius</i>	▶  3  3
12	<b>Tropical Kingbird</b>	<i>Tyrannus melancholicus</i>	▶  3  7
7	<b>Fork-tailed Flycatcher</b>	<i>Tyrannus savana</i>	▶  1  4
12	<b>Rufous-browed Peppershrike</b>	<i>Cyclarhis gujanensis</i>	▶  7
5	<b>Rufous-crowned Greenlet</b>	<i>Hylophilus poicilotis</i>	▶  3
5	<b>Chivi Vireo</b>	<i>Vireo chivi</i>	▶  3  3



5	<b>Curl-crested Jay</b> <i>Cyanocorax cristatellus</i>	▶  2  1
4	<b>White-rumped Swallow</b> <i>Tachycineta leucorrhoa</i>	▶  1
40	<b>Gray-breasted Martin</b> <i>Progne chalybea</i>	▶  1
2	<b>Brown-chested Martin</b> <i>Progne tapera</i>	▶  1
5	<b>Southern Rough-winged Swallow</b> <i>Stelgidopteryx ruficollis</i>	▶  3
37	<b>Blue-and-white Swallow</b> <i>Pygochelidon cyanoleuca</i>	▶  3  7
1	<b>Tawny-headed Swallow</b> <i>Alopochelidon fucata</i>	▶  2  1
7	<b>Southern House Wren</b> <i>Troglodytes musculus</i>	▶  2  7
10	<b>Chalk-browed Mockingbird</b> <i>Mimus saturninus</i>	▶  2  5
3	<b>Creamy-bellied Thrush</b> <i>Turdus amaurochalinus</i>	▶  1  3
6	<b>Yellow-legged Thrush</b> <i>Turdus flavipes</i>	▶  2  2
1	<b>White-necked Thrush</b> <i>Turdus albicollis</i>	▶  3  1
15	<b>Pale-breasted Thrush</b> <i>Turdus leucomelas</i>	▶  10
19	<b>Rufous-bellied Thrush</b> <i>Turdus rufiventris</i>	▶  2  12
2	<b>House Sparrow</b> <i>Passer domesticus</i> *	▶  1
2	<b>Blue-naped Chlorophonia</b> <i>Chlorophonia cyanea</i>	▶  2
2	<b>Violaceous Euphonia</b> <i>Euphonia violacea</i>	▶  1
3	<b>Chestnut-bellied Euphonia</b> <i>Euphonia pectoralis</i>	▶  5  2
1	<b>Hooded Siskin</b> <i>Spinus magellanicus</i>	▶  1  1
2	<b>Grassland Sparrow</b> <i>Ammodramus humeralis</i>	▶  2

2	<b>Half-collared Sparrow</b>	<i>Arremon semitorquatus</i>	▶  5  2
20	<b>Rufous-collared Sparrow</b>	<i>Zonotrichia capensis</i>	▶  2  10
4	<b>Crested Oropendola</b>	<i>Psarocolius decumanus</i>	▶  2
19	<b>Red-rumped Cacique</b>	<i>Cacicus haemorrhous</i>	▶  5
19	<b>Shiny Cowbird</b>	<i>Molothrus bonariensis</i>	▶  2  7
2	<b>Giant Cowbird</b>	<i>Molothrus oryzivorus</i>	▶  1  1
3	<b>Chopi Blackbird</b>	<i>Gnorimopsar chopi</i>	▶  2  2
5	<b>Chestnut-capped Blackbird</b>	<i>Chrysomus ruficapillus</i>	▶  4  2
1	<b>Southern Yellowthroat</b>	<i>Geothlypis velata</i>	▶  4  1
2	<b>Tropical Parula</b>	<i>Setophaga pitiaiyumi</i>	▶  2  1
9	<b>Golden-crowned Warbler</b>	<i>Basileuterus culicivorus</i>	▶  1  7
3	<b>White-browed Warbler</b>	<i>Myiothlypis leucoblephara</i>	▶  2
4	<b>Olive-green Tanager</b>	<i>Orthogonys chloricterus</i>	▶  2  1
1	<b>Red-crowned Ant-Tanager</b>	<i>Habia rubica</i>	▶  1  1
1	<b>Cinnamon Tanager</b>	<i>Schistochlamys ruficapillus</i>	▶  1
8	<b>Magpie Tanager</b>	<i>Cissopis leverianus</i>	▶  2  3
4	<b>Black-goggled Tanager</b>	<i>Trichothraupis melanops</i>	▶  4  3
4	<b>Flame-crested Tanager</b>	<i>Loriotus cristatus</i>	▶  1  2
11	<b>Ruby-crowned Tanager</b>	<i>Tachyphonus coronatus</i>	▶  3  6
1	<b>Brazilian Tanager</b>	<i>Ramphocelus bresilius</i>	▶  1

3	<b>Diademed Tanager</b>	<i>Stephanophorus diadematus</i>	▶  5  2
3	<b>Fawn-breasted Tanager</b>	<i>Pipraeidea melanonota</i>	▶  3  3
10	<b>Sayaca Tanager</b>	<i>Thraupis sayaca</i>	▶  1  7
7	<b>Azure-shouldered Tanager</b>	<i>Thraupis cyanoptera</i>	▶  3  3
14	<b>Golden-chevroned Tanager</b>	<i>Thraupis ornata</i>	▶  3  7
10	<b>Burnished-buff Tanager</b>	<i>Stilpnia cayana</i>	▶  4  3
19	<b>Green-headed Tanager</b>	<i>Tangara seledon</i>	▶  4  3
33	<b>Brassy-breasted Tanager</b>	<i>Tangara desmaresti</i>	▶  8  5
8	<b>Gilt-edged Tanager</b>	<i>Tangara cyanoventris</i>	▶  3  2
13	<b>Blue Dacnis</b>	<i>Dacnis cayana</i>	▶  2  8
1	<b>Rufous-headed Tanager</b>	<i>Hemithraupis ruficapilla</i>	▶  1
2	<b>Bay-chested Warbling Finch</b>	<i>Castanozoster thoracicus</i>	▶  2  1
62	<b>Saffron Finch</b>	<i>Sicalis flaveola</i>	▶  6  15
6	<b>Blue-black Grassquit</b>	<i>Volatinia jacarina</i>	▶  1  2
5	<b>Double-collared Seedeater</b>	<i>Sporophila caerulescens</i>	▶  2
12	<b>Bananaquit</b>	<i>Coereba flaveola</i>	▶  9
7	<b>Green-winged Saltator</b>	<i>Saltator similis</i>	▶  5
1	<b>Black-throated Grosbeak</b>	<i>Saltator fuliginosus</i>	▶  1  1