

Trip Report — Vietnam 2025

January 4-24, 2025 with Doug Gochfeld & Lê Quý Minh



The johnsi subspecies of Black-throated Sunbird is likely to one day be split out as its own species: Langbian Sunbird. We got some excellent views of them at a flowering bottlebrush tree during our sojourn in Dalat. Photo by guide Doug Gochfeld.

This year's Field Guides Vietnam tour began, as ever, with us meeting up in the old city of Hanoi for a walk through the narrow streets to Hoan Kiem Lake, for our first few birds, and an opportunity to see the embalmed versions of the last known giant turtles. We then had an excellent dinner at a classic north Vietnamese restaurant, complete with Bun Cha and all. This tour took place just before Tet, or the lunar new year, and we could see signs of the upcoming festivities everywhere we went in the streets of Hanoi (and indeed at most other places we visited, all the way south to Ho Chi Minh City (Saigon)).

Aside from the bustling charm of the old city, the other main reason we visit the north of Vietnam is to go to Vietnam's first national Park: Cuc Phuong. We spent a few nights staying just inside the park gates, which gave us a great chance to get out birding nice and early, as well as some good opportunities to prowl at night a little bit. This is where the real birding kicked off, and we found highlights aplenty, from nice views of secretive birds like Bar-bellied Pitta and Large Scimitar-Babbler, to the habitat-specialist Limestone Wren-Babbler (also now known as Gray Limestone-Babbler), and nice treats like Pied Falconet (multiple times). Thrushes also showed really well, with the usual Gray-sided, Japanese, and Orange-headed thrushes, and excellent views of a male of the more difficult Black-breasted Thrush. We even got multiple prolonged views of White's Thrush, which is unprecedented in my experience with these cryptically patterned and exceptionally shy birds.



Delacour's Langur is one of the most endangered mammals in the world, with around only 250 individuals remaining in small pockets of limestone karst forest. We haven't always seen it on the tour, but a new location we visited came through, and we found this troop caring for an adorable (and important, given the population size) baby monkey. Photo by guide Doug Gochfeld.

Leaving Cuc Phuong, we had time for a short stop at the Van Long reservoir. We were here specifically to search the evocative karst hills for the Delacour's Langur, one of the rarest primates in the world. After some nice birding at the site (Daurian Redstart, Blue Rock-thrush, White-browed Crake to name a few), the langurs appeared. They emerged from the vegetated sections of the slopes and ended up sitting up on various exposed rocks for a while. We eventually had to walk away from the monkeys (which are missable here, it was great that we got them) in order to catch our flight from Hanoi to Pleiku.

We landed in Pleiku and headed over to Dak To, with dinner en route. This night was a short one, and in the early morning, well pre-dawn, we loaded into our smaller vans for the ride up to the very special forest on the slopes of Mount Ngoc Linh. In addition to the specter of upcoming new year festivities, another factor that we ran into at most turns of this tour was the weather. There was a late winter cold front that passed at the beginning of the tour, and while this made the Cat Tien and Dalat sections really lovely, it made for some cold and overcast weather in the central highlands. This was the fog section of the tour. Sometimes fog breaks up a little when it interacts with forest, but that was not the case, and we hacked away at seeing some really cool new birds one by one as they emerged from and disappeared back into the soup. Black-crowned Barwings gave excellent views and were around most of the time we were in the woods, while Snowy-browed Flycatcher and both Rusty-capped and Rufous-winged fulvettas presented themselves for close perusal. A quick final stop below the fog gave us much better visibility on a collection of birds highlighted by White-throated Rock-Thrush and Taiga Flycatcher. The next day, we birded another section of Ngoc Linh, and found ourselves once again in the soup, but Red-tailed Laughingthrush was a sought-after highlight.



Speaking of cute, how about a cutia?! Vietnamese Cutia is another range restricted near-endemic (near because some of one population has recently been discovered to make it just over the border and into Laos) that we run into on this tour. We had a dandy of an experience with a pair of these on Mt. Langbian this year, including this male acting rather nuthatch-like as it explored a pine for potential food items. Photo by guide Doug Gochfeld.

We then headed to Mang Den, where we found less fog, though the color gray still prevailed in the sky. Our two nights here allowed us to explore several patches of forest in the area, which yielded such treats as Eyebrowed Wren-babbler, Rufous-backed Sibia, Yellow-browed Nuthatch (yes!!), and a shocker of a mammal: a Colugo!! Then it was down to Dalat, one of the centers of endemism in the country. A few nights in Dalat let us get to some really nice locations, and see some excellent birds. We had at least three encounters with Gray-crowned Crocias, including my longest ever opportunity to watch them (several minutes, including some fun courtship I hadn't seen before), plenty of Black-headed Sibia, the endemic forms of Mrs. Gould's (Annam) and Black-throated (Langbian) sunbirds, and great views of Dalat Crossbill, Indochinese Green Magpie, and Gray Nightjar. Our time here also featured my most productive ever visit to Mt. Langbian, with excellent

views of all the targets: Collared Laughingthrush, Vietnamese Cutia, Black-crowned Fulvetta, Hume's Treecreeper, and more. The good thrush theme continued here, as we were treated to an appearance, seemingly out of thin air, of a boldly patterned male Siberian Thrush, which was a lifer for yours truly!



This was the most unexpected animal of the trip. This Colugo in the central highlands was far from any prior records I was aware of. Some light reading on scientific papers indicates that this one is almost certainly a different species than the one that most colugo viewers see, in Borneo and Peninsular Malaysia. They're currently all grouped under Sunda Colugo, but this one will some day be separated out - Annam Colugo has a night ring to it! Photo by guide Doug Gochfeld.

Once we finished up at Dalat, we headed south towards Cat Tien, but we had one night in between around the town of Di Linh. This is so we could have a couple of shots at birding the nearby Deo Nui San Pass, and came with the side benefit of staying at a lovely lodge overlooking a coffee and macadamia nut farm with delicious food. The birding in this area was good, with views of Silver-breasted and Long-tailed broadbills, Red-billed Scimitar-Babbler, Streaked Wren-Babbler, Maroon Oriole, Alström's Warbler, and more at the pass, and the recently described endemic, or near-endemic, Annam Prinia close by as well.

See the webpage for a seven minute retrospective of some of the memorable moments of our gallivant through Vietnam! Videos by guide Doug Gochfeld.

Then it was down to the tropical lowlands and on to Cat Tien National Park, the most bird-diverse site that we visit on the tour. We said goodbye to our bus driver who had been with us since Pleiku, loaded our luggage and our selves onto a wooden ferry boat, and motored across the Dong Nai to the park headquarters, which would also be our headquarters for the next four nights. Cat Tien often gets quite hot, making for slow birding during the middle of the day, but the same cold front that gave us some chilly willys in the north, made the birding conditions in Cat Tien very pleasant, extending our useful birding hours later in the morning. The forests of the park proved very fruitful, with such treasures as Germain's Peacock-Pheasant, Banded Kingfisher, Black-backed Dwarf-Kingfisher, Pale-headed Woodpecker, Green-legged Partridge, a sweep of the three possible broadbills (Dusky, Black-and-Red, and Banded), Forest Wagtail, Orange-breasted Trogon, and even a tiny Lesser Mouse Deer. Our afternoon in the grasslands gave us repeated views of Green Peafowl (including a displaying male) and Lesser Coucal, as well as Chinese Francolin, Lesser Adjutant, Red Muntjac, and Sambar deer. We hiked three miles to Crocodile Lake, where we were treated to an impressive lunch spread at the remote lake while we enjoyed the wildlife. We saw several showy individuals of the thriving population of Siamese Crocodiles that call the lake home, as well as Collared Falconet, Gray-headed Fish-Eagle, Bronze-winged Jacana, all while the local rangers set some impressive controlled burns around the lake. We also did some

night birding here, scoring Blyth's Frogmouth and Brown Boobook, and hearing Oriental Bay Owl and Spot-bellied Eagle Owl. It was then finally time to leave our tropical finale and head down to Ho Chi Minh City (still called Saigon by most Vietnamese) for our final dinner and flights home.



Pittas are notoriously difficult to eyeball, but after this Bar-bellied Pitta showed well for us, it flew across the park road right in front of us! Photo by guide Doug Gochfeld.

Despite the bush meat culture that unfortunately pervades Vietnam, we still had some good mammal-watching opportunities. Cat Tien in particular gave us some excellent larger-than-squirrel mammals and other non-birds. The rest of the time, a good diversity of squirrels kept us company from the start. Here is a list of the mammals and reptiles that we identified during the tour:

Northern Smooth-tailed Treeshrew (*Dendrogale murina*) - Several of these seen around Cat Tien.

Sunda Colugo (*Galeopterus variegatus*) - This one could eventually be recognized as a different species of Colugo than the ones most people see, in

Borneo and Peninsular Malaysia. Very poorly known from this part of the world, and by far our biggest mammal shocker!

Long-tailed Macaque (*Macaca fascicularis*)

Rhesus Macaque (*Macaca mulatta*)

Southern Pig-tailed Macaque (*Macaca nemestrina*)

Black-shanked Douc (*Pygathrix nigripes*)

Delacour's Langur (*Trachypithecus delacouri*) – An exceptionally small worldwide population, and really striking appearance, make this one of the most sought after mammals in the region, and we were treated to a great encounter!

Southern Yellow-cheeked Crested Gibbon (*Nomascus gabriellae*) - We had a really nice experience watching a family of these gibbons playing around near the Cat Tien HQ one morning, shortly after sunrise.

Pallas's Squirrel (*Callosciurus erythraeus*)

Finlayson's Squirrel (*Callosciurus finlaysonii*)

Inornate Squirrel (*Callosciurus inornatus*)

Cambodian Striped Squirrel (*Tamiops rodolphii*)

Maritime Striped Squirrel (*Tamiops maritimus*)

Indochinese Ground Squirrel (*Menetes berdmorei*)

Asian Red-cheeked Squirrel (*Dremomys rufigenis*)

Asian Small-clawed Otter (*Aonyx cinereus*) - A small troop of these scurried across the road in front of us as we drove out the road in Cat Tien one morning. One of them had second thoughts and initially went back, so when it did decide to ultimately cross and join its compatriots, we were ready, and got good views!

Javan Chevrotain (*Tragulus javanicus*) – You'll know this one as Lesser Mouse Deer

Southern Red Muntjac (*Muntiacus muntjak*) - We even saw a fully horned male, which lent some impressiveness to that particular iteration of this diminutive species of deer.

Sambar (*Rusa unicolor*) - Several of these large deer included one youngster nursing from its mother right next to the road just after nightfall one evening.

Indochinese Horseshoe Bat (*Rhinolophus chaseni*) – This appears to be the identity of the bat that was inside the tree trunk along a trail at Cat Tien.

Herps:

Siamese Crocodile (*Crocodylus siamensis*)

Spotted Forest Skink (*Sphenomorphus maculatus*)

Asian House Gecko (*Hemidactylus frenatus*)

Flat-tailed House-Gecko (*Hemidactylus platyurus*)

Tokay Gecko (*Gekko gekko*)

Spot-legged Tree Frog (*Polypedates megacephalus*)



Our merry band of travelers with some of the still intact forest that survives on the Dalat Plateau. We had lots of fun and saw lots of birds on this breezy morning! Thanks to our ever-wonderful local guide Minh for this photo!

We also ran into a good diversity of arthropods on the tour, with butterflies the most visible and striking of these. Here is a partial list of butterflies we

saw in country (only those photographed well enough for ID), as well as a few other arthropods that we took note of along the way.

Butterflies (for scientific names, see iNaturalist):

Chocolate Demon
Common Pierrot
Clipper
Gray Pansy
Yellow Pansy
Blue Pansy
Bamboo Treebrown
Lesser Grass Blue
Psyche
Lemon Migrant
Golden Birdwing
Metallic Hedge Blue
Paris Peacock Swallowtail
Striped Blue Crow
Great Windmill
White-spotted Judy
Indian Oakblue
Common Albatross
Striped Albatross
Chestnut Bob
Tailed Jay
White Dragontail
Painted Jezebel
Red-based Jezebel

-A couple of the large, showy moths we saw at the accommodation in Cuc Phuong were *Hypochrosis iris*, and *Cyclidia orciferaria*

- The termites that we watched crossing the path at Cat Tien were apparently *Hospitalitermes bicolor*
- The flattened large scorpion that we saw upon arrival at Cat Tien was *Heterometrus Silenus*
- The scorpions we saw at Yok Don were mostly, or all, Chinese Swimming Scorpions (*Lychas mucronatus*)



Laughingthrushes, like pittas, can be difficult to see in the open. Collared Laughingthrush is one of the most range restricted of this lovely group of birds, and we ended up finding a very cooperative pair of them at Dalat. Not only is it a rare one, it's a flashy one - now that's a great combo. Photo by guide Doug Gochfeld.

Last but absolutely not least, thanks to each and every one of you for sharing this Vietnam birding adventure with me – you were the reason that this year's tour was such a delight, and it made my biennial pilgrimage to this fascinating country even more special than usual. I look forward to seeing all

of you again somewhere on this bird-laden globe. Until then, be well, and good birding!


You can see my complete trip report on eBird at this link:

<https://ebird.org/tripreport/317193>

--Doug Gochfeld (Treeswift)

Field Guides Birding Tours -- VIETNAM, 2025 (with Doug Gochfeld)

6 – 23 Jan 2025 (18 days) Link-only



Dak Lak | Dong Nai | Gia Lai | Ha Nam | Ha Noi, thanh pho | Kon Tum | Lam Dong | Ninh Binh | Sai Gon

 Doug Gochfeld, Field Guides Birding Tours



For a narrative summary of this tour, including a Field Guides photo gallery and additional media for this trip...

DATA FOR: [Group \(all people\)](#) ▾

338

Species Observed

60
































Checklists



































145



Species with Photos



































Species Observed


































[Show all details](#)









































130	Lesser Whistling-Duck	<i>Dendrocygna javanica</i>	▶  1  1
2	Rufous-throated Partridge	<i>Arborophila rufogularis</i>	▶  1
12	Green Peafowl	<i>Pavo muticus</i>	▶  7  1
24	Scaly-breasted Partridge	<i>Tropicoperdix chloropus</i>	▶  1  5
4	Germain's Peacock-Pheasant	<i>Polyplectron germaini</i>	▶  2
12	Red Junglefowl	<i>Gallus gallus</i>	▶  1  4
5	Chinese Francolin	<i>Francolinus pintadeanus</i>	▶  2  2
12	Rock Pigeon	<i>Columba livia</i> *	▶  3
2	Ashy Wood-Pigeon	<i>Columba pulchricollis</i>	▶  1  1
215	Red Collared-Dove	<i>Streptopelia tranquebarica</i>	▶  2
33	Spotted Dove	<i>Spilopelia chinensis</i>	▶  8
3	Barred Cuckoo-Dove	<i>Macropygia unchall</i>	▶  1  2
30	Zebra Dove	<i>Geopelia striata</i> *	▶  1  12
2	Orange-breasted Green-Pigeon	<i>Treron bicinctus</i>	▶  2  1
3	Ashy-headed Green-Pigeon	<i>Treron phayrei</i>	▶  1
40	Thick-billed Green-Pigeon	<i>Treron curvirostra</i>	▶  2  4
5	Yellow-footed Green-Pigeon	<i>Treron phoenicopterus</i>	▶  1
7	White-bellied Green-Pigeon	<i>Treron sieboldii</i>	▶  1
3	Green Imperial-Pigeon	<i>Ducula aenea</i>	▶  2
11	Mountain Imperial-Pigeon	<i>Ducula badia</i>	▶  7
30	Greater Coucal	<i>Centropus sinensis</i>	▶  11


































5	Lesser Coucal	<i>Centropus bengalensis</i>	▶  2  2
19	Green-billed Malkoha	<i>Phaenicophaeus tristis</i>	▶  12
1	Asian Koel	<i>Eudynamys scolopaceus</i>	▶  1
1	Asian Emerald Cuckoo	<i>Chrysococcyx maculatus</i>	▶  2  1
1	Violet Cuckoo	<i>Chrysococcyx xanthorhynchus</i>	▶  1
3	Banded Bay Cuckoo	<i>Cacomantis sonneratii</i>	▶  2
3	Plaintive Cuckoo	<i>Cacomantis merulinus</i>	▶  2
1	Square-tailed Drongo-Cuckoo	<i>Surniculus lugubris</i>	▶  2  1
10	Great Eared-Nightjar	<i>Lyncornis macrotis</i>	▶  2  4
5	Gray Nightjar	<i>Caprimulgus jotaka</i>	▶  2  1
3	Large-tailed Nightjar	<i>Caprimulgus macrurus</i>	▶  2
1	Hodgson's Frogmouth	<i>Batrachostomus hodgsoni</i>	▶  1
3	Blyth's Frogmouth	<i>Batrachostomus affinis</i>	▶  3  1
1	Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	▶  1
340	White-nest Swiftlet	<i>Aerodramus fuciphagus</i>	▶  15
8	Cook's Swift	<i>Apus cooki</i>	▶  8  1
102	House Swift	<i>Apus nipalensis</i>	▶  4  7
10	Asian Palm Swift	<i>Cypsiurus balasiensis</i>	▶  2  3
50	Crested Treeswift	<i>Hemiprocne coronata</i>	▶  2
5	Eurasian Moorhen	<i>Gallinula chloropus</i>	▶  1
1	Eurasian Coot	<i>Fulica atra</i>	▶  1
10	Gray-headed Swampphen	<i>Porphyrio poliocephalus</i>	▶  2
4	White-browed Crake	<i>Poliolimnas cinereus</i>	▶  1  2
1	Watercock	<i>Gallicrex cinerea</i>	▶  1


































6	White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	▶  1  3
5	Red-wattled Lapwing	<i>Vanellus indicus</i>	▶  1
8	Bronze-winged Jacana	<i>Metopidius indicus</i>	▶  1
2	Common Sandpiper	<i>Actitis hypoleucos</i>	▶  1
3	Little Grebe	<i>Tachybaptus ruficollis</i>	▶  2
1	Asian Woolly-necked Stork	<i>Ciconia episcopus</i>	▶  1
4	Lesser Adjutant	<i>Leptoptilos javanicus</i>	▶  4  3
2	Oriental Darter	<i>Anhinga melanogaster</i>	▶  1
7	Little Cormorant	<i>Microcarbo niger</i>	▶  3  3
1	Black Bittern	<i>Botaurus flavicollis</i>	▶  2  1
2	Cinnamon Bittern	<i>Botaurus cinnamomeus</i>	▶  3  1
1	Yellow Bittern	<i>Botaurus sinensis</i>	▶  1
52	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	▶  2
22	Little Egret	<i>Egretta garzetta</i>	▶  7
1	Striated Heron	<i>Butorides striata</i>	▶  1
76	Chinese Pond-Heron	<i>Ardeola bacchus</i>	▶  1  13
12	Eastern Cattle-Egret	<i>Ardea coromanda</i>	▶  4
80	Great Egret	<i>Ardea alba</i>	▶  7
17	Medium Egret	<i>Ardea intermedia</i>	▶  4
7	Purple Heron	<i>Ardea purpurea</i>	▶  1  1
2	Osprey	<i>Pandion haliaetus</i>	▶  2
3	Black-winged Kite	<i>Elanus caeruleus</i>	▶  3
1	Jerdon's Baza	<i>Aviceda jerdoni</i>	▶  1  1
































2	Oriental Honey-buzzard	<i>Pernis ptilorhynchus</i>	▶  2  1
6	Crested Serpent-Eagle	<i>Spilornis cheela</i>	▶  4
2	Black Eagle	<i>Ictinaetus malaiensis</i>	▶  1  2
3	Crested Goshawk	<i>Lophospiza trivirgata</i>	▶  2  3
1	Besra	<i>Tachyspiza virgata</i>	▶  2  1
2	Shikra	<i>Tachyspiza badia</i>	▶  1  2
1	Gray-headed Fish-Eagle	<i>Ichthyophaga ichthyaeus</i>	▶  1
2	Gray-faced Buzzard	<i>Butastur indicus</i>	▶  2
3	Oriental Bay-Owl	<i>Phodilus badius</i>	▶  1
1	Mountain Scops-Owl	<i>Otus spilocephalus</i>	▶  1
2	Collared Scops-Owl	<i>Otus lettia</i>	▶  2
1	Oriental Scops-Owl	<i>Otus sunia</i>	▶  1  1
1	Spot-bellied Eagle-Owl	<i>Ketupa nipalensis</i>	▶  1
23	Asian Barred Owlet	<i>Glaucidium cuculoides</i>	▶  1  9
4	Collared Owlet	<i>Taeniopteryx brodiei</i>	▶  4
1	Spotted Owlet	<i>Athene brama</i>	▶  1
2	Brown Wood-Owl	<i>Strix leptogrammica</i>	▶  2
2	Brown Boobook	<i>Ninox scutulata</i>	▶  1  2
6	Orange-breasted Trogon	<i>Harpactes oreskios</i>	▶  4  3
6	Red-headed Trogon	<i>Harpactes erythrocephalus</i>	▶  5
9	Eurasian Hoopoe	<i>Upupa epops</i>	▶  1  5
19	Oriental Pied-Hornbill	<i>Anthracoceros albirostris</i>	▶  1  5
6	Blue-bearded Bee-eater	<i>Nyctornis athertoni</i>	▶  3





























2	Asian Green Bee-eater	<i>Merops orientalis</i>	▶  1
2	Chestnut-headed Bee-eater	<i>Merops leschenaulti</i>	▶  1
11	Common Kingfisher	<i>Alcedo atthis</i>	▶  3  10
2	Black-backed Dwarf-Kingfisher	<i>Ceyx erithaca</i>	▶  1
4	Banded Kingfisher	<i>Lacedo pulchella</i>	▶  3  1
8	White-throated Kingfisher	<i>Halcyon smyrnensis</i>	▶  6
9	Indochinese Roller	<i>Coracias affinis</i>	▶  4
10	Dollarbird	<i>Eurystomus orientalis</i>	▶  2
13	Coppersmith Barbet	<i>Psilopogon haemacephalus</i>	▶  1  5
8	Blue-eared Barbet	<i>Psilopogon cyanotis</i>	▶  2  3
10	Red-vented Barbet	<i>Psilopogon lagrandieri</i>	▶  1  4
10	Green-eared Barbet	<i>Psilopogon faiostrictus</i>	▶  7
17	Lineated Barbet	<i>Psilopogon lineatus</i>	▶  5
17	Necklaced Barbet	<i>Psilopogon auricularis</i>	▶  1  4
15	Indochinese Barbet	<i>Psilopogon annamensis</i>	▶  4
1	Speckled Piculet	<i>Picumnus innominatus</i>	▶  2  1
2	White-browed Piculet	<i>Sasia ochracea</i>	▶  1
4	Heart-spotted Woodpecker	<i>Hemicircus canente</i>	▶  10  4
14	Gray-capped Pygmy Woodpecker	<i>Yungipicus canicapillus</i>	▶  8
2	Rufous-bellied Woodpecker	<i>Dendrocopos hyperythrus</i>	▶  2  1
1	Freckle-breasted Woodpecker	<i>Dendrocopos analis</i>	▶  1
1	Stripe-breasted Woodpecker	<i>Dendrocopos atratus</i>	▶  1  1
13	Bay Woodpecker	<i>Blythipicus pyrrhotis</i>	▶  8






























3	Greater Flameback	<i>Chrysocolaptes guttacristatus</i>	▶  1  3
4	Rufous Woodpecker	<i>Micropternus brachyurus</i>	▶  4  3
3	Black-and-buff Woodpecker	<i>Meiglyptes jugularis</i>	▶  2
2	Pale-headed Woodpecker	<i>Gecinulus grantia</i>	▶  2  2
9	Common Flameback	<i>Dinopium javanense</i>	▶  2  5
4	Lesser Yellownape	<i>Picus chlorolophus</i>	▶  1  3
1	Red-collared Woodpecker	<i>Picus rabieri</i>	▶  1
8	Laced Woodpecker	<i>Picus vittatus</i>	▶  1  4
2	Gray-headed Woodpecker	<i>Picus canus</i>	▶  2
4	Black-headed Woodpecker	<i>Picus erythropygius</i>	▶  2  1
3	Greater Yellownape	<i>Chrysophlegma flavinucha</i>	▶  3
13	Great Slaty Woodpecker	<i>Mulleripicus pulverulentus</i>	▶  6  2
1	White-bellied Woodpecker	<i>Dryocopus javensis</i>	▶  1  1
2	Pied Falconet	<i>Microhierax melanoleucos</i>	▶  2  2
4	Collared Falconet	<i>Microhierax caerulescens</i>	▶  4  3
1	White-rumped Falcon	<i>Neohierax insignis</i>	▶  1  1
39	Vernal Hanging-Parrot	<i>Loriculus vernalis</i>	▶  4  8
4	Long-tailed Broadbill	<i>Psarisomus dalhousiae</i>	▶  2
4	Dusky Broadbill	<i>Corydon sumatranus</i>	▶  2  1
3	Silver-breasted Broadbill	<i>Serilophus lunatus</i>	▶  1  1
5	Black-and-red Broadbill	<i>Cymbirhynchus macrorhynchos</i>	▶  2  2
4	Banded Broadbill	<i>Eurylaimus javanicus</i>	▶  1  2
11	Blue-rumped Pitta	<i>Hydrornis soror</i>	▶  6






































4	Blue Pitta	<i>Hydornis cyaneus</i>	▶  2
16	Bar-bellied Pitta	<i>Hydornis elliotii</i>	▶  1  6
14	Small Minivet	<i>Pericrocotus cinnamomeus</i>	▶  2
10	Gray-chinned Minivet	<i>Pericrocotus solaris</i>	▶  1  4
8	Long-tailed Minivet	<i>Pericrocotus ethologus</i>	▶  3
28	Scarlet Minivet	<i>Pericrocotus speciosus</i>	▶  1  8
2	Ashy Minivet	<i>Pericrocotus divaricatus</i>	▶  2
19	Brown-rumped Minivet	<i>Pericrocotus cantonensis</i>	▶  1  6
7	Oriental Cuckooshrike	<i>Coracina javensis</i>	▶  3
3	Black-winged Cuckooshrike	<i>Lalage melaschistos</i>	▶  2
6	Indochinese Cuckooshrike	<i>Lalage polioptera</i>	▶  2  4
11	White-browed Shrike-Babbler	<i>Pteruthius aeralatus</i>	▶  2  2
3	Clicking Shrike-Babbler	<i>Pteruthius intermedius</i>	▶  2
36	White-bellied Erpornis	<i>Erpornis zantholeuca</i>	▶  1  10
4	Black-naped Oriole	<i>Oriolus chinensis</i>	▶  3
9	Black-hooded Oriole	<i>Oriolus xanthornus</i>	▶  4
5	Maroon Oriole	<i>Oriolus traillii</i>	▶  1  3
8	Ashy Woodswallow	<i>Artamus fuscus</i>	▶  4
2	Large Woodshrike	<i>Tephrodornis virgatus</i>	▶  1
20	Common Woodshrike	<i>Tephrodornis pondicerianus</i>	▶  1
30	Bar-winged Flycatcher-shrike	<i>Hemipus picatus</i>	▶  4  7
11	Common lora	<i>Aegithina tiphia</i>	▶  1  5
24	Great lora	<i>Aegithina lafresnayei</i>	▶  8






























10	White-throated Fantail	<i>Rhipidura albicollis</i>	▶  1  7
2	White-browed Fantail	<i>Rhipidura aureola</i>	▶  3  1
5	Black Drongo	<i>Dicrurus macrocercus</i>	▶  3
69	Ashy Drongo	<i>Dicrurus leucophaeus</i>	▶  2  28
18	Bronzed Drongo	<i>Dicrurus aeneus</i>	▶  2  6
5	Lesser Racket-tailed Drongo	<i>Dicrurus remifer</i>	▶  5
13	Hair-crested Drongo	<i>Dicrurus hottentottus</i>	▶  1  6
40	Greater Racket-tailed Drongo	<i>Dicrurus paradiseus</i>	▶  14
5	Black-naped Monarch	<i>Hypothymis azurea</i>	▶  2
1	Amur Paradise-Flycatcher	<i>Terpsiphone incei</i>	▶  1
6	Brown Shrike	<i>Lanius cristatus</i>	▶  6
10	Burmese Shrike	<i>Lanius collurioides</i>	▶  6
8	Long-tailed Shrike	<i>Lanius schach</i>	▶  3
2	Gray-backed Shrike	<i>Lanius tephronotus</i>	▶  2
9	Eurasian Jay	<i>Garrulus glandarius</i>	▶  5  2
3	Rufous Treepie	<i>Dendrocitta vagabunda</i>	▶  2
12	Racket-tailed Treepie	<i>Crypsirina temia</i>	▶  2  4
2	Ratchet-tailed Treepie	<i>Temnurus temnurus</i>	▶  1
20	Large-billed Crow	<i>Corvus macrorhynchos</i>	▶  1  8
33	Gray-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	▶  12
14	Sultan Tit	<i>Melanochlora sultanea</i>	▶  2
24	Green-backed Tit	<i>Parus monticolus</i>	▶  1  6
8	Asian Tit	<i>Parus cinereus</i>	▶  1  2


































8	Yellow-cheeked Tit	<i>Machlolophus spilonotus</i>	▶  1  3
20	Common Tailorbird	<i>Orthotomus sutorius</i>	▶  15
63	Dark-necked Tailorbird	<i>Orthotomus atrogularis</i>	▶  1  15
2	Annam Prinia	<i>Prinia rocki</i>	▶  3  1
2	Brown Prinia	<i>Prinia polychroa</i>	▶  3  1
12	Hill Prinia	<i>Prinia superciliaris</i>	▶  6
4	Rufescent Prinia	<i>Prinia rufescens</i>	▶  2
10	Yellow-bellied Prinia	<i>Prinia flaviventris</i>	▶  3
5	Plain Prinia	<i>Prinia inornata</i>	▶  2
1	Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	▶  1
4	Lanceolated Warbler	<i>Locustella lanceolata</i>	▶  3
2	Dalat Bush Warbler	<i>Locustella idonea</i>	▶  1
3	Pygmy Cupwing	<i>Pnoepyga pusilla</i>	▶  2
64	Barn Swallow	<i>Hirundo rustica</i>	▶  2  13
21	Asian House-Martin	<i>Delichon dasypus</i>	▶  2  3
7	Eastern Red-rumped Swallow	<i>Cecropis daurica</i>	▶  1  2
6	Ochraceous Bulbul	<i>Alophoixus ochraceus</i>	▶  2
21	Puff-throated Bulbul	<i>Alophoixus pallidus</i>	▶  8
16	Gray-eyed Bulbul	<i>Iole propinqua</i>	▶  5
30	Ashy Bulbul	<i>Hemixos flava</i>	▶  3
9	Mountain Bulbul	<i>Ixos mcclllandii</i>	▶  4
48	Black Bulbul	<i>Hypsipetes leucocephalus</i>	▶  10
1	Black-headed Bulbul	<i>Microtarsus melanocephalus</i>	▶  1  1
























35	Black-crested Bulbul	<i>Rubigula flaviventris</i>	▶  10
40	Streak-eared Bulbul	<i>Pycnonotus conradi</i>	▶  1  6
16	Stripe-throated Bulbul	<i>Pycnonotus finlaysoni</i>	▶  1  9
61	Flavescent Bulbul	<i>Pycnonotus flavescens</i>	▶  9
5	Light-vented Bulbul	<i>Pycnonotus sinensis</i>	▶  1
35	Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	▶  8
4	Ashy-throated Warbler	<i>Phylloscopus maculipennis</i>	▶  2
119	Yellow-browed Warbler	<i>Phylloscopus inornatus</i>	▶  4  32
3	Dusky Warbler	<i>Phylloscopus fuscatus</i>	▶  3
3	White-spectacled Warbler	<i>Phylloscopus intermedius</i>	▶  3
4	Gray-cheeked Warbler	<i>Phylloscopus poliogenys</i>	▶  3
1	Gray-crowned Warbler	<i>Phylloscopus tephrocephalus</i>	▶  1
3	Bianchi's Warbler	<i>Phylloscopus valentini</i>	▶  1
7	Alström's Warbler	<i>Phylloscopus soror</i>	▶  1
17	Two-barred Warbler	<i>Phylloscopus plumbeitarsus</i>	▶  8
29	Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>	▶  2  5
1	Chestnut-crowned Warbler	<i>Phylloscopus castaniceps</i>	▶  1
6	Limestone Leaf Warbler	<i>Phylloscopus calciatilis</i>	▶  2
15	Blyth's Leaf Warbler	<i>Phylloscopus reguloides</i>	▶  4
1	Davison's Leaf Warbler	<i>Phylloscopus intensior</i>	▶  1
11	Kloss's Leaf Warbler	<i>Phylloscopus ogilviegranti</i>	▶  4  5
7	Asian Stubtail	<i>Urosphena squameiceps</i>	▶  3
8	Gray-bellied Tesia	<i>Tesia cyaniventer</i>	▶  2

2	Rufous-faced Warbler	<i>Abroscopus albogularis</i>	▶  1
12	Black-faced Warbler	<i>Abroscopus schisticeps</i>	▶  1
6	Mountain Tailorbird	<i>Phyllergates cucullatus</i>	▶  1  3
21	Black-throated Tit	<i>Aegithalos concinnus</i>	▶  4
22	Black-chinned Yuhina	<i>Yuhina nigrimenta</i>	▶  2
38	Swinhoe's White-eye	<i>Zosterops simplex</i>	▶  4
16	Indian White-eye	<i>Zosterops palpebrosus</i>	▶  3  2
2	Chestnut-capped Babbler	<i>Timalia pileata</i>	▶  1
14	Gray-faced Tit-Babbler	<i>Mixornis kelleyi</i>	▶  3
144	Pin-striped Tit-Babbler	<i>Mixornis gularis</i>	▶  12
3	Golden Babbler	<i>Cyanoderma chrysaeum</i>	▶  2
4	Rufous-capped Babbler	<i>Cyanoderma ruficeps</i>	▶  2  3
5	Brown-crowned Scimitar-Babbler	<i>Pomatorhinus phayrei</i>	▶  2
7	Red-billed Scimitar-Babbler	<i>Pomatorhinus ochraceiceps</i>	▶  1  4
8	White-browed Scimitar-Babbler	<i>Pomatorhinus schisticeps</i>	▶  3
5	Large Scimitar-Babbler	<i>Erythrogonys hypoleucos</i>	▶  2  2
8	Gray-throated Babbler	<i>Stachyris nigriceps</i>	▶  3
20	Rufous-winged Fulvetta	<i>Schoeniparus castaneiceps</i>	▶  1
4	Black-crowned Fulvetta	<i>Schoeniparus klossi</i>	▶  4  1
8	Rufous-throated Fulvetta	<i>Schoeniparus rufogularis</i>	▶  2
4	Rusty-capped Fulvetta	<i>Schoeniparus dubius</i>	▶  1
5	Puff-throated Babbler	<i>Pellorneum ruficeps</i>	▶  2
4	Spot-throated Babbler	<i>Pellorneum albiventris</i>	▶  2








2	Buff-breasted Babbler	<i>Pellorneum tickelli</i>	▶  1
2	Abbott's Babbler	<i>Malacocincla abbotti</i>	▶  3  1
2	Streaked Wren-Babbler	<i>Gypsophila brevicaudata</i>	▶  2
6	Annam Limestone Babbler	<i>Gypsophila annamensis</i>	▶  3
3	Eyebrowed Wren-Babbler	<i>Napothera epilepidota</i>	▶  5  2
2	Short-tailed Scimitar-Babbler	<i>Napothera danjoui</i>	▶  2  1
18	Black-browed Fulvetta	<i>Alcippe grotei</i>	▶  3
92	Mountain Fulvetta	<i>Alcippe peracensis</i>	▶  1  7
9	Vietnamese Cutia	<i>Cutia legalleni</i>	▶  9  3
45	Blue-winged Minla	<i>Actinodura cyanouroptera</i>	▶  2  9
14	Red-tailed Minla	<i>Minla ignotincta</i>	▶  2
7	Velvet-fronted Nuthatch	<i>Sitta frontalis</i>	▶  3
4	Yellow-billed Nuthatch	<i>Sitta solangiae</i>	▶  3  2
5	Burmese Nuthatch	<i>Sitta neglecta</i>	▶  1  2
19	Chestnut-vented Nuthatch	<i>Sitta nagaensis</i>	▶  1  3
3	Hume's Treecreeper	<i>Certhia manipurensis</i>	▶  2  1
3	Golden-crested Myna	<i>Ampeliceps coronatus</i>	▶  1  1
2	Black-collared Starling	<i>Gracupica nigricollis</i>	▶  1
11	White-shouldered Starling	<i>Sturnia sinensis</i>	▶  2
5	Common Myna	<i>Acridotheres tristis</i>	▶  3
8	Vinous-breasted Myna	<i>Acridotheres leucocephalus</i>	▶  1  2
3	White's Thrush	<i>Zoothera aurea</i>	▶  8  2
1	Siberian Thrush	<i>Geokichla sibirica</i>	▶  4  1

14	Chinese Blackbird	<i>Turdus mandarinus</i>	▶  2
1	Black-breasted Thrush	<i>Turdus dissimilis</i>	▶  1  1
24	Japanese Thrush	<i>Turdus cardis</i>	▶  1  6
2	Gray-backed Thrush	<i>Turdus hortulorum</i>	▶  1
13	Eyebrowed Thrush	<i>Turdus obscurus</i>	▶  3  2
12	Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	▶  2  10
12	Oriental Magpie-Robin	<i>Copsychus saularis</i>	▶  5
1	White-tailed Flycatcher	<i>Leucoptilon concretum</i>	▶  1
7	Large Niltava	<i>Niltava grandis</i>	▶  4  3
1	Small Niltava	<i>Niltava macgrigoriae</i>	▶  1
4	Fujian Niltava	<i>Niltava davidi</i>	▶  2  3
6	Verditer Flycatcher	<i>Eumyias thalassinus</i>	▶  4
1	White-gorgeted Flycatcher	<i>Anthipes monileger</i>	▶  1
1	Rufous-browed Flycatcher	<i>Anthipes solitaris</i>	▶  1
8	Hainan Blue Flycatcher	<i>Cyornis hainanus</i>	▶  4
1	Pale Blue Flycatcher	<i>Cyornis unicolor</i>	▶  1
6	Indochinese Blue Flycatcher	<i>Cyornis sumatrensis</i>	▶  4
2	Lesser Shortwing	<i>Brachypteryx leucophris</i>	▶  1
17	Rufous-tailed Robin	<i>Larvivora sibilans</i>	▶  4
5	Siberian Blue Robin	<i>Larvivora cyane</i>	▶  4
3	Siberian Rubythroat	<i>Calliope calliope</i>	▶  1
2	White-tailed Robin	<i>Myiomela leucura</i>	▶  2
6	Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	▶  2


















3	Mugimaki Flycatcher	<i>Ficedula mugimaki</i>	▶  2
2	Snowy-browed Flycatcher	<i>Ficedula hyperythra</i>	▶  2
2	Rufous-gorgeted Flycatcher	<i>Ficedula strophitata</i>	▶  1  2
3	Little Pied Flycatcher	<i>Ficedula westermanni</i>	▶  1
6	Taiga Flycatcher	<i>Ficedula albicilla</i>	▶  1  3
1	Plumbeous Redstart	<i>Phoenicurus fuliginosus</i>	▶  1
2	Daurian Redstart	<i>Phoenicurus aureus</i>	▶  2  1
5	White-throated Rock-Thrush	<i>Monticola gularis</i>	▶  4  4
1	Blue Rock-Thrush	<i>Monticola solitarius</i>	▶  1  1
2	Amur Stonechat	<i>Saxicola stejnegeri</i>	▶  7  1
4	Pied Bushchat	<i>Saxicola caprata</i>	▶  2  3
7	Gray Bushchat	<i>Saxicola ferreus</i>	▶  3
1	Thick-billed Flowerpecker	<i>Pachyglossa agilis</i>	▶  1
3	Yellow-vented Flowerpecker	<i>Pachyglossa chrysorrhea</i>	▶  2
2	Fire-breasted Flowerpecker	<i>Dicaeum ignipectus</i>	▶  2
15	Scarlet-backed Flowerpecker	<i>Dicaeum cruentatum</i>	▶  7
2	Ruby-cheeked Sunbird	<i>Chalcoparia singalensis</i>	▶  1  2
2	Purple Sunbird	<i>Cinnyris asiaticus</i>	▶  2  1
10	Ornate Sunbird	<i>Cinnyris ornatus</i>	▶  3
12	Black-throated Sunbird	<i>Aethopyga saturata</i>	▶  4  3
20	Mrs. Gould's Sunbird	<i>Aethopyga gouldiae</i>	▶  4
9	Green-tailed Sunbird	<i>Aethopyga nipalensis</i>	▶  2
4	Crimson Sunbird	<i>Aethopyga siparaja</i>	▶  4

4	Fork-tailed Sunbird	<i>Aethopyga christinae</i>	▶  2
3	Purple-naped Spiderhunter	<i>Kurochkinogramma hypogrammicum</i>	▶  2
1	Little Spiderhunter	<i>Arachnothera longirostra</i>	▶  1
48	Streaked Spiderhunter	<i>Arachnothera magna</i>	▶  2  11
2	Asian Fairy-bluebird	<i>Irena puella</i>	▶  1  1
35	Blue-winged Leafbird	<i>Chloropsis moluccensis</i>	▶  2  8
40	Scaly-breasted Munia	<i>Lonchura punctulata</i>	▶  1
31	White-rumped Munia	<i>Lonchura striata</i>	▶  2
15	House Sparrow	<i>Passer domesticus</i>	▶  4
3	Plain-backed Sparrow	<i>Passer flaveolus</i>	▶  1
38	Eurasian Tree Sparrow	<i>Passer montanus</i>	▶  8
4	Forest Wagtail	<i>Dendronanthus indicus</i>	▶  4  2
9	Gray Wagtail	<i>Motacilla cinerea</i>	▶  5
8	White Wagtail	<i>Motacilla alba</i>	▶  5
1	Paddyfield Pipit	<i>Anthus rufulus</i>	▶  1
15	Vietnamese Greenfinch	<i>Chloris monguilloti</i>	▶  2  3
9	Red Crossbill	<i>Loxia curvirostra</i>	▶  5  2

ADDITIONAL TAXA

1	pheasant sp.	<i>Phasianidae sp. (pheasant sp.)</i>	▶  1
57	green-pigeon sp.	<i>Treron sp.</i>	▶  9
3	pigeon/dove sp.	<i>Columbidae sp.</i>	▶  2
1	needletail sp.	<i>Hirundapus sp.</i>	▶  1
875	dark swiftlet sp.	<i>Aerodramus sp.</i>	▶  3  20
1	Pacific/Cook's Swift	<i>Apus pacificus/cooki</i>	▶  1

32	swift sp. <i>Apodidae</i> sp.	▶  6
1	Ardea sp. <i>Ardea</i> sp.	▶  1
29	white egret sp. <i>Egretta/Ardea</i> sp.	▶  4
3	Accipitrine hawk sp. (former <i>Accipiter</i> sp.) <i>Aerospiza/Tachyspiza/Accipiter/Astur</i> sp.	▶  3
1	hawk sp. <i>Accipitridae</i> sp. (hawk sp.)	▶  1
1	asian barbet sp. <i>Megalaimidae</i> sp.	▶  1
3	flameback sp. <i>Chrysocolaptes/Dinopium</i> sp.	▶  2
1	Lesser/Greater Yellownape <i>Picus chlorolophus/Chrysophlegma flavinucha</i>	▶  1
6	woodpecker sp. <i>Picidae</i> sp.	▶  3
2	parakeet sp. <i>Psittaciformes</i> sp. (parakeet sp.)	▶  1
3	Ashy/Brown-rumped Minivet <i>Pericrocotus divaricatus/cantonensis</i>	▶  2
7	minivet sp. (red minivet sp.) <i>Pericrocotus</i> sp. (red minivet sp.)	▶  4
10	minivet sp. (gray minivet sp.) <i>Pericrocotus</i> sp. (grey minivet sp.)	▶  1
13	minivet sp. <i>Pericrocotus</i> sp.	▶  3
5	cuckooshrike sp. <i>Campephagidae</i> sp.	▶  2  4
1	drongo sp. <i>Dicrurus</i> sp.	▶  1
3	Amur/Blyth's/Indian Paradise-Flycatcher <i>Terpsiphone incei/affinis/paradisi</i>	▶  2
1	green-magpie sp. <i>Cissa</i> sp.	▶  1
2	prinia sp. <i>Prinia</i> sp.	▶  1
2	Siberian/Asian House-Martin <i>Delichon lagopodum/dasypus</i>	▶  1
1	house-martin sp. <i>Delichon</i> sp.	▶  1
20	swallow sp. <i>Hirundinidae</i> sp.	▶  3
10	Pycnonotidae sp. <i>Pycnonotidae</i> sp.	▶  4

42	Phylloscopus sp. <i>Phylloscopus sp.</i>	▶  9  10
9	Zosterops sp. <i>Zosterops sp.</i>	▶  2
5	Gray-faced/Pin-striped Tit-Babbler <i>Mixornis kelleyi/gularis</i>	▶  1
2	Timaliidae sp. <i>Timaliidae sp.</i>	▶  1
6	myna/starling sp. <i>Sturnidae sp.</i>	▶  1
1	White's/Scaly Thrush <i>Zoothera aurea/dauma</i>	▶  1
8	Turdus sp. <i>Turdus sp.</i>	▶  3
10	Cyornis sp. <i>Cyornis sp.</i>	▶  4
2	Siberian/Amur Stonechat <i>Saxicola maurus/stejnegeri</i>	▶  2
4	flowerpecker sp. <i>Dicaeidae sp.</i>	▶  4
13	sunbird sp. <i>Nectariniidae sp. (sunbird sp.)</i>	▶  8
7	leafbird sp. <i>Chloropsis sp.</i>	▶  2
35	Lonchura sp. <i>Lonchura sp.</i>	▶  4
12	Passer sp. <i>Passer sp.</i>	▶  3
25	passerine sp. <i>Passeriformes sp.</i>	▶  3  8